

Masayuki Noguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6590986/publications.pdf>

Version: 2024-02-01

167
papers

17,059
citations

87723

38
h-index

15218

126
g-index

170
all docs

170
docs citations

170
times ranked

17947
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society International Multidisciplinary Classification of Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2011, 6, 244-285. | 0.5 | 4,127 |
| 2 | The 2015 World Health Organization Classification of Lung Tumors. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1243-1260. | 0.5 | 3,313 |
| 3 | Comprehensive genomic profiles of small cell lung cancer. <i>Nature</i> , 2015, 524, 47-53. | 13.7 | 1,634 |
| 4 | Small adenocarcinoma of the lung. Histologic characteristics and prognosis. <i>Cancer</i> , 1995, 75, 2844-2852. | 2.0 | 1,187 |
| 5 | PD-L1 Immunohistochemistry Comparability Study in Real-Life Clinical Samples: Results of Blueprint Phase 2 Project. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1302-1311. | 0.5 | 589 |
| 6 | Somatic RHOA mutation in angioimmunoblastic T cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 171-175. | 9.4 | 542 |
| 7 | International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society: International Multidisciplinary Classification of Lung Adenocarcinoma: Executive Summary. <i>Proceedings of the American Thoracic Society</i> , 2011, 8, 381-385. | 3.5 | 451 |
| 8 | Neuroendocrine Neoplasms of the Lung: A Prognostic Spectrum. <i>Journal of Clinical Oncology</i> , 2006, 24, 70-76. | 0.8 | 432 |
| 9 | A Grading System for Invasive Pulmonary Adenocarcinoma: A Proposal From the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1599-1610. | 0.5 | 234 |
| 10 | Best Practices Recommendations for Diagnostic Immunohistochemistry in Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2019, 14, 377-407. | 0.5 | 212 |
| 11 | Reproducibility of histopathological subtypes and invasion in pulmonary adenocarcinoma. An international interobserver study. <i>Modern Pathology</i> , 2012, 25, 1574-1583. | 2.9 | 206 |
| 12 | Natural History of Pulmonary Subsolid Nodules: A Prospective Multicenter Study. <i>Journal of Thoracic Oncology</i> , 2016, 11, 1012-1028. | 0.5 | 184 |
| 13 | Molecular heterogeneity in peripheral T-cell lymphoma, not otherwise specified revealed by comprehensive genetic profiling. <i>Leukemia</i> , 2019, 33, 2867-2883. | 3.3 | 148 |
| 14 | Diagnosis of Lung Adenocarcinoma in Resected Specimens: Implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society Classification. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 685-705. | 1.2 | 141 |
| 15 | Phenotypic characterization of endometrial stromal sarcoma of the uterus. <i>Cancer Science</i> , 2006, 97, 106-112. | 1.7 | 127 |
| 16 | E-Cadherin Gene Mutations in Signet Ring Cell Carcinoma of the Stomach. <i>Japanese Journal of Cancer Research</i> , 1996, 87, 843-848. | 1.7 | 125 |
| 17 | The 2021 WHO Classification of Tumors of the Thymus and Mediastinum: What Is New in Thymic Epithelial, Germ Cell, and Mesenchymal Tumors?. <i>Journal of Thoracic Oncology</i> , 2022, 17, 200-213. | 0.5 | 124 |
| 18 | The Use of Immunohistochemistry Improves the Diagnosis of Small Cell Lung Cancer and Its Differential Diagnosis. An International Reproducibility Study in a Demanding Set of Cases. <i>Journal of Thoracic Oncology</i> , 2017, 12, 334-346. | 0.5 | 113 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Stepwise progression of pulmonary adenocarcinoma—clinical and molecular implications. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 15-21. | 2.7 | 109 |
| 20 | Genomic Amplification of <i>CD274</i> (PD-L1) in Small-Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 1220-1226. | 3.2 | 92 |
| 21 | Modified formalin and methanol fixation methods for molecular biological and morphological analyses. <i>Pathology International</i> , 1997, 47, 685-691. | 0.6 | 85 |
| 22 | Influenza A Virus Infection Triggers Pyroptosis and Apoptosis of Respiratory Epithelial Cells through the Type I Interferon Signaling Pathway in a Mutually Exclusive Manner. <i>Journal of Virology</i> , 2018, 92, . | 1.5 | 83 |
| 23 | Association of point mutation in c-Ki-ras oncogene in lung adenocarcinoma with particular reference to cytologic subtypes. <i>Cancer</i> , 1990, 66, 289-294. | 2.0 | 82 |
| 24 | <i>MYC</i> Amplification as a Prognostic Marker of Early-Stage Lung Adenocarcinoma Identified by Whole Genome Copy Number Analysis. <i>Clinical Cancer Research</i> , 2011, 17, 1481-1489. | 3.2 | 76 |
| 25 | Expression and clinical significance of genes frequently mutated in small cell lung cancers defined by whole exome/RNA sequencing. <i>Carcinogenesis</i> , 2015, 36, 616-621. | 1.3 | 73 |
| 26 | The development and progression of adenocarcinoma of the lung. <i>Cancer Treatment and Research</i> , 1994, 72, 131-142. | 0.2 | 67 |
| 27 | Nuclear grading of primary pulmonary adenocarcinomas. <i>Cancer</i> , 2010, 116, 2011-2019. | 2.0 | 66 |
| 28 | Comparative allelotype of early and advanced stage non-small cell lung carcinomas. , 1996, 17, 71-77. | | 64 |
| 29 | Bronchioloalveolar Carcinoma (Lepidic Growth) Component Is a More Useful Prognostic Factor than Lymph Node Metastasis. <i>Journal of Thoracic Oncology</i> , 2009, 4, 951-958. | 0.5 | 60 |
| 30 | Lung Cancer Patients Have Increased 8-Hydroxydeoxyguanosine Levels in Peripheral Lung Tissue DNA. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 691-695. | 1.7 | 56 |
| 31 | Cell lines from non-neoplastic liver and hepatocellular carcinoma tissue from a single patient. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1996, 32, 135-137. | 0.7 | 54 |
| 32 | Liquid biopsy for the identification of intravascular large B-cell lymphoma. <i>Haematologica</i> , 2018, 103, e241-e244. | 1.7 | 53 |
| 33 | Loss of function of p16 gene and prognosis of pulmonary adenocarcinoma. <i>Cancer</i> , 2005, 103, 608-615. | 2.0 | 52 |
| 34 | Immunohistochemistry on IDH 1/2, ATRX, p53 and Ki-67 substitute molecular genetic testing and predict patient prognosis in grade III adult diffuse gliomas. <i>Brain Tumor Pathology</i> , 2016, 33, 107-116. | 1.1 | 47 |
| 35 | A Novel Therapeutic Strategy for Pancreatic Cancer: Targeting Cell Surface Glycan Using rBC2LC-N Lectin—Drug Conjugate (LDC). <i>Molecular Cancer Therapeutics</i> , 2018, 17, 183-195. | 1.9 | 45 |
| 36 | Aberrant Stratifin Overexpression Is Regulated by Tumor-Associated CpG Demethylation in Lung Adenocarcinoma. <i>American Journal of Pathology</i> , 2012, 180, 1653-1662. | 1.9 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Frequent EGFR mutations in noninvasive bronchioloalveolar carcinoma. <i>International Journal of Cancer</i> , 2006, 118, 2498-2504. | 2.3 | 43 |
| 38 | Radiologic Pathologic Correlation of Solid Portions on Thin-section CT Images in Lung Adenocarcinoma: A Multicenter Study. <i>Clinical Lung Cancer</i> , 2018, 19, e303-e312. | 1.1 | 43 |
| 39 | Stratifin accelerates progression of lung adenocarcinoma at an early stage. <i>Molecular Cancer</i> , 2015, 14, 142. | 7.9 | 42 |
| 40 | MYD88 (L265P) mutation is associated with an unfavourable outcome of primary central nervous system lymphoma. <i>British Journal of Haematology</i> , 2017, 177, 492-494. | 1.2 | 42 |
| 41 | High expression of stratifin is a universal abnormality during the course of malignant progression of early-stage lung adenocarcinoma. <i>International Journal of Cancer</i> , 2011, 129, 2445-2453. | 2.3 | 41 |
| 42 | Differences in the prognostic implications of vascular invasion between lung adenocarcinoma and squamous cell carcinoma. <i>Lung Cancer</i> , 2013, 82, 407-412. | 0.9 | 40 |
| 43 | Prognostication of small-sized primary pulmonary adenocarcinomas by histopathological and karyometric analysis. <i>Lung Cancer</i> , 2005, 48, 339-348. | 0.9 | 39 |
| 44 | Influenza restriction factor MxA functions as inflammasome sensor in the respiratory epithelium. <i>Science Immunology</i> , 2019, 4, . | 5.6 | 39 |
| 45 | Application of the p53 Gene Mutation Pattern for Differential Diagnosis of Primary Versus Metastatic Lung Carcinomas. <i>Diagnostic Molecular Pathology</i> , 1993, 2, 29-35. | 2.1 | 35 |
| 46 | Small-sized adenocarcinoma of the lung. <i>Cancer</i> , 2001, 93, 124-131. | 2.0 | 35 |
| 47 | Clonal Proliferation of B Lymphocytes in the Germinal Centers of Human Reactive Lymph Nodes: Possibility of Overdiagnosis of B Cell Clonal Proliferation. <i>Diagnostic Molecular Pathology</i> , 2000, 9, 132-136. | 2.1 | 34 |
| 48 | Expression of HNFs and C/EBPalpha is correlated with immunocytochemical differentiation of cell lines derived from human hepatocellular carcinomas, hepatoblastomas and immortalized hepatocytes. <i>Cancer Science</i> , 2003, 94, 757-763. | 1.7 | 34 |
| 49 | Establishment of an immortalized cell line from a precancerous lesion of lung adenocarcinoma, and genes highly expressed in the early stages of lung adenocarcinoma development. <i>Cancer Science</i> , 2005, 96, 668-675. | 1.7 | 33 |
| 50 | Expression of the Bax inhibitor-1 gene in pulmonary adenocarcinoma. <i>Cancer</i> , 2006, 106, 648-653. | 2.0 | 33 |
| 51 | Whole Genome Comparison of Allelic Imbalance between Noninvasive and Invasive Small-Sized Lung Adenocarcinomas. <i>Cancer Research</i> , 2009, 69, 1615-1623. | 0.4 | 33 |
| 52 | Radiological prediction of tumor invasiveness of lung adenocarcinoma on thin-section CT. <i>Medicine (United States)</i> , 2017, 96, e6331. | 0.4 | 33 |
| 53 | Malignant lymphoma of bronchus-associated lymphoid tissue (BALT) coexistent with pulmonary tuberculosis. <i>Pathology International</i> , 2001, 51, 807-811. | 0.6 | 32 |
| 54 | Application of the p53 Gene Mutation Pattern for Differential Diagnosis of Primary Versus Metastatic Lung Carcinomas. <i>Diagnostic Molecular Pathology</i> , 1993, 2, 29-35. | 2.1 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Anthracoic index and DNA methylation status of sputum contents can be used for identifying the population at risk of lung carcinoma. <i>Cancer</i> , 2004, 102, 348-354. | 2.0 | 31 |
| 56 | DNMT3a expression pattern and its prognostic value in lung adenocarcinoma. <i>Lung Cancer</i> , 2016, 97, 59-65. | 0.9 | 31 |
| 57 | Association of p16 Homozygous Deletions with Clinicopathologic Characteristics and EGFR/KRAS/p53 Mutations in Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 3746-3753. | 3.2 | 30 |
| 58 | Expression of the GA733 gene family and its relationship to prognosis in pulmonary adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 457, 69-76. | 1.4 | 30 |
| 59 | Interobserver Agreement in the Nuclear Grading of Primary Pulmonary Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2013, 8, 736-743. | 0.5 | 30 |
| 60 | A pilot study of adjuvant chemotherapy with irinotecan and cisplatin for completely resected high-grade pulmonary neuroendocrine carcinoma (large cell neuroendocrine carcinoma and small) Tj ETQq0 0 0 rgBT. Overlock 10 Tf 50 | | |
| 61 | DNA methylation and expression of p16INK4A gene in pulmonary adenocarcinoma and anthracosis in background lung. <i>International Journal of Cancer</i> , 1999, 84, 609-613. | 2.3 | 29 |
| 62 | Application of the p53 and K-ras gene mutation patterns for cytologic diagnosis of recurrent lung carcinomas. <i>Cancer</i> , 2000, 90, 258-263. | 2.0 | 29 |
| 63 | Stratifin regulates stabilization of receptor tyrosine kinases via interaction with ubiquitin-specific protease 8 in lung adenocarcinoma. <i>Oncogene</i> , 2018, 37, 5387-5402. | 2.6 | 29 |
| 64 | Intrabronchial orthotopic propagation of human lung adenocarcinoma—characterizations of tumorigenicity, invasion and metastasis. <i>Lung Cancer</i> , 2002, 36, 271-276. | 0.9 | 28 |
| 65 | ECT amplification and overexpression as a new prognostic biomarker for early-stage lung adenocarcinoma. <i>Cancer Science</i> , 2014, 105, 490-497. | 1.7 | 28 |
| 66 | Nuclear p53 accumulation by small-sized adenocarcinomas of the lung. <i>Pathology International</i> , 1996, 46, 486-490. | 0.6 | 26 |
| 67 | A case of double primary adenocarcinoma of the lung with multiple atypical adenomatous hyperplasia. <i>Pathology International</i> , 1998, 48, 634-640. | 0.6 | 26 |
| 68 | Phenotypic differences of proliferating fibroblasts in the stroma of lung adenocarcinoma and normal bronchus tissue. <i>Cancer Science</i> , 2004, 95, 226-232. | 1.7 | 26 |
| 69 | Overexpression of Dickkopf 3 in hepatoblastomas and hepatocellular carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 454, 639-646. | 1.4 | 26 |
| 70 | Heterotopic production of ceruloplasmin by lung adenocarcinoma is significantly correlated with prognosis. <i>Lung Cancer</i> , 2018, 118, 97-104. | 0.9 | 26 |
| 71 | Abnormality of the hepatocyte growth factor/MET pathway in pulmonary adenocarcinogenesis. <i>Lung Cancer</i> , 2012, 75, 181-188. | 0.9 | 24 |
| 72 | Reproducibility of the diagnosis of small adenocarcinoma of the lung and usefulness of an educational program for the diagnostic criteria. <i>Pathology International</i> , 2005, 55, 8-13. | 0.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Overexpression of immunoglobulin (CD79a) binding protein1 (IGBP β) in small lung adenocarcinomas and its clinicopathological significance. <i>Pathology International</i> , 2011, 61, 130-137. | 0.6 | 22 |
| 74 | Application of deep learning (3-dimensional convolutional neural network) for the prediction of pathological invasiveness in lung adenocarcinoma. <i>Medicine (United States)</i> , 2019, 98, e16119. | 0.4 | 21 |
| 75 | <i>Tet2</i> deficiency in immune cells exacerbates tumor progression by increasing angiogenesis in a lung cancer model. <i>Cancer Science</i> , 2021, 112, 4931-4943. | 1.7 | 21 |
| 76 | OClA domain containing 2 is highly expressed in adenocarcinoma mixed subtype with bronchioloalveolar carcinoma component and is associated with better prognosis. <i>Cancer Science</i> , 2007, 98, 50-57. | 1.7 | 20 |
| 77 | Increased cytoplasmic S100A6 expression is associated with pulmonary adenocarcinoma progression. <i>Pathology International</i> , 2009, 59, 623-630. | 0.6 | 20 |
| 78 | Genetic evidence implies that primary and relapsed tumors arise from common precursor cells in primary central nervous system lymphoma. <i>Cancer Science</i> , 2019, 110, 401-407. | 1.7 | 20 |
| 79 | Evaluation of immunohistochemical staining using whole-slide imaging for HER2 scoring of breast cancer in comparison with real glass slides. <i>Pathology International</i> , 2012, 62, 592-599. | 0.6 | 19 |
| 80 | miR-3941: A novel microRNA that controls IGBP1 expression and is associated with malignant progression of lung adenocarcinoma. <i>Cancer Science</i> , 2017, 108, 536-542. | 1.7 | 19 |
| 81 | Stratifin Inhibits SCFFBW7 Formation and Blocks Ubiquitination of Oncoproteins during the Course of Lung Adenocarcinogenesis. <i>Clinical Cancer Research</i> , 2019, 25, 2809-2820. | 3.2 | 19 |
| 82 | Impact of DNA integrity on the success rate of tissue-based next-generation sequencing: Lessons from nationwide cancer genome screening project SCRUM-Japan GliSCREEN. <i>Pathology International</i> , 2020, 70, 932-942. | 0.6 | 19 |
| 83 | Mechanomics Biomarker for Cancer Cells Unidentifiable through Morphology and Elastic Modulus. <i>Nano Letters</i> , 2021, 21, 1538-1545. | 4.5 | 19 |
| 84 | MMP-2 activation and stepwise progression of pulmonary adenocarcinoma: Analysis of MMP-2 and MMP-9 with gelatin zymography. <i>Pathology International</i> , 2004, 54, 295-301. | 0.6 | 18 |
| 85 | Characteristics of loss of heterozygosity in large cell neuroendocrine carcinomas of the lung and small cell lung carcinomas. <i>Pathology International</i> , 2006, 56, 434-439. | 0.6 | 18 |
| 86 | Ubiquitin-specific protease 8 is a novel prognostic marker in early-stage lung adenocarcinoma. <i>Pathology International</i> , 2017, 67, 292-301. | 0.6 | 18 |
| 87 | ECT2 promotes lung adenocarcinoma progression through extracellular matrix dynamics and focal adhesion signaling. <i>Cancer Science</i> , 2021, 112, 703-714. | 1.7 | 18 |
| 88 | Dimethylarginine dimethylaminohydrolase 2 promotes tumor angiogenesis in lung adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 179-190. | 1.4 | 17 |
| 89 | DNA hypomethylation-related overexpression of SFN, GORASP2 and ZYG11A is a novel prognostic biomarker for early stage lung adenocarcinoma. <i>Oncotarget</i> , 2019, 10, 1625-1636. | 0.8 | 17 |
| 90 | Adenocarcinoma of the Lung with Selective Metastasis to the Lung: Clinical, Histologic and DNA-Cytofluorometric Analyses. <i>Japanese Journal of Cancer Research</i> , 1992, 83, 93-100. | 1.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The implication of background anthracosis in the development and progression of pulmonary adenocarcinoma. <i>Cancer Science</i> , 2003, 94, 707-711. | 1.7 | 16 |
| 92 | Neuronatin Expression and Its Clinicopathological Significance in Pulmonary Non-small Cell Carcinoma. <i>Journal of Thoracic Oncology</i> , 2007, 2, 796-801. | 0.5 | 16 |
| 93 | Glycobiomarker, Fucosylated Short-Form Secretogranin III Levels Are Increased in Serum of Patients with Small Cell Lung Carcinoma. <i>Journal of Proteome Research</i> , 2017, 16, 4495-4505. | 1.8 | 16 |
| 94 | Cyclophilin A expression and its prognostic significance in lung adenocarcinoma. <i>Pathology International</i> , 2017, 67, 555-563. | 0.6 | 16 |
| 95 | Mutations found in cell-free DNA s of patients with malignant lymphoma at remission can derive from clonal hematopoiesis. <i>Cancer Science</i> , 2019, 110, 3375-3381. | 1.7 | 16 |
| 96 | Conversion hepatectomy for hepatocellular carcinoma with main portal vein tumour thrombus after lenvatinib treatment: A case report. <i>World Journal of Hepatology</i> , 2021, 13, 384-392. | 0.8 | 16 |
| 97 | The Implication of Anthracosis in the Development of Pulmonary Adenocarcinoma. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1251-1256. | 1.7 | 15 |
| 98 | Amplotyping of microdissected, methanol-fixed lung carcinoma by arbitrarily primed polymerase chain reaction. <i>International Journal of Cancer</i> , 2000, 89, 19-25. | 2.3 | 15 |
| 99 | Frequent aberrant methylation of the promoter region of sterile β motif domain 14 in pulmonary adenocarcinoma. <i>Cancer Science</i> , 2008, 99, 2177-2184. | 1.7 | 15 |
| 100 | Increased expression of OCIA domain containing 2 during stepwise progression of ovarian mucinous tumor. <i>Pathology International</i> , 2012, 62, 471-476. | 0.6 | 15 |
| 101 | HPV genotyping for triage of women with abnormal cervical cancer screening results: a multicenter prospective study. <i>International Journal of Clinical Oncology</i> , 2015, 20, 974-981. | 1.0 | 15 |
| 102 | Meridianin C inhibits the growth of YD-10B human tongue cancer cells through macropinocytosis and the down-regulation of Dickkopf-related protein-3. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5833-5846. | 1.6 | 15 |
| 103 | Elastin in pulmonary pathology: relevance in tumours with a lepidic or papillary appearance. A comprehensive understanding from a morphological viewpoint. <i>Histopathology</i> , 2022, 80, 457-467. | 1.6 | 15 |
| 104 | IGFBP-1 is expressed specifically in ovarian clear cell adenocarcinoma. <i>Histopathology</i> , 2011, 58, 729-738. | 1.6 | 14 |
| 105 | Hepatic angiomyolipomas may overexpress TFE3, but have no relevant genetic alterations. <i>Human Pathology</i> , 2017, 61, 41-48. | 1.1 | 14 |
| 106 | An autopsy case of non-traumatic fat embolism syndrome. <i>Pathology International</i> , 2017, 67, 477-482. | 0.6 | 13 |
| 107 | The ACIN1 Gene is Hypermethylated in Early Stage Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2006, 1, 160-167. | 0.5 | 12 |
| 108 | Genetic heterogeneity of surgically resected prostate carcinomas and their biopsy specimens is related to their histologic differentiation. <i>Cancer</i> , 2001, 91, 362-370. | 2.0 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | High expression of ovarian cancer immunoreactive antigen domain containing 2 (OCIAD2) is associated with poor prognosis in lung adenocarcinoma. <i>Pathology International</i> , 2018, 68, 596-604. | 0.6 | 11 |
| 110 | Dickkopf 3 attenuates xanthine dehydrogenase expression to prevent oxidative stress-induced apoptosis. <i>Genes To Cells</i> , 2017, 22, 406-417. | 0.5 | 10 |
| 111 | Successful use of extracorporeal membrane oxygenation for airway-obstructing lung adenocarcinoma. <i>Thoracic Cancer</i> , 2020, 11, 3024-3028. | 0.8 | 10 |
| 112 | Drebrin: A new oncofetal biomarker associated with prognosis of lung adenocarcinoma. <i>Lung Cancer</i> , 2016, 102, 74-81. | 0.9 | 9 |
| 113 | Phenotypic characteristics of mouse lung adenoma induced by 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone. <i>Molecular Carcinogenesis</i> , 2005, 42, 121-126. | 1.3 | 8 |
| 114 | The prognostic significance of N-myc downregulated gene 1 in lung adenocarcinoma. <i>Pathology International</i> , 2018, 68, 224-231. | 0.6 | 8 |
| 115 | SV40 large T antigen immortalization of rat hepatic stellate-like cells. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1999, 35, 246-247. | 0.7 | 7 |
| 116 | The ACIN1 Gene is Hypermethylated in Early Stage Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2006, 1, 160-167. | 0.5 | 7 |
| 117 | Specific expression of ZO-1 and N-cadherin in rosette structures of various tumors: possible recapitulation of neural tube formation in embryogenesis and utility as a potentially novel immunohistochemical marker of rosette formation in pulmonary neuroendocrine tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 399-407. | 1.4 | 7 |
| 118 | Blastic plasmacytoid dendritic cell neoplasm arising from clonal hematopoiesis. <i>International Journal of Hematology</i> , 2018, 108, 447-451. | 0.7 | 7 |
| 119 | Dickkopf-related protein 3 promotes cell adhesion and invasion during progression of lung adenocarcinoma. <i>Pathology International</i> , 2019, 69, 646-654. | 0.6 | 7 |
| 120 | Cytoplasmic expression of epithelial cell transforming sequence 2 in lung adenocarcinoma and its implications for malignant progression. <i>Laboratory Investigation</i> , 2019, 99, 551-567. | 1.7 | 7 |
| 121 | Influence of degree of DNA degradation in formalin-fixed and paraffin-embedded tissue samples on accuracy of genome-wide DNA methylation analysis. <i>Epigenomics</i> , 2021, 13, 565-576. | 1.0 | 7 |
| 122 | Case Report: Molecular Characterization of Aggressive Malignant Retroperitoneal Solitary Fibrous Tumor: A Case Study. <i>Frontiers in Oncology</i> , 2021, 11, 736969. | 1.3 | 7 |
| 123 | Microsatellite Instability and Frameshift Mutations in the Bax Gene in Hereditary Nonpolyposis Colorectal Carcinoma. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1020-1027. | 1.7 | 6 |
| 124 | A case of unusual histology of infantile lipoblastoma confirmed by PLAG1 rearrangement. <i>Surgical Case Reports</i> , 2015, 1, 42. | 0.2 | 6 |
| 125 | Hypergastrinemia and a duodenal ulcer caused by gastric duplication. <i>Surgical Case Reports</i> , 2016, 2, 75. | 0.2 | 6 |
| 126 | Intravascular large B-cell lymphoma presenting with hearing loss and dizziness. <i>Medicine (United States)</i> , 2017, 96, 1000000. | 0.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Roles of DKK3 in cellular adhesion, motility, and invasion through extracellular interaction with TGFBI. <i>FEBS Journal</i> , 2022, 289, 6385-6399. | 2.2 | 6 |
| 128 | Ovarian carcinoma immunoreactive antigen domain 2 controls mitochondrial apoptosis in lung adenocarcinoma. <i>Cancer Science</i> , 2021, 112, 5114-5126. | 1.7 | 5 |
| 129 | Progression to polythythemia vera from familial thrombocytosis with germline JAK2 R867Q mutation. <i>Annals of Hematology</i> , 2018, 97, 737-739. | 0.8 | 4 |
| 130 | Carcinogen-induced tumors in SFN transgenic mice harbor a characteristic mutation spectrum of human lung adenocarcinoma. <i>Cancer Science</i> , 2019, 110, 2431-2441. | 1.7 | 4 |
| 131 | A case of microscopic, multiple sclerosing pneumocytoma. <i>Pathology International</i> , 2018, 68, 196-201. | 0.6 | 3 |
| 132 | Case report of three EGFR TKI naïve lung adenocarcinoma containing double EGFR mutations (L858R/T790M or Exon 19 Deletion/T790M); Comparing genetic information and histology. <i>Pathology Research and Practice</i> , 2018, 214, 1224-1230. | 1.0 | 3 |
| 133 | High expression of Ras-specific guanine nucleotide-releasing factor 2 (RasGRF2) in lung adenocarcinoma is associated with tumor invasion and poor prognosis. <i>Pathology International</i> , 2021, 71, 255-260. | 0.6 | 3 |
| 134 | Late occurrence of Epstein-Barr virus-associated lymphoproliferative disorder in a patient with follicular lymphoma treated with bendamustine and rituximab. <i>Annals of Hematology</i> , 2015, 94, 2061-2062. | 0.8 | 2 |
| 135 | A case of invasive mucinous adenocarcinoma of the lung showing stepwise progression at the primary site. <i>Lung Cancer</i> , 2019, 136, 94-97. | 0.9 | 2 |
| 136 | Gene expression profiles of the original tumors influence the generation of PDX models of lung squamous cell carcinoma. <i>Laboratory Investigation</i> , 2021, 101, 543-553. | 1.7 | 2 |
| 137 | Negative-pressure pulmonary Hemorrhaging Due to Severe Obstructive Sleep Apnea. <i>Internal Medicine</i> , 2021, 60, 2291-2296. | 0.3 | 2 |
| 138 | Somatic G17V Rhoa Mutation Specifies Angioimmunoblastic T-Cell Lymphoma. <i>Blood</i> , 2013, 122, 815-815. | 0.6 | 2 |
| 139 | A case of solitary plasmacytoma of bone showing co-expression of both immunoglobulin light chains. <i>European Journal of Medical Research</i> , 2021, 26, 148. | 0.9 | 2 |
| 140 | Mutational landscape of primary breast angiosarcoma with repeated resection and recurrence over a 15-year period: A case report. <i>Pathology International</i> , 0, , . | 0.6 | 2 |
| 141 | Effect of electroconvulsive therapy for the treatment of senile depression with marked pseudohysterical symptoms. <i>Psychogeriatrics</i> , 2004, 4, 43-48. | 0.6 | 1 |
| 142 | Adenocarcinoma of the lung., 2013, , 1043-1092. | | 1 |
| 143 | A severe combined immunodeficiency disease mouse model of human adenocarcinoma with lepidic-predominant growth. <i>Pathology Research and Practice</i> , 2018, 214, 2000-2003. | 1.0 | 1 |
| 144 | Integrative RNA-Seq and H3 Trimethylation ChIP-Seq Analysis of Human Lung Cancer Cells Isolated by Laser-Microdissection. <i>Cancers</i> , 2021, 13, 1719. | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Dramatic Recovery from Cardiovascular Collapse: Paclitaxel as an Urgent Treatment for Primary Cardiac Angiosarcoma. <i>Internal Medicine</i> , 2021, 60, 67-71. | 0.3 | 1 |
| 146 | Therapeutic Plasma Exchange Improved Pregnancy-associated Thrombotic Microangiopathy but not the Pregnancy Outcome in Patient with Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2020, 59, 3235-3238. | 0.3 | 1 |
| 147 | A Case of High-grade Fetal Lung Adenocarcinoma Requiring a Differential Diagnosis from Mediastinal Tumor with Pulmonary Invasion. <i>Japanese Journal of Lung Cancer</i> , 2018, 58, 239-240. | 0.0 | 1 |
| 148 | S100a8/S100a9-Emmprin-Vegfa Axis Initiated By Tet2-Deficient Immune Cells Exacerbates Lung Cancer Progression through Promotion of Angiogenesis. <i>Blood</i> , 2021, 138, 3276-3276. | 0.6 | 1 |
| 149 | E12-04: Novel histologic criteria for prognostication of lung adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2007, 2, S257-S258. | 0.5 | 0 |
| 150 | An autopsy case of late-onset Epstein-Barr virus associated post-transplant lymphoproliferative disorders 11 years after kidney transplantation. <i>Clinical Transplantation</i> , 2008, 22, 87-91. | 0.8 | 0 |
| 151 | Resistance to chemotherapy in non-small cell lung cancer with Keap1 gene mutation. <i>International Cancer Conference Journal</i> , 2012, 1, 63-66. | 0.2 | 0 |
| 152 | An autopsy case of aortic dissection due to giant cell arteritis. <i>Pathology International</i> , 2021, 71, 204-209. | 0.6 | 0 |
| 153 | Squamous Cell Carcinoma of Unknown Primary: Multiple Skeletal Metastases Without Detectable Visceral Lesions. <i>Cureus</i> , 2021, 13, e16525. | 0.2 | 0 |
| 154 | Tissue microdissection and molecular diagnosis. <i>Juntendo J, Igaku</i> , 2001, 46, 416-422. | 0.1 | 0 |
| 155 | Histogenesis and Biology of Adenocarcinoma of the Lung. <i>Japanese Journal of Lung Cancer</i> , 2007, 47, 921-925. | 0.0 | 0 |
| 156 | Combination chemotherapy with irinotecan and cisplatin (IP) for advanced large-cell neuroendocrine carcinoma (LCNEC) of the lung: A multicenter phase II study. <i>Journal of Clinical Oncology</i> , 2013, 31, 8037-8037. | 0.8 | 0 |
| 157 | A Case of Sclerosing Hemangioma of the Lung Which Was Difficult to Diagnose. <i>Japanese Journal of Lung Cancer</i> , 2014, 54, 988-989. | 0.0 | 0 |
| 158 | A case of primary apocrine carcinoma with neuroendocrine differentiation occurring on the right parasternal region. <i>Skin Cancer</i> , 2015, 29, 165-170. | 0.1 | 0 |
| 159 | Ruptured Ileal Varices Diagnosed Using Double-balloon Enteroscopy and Successfully Treated by Surgery. <i>Japanese Journal of Gastroenterological Surgery</i> , 2016, 49, 131-138. | 0.0 | 0 |
| 160 | A Case of a Duodenal Papilla Adenosquamous Carcinoma with Trophoblastic Differentiation. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2016, 77, 1440-1445. | 0.0 | 0 |
| 161 | A Case of Thymic Basaloid Carcinoma That Was Difficult to Distinguish from Squamous Cell Carcinoma. <i>Japanese Journal of Lung Cancer</i> , 2017, 57, 336-337. | 0.0 | 0 |
| 162 | An Autopsy Case of a Patient with Fabry Disease Comorbid with Cardiac Hypertrophy Receiving Hemodialysis. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019, 108, 999-1006. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | An Update on Pathological Diagnosis of Lung Cancer. Japanese Journal of Lung Cancer, 2019, 59, 1083-1089. | 0.0 | 0 |
| 164 | A Case of Mediastinal Lymph Node Carcinoma of Unknown Primary Site, Most Likely Lung Adenocarcinoma. Japanese Journal of Lung Cancer, 2019, 59, 1190-1191. | 0.0 | 0 |
| 165 | An overlapping case of <i>in situ</i> mantle cell neoplasia and leukemic non-nodal mantle cell lymphoma. Journal of Clinical and Experimental Hematopathology: JCEH, 2020, 60, 169-173. | 0.3 | 0 |
| 166 | A case of Pneumocystis jirovecii pneumonia in a patient with acquired immune deficiency syndrome who showed eosinophilia and an increased serum TARC/CCL17 level. Multidisciplinary Respiratory Medicine, 2022, 17, 802. | 0.6 | 0 |
| 167 | Editorial Comment on "Mucin distribution in bronchiolar adenoma/ciliated mucinodular papillary tumor reveals organoid differentiation simulating the normal lung": Pathology International, 2022, 72, 307-307. | 0.6 | 0 |