
## Meiling Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/659566/publications.pdf Version: 2024-02-01



MEILING

#	Article	IF	CITATIONS
1	Individualized Functional Connectome Identified Replicable Biomarkers for Dysphoric Symptoms in First-Episode Medication-Naìve Patients With Major Depressive Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2023, 8, 42-51.	1.5	4
2	Brain structural abnormalities in adult major depressive disorder revealed by voxel- and source-based morphometry: evidence from the REST-meta-MDD Consortium. Psychological Medicine, 2023, 53, 3672-3682.	4.5	10
3	Tracking Positive and Negative Symptom Improvement in First-Episode Schizophrenia Treated with Risperidone Using Individual-Level Functional Connectivity. Brain Connectivity, 2022, 12, 454-464.	1.7	3
4	Plin5 Bidirectionally Regulates Lipid Metabolism in Oxidative Tissues. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-11.	4.0	5
5	Impact of genetic status on the survival outcomes of patients with clinical stage I non-small cell lung cancer with a radiological pure-solid appearance. Lung Cancer, 2022, 166, 63-69.	2.0	2
6	Predictive Biomarkers for Antipsychotic Treatment Response in Early Phase of Schizophrenia: Multi-Omic Measures Linking Subcortical Covariant Network, Transcriptomic Signatures, and Peripheral Epigenetics. Frontiers in Neuroscience, 2022, 16, .	2.8	9
7	Individual Variability in Functional Organization of the Human and Monkey Auditory Cortex. Cerebral Cortex, 2021, 31, 2450-2465.	2.9	27
8	Individualâ€ <b>s</b> pecific functional connectome biomarkers predict schizophrenia positive symptoms during adolescent brain maturation. Human Brain Mapping, 2021, 42, 1475-1484.	3.6	17
9	Large-Scale Functional Brain Network Architecture Changes Associated With Trauma-Related Dissociation. American Journal of Psychiatry, 2021, 178, 165-173.	7.2	57
10	Dissociable Auditory Cortico-Cerebellar Pathways in the Human Brain Estimated by Intrinsic Functional Connectivity. Cerebral Cortex, 2021, 31, 2898-2912.	2.9	14
11	Co-activation patterns across multiple tasks reveal robust anti-correlated functional networks. NeuroImage, 2021, 227, 117680.	4.2	25
12	Individual-specific functional connectivity markers track dimensional and categorical features of psychotic illness. Molecular Psychiatry, 2020, 25, 2119-2129.	7.9	93
13	Variable functional connectivity architecture of the preterm human brain: Impact of developmental cortical expansion and maturation. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 1201-1206.	7.1	49
14	Functional connectivity underpinnings of electroconvulsive therapy-induced memory impairments in patients with depression. Neuropsychopharmacology, 2020, 45, 1579-1587.	5.4	22
15	Dual Energy Computed Tomography of Internal Carotid Artery: A Modified Dual-Energy Algorithm for Calcified Plaque Removal, Compared With Digital Subtraction Angiography. Frontiers in Neurology, 2020, 11, 621202.	2.4	4
16	Dysregulated Maturation of the Functional Connectome in Antipsychotic-NaÃ <sup>-</sup> ve, First-Episode Patients With Adolescent-Onset Schizophrenia. Schizophrenia Bulletin, 2019, 45, 689-697.	4.3	30
17	Use of an Individual-Level Approach to Identify Cortical Connectivity Biomarkers in Obsessive-Compulsive Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 27-38.	1.5	32
18	Clinicopathologic features and lymph node metastatic characteristics in patients with adenocarcinoma manifesting as part-solid nodule exceeding 3 cm in diameter. Lung Cancer, 2019, 136, 37-44.	2.0	9

Meiling Li

#	Article	IF	CITATIONS
19	55. Large-Scale Brain Network Architecture Changes Associated With a Trauma-Related Dissociative Syndrome. Biological Psychiatry, 2019, 85, S23.	1.3	0
20	Performing group-level functional image analyses based on homologous functional regions mapped in individuals. PLoS Biology, 2019, 17, e2007032.	5.6	84
21	Aberrant corticostriatal connectivity predict positive symptoms of antipsychotic-naÃ <sup>-</sup> ve patients with adolescent-onset schizophrenia during brain maturation. Schizophrenia Research, 2018, 195, 564-566.	2.0	2
22	Fluid intelligence relates to the resting state amplitude of low-frequency fluctuation and functional connectivity. NeuroReport, 2018, 29, 8-12.	1.2	5
23	Dynamic functional network connectivity in idiopathic generalized epilepsy with generalized tonic-clonic seizure. Human Brain Mapping, 2017, 38, 957-973.	3.6	275
24	Altered Functional Specialization in Temporal Lobe Epilepsy. Lecture Notes in Computer Science, 2017, , 572-579.	1.3	0
25	Disrupted resting-state insular subregions functional connectivity in post-traumatic stress disorder. Medicine (United States), 2016, 95, e4083.	1.0	33
26	Abnormal Functional Connectivity Density in Post-traumatic Stress Disorder. Brain Topography, 2016, 29, 405-411.	1.8	36
27	Combining task-evoked and spontaneous activity to improve pre-operative brain mapping with fMRI. NeuroImage, 2016, 124, 714-723.	4.2	24
28	The Nonsubsampled Contourlet Transform Based Statistical Medical Image Fusion Using Generalized Gaussian Density. Computational and Mathematical Methods in Medicine, 2015, 2015, 1-13.	1.3	9
29	Detail-enhanced and brightness-adjusted exposure image fusion. Journal of Electronic Imaging, 2015, 24, 033017.	0.9	3
30	Disrupted cortical hubs in functional brain networks in social anxiety disorder. Clinical Neurophysiology, 2015, 126, 1711-1716.	1.5	126
31	Intranetwork and internetwork functional connectivity alterations in post-traumatic stress disorder. Journal of Affective Disorders, 2015, 187, 114-121.	4.1	62
32	Handedness- and Brain Size-Related Efficiency Differences in Small-World Brain Networks: A Resting-State Functional Magnetic Resonance Imaging Study. Brain Connectivity, 2015, 5, 259-265.	1.7	10
33	Frequency-dependent alterations in the amplitude of low-frequency fluctuations in social anxiety disorder. Journal of Affective Disorders, 2015, 174, 329-335.	4.1	56
34	Increased cortical thickness and altered functional connectivity of the right superior temporal gyrus in left-handers. Neuropsychologia, 2015, 67, 27-34.	1.6	16
35	Characterization of Post-traumatic Stress Disorder Using Resting-State fMRI with a Multi-level Parametric Classification Approach. Brain Topography, 2015, 28, 221-237.	1.8	105
36	Detail-Enhanced Medical Image Fusion in NSCT Domain. International Journal of Multimedia and Ubiquitous Engineering, 2015, 10, 171-180.	0.4	0

Meiling Li

#	Article	IF	CITATIONS
37	Relationship between Personality and Gray Matter Volume in Healthy Young Adults: A Voxel-Based Morphometric Study. PLoS ONE, 2014, 9, e88763.	2.5	57
38	Handedness- and Hemisphere-Related Differences in Small-World Brain Networks: A Diffusion Tensor Imaging Tractography Study. Brain Connectivity, 2014, 4, 145-156.	1.7	50
39	Individualized Functional Connectome Identified Replicable Biomarkers for Dysphoric Symptoms in First-Episode Medication-NaÃ <sup>-</sup> ve Patients with Major Depressive Disorder. SSRN Electronic Journal, 0, , .	0.4	Ο