

# Jesus V Jorin Novo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6596216/publications.pdf>

Version: 2024-02-01

144  
papers

5,611  
citations

61857

43  
h-index

95083

68  
g-index

146  
all docs

146  
docs citations

146  
times ranked

5047  
citing authors

#	ARTICLE	IF	CITATIONS
1	Untargeted MS-Based Metabolomics Analysis of the Responses to Drought Stress in <i>Quercus ilex</i> L. Leaf Seedlings and the Identification of Putative Compounds Related to Tolerance. <i>Forests</i> , 2022, 13, 551.	0.9	13
2	Population genetic structure and dispersal of <i>Pinus occidentalis</i> in the Dominican Republic by chloroplastic SSR, with implications for its conservation, management, and reforestation. <i>Canadian Journal of Forest Research</i> , 2022, 52, 553-560.	0.8	0
3	Phytochemical composition and variability in <i>Quercus ilex</i> acorn morphotypes as determined by NIRS and MS-based approaches. <i>Food Chemistry</i> , 2021, 338, 127803.	4.2	25
4	Plant Proteomic Research 3.0: Challenges and Perspectives. <i>International Journal of Molecular Sciences</i> , 2021, 22, 766.	1.8	7
5	Proteomic Insights of Date Palm Embryogenesis and Responses to Environmental Stress. <i>Compendium of Plant Genomes</i> , 2021, , 85-99.	0.3	1
6	Proteomics and plant biology: contributions to date and a look towards the next decade. <i>Expert Review of Proteomics</i> , 2021, 18, 93-103.	1.3	14
7	GeLC-Orbitrap/MS and 2-DE-MALDI-TOF/TOF comparative proteomics analysis of seed cotyledons from the non-orthodox <i>Quercus ilex</i> tree species. <i>Journal of Proteomics</i> , 2021, 233, 104087.	1.2	11
8	Application and optimization of label-free shotgun approaches in the study of <i>Quercus ilex</i> . <i>Journal of Proteomics</i> , 2021, 233, 104082.	1.2	6
9	Proteomics Data Analysis for the Identification of Proteins and Derived Proteotypic Peptides of Potential Use as Putative Drought Tolerance Markers for <i>Quercus ilex</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 3191.	1.8	13
10	Molecular Research on Stress Responses in <i>Quercus</i> spp.: From Classical Biochemistry to Systems Biology through Omics Analysis. <i>Forests</i> , 2021, 12, 364.	0.9	18
11	Interspecific Variation between the American <i>Quercus virginiana</i> and Mediterranean <i>Quercus</i> Species in Terms of Seed Nutritional Composition, Phytochemical Content, and Antioxidant Activity. <i>Molecules</i> , 2021, 26, 2351.	1.7	2
12	Combining P and Zn fertilization to enhance yield and grain quality in maize grown on Mediterranean soils. <i>Scientific Reports</i> , 2021, 11, 7427.	1.6	12
13	Why Consumers Prefer Green Friariello Pepper: Changes in the Protein and Metabolite Profiles Along the Ripening. <i>Frontiers in Plant Science</i> , 2021, 12, 668562.	1.7	5
14	Effect and Response of <i>Quercus ilex</i> subsp. <i>ballota</i> [Desf.] Samp. Seedlings From Three Contrasting Andalusian Populations to Individual and Combined <i>Phytophthora cinnamomi</i> and Drought Stresses. <i>Frontiers in Plant Science</i> , 2021, 12, 722802.	1.7	23
15	Responses and Differences in Tolerance to Water Shortage under Climatic Dryness Conditions in Seedlings from <i>Quercus</i> spp. and Andalusian <i>Q. ilex</i> Populations. <i>Forests</i> , 2020, 11, 707.	0.9	19
16	<i>Quercus ilex</i> pollen allergen, Que i 1, responsible for pollen food allergy syndrome caused by fruits in Spanish allergic patients. <i>Clinical and Experimental Allergy</i> , 2020, 50, 815-823.	1.4	20
17	Dissecting the Seed Maturation and Germination Processes in the Non-Orthodox <i>Quercus ilex</i> Species Based on Protein Signatures as Revealed by 2-DE Coupled to MALDI-TOF/TOF Proteomics Strategy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4870.	1.8	15
18	What Is New in (Plant) Proteomics Methods and Protocols: The 2015–2019 Quinquennium. <i>Methods in Molecular Biology</i> , 2020, 2139, 1-10.	0.4	7

#	ARTICLE	IF	CITATIONS
19	A Pipeline for Metabolic Pathway Reconstruction in Plant Orphan Species. <i>Methods in Molecular Biology</i> , 2020, 2139, 367-380.	0.4	0
20	A multi-omics analysis of the grapevine pathogen <i>Lasiodiplodia theobromae</i> reveals that temperature affects the expression of virulence- and pathogenicity-related genes. <i>Scientific Reports</i> , 2019, 9, 13144.	1.6	47
21	Ion Torrent and Illumina, two complementary RNA-seq platforms for constructing the holm oak ( <i>Quercus ilex</i> ) transcriptome. <i>PLoS ONE</i> , 2019, 14, e0210356.	1.1	28
22	Recent Advances in MS-Based Plant Proteomics: Proteomics Data Validation Through Integration with Other Classic and -Omics Approaches. <i>Progress in Botany Fortschritte Der Botanik</i> , 2019, , 77-101.	0.1	6
23	Proteomic Analysis and Functional Validation of a Brassica oleracea Endochitinase Involved in Resistance to <i>Xanthomonas campestris</i> . <i>Frontiers in Plant Science</i> , 2019, 10, 414.	1.7	13
24	Proteomics, Holm Oak ( <i>Quercus ilex</i> L.) and Other Recalcitrant and Orphan Forest Tree Species: How do They See Each Other?. <i>International Journal of Molecular Sciences</i> , 2019, 20, 692.	1.8	20
25	Protein Carbonylation As a Biomarker of Heavy Metal, Cd and Pb, Damage in <i>Paspalum fasciculatum</i> Willd. ex Fl. <i>Plants</i> , 2019, 8, 513.	1.6	8
26	Gel electrophoresis-based plant proteomics: Past, present, and future. Happy 10th anniversary Journal of Proteomics!. <i>Journal of Proteomics</i> , 2019, 198, 1-10.	1.2	46
27	Toward characterizing germination and early growth in the non-orthodox forest tree species <i>Quercus ilex</i> through complementary gel and gel-free proteomic analysis of embryo and seedlings. <i>Journal of Proteomics</i> , 2019, 197, 60-70.	1.2	18
28	Variability studies of allochthonous stone pine ( <i>Pinus pinea</i> L.) plantations in Chile through nut protein profiling. <i>Journal of Proteomics</i> , 2018, 175, 95-104.	1.2	5
29	Substantial equivalence analysis in fruits from three <i>Theobroma</i> species through chemical composition and protein profiling. <i>Food Chemistry</i> , 2018, 240, 496-504.	4.2	13
30	Germination and Early Seedling Development in <i>Quercus ilex</i> Recalcitrant and Non-dormant Seeds: Targeted Transcriptional, Hormonal, and Sugar Analysis. <i>Frontiers in Plant Science</i> , 2018, 9, 1508.	1.7	23
31	A Multi-Omics Analysis Pipeline for the Metabolic Pathway Reconstruction in the Orphan Species <i>Quercus ilex</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 935.	1.7	37
32	Production of toxic metabolites by two strains of <i>Lasiodiplodia theobromae</i> , isolated from a coconut tree and a human patient. <i>Mycologia</i> , 2018, 110, 642-653.	0.8	27
33	Population Genetic Diversity of <i>Quercus ilex</i> subsp. <i>ballota</i> (Desf.) Samp. Reveals Divergence in Recent and Evolutionary Migration Rates in the Spanish Dehesas. <i>Forests</i> , 2018, 9, 337.	0.9	22
34	Holm oak proteomic response to water limitation at seedling establishment stage reveals specific changes in different plant parts as well as interaction between roots and cotyledons. <i>Plant Science</i> , 2018, 276, 1-13.	1.7	16
35	Proteomics Analysis of Plant Tissues Based on Two-Dimensional Gel Electrophoresis. , 2018, , 309-322.		1
36	What proteomic analysis of the apoplast tells us about plant-pathogen interactions. <i>Plant Pathology</i> , 2018, 67, 1647-1668.	1.2	19

#	ARTICLE	IF	CITATIONS
37	Electrophoresis-Based Proteomics to Study Development and Germination of Date Palm Zygotic Embryos. <i>Methods in Molecular Biology</i> , 2017, 1638, 365-380.	0.4	1
38	Plant responses to tomato chlorotic mottle virus: Proteomic view of the resistance mechanisms to a bipartite begomovirus in tomato. <i>Journal of Proteomics</i> , 2017, 151, 284-292.	1.2	16
39	Holm Oak ( <i>Quercus ilex</i> ) Transcriptome. De novo Sequencing and Assembly Analysis. <i>Frontiers in Molecular Biosciences</i> , 2017, 4, 70.	1.6	46
40	Editorial: International Plant Proteomics Organization (INPPO) World Congress 2014. <i>Frontiers in Plant Science</i> , 2016, 7, 1190.	1.7	2
41	A year (2014-2015) of plants in <i>Proteomics</i> journal. Progress in wet and dry methodologies, moving from protein catalogs, and the view of classic plant biochemists. <i>Proteomics</i> , 2016, 16, 866-876.	1.3	9
42	Characterization of the orthodox <i>Pinus occidentalis</i> seed and pollen proteomes by using complementary gel-based and gel-free approaches. <i>Journal of Proteomics</i> , 2016, 143, 382-389.	1.2	10
43	Food and Crop Proteomics. <i>Journal of Proteomics</i> , 2016, 143, 1-2.	1.2	5
44	Mike Dunn: Proteomics in Spain, and the field of plant proteomics. <i>Proteomics</i> , 2016, 16, 2842-2844.	1.3	0
45	Proteomics for exploiting diversity of lupin seed storage proteins and their use as nutraceuticals for health and welfare. <i>Journal of Proteomics</i> , 2016, 143, 57-68.	1.2	42
46	Protein profile of cotyledon, tegument, and embryonic axis of mature acorns from a non-orthodox plant species: <i>Quercus ilex</i> . <i>Planta</i> , 2016, 243, 369-396.	1.6	23
47	2-DE proteomics analysis of drought treated seedlings of <i>Quercus ilex</i> supports a root active strategy for metabolic adaptation in response to water shortage. <i>Frontiers in Plant Science</i> , 2015, 6, 627.	1.7	63
48	Scientific standards and MIAPes in plant proteomics research and publications. <i>Frontiers in Plant Science</i> , 2015, 6, 473.	1.7	7
49	Multiplex staining of 2-DE gels for an initial phosphoproteome analysis of germinating seeds and early grown seedlings from a non-orthodox specie: <i>Quercus ilex</i> L. subsp. <i>ballota</i> [Desf.] Samp.. <i>Frontiers in Plant Science</i> , 2015, 6, 620.	1.7	33
50	Unraveling the in vitro secretome of the phytopathogen <i>Botrytis cinerea</i> to understand the interaction with its hosts. <i>Frontiers in Plant Science</i> , 2015, 6, 839.	1.7	47
51	A physiological, biochemical and proteomic characterization of <i>Saccharomyces cerevisiae</i> trk1,2 transport mutants grown under limiting potassium conditions. <i>Microbiology (United Kingdom)</i> , 2015, 161, 1260-1270.	0.7	7
52	Fourteen years of plant proteomics reflected in <i>Proteomics</i> : Moving from model species and 2DE-based approaches to orphan species and gel-free platforms. <i>Proteomics</i> , 2015, 15, 1089-1112.	1.3	91
53	Metabolite and proteome changes during the ripening of Syrah and Cabernet Sauvignon grape varieties cultured in a nontraditional wine region in Brazil. <i>Journal of Proteomics</i> , 2015, 113, 206-225.	1.2	16
54	Proteomic analysis of mycelium and secretome of different <i>Botrytis cinerea</i> wild-type strains. <i>Journal of Proteomics</i> , 2014, 97, 195-221.	1.2	74

#	ARTICLE	IF	CITATIONS
55	Back to Osborne. Sequential Protein Extraction and LC-MS Analysis for the Characterization of the Holm Oak Seed Proteome. <i>Methods in Molecular Biology</i> , 2014, 1072, 379-389.	0.4	12
56	Improving the quality of protein identification in non-model species. Characterization of <i>Quercus ilex</i> seed and <i>Pinus radiata</i> needle proteomes by using SEQUEST and custom databases. <i>Journal of Proteomics</i> , 2014, 105, 85-91.	1.2	69
57	Plant Proteomics Methods and Protocols. <i>Methods in Molecular Biology</i> , 2014, 1072, 3-13.	0.4	41
58	Proteotyping of Holm Oak ( <i>Quercus ilex</i> subsp. <i>ballota</i> ) Provenances Through Proteomic Analysis of Acorn Flour. <i>Methods in Molecular Biology</i> , 2014, 1072, 709-723.	0.4	3
59	Standardization of Data Processing and Statistical Analysis in Comparative Plant Proteomics Experiment. <i>Methods in Molecular Biology</i> , 2014, 1072, 51-60.	0.4	27
60	Making a Protein Extract from Plant Pathogenic Fungi for Gel- and LC-Based Proteomics. <i>Methods in Molecular Biology</i> , 2014, 1072, 93-109.	0.4	4
61	Physiological and proteomics analyses of Holm oak ( <i>Quercus ilex</i> subsp. <i>ballota</i> [Desf.] Samp.) responses to <i>Phytophthora cinnamomi</i> . <i>Plant Physiology and Biochemistry</i> , 2013, 71, 191-202.	2.8	56
62	Proteomic Protocols for the Study of Filamentous Fungi. , 2013, , 299-308.		8
63	Proteomics study reveals the molecular mechanisms underlying water stress tolerance induced by <i>Piriformospora indica</i> in barley. <i>Journal of Proteomics</i> , 2013, 94, 289-301.	1.2	150
64	Translational Proteomics Special Issue. <i>Journal of Proteomics</i> , 2013, 93, 1-4.	1.2	9
65	Physiological and Proteomic Analyses of Drought Stress Response in Holm Oak Provenances. <i>Journal of Proteome Research</i> , 2013, 12, 5110-5123.	1.8	53
66	Application of Label-Free Shotgun nUPLC-MS <sup>E</sup> and 2-DE Approaches in the Study of <i>Botrytis cinerea</i> Mycelium. <i>Journal of Proteome Research</i> , 2013, 12, 3042-3056.	1.8	28
67	Phosphorylated 11S globulins in sunflower seeds. <i>Seed Science Research</i> , 2013, 23, 199-204.	0.8	5
68	Extracellular Sunflower Proteins: Evidence on Non-classical Secretion of a Jacalin-Related Lectin. <i>Protein and Peptide Letters</i> , 2012, 19, 270-276.	0.4	44
69	Proteomics analysis of date palm leaves affected at three characteristic stages of brittle leaf disease. <i>Planta</i> , 2012, 236, 1599-1613.	1.6	11
70	Contribution of Proteomics to the Study of Plant Pathogenic Fungi. <i>Journal of Proteome Research</i> , 2012, 11, 3-16.	1.8	97
71	Adaptation to potassium starvation of wild-type and K <sup>+</sup> transport mutant ( <i>trk1,2</i> ) of <i>Saccharomyces cerevisiae</i> : 2-dimensional gel electrophoresis-based proteomic approach. <i>MicrobiologyOpen</i> , 2012, 1, 182-193.	1.2	7
72	A proteomic approach analysing the <i>Arabidopsis thaliana</i> response to virulent and avirulent <i>Pseudomonas syringae</i> strains. <i>Acta Physiologiae Plantarum</i> , 2012, 34, 905-922.	1.0	8

#	ARTICLE	IF	CITATIONS
73	Population variability based on the morphometry and chemical composition of the acorn in Holm oak ( <i>Quercus ilex</i> subsp. <i>ballota</i> [Desf.] Samp.). <i>European Journal of Forest Research</i> , 2012, 131, 893-904.	1.1	64
74	Proteomic analysis of Holm oak ( <i>Quercus ilex</i> subsp. <i>ballota</i> [Desf.] Samp.) pollen. <i>Journal of Proteomics</i> , 2012, 75, 2736-2744.	1.2	39
75	Simple, rapid and reliable methods to obtain high quality RNA and genomic DNA from <i>Quercus ilex</i> L. leaves suitable for molecular biology studies. <i>Acta Physiologiae Plantarum</i> , 2012, 34, 793-805.	1.0	29
76	Facing challenges in Proteomics today and in the coming decade: Report of Roundtable Discussions at the 4th EuPA Scientific Meeting, Portugal, Estoril 2010. <i>Journal of Proteomics</i> , 2011, 75, 4-17.	1.2	8
77	Proteomic analysis of <i>Arabidopsis</i> protein S-nitrosylation in response to inoculation with <i>Pseudomonas syringae</i> . <i>Acta Physiologiae Plantarum</i> , 2011, 33, 1493-1514.	1.0	37
78	Back to the basics: Maximizing the information obtained by quantitative two dimensional gel electrophoresis analyses by an appropriate experimental design and statistical analyses. <i>Journal of Proteomics</i> , 2011, 74, 1-18.	1.2	148
79	Application of proteomics to the assessment of the response to ionising radiation in <i>Arabidopsis thaliana</i> . <i>Journal of Proteomics</i> , 2011, 74, 1364-1377.	1.2	31
80	Studies of variability in Holm oak ( <i>Quercus ilex</i> subsp. <i>ballota</i> [Desf.] Samp.) through acorn protein profile analysis. <i>Journal of Proteomics</i> , 2011, 74, 1244-1255.	1.2	63
81	Plant proteomics in Europe – COST action FA0603. <i>Journal of Proteomics</i> , 2011, 74, 1161-1164.	1.2	2
82	Proteomics research on forest trees, the most recalcitrant and orphan plant species. <i>Phytochemistry</i> , 2011, 72, 1219-1242.	1.4	108
83	Diverse facets of plant proteomics. <i>Phytochemistry</i> , 2011, 72, 961-962.	1.4	5
84	Abscisic acid and sucrose increase the protein content in date palm somatic embryos, causing changes in 2-DE profile. <i>Phytochemistry</i> , 2010, 71, 1223-1236.	1.4	42
85	2-DE based proteomic analysis of <i>Saccharomyces cerevisiae</i> wild and K <sup>+</sup> transport-affected mutant ( <i>trk1,2</i> ) strains at the growth exponential and stationary phases. <i>Journal of Proteomics</i> , 2010, 73, 2316-2335.	1.2	15
86	Two-dimensional gel electrophoresis-based proteomic analysis of the <i>Medicago truncatula</i> –rust ( <i>Uromyces striatus</i> ) interaction. <i>Annals of Applied Biology</i> , 2010, 157, 243-257.	1.3	19
87	Proteomics of Plant Pathogenic Fungi. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-36.	3.0	127
88	Differences in the Triticale (X <i>Triticosecale</i> Wittmack) Flag Leaf 2-DE Protein Profile between Varieties and Nitrogen Fertilization Levels. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 5698-5707.	2.4	14
89	Combined Proteomic and Transcriptomic Analysis Identifies Differentially Expressed Pathways Associated to <i>Pinus radiata</i> Needle Maturation. <i>Journal of Proteome Research</i> , 2010, 9, 3954-3979.	1.8	56
90	Two-Dimensional Electrophoresis Based Proteomic Analysis of the Pea ( <i>Pisum sativum</i> ) in Response to <i>Mycosphaerella pinodes</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12822-12832.	2.4	44

#	ARTICLE	IF	CITATIONS
91	Differential expression proteomics to investigate responses and resistance to <i>Orobanche crenata</i> in <i>Medicago truncatula</i> . <i>BMC Genomics</i> , 2009, 10, 294.	1.2	42
92	Vesicular fractions of sunflower apoplastic fluids are associated with potential exosome marker proteins. <i>FEBS Letters</i> , 2009, 583, 3363-3366.	1.3	161
93	Proteomic analysis of the development and germination of date palm ( <i>Phoenix</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 1.3 64	1.3	64
94	Understanding <i>Orobanche</i> and <i>Phelipanche</i> "host plant interactions and developing resistance. <i>Weed Research</i> , 2009, 49, 8-22.	0.8	60
95	Plant proteomics update (2007-2008): Second-generation proteomic techniques, an appropriate experimental design, and data analysis to fulfill MIAPE standards, increase plant proteome coverage and expand biological knowledge. <i>Journal of Proteomics</i> , 2009, 72, 285-314.	1.2	191
96	Plant Proteomics. <i>Journal of Proteomics</i> , 2009, 72, 283-284.	1.2	10
97	Comparative 2-DE proteomic analysis of date palm ( <i>Phoenix dactylifera</i> L.) somatic and zygotic embryos. <i>Journal of Proteomics</i> , 2009, 73, 161-177.	1.2	72
98	Effect of ABA, arginine and sucrose on protein content of date palm somatic embryos. <i>Scientia Horticulturae</i> , 2009, 120, 379-385.	1.7	21
99	Changes in the protein profile of <i>Quercus ilex</i> leaves in response to drought stress and recovery. <i>Journal of Plant Physiology</i> , 2009, 166, 233-245.	1.6	101
100	EuPA achieves visibility " An activity report on the first three years. <i>Journal of Proteomics</i> , 2008, 71, 11-18.	1.2	4
101	Evaluation of three different protocols of protein extraction for <i>Arabidopsis thaliana</i> leaf proteome analysis by two-dimensional electrophoresis. <i>Journal of Proteomics</i> , 2008, 71, 461-472.	1.2	82
102	Proteomic Analysis of <i>Pinus radiata</i> Needles: 2-DE Map and Protein Identification by LC/MS/MS and Substitution-Tolerant Database Searching. <i>Journal of Proteome Research</i> , 2008, 7, 2616-2631.	1.8	48
103	Towards a global analysis of porcine alveolar macrophages proteins through two-dimensional electrophoresis and mass spectrometry. <i>Developmental and Comparative Immunology</i> , 2007, 31, 1220-1232.	1.0	11
104	Constitutive Coumarin Accumulation on Sunflower Leaf Surface Prevents Rust Germ Tube Growth and Appressorium Differentiation. <i>Crop Science</i> , 2007, 47, 1119-1124.	0.8	33
105	Plant resistance to parasitic plants: molecular approaches to an old foe. <i>New Phytologist</i> , 2007, 173, 703-712.	3.5	89
106	Proteomic analysis of phytopathogenic fungus <i>Botrytis cinerea</i> as a potential tool for identifying pathogenicity factors, therapeutic targets and for basic research. <i>Archives of Microbiology</i> , 2007, 187, 207-215.	1.0	70
107	Antifungal Activity of a New Phenolic Compound from Capitulum of a Head Rot-resistant Sunflower Genotype. <i>Journal of Chemical Ecology</i> , 2007, 33, 2245-2253.	0.9	24
108	Variation in the holm oak leaf proteome at different plant developmental stages, between provenances and in response to drought stress. <i>Proteomics</i> , 2006, 6, S207-S214.	1.3	110



#	ARTICLE	IF	CITATIONS
109	A proteomic approach to study pea ( <i>Pisum sativum</i> ) responses to powdery mildew ( <i>Erysiphe pisi</i> ). <i>Proteomics</i> , 2006, 6, S163-S174.	1.3	90
110	Two-dimensional electrophoresis protein profile of the phytopathogenic fungus <i>Botrytis cinerea</i> . <i>Proteomics</i> , 2006, 6, S88-S96.	1.3	70
111	Plant proteome analysis: A 2004–2006 update. <i>Proteomics</i> , 2006, 6, 5529-5548.	1.3	155
112	OUT OF CORDOBA. <i>Proteomics</i> , 2006, 6, S1-S3.	1.3	2
113	Fungitoxic effect of scopolin and related coumarins on <i>Sclerotinia sclerotiorum</i> . A way to overcome sunflower head rot. <i>Euphytica</i> , 2006, 147, 451-460.	0.6	44
114	Proteomics: a promising approach to study biotic interaction in legumes. A review. <i>Euphytica</i> , 2006, 147, 37-47.	0.6	55
115	Pre-haustorial resistance to broomrape ( <i>Orobanche cumana</i> ) in sunflower ( <i>Helianthus annuus</i> ): cytochemical studies. <i>Journal of Experimental Botany</i> , 2006, 57, 4189-4200.	2.4	81
116	<i>Orobanche crenata</i> resistance and avoidance in pea ( <i>Pisum</i> spp.) operate at different developmental stages of the parasite. <i>Weed Research</i> , 2005, 45, 379-387.	0.8	107
117	The Holm Oak leaf proteome: Analytical and biological variability in the protein expression level assessed by 2-DE and protein identification tandem mass spectrometry de novo sequencing and sequence similarity searching. <i>Proteomics</i> , 2005, 5, 222-234.	1.3	116
118	Crenate broomrape control in pea by foliar application of benzothiadiazole (BTH). <i>Phytoparasitica</i> , 2004, 32, 21-29.	0.6	37
119	Plant proteome analysis. <i>Proteomics</i> , 2004, 4, 285-298.	1.3	264
120	A proteomic approach to studying plant response to crenate broomrape ( <i>Orobanche crenata</i> ) in pea ( <i>Pisum sativum</i> ). <i>Phytochemistry</i> , 2004, 65, 1817-1828.	1.4	83
121	Title is missing!. <i>Euphytica</i> , 2003, 132, 321-329.	0.6	31
122	SAR Studies of Sesquiterpene Lactones as <i>Orobanche cumana</i> Seed Germination Stimulants. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 1911-1917.	2.4	30
123	Acibenzolar-S-methyl-induced resistance to sunflower rust ( <i>Puccinia helianthi</i> ) is associated with an enhancement of coumarins on foliar surface. <i>Physiological and Molecular Plant Pathology</i> , 2002, 60, 155-162.	1.3	65
124	Release of phytoalexins and related isoflavonoids from intact chickpea seedlings elicited with reduced glutathione at root level. <i>Plant Physiology and Biochemistry</i> , 2001, 39, 785-795.	2.8	41
125	Sunflower ( <i>Helianthus annuus</i> L.) response to broomrape ( <i>Orobanche cernua</i> Loefl.) parasitism: induced synthesis and excretion of 7-hydroxylated simple coumarins. <i>Journal of Experimental Botany</i> , 2001, 52, 2227-2234.	2.4	142
126	Sunflower sesquiterpene lactone models induce <i>Orobanche cumana</i> seed germination. <i>Phytochemistry</i> , 2000, 53, 45-50.	1.4	64



#	ARTICLE	IF	CITATIONS
127	AGRONOMIC ASPECTS OF THE SUNFLOWER 7-HYDROXYLATED SIMPLE COUMARINS / ASPECTOS AGRONÓMICOS DE LAS CUMARINAS SIMPLES 7- HIDROXILADAS EN GIRASOL / ASPECTS AGRONOMIQUES DE 7 COUMARINES HYDROXYLES SIMPLES CHEZ LE TOURNESOL. <i>Helia</i> , 2000, 23, 105-112.	0.0	7
128	Sunflower Coumarin Phytoalexins Inhibit the Growth of the Virulent Pathogen <i>Sclerotinia sclerotiorum</i> . <i>Journal of Phytopathology</i> , 1999, 147, 441-443.	0.5	3
129	Coumarins in <i>helianthus tuberosus</i> : characterization, induced accumulation and biosynthesis. <i>Phytochemistry</i> , 1998, 49, 1029-1036.	1.4	43
130	Characterization and inducibility of a scopoletin-degrading enzyme from sunflower. <i>Phytochemistry</i> , 1997, 45, 1109-1114.	1.4	20
131	The production of coumarin phytoalexins in different plant organs of sunflower ( <i>Helianthus annuus</i> ) Tj ETQq1 1 0.784314 rgBT /Overloc 1.6 35	1.6	35
132	Induction of different chitinase and $\beta$ -1,3-glucanase isoenzymes in sunflower ( <i>Helianthus annuus</i> L.) seedlings in response to infection by <i>Plasmopara halstedii</i> . <i>European Journal of Plant Pathology</i> , 1996, 102, 401-405.	0.8	17
133	Abiotic elicitation of coumarin phytoalexins in sunflower. <i>Phytochemistry</i> , 1995, 38, 1185-1191.	1.4	70
134	Root-shoot signalling in sunflower plants with confined root systems. <i>Plant and Soil</i> , 1994, 166, 31-36.	1.8	29
135	Chitinase and beta-1,3-glucanase activities in chickpea ( <i>Cicer arietinum</i> ). Induction of different isoenzymes in response to wounding and ethephon. <i>Physiologia Plantarum</i> , 1994, 92, 654-660.	2.6	20
136	Stress Responses in Alfalfa ( <i>Medicago sativa</i> L.). <i>Plant Physiology</i> , 1990, 92, 447-455.	2.3	87
137	Stress responses in alfalfa ( <i>Medicago sativa</i> L.) VII. Induction of defence related mRNAs in elicitor-treated cell suspension cultures. <i>Physiological and Molecular Plant Pathology</i> , 1990, 37, 293-307.	1.3	23
138	L-Phenylalanine Ammonia-Lyase from Sunflower Hypocotyls: Modulation by Cinnamic Acids. <i>Journal of Plant Physiology</i> , 1990, 136, 415-420.	1.6	7
139	Effects of actinomycin D, cordycepin and cycloheximide on phenylalanine ammonia-lyase turnover in sunflower hypocotyls. <i>Journal of Plant Physiology</i> , 1990, 137, 252-255.	1.6	2
140	Purification and partial characterization of soluble $\beta$ -mannosidase isoforms from sunflower ( <i>Helianthus annuus</i> L.) hypocotyls. <i>Plant Science</i> , 1989, 62, 11-19.	1.7	2
141	Purification and properties of phenylalanine ammonia-lyase from sunflower ( <i>Helianthus annuus</i> L.) hypocotyls. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1988, 964, 73-82.	1.1	19
142	Induction of phenylalanine ammonia-lyase in hypocotyls of sunflower seedlings by light, excision and sucrose. <i>Physiologia Plantarum</i> , 1984, 60, 159-165.	2.6	14
143	Can the increment of temperature associated to climate change alter the olive oil chemical composition and its nutritional and nutraceutical properties?. , 0, , .		0
144	Identification of Proteases and Protease Inhibitors in Seeds of the Recalcitrant Forest Tree Species <i>Quercus ilex</i> . <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	3