Jean W M Muris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6597188/publications.pdf

Version: 2024-02-01

87888 106344 5,443 165 38 65 citations h-index g-index papers 191 191 191 6082 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Do professional perspectives on evidence-based smoking cessation methods align? A Delphi study among researchers and healthcare professionals. Health Education Research, 2022, 36, 434-445.	1.9	4
2	A professional knowledge base for collaborative reflection education: a qualitative description of teacher goals and strategies. Perspectives on Medical Education, 2022, 11, 53-59.	3.5	6
3	Exploring typologies of consultation performance using authentic clinical experiences to support learning and assessment in postgraduate medical training. Patient Education and Counseling, 2022, 105, 2276-2284.	2.2	1
4	Guideline for the diagnosis and treatment of Faecal Incontinence—A UEG/ESCP/ESNM/ESPCG collaboration. United European Gastroenterology Journal, 2022, 10, 251-286.	3.8	30
5	Consensus about GP interprofessional competencies: A nominal group study. BJGP Open, 2022, , BJGPO.2021.0243.	1.8	О
6	Review article: rethinking the "ladder―approach to refluxâ€like symptom management in the era of <scp>PPI</scp> "resistance――a multidisciplinary perspective. Alimentary Pharmacology and Therapeutics, 2022, 55, 1492-1500.	3.7	5
7	Supervisory dyads' communication and alignment regarding the use of workplace-based observations: a qualitative study in general practice residency. BMC Medical Education, 2022, 22, 330.	2.4	1
8	How to promote a healthy lifestyle among schoolchildren: Development of an intervention module (i-PROMISe). Public Health in Practice, 2022, 3, 100262.	1.5	3
9	Identifying residents' educational needs to optimising postgraduate medical education about shared decision-making. Patient Education and Counseling, 2022, 105, 3086-3095.	2.2	9
10	Effects of the reform of the Dutch healthcare into managed competition: Results of a Delphi study among experts. Health Policy, 2021, 125, 27-33.	3.0	7
11	A referral aid for smoking cessation interventions in primary care: study protocol for a randomized controlled trial. Primary Health Care Research and Development, 2021, 22, e22.	1.2	4
12	The development of a faecal incontinence core outcome set: an international Delphi study protocol. International Journal of Colorectal Disease, 2021, 36, 617-622.	2.2	1
13	United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on functional dyspepsia. United European Gastroenterology Journal, 2021, 9, 307-331.	3.8	62
14	The prevalence and related factors of fatigue in patients with COPD: a systematic review. European Respiratory Review, 2021, 30, 200298.	7.1	27
15	Examining the optimal cutoff values of HADS, PHQâ€9 and GADâ€7 as screening instruments for depression and anxiety in irritable bowel syndrome. Neurogastroenterology and Motility, 2021, 33, e14161.	3.0	23
16	Decision aids to facilitate decision making around behavior change in the field of health promotion: A scoping review. Patient Education and Counseling, 2021, 104, 1266-1285.	2,2	5
17	A Review of 50-Years of International Literature on the Internal Environment of Building Practice-Based Research Networks (PBRNs). Journal of the American Board of Family Medicine, 2021, 34, 762-797.	1.5	14
18	Vital signs, clinical rules, and gut feeling: an observational study among patients with fever. BJGP Open, 2021, 5, BJGPO.2021.0125.	1.8	1

#	Article	IF	CITATIONS
19	United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on functional dyspepsia. Neurogastroenterology and Motility, 2021, 33, e14238.	3.0	21
20	Diarree., 2021,, 415-427.		0
21	Identifying Entrustable Professional Activities for Shared Decision Making in Postgraduate Medical Education: A National Delphi Study. Academic Medicine, 2021, 96, 126-133.	1.6	13
22	The Usability of an Online Tool to Promote the Use of Evidence-Based Smoking Cessation Interventions. International Journal of Environmental Research and Public Health, 2021, 18, 10836.	2.6	1
23	Awareness of HPV-associated oropharyngeal cancers among GPs in the netherlands: cross-sectional study. BJGP Open, 2021, , BJGPO.2021.0080.	1.8	0
24	Insight in the diagnosis and treatment of coeliac disease in general practice: A survey and case vignette study among 106 general practitioners. European Journal of General Practice, 2021, 27, 313-319.	2.0	3
25	Frequency of alterations in qSOFA, SIRS, MEWS and NEWS scores during the emergency department stay in infectious patients: a prospective study. International Journal of Emergency Medicine, 2021, 14, 69.	1.6	4
26	Efficacy and Safety of Peppermint Oil in a Randomized, Double-Blind Trial of Patients With Irritable Bowel Syndrome. Gastroenterology, 2020, 158, 123-136.	1.3	69
27	How doctors recognise that their patients are worried: A qualitative study of patient cues. Patient Education and Counseling, 2020, 103, 220-225.	2.2	3
28	Quality of life in irritable bowel syndrome: Authors' reply. Neurogastroenterology and Motility, 2020, 32, e13729.	3.0	0
29	A TASMAN Expedition: Development of a Questionnaire to Assess Specific Self-Management Abilities. International Journal of COPD, 2020, Volume 15, 1415-1423.	2.3	1
30	Effectiveness and cost-effectiveness of rubber band ligation versus sutured mucopexy versus haemorrhoidectomy in patients with recurrent haemorrhoidal disease (Napoleon trial): Study protocol for a multicentre randomized controlled trial. Contemporary Clinical Trials, 2020, 99, 106177.	1.8	7
31	How well are sepsis and a sense of urgency documented throughout the acute care chain in the Netherlands? A prospective, observational study. BMJ Open, 2020, 10, e036276.	1.9	4
32	Supervisors' intention to observe clinical task performance: an exploratory study using the theory of planned behaviour during postgraduate medical training. BMC Medical Education, 2020, 20, 134.	2.4	8
33	Time to diagnosis of symptomatic gastric and oesophageal cancer in the Netherlands: Where is the room for improvement?. United European Gastroenterology Journal, 2020, 8, 607-620.	3.8	16
34	Validation of the Dutch version of the primary care resources and support for self-management tool: A tool to assess the quality of self-management support. PLoS ONE, 2020, 15, e0229771.	2.5	0
35	Longitudinal Relationships between Asthma-Specific Quality of Life and Asthma Control in Children; The Influence of Chronic Rhinitis. Journal of Clinical Medicine, 2020, 9, 555.	2.4	2
36	European Society of ColoProctology: guideline for haemorrhoidal disease. Colorectal Disease, 2020, 22, 650-662.	1.4	95

#	Article	IF	CITATIONS
37	Profiling of Patients with COPD for Adequate Referral to Exercise-Based Care: The Dutch Model. Sports Medicine, 2020, 50, 1421-1429.	6.5	16
38	Changes in problematic activities of daily living in persons with COPD during 1 year of usual care. Australian Occupational Therapy Journal, 2020, 67, 447-457.	1.1	7
39	Effectiveness of an exercise training programme COPD in primary care: A randomized controlled trial. Respiratory Medicine, 2020, 165, 105943.	2.9	8
40	Pulmonary Rehabilitation Reduces Subjective Fatigue in COPD: A Responder Analysis. Journal of Clinical Medicine, 2019, 8, 1264.	2.4	23
41	Fatigue is highly prevalent in patients with COPD and correlates poorly with the degree of airflow limitation. Therapeutic Advances in Respiratory Disease, 2019, 13, 175346661987812.	2.6	45
42	Accuracy and interobserver-agreement of respiratory rate measurements by healthcare professionals, and its effect on the outcomes of clinical prediction/diagnostic rules. PLoS ONE, 2019, 14, e0223155.	2.5	27
43	Reduction in IBS symptom severity is not paralleled by improvement in quality of life in patients with irritable bowel syndrome. Neurogastroenterology and Motility, 2019, 31, e13629.	3.0	34
44	Characteristics of the prehospital phase of adult emergency department patients with an infection: A prospective pilot study. PLoS ONE, 2019, 14, e0212181.	2.5	11
45	Hurdles to Take for Adequate Treatment of Morbidly Obese Children and Adolescents: Attitudes of General Practitioners Towards Conservative and Surgical Treatment of Paediatric Morbid Obesity. World Journal of Surgery, 2019, 43, 1173-1181.	1.6	13
46	Identifying causes of perceptual differences in problematic activities of daily life between patients with COPD and proxies: A qualitative study. Australian Occupational Therapy Journal, 2019, 66, 44-51.	1.1	3
47	Title is missing!. , 2019, 14, e0223155.		0
48	Title is missing!. , 2019, 14, e0223155.		0
49	Title is missing!. , 2019, 14, e0223155.		0
50	Title is missing!. , 2019, 14, e0223155.		0
51	Fatigue in patients with chronic obstructive pulmonary disease: protocol of the Dutch multicentre, longitudinal, observational <i>FAntas TIGUE </i> Study. BMJ Open, 2018, 8, e021745.	1.9	22
52	Family Physicians Managing Medical Requests From Family and Friends. Annals of Family Medicine, 2018, 16, 45-51.	1.9	9
53	Interprofessional Pulmocheck care pathway: An innovative approach to managing pediatric asthma care in the Netherlands. Journal of Asthma, 2018, 55, 779-784.	1.7	2
54	Rome <scp>III</scp> vs Rome <scp>IV</scp> criteria for irritable bowel syndrome: A comparison of clinical characteristics in a large cohort study. Neurogastroenterology and Motility, 2018, 30, e13189.	3.0	65

#	Article	IF	Citations
55	Fatigue is Highly Prevalent in Patients with Asthma and Contributes to the Burden of Disease. Journal of Clinical Medicine, 2018, 7, 471.	2.4	28
56	Recruiting families for an intervention study to prevent second-hand smoke exposure in children. BMC Pediatrics, 2018, 18, 19.	1.7	1
57	Gender differences in partners of patients with COPD and their perceptions about the patients. International Journal of COPD, 2017, Volume 12, 95-104.	2.3	11
58	Published diagnostic models safely excluded colorectal cancer in an independent primary care validation study. Journal of Clinical Epidemiology, 2017, 82, 149-157.e8.	5.0	6
59	Should we assess clinical performance in single patient encounters or consistent behaviors of clinical performance over a series of encounters? A qualitative exploration of narrative trainee profiles. Medical Teacher, 2017, 39, 300-307.	1.8	8
60	Can exhaled volatile organic compounds predict asthma exacerbations in children?. Journal of Breath Research, 2017, 11, 016016.	3.0	55
61	Activity Levels and Exercise Motivation in Patients With COPD and Their Resident Loved Ones. Chest, 2017, 151, 1028-1038.	0.8	49
62	Use of Rome criteria for the diagnosis of irritable bowel syndrome in primary care: a survey among European countries. European Journal of Gastroenterology and Hepatology, 2017, 29, 651-656.	1.6	20
63	Motivational interviewing and urine cotinine feedback to stop passive smoke exposure in children predisposed to asthma: a randomised controlled trial. Scientific Reports, 2017, 7, 15473.	3.3	5
64	Stakeholder perspectives on workplace-based performance assessment: towards a better understanding of assessor behaviour. Advances in Health Sciences Education, 2017, 22, 1213-1243.	3.3	36
65	Developing skilled doctor–patient communication in the workplace: a qualitative study of the experiences of trainees and clinical supervisors. Advances in Health Sciences Education, 2017, 22, 1263-1278.	3.3	22
66	Patient versus proxyâ€reported problematic activities of daily life in patients with COPD. Respirology, 2017, 22, 307-314.	2.3	24
67	Knowledge gaps in patients with COPD and their proxies. BMC Pulmonary Medicine, 2017, 17, 136.	2.0	25
68	Effectiveness of Teamwork in an Integrated Care Setting for Patients with COPD: Development and Testing of a Self-Evaluation Instrument for Interprofessional Teams. International Journal of Integrated Care, 2016, 16, 9.	0.2	11
69	Effectiveness of video- versus text-based computer-tailored smoking cessation interventions among smokers after one year. Preventive Medicine, 2016, 82, 42-50.	3.4	29
70	Measurement properties of the Timed Up & Disease, 2016, 13, 344-352.	2.4	75
71	Is there an added value of faecal calprotectin and haemoglobin in the diagnostic work-up for primary care patients suspected of significant colorectal disease? A cross-sectional diagnostic study. BMC Medicine, 2016, 14, 141.	5.5	29
72	Burden of COPD in patients treated in different care settings in the Netherlands. Respiratory Medicine, 2016, 118, 76-83.	2.9	20

#	Article	IF	Citations
73	Health Status and Morbidities in Resident Relatives of Patients WithÂCOPD. Journal of the American Medical Directors Association, 2016, 17, 276.e1-276.e8.	2.5	10
74	How to gather information from talkative patients in a respectful and efficient manner: a qualitative study of GPs' communication strategies. Family Practice, 2016, 33, 100-106.	1.9	8
75	Association between exhaled inflammatory markers and asthma control in children. Journal of Breath Research, 2016, 10, 016014.	3.0	32
76	Rectaal bloedverlies. , 2016, , 79-88.		O
77	Impact of cardiovascular comorbidities on COPD Assessment Test (CAT) and its responsiveness to pulmonary rehabilitation in patients with moderate to very severe COPD: protocol of the Chance study. BMJ Open, 2015, 5, e007536.	1.9	27
78	Prediction of Asthma Exacerbations in Children by Innovative Exhaled Inflammatory Markers: Results of a Longitudinal Study. PLoS ONE, 2015, 10, e0119434.	2.5	28
79	Irritable bowel syndrome: an integrated explanatory model for clinical practice. Neurogastroenterology and Motility, 2015, 27, 750-763.	3.0	22
80	Postoperative abdominal adhesions and bowel obstruction. A survey among Dutch general practitioners. European Journal of General Practice, 2015, 21, 176-182.	2.0	10
81	Efficacy of a physical exercise training programme COPD in primary care: study protocol of a randomized controlled trial. BMC Public Health, 2014, 14, 788.	2.9	8
82	Systematic review: the perceptions, diagnosis and management of irritable bowel syndrome in primary care - A Rome Foundation Working Team Report. Alimentary Pharmacology and Therapeutics, 2014, 40, 1133-1145.	3.7	40
83	Electronic monitoring of symptoms and lung function to assess asthma control in children. Annals of Allergy, Asthma and Immunology, 2014, 113, 257-262.e1.	1.0	15
84	â€~No need to worry': an exploration of general practitioners' reassuring strategies. BMC Family Practice, 2014, 15, 133.	2.9	16
85	Exacerbations in patients with chronic obstructive pulmonary disease receiving physical therapy: a cohort-nested randomised controlled trial. BMC Pulmonary Medicine, 2014, 14, 71.	2.0	13
86	How to encourage smokers to participate in web-based computer-tailored smoking cessation programs: a comparison of different recruitment strategies. Health Education Research, 2014, 29, 23-40.	1.9	19
87	An innovative COPD early detection programme in general practice: evaluating barriers to implementation. Npj Primary Care Respiratory Medicine, 2014, 24, 14055.	2.6	7
88	Addressing Passive Smoking in Children. PLoS ONE, 2014, 9, e93220.	2.5	7
89	An Economic Evaluation of a Video- and Text-Based Computer-Tailored Intervention for Smoking Cessation: A Cost-Effectiveness and Cost-Utility Analysis of a Randomized Controlled Trial. PLoS ONE, 2014, 9, e110117.	2.5	42
90	The 2014 Updated GOLD Strategy: A Comparison of the Various Scenarios. Chronic Obstructive Pulmonary Diseases (Miami, Fla), 2014, 1, 212-220.	0.7	7

#	Article	IF	Citations
91	Comparison of Text and Video Computer-Tailored Interventions for Smoking Cessation: Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e69.	4.3	69
92	Bulking agents, antispasmodics and antidepressants for the treatment of irritable bowel syndrome. The Cochrane Library, 2013, 2013, CD003460.	2.8	217
93	A motivational interviewing intervention to PREvent PAssive Smoke Exposure (PREPASE) in children with a high risk of asthma: design of a randomised controlled trial. BMC Public Health, 2013, 13, 177.	2.9	13
94	Early detection of COPD in general practice: patient or practice managed? A randomised controlled trial of two strategies in different socioeconomic environments. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 331-337.	2.3	33
95	Application of the Rome III criteria is not likely to reduce the number of unnecessary referrals for colonoscopy in primary care. European Journal of Gastroenterology and Hepatology, 2013, 25, 568-574.	1.6	3
96	Discrepancy between functional exercise capacity and daily physical activity: a cross-sectional study in patients with mild to moderate COPD. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 425-430.	2.3	24
97	Early detection of COPD in general practice: implementation, workload and socioeconomic status. A mixed methods observational study. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 338-343.	2.3	25
98	Sex Differences in the Relationship between Asthma and Overweight in Dutch Children: a Survey Study. PLoS ONE, 2013, 8, e77574.	2.5	31
99	Influence of Delivery Strategy on Message-Processing Mechanisms and Future Adherence to a Dutch Computer-Tailored Smoking Cessation Intervention. Journal of Medical Internet Research, 2013, 15, e28.	4.3	22
100	Impact of bacterial colonization on exhaled inflammatory markers in wheezing preschool children. Journal of Breath Research, 2012, 6, 046001.	3.0	8
101	Patient adherence to prescribed medication instructions for dyspepsia: The DIAMOND-study. European Journal of General Practice, 2012, 18, 79-85.	2.0	4
102	Diagnostic Accuracy of Point-of-Care Fecal Calprotectin and Immunochemical Occult Blood Tests for Diagnosis of Organic Bowel Disease in Primary Care: The Cost-Effectiveness of a Decision Rule for Abdominal Complaints in Primary Care (CEDAR) Study. Clinical Chemistry, 2012, 58, 989-998.	3.2	68
103	Elevated inflammatory markers at preschool age precede persistent wheezing at school age. Pediatric Allergy and Immunology, 2012, 23, 259-264.	2.6	27
104	Validation of smoking cessation self-reported by patients with chronic obstructive pulmonary disease. International Journal of General Medicine, 2011, 4, 85.	1.8	32
105	Prevention of asthma in genetically susceptible children: A multifaceted intervention trial focussed on feasibility in general practice. Pediatric Allergy and Immunology, 2011, 22, 794-802.	2.6	31
106	Serotonin receptor 3A polymorphism c42C > T is associated with severe dyspepsia. BMC Medical Genetics, 2011, 12, 140.	2.1	21
107	Study protocol of a Dutch smoking cessation e-health program. BMC Public Health, 2011, 11, 847.	2.9	30
108	How does asthma influence the daily life of children? Results of focus group interviews. Health and Quality of Life Outcomes, 2010, 8, 5.	2.4	53

#	Article	IF	Citations
109	Cochrane Review: Mono and multifaceted inhalant and/or food allergen reduction interventions for preventing asthma in children at high risk of developing asthma. Evidence-Based Child Health: A Cochrane Review Journal, 2010, 5, 1385-1450.	2.0	3
110	Sustained effects of integrated COPD management on health status and exercise capacity in primary care patients. International Journal of COPD, 2010, 5, 407.	2.3	22
111	COPD Screening in General Practice Using a Telephone Questionnaire. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2010, 7, 352-359.	1.6	17
112	Pre Wonca one-day postgraduate CME course on evidence based gastroenterology in primary care. European Journal of General Practice, 2010, 16, 126-126.	2.0	0
113	Predictive value and utility of oral steroid testing for treatment of COPD in primary care: the COOPT study. International Journal of COPD, 2009, 4, 431.	2.3	10
114	Soluble or insoluble fibre in irritable bowel syndrome in primary care? Randomised placebo controlled trial. BMJ: British Medical Journal, 2009, 339, b3154-b3154.	2.3	248
115	Which patient-related factors determine self-perceived patient adherence to prescribed dyspepsia medication?. Health Education Research, 2009, 24, 788-798.	1.9	15
116	Psychopathology is associated with dyspeptic symptom severity in primary care patients with a new episode of dyspepsia. Alimentary Pharmacology and Therapeutics, 2009, 29, 580-588.	3.7	23
117	Influence of gastric mucosal status on success of stepwise acid suppressive therapy for dyspepsia. Alimentary Pharmacology and Therapeutics, 2009, 30, 82-89.	3.7	0
118	A clinical practice guideline for physiotherapists treating patients with chronic obstructive pulmonary disease based on a systematic review of available evidence. Clinical Rehabilitation, 2009, 23, 445-462.	2.2	95
119	Fluticasone and N-acetylcysteine in primary care patients with COPD or chronic bronchitis. Respiratory Medicine, 2009, 103, 542-551.	2.9	59
120	Effect and cost-effectiveness of step-up versus step-down treatment with antacids, H2-receptor antagonists, and proton pump inhibitors in patients with new onset dyspepsia (DIAMOND study): a primary-care-based randomised controlled trial. Lancet, The, 2009, 373, 215-225.	13.7	74
121	Integrated disease management improves one-year quality of life in primary care COPD patients: a controlled clinical trial. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2009, 18, 171-176.	2.3	79
122	Mono and multifaceted inhalant and/or food allergen reduction interventions for preventing asthma in children at high risk of developing asthma. The Cochrane Library, 2009, , CD006480.	2.8	49
123	Randomized patients in IBS research had different disease characteristics compared to eligible and recruited patients. Journal of Clinical Epidemiology, 2008, 61, 1176-1181.	5.0	11
124	Measuring the severity of upper gastrointestinal complaints: does GP assessment correspond with patients' self-assessment? Family Practice, 2007, 24, 252-258.	1.9	12
125	Making COPD a treatable disease—An integrated care perspective. Respiratory Medicine: COPD Update, 2007, 3, 49-56.	0.0	4
126	Influence of House Dust Mite Impermeable Covers on Health-Related Quality of Life of Adult Patients with Asthma: Results of a Randomized Clinical Trial. Journal of Asthma, 2007, 44, 843-848.	1.7	4

#	Article	IF	CITATIONS
127	Interactive effect of family history and environmental factors on respiratory tract–related morbidity in infancy. Journal of Allergy and Clinical Immunology, 2007, 120, 388-395.	2.9	39
128	Pragmatic trials in primary care. Methodological challenges and solutions demonstrated by the DIAMOND-study. BMC Medical Research Methodology, 2007, 7, 16.	3.1	55
129	House dust mite allergen avoidance and self-management in allergic patients with asthma: randomised controlled trial. British Journal of General Practice, 2007, 57, 184-90.	1.4	30
130	Relationship between house dust mite (HDM) allergen exposure level and inhaled corticosteroid dosage in HDM-sensitive asthma patients on a self management program. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2006, 15, 110-115.	2.3	5
131	Chronic non-specific abdominal complaints in general practice: a prospective study on management, patient health status and course of complaints. BMC Family Practice, 2006, 7, 12.	2.9	19
132	Influence of mattress characteristics on house dust mite allergen concentration. Clinical and Experimental Allergy, 2006, 36, 233-237.	2.9	13
133	Association between first-degree familial predisposition of asthma and atopy (total IgE) in newborns. Clinical and Experimental Allergy, 2006, 36, 594-601.	2.9	23
134	Do clinical findings in lower respiratory tract infection help general practitioners prescribe antibiotics appropriately? An observational cohort study in general practice. Family Practice, 2006, 23, 180-187.	1.9	41
135	Prognostic factors and clinical outcome in acute lower respiratory tract infections: a prospective study in general practice. Family Practice, 2006, 23, 512-519.	1.9	14
136	The primary prevention of asthma in children study: Design of a multifaceted prevention program. Pediatric Allergy and Immunology, 2005, 16, 321-331.	2.6	32
137	Factors Associated with Asthma Control. Journal of Asthma, 2005, 42, 659-665.	1.7	43
138	The PREVASC study: the clinical effect of a multifaceted educational intervention to prevent childhood asthma. European Respiratory Journal, 2005, 25, 660-670.	6.7	76
139	Birth Cohort Studies on Asthma Development. Pediatric Asthma, Allergy and Immunology, 2005, 18, 201-215.	0.2	5
140	The prevalence of house dust mite (HDM) allergy and the use of HDM-impermeable bed covers in a primary care population of patients with persistent asthma in the Netherlands. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2005, 14, 210-214.	2.3	9
141	Bulking agents, antispasmodic and antidepressant medication for the treatment of irritable bowel syndrome., 2005,, CD003460.		118
142	Clinical items not helpful in differentiating viral from bacterial lower respiratory tract infections in general practice. Journal of Clinical Epidemiology, 2005, 58, 175-183.	5.0	52
143	Patient-directed strategy to reduce prescribing for patients with dyspepsia in general practice: a randomized trial. Alimentary Pharmacology and Therapeutics, 2004, 19, 917-922.	3.7	63
144	Metaâ€analysis: the diagnostic value of alarm symptoms for upper gastrointestinal malignancy. Alimentary Pharmacology and Therapeutics, 2004, 20, 1045-1052.	3.7	65

#	Article	IF	CITATIONS
145	Systematic review: the role of different types of fibre in the treatment of irritable bowel syndrome. Alimentary Pharmacology and Therapeutics, 2004, 19, 245-251.	3.7	259
146	Use of prescribed and non-prescribed medication for dyspepsia. Scandinavian Journal of Primary Health Care, 2004, 22, 163-167.	1.5	9
147	Irritable bowel syndrome in general practice: an overview. Scandinavian Journal of Gastroenterology, 2004, 39, 17-22.	1.5	18
148	Assessment of the accuracy of diagnostic tests: the cross-sectional study. Journal of Clinical Epidemiology, 2003, 56, 1118-1128.	5.0	241
149	Outcome measures in irritable bowel syndrome: comparison of psychometric and methodological characteristics. American Journal of Gastroenterology, 2003, 98, 122-127.	0.4	118
150	Irritable Bowel Syndrome in Primary Care: The Patients' and Doctors' Views on Symptoms, Etiology and Management. Canadian Journal of Gastroenterology & Hepatology, 2003, 17, 363-368.	1.7	77
151	Evidence base of clinical diagnosis: Evaluation of diagnostic procedures. BMJ: British Medical Journal, 2002, 324, 477-480.	2.3	293
152	The Impact of Inflammatory Bowel Disease on Labor Force Participation: Results of a Population Sampled Case-Control Study. Inflammatory Bowel Diseases, 2002, 8, 382-389.	1.9	104
153	Is roxithromycin better than amoxicillin in the treatment of acute lower respiratory tract infections in primary care? A double-blind randomized controlled trial. Journal of Family Practice, 2002, 51, 329-36.	0.2	16
154	Systematic reviews of diagnostic research. Considerations about assessment and incorporation of methodological quality. European Journal of Epidemiology, 2001, 17, 301-306.	5.7	18
155	Epidemiological Aspects of Irritable Bowel Syndrome in Europe and North America. Digestion, 2001, 64, 200-204.	2.3	86
156	High incidence of inflammatory bowel disease in The Netherlands. Diseases of the Colon and Rectum, 1998, 41, 33-40.	1.3	86
157	The Clinical Course and Prognostic Determinants of the Irritable Bowel Syndrome: A Literature Review. Scandinavian Journal of Gastroenterology, 1998, 33, 561-567.	1.5	24
158	'Modern life' in the epidemiology of inflammatory bowel disease. European Journal of Gastroenterology and Hepatology, 1998, 10, 243-250.	1.6	144
159	Predictive value of signs and symptoms for colorectal cancer in patients with rectal bleeding in general practice. Family Practice, 1995, 12, 279-286.	1.9	121
160	The Diagnostic Value of Scoring Models for Organic and Non-organic Gastrointestinal Disease, Including the Irritable-bowel Syndrome. Medical Decision Making, 1994, 14, 208-214.	2.4	33
161	The Diagnostic Value of Rectal Examination. Family Practice, 1993, 10, 34-37.	1.9	25
162	Abdominal Pain in General Practice. Family Practice, 1993, 10, 387-400.	1.9	35

#	Article	IF	CITATIONS
163	The Incidence and Outcome of Rectal Bleeding in General Practice. Family Practice, 1993, 10, 283-287.	1.9	42
164	The Diagnostic Value of Symptoms for the Identification of Patients with an Increased Risk of Colorectal Disease. A Criteria-Based Analysis. Family Practice, 1992, 9, 415-420.	1.9	5
165	Assessment of the Accuracy of Diagnostic Tests: The Cross-Sectional Study. , 0, , 42-62.		5