

Peter Stenvinkel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6599639/publications.pdf>

Version: 2024-02-01

627
papers

42,721
citations

1980

101
h-index

3815

178
g-index

640
all docs

640
docs citations

640
times ranked

30756
citing authors

#	ARTICLE	IF	CITATIONS
1	Strong association between malnutrition, inflammation, and atherosclerosis in chronic renal failure. <i>Kidney International</i> , 1999, 55, 1899-1911.	2.6	1,498
2	Review on uremic toxins: Classification, concentration, and interindividual variability. <i>Kidney International</i> , 2003, 63, 1934-1943.	2.6	1,379
3	The elephant in uremia: Oxidant stress as a unifying concept of cardiovascular disease in uremia. <i>Kidney International</i> , 2002, 62, 1524-1538.	2.6	1,012
4	Aspects of Immune Dysfunction in End-stage Renal Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1526-1533.	2.2	831
5	IL-10, IL-6, and TNF- α : Central factors in the altered cytokine network of uremia—The good, the bad, and the ugly. <i>Kidney International</i> , 2005, 67, 1216-1233.	2.6	738
6	Are there two types of malnutrition in chronic renal failure? Evidence for relationships between malnutrition, inflammation and atherosclerosis (MIA syndrome). <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 953-960.	0.4	701
7	Global kidney health 2017 and beyond: a roadmap for closing gaps in care, research, and policy. <i>Lancet, The</i> , 2017, 390, 1888-1917.	6.3	662
8	Oxidative stress in end-stage renal disease: an emerging threat to patient outcome. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 1272-1280.	0.4	636
9	Etiology of the Protein-Energy Wasting Syndrome in Chronic Kidney Disease: A Consensus Statement From the International Society of Renal Nutrition and Metabolism (ISRNM)., 2013, 23, 77-90.		606
10	Prevention and treatment of protein energy wasting in chronic kidney disease patients: a consensus statement by the International Society of Renal Nutrition and Metabolism. <i>Kidney International</i> , 2013, 84, 1096-1107.	2.6	513
11	The malnutrition, inflammation, and atherosclerosis (MIA) syndrome - the heart of the matter. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 28-31.	0.4	473
12	Emerging Biomarkers for Evaluating Cardiovascular Risk in the Chronic Kidney Disease Patient. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 505-521.	2.2	472
13	Serum Albumin, C-Reactive Protein, Interleukin 6, and Fetuin A as Predictors of Malnutrition, Cardiovascular Disease, and Mortality in Patients With ESRD. <i>American Journal of Kidney Diseases</i> , 2006, 47, 139-148.	2.1	442
14	Comparative Associations of Muscle Mass and Muscle Strength with Mortality in Dialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1720-1728.	2.2	386
15	Associations between circulating inflammatory markers and residual renal function in CRF patients. <i>American Journal of Kidney Diseases</i> , 2003, 41, 1212-1218.	2.1	371
16	Interleukin-6 is an independent predictor of mortality in patients starting dialysis treatment. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1684-1688.	0.4	345
17	Impact of inflammation on epigenetic DNA methylation ? a novel risk factor for cardiovascular disease?. <i>Journal of Internal Medicine</i> , 2007, 261, 488-499.	2.7	344
18	Review Articles: Inflammation in End-stage Renal Disease: Sources, Consequences, and Therapy. <i>Seminars in Dialysis</i> , 2002, 15, 329-337.	0.7	339

#	ARTICLE	IF	CITATIONS
19	Hemoglobin Variability Does Not Predict Mortality in European Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1765-1775.	3.0	319
20	Chronic kidney disease and premature ageing. <i>Nature Reviews Nephrology</i> , 2014, 10, 732-742.	4.1	302
21	Climate Change and the Emergent Epidemic of CKD from Heat Stress in Rural Communities: The Case for Heat Stress Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1472-1483.	2.2	284
22	Chronic kidney disease: a public health priority and harbinger of premature cardiovascular disease. <i>Journal of Internal Medicine</i> , 2010, 268, 456-467.	2.7	281
23	Low fetuin-A levels are associated with cardiovascular death: Impact of variations in the gene encoding fetuin. <i>Kidney International</i> , 2005, 67, 2383-2392.	2.6	274
24	Inflammation in End-Stage Renal Disease-What Have We Learned in 10 Years?. <i>Seminars in Dialysis</i> , 2010, 23, 498-509.	0.7	267
25	Chronic inflammation in end-stage renal disease and dialysis. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, iii35-iii40.	0.4	249
26	Uremic Toxicity: Present State of the Art. <i>International Journal of Artificial Organs</i> , 2001, 24, 695-725.	0.7	246
27	Obese sarcopenia in patients with end-stage renal disease is associated with inflammation and increased mortality. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 633-638.	2.2	246
28	Genetic loci influencing kidney function and chronic kidney disease. <i>Nature Genetics</i> , 2010, 42, 373-375.	9.4	246
29	Hand-grip muscle strength, lean body mass, and plasma proteins as markers of nutritional status in patients with chronic renal failure close to start of dialysis therapy. <i>American Journal of Kidney Diseases</i> , 2000, 36, 1213-1225.	2.1	241
30	Serum Trimethylamine-N-Oxide Is Strongly Related to Renal Function and Predicts Outcome in Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0141738.	1.1	241
31	Chronic Kidney Disease: A Clinical Model of Premature Aging. <i>American Journal of Kidney Diseases</i> , 2013, 62, 339-351.	2.1	237
32	Muscle atrophy, inflammation and clinical outcome in incident and prevalent dialysis patients. <i>Clinical Nutrition</i> , 2008, 27, 557-564.	2.3	230
33	Consequences of low plasma histidine in chronic kidney disease patients: associations with inflammation, oxidative stress, and mortality. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1860-1866.	2.2	228
34	Wasting in chronic kidney disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2011, 2, 9-25.	2.9	218
35	J-Shaped Mortality Relationship for Uric Acid in CKD. <i>American Journal of Kidney Diseases</i> , 2006, 48, 761-771.	2.1	213
36	Elevated resistin levels in chronic kidney disease are associated with decreased glomerular filtration rate and inflammation, but not with insulin resistance. <i>Kidney International</i> , 2006, 69, 596-604.	2.6	209

#	ARTICLE	IF	CITATIONS
37	Coronary Artery Disease in End-Stage Renal Disease: No Longer a Simple Plumbing Problem. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1927-1939.	3.0	208
38	Sarcopenia in chronic kidney disease: what have we learned so far?. <i>Journal of Nephrology</i> , 2021, 34, 1347-1372.	0.9	204
39	Alkaline phosphatase: a novel treatment target for cardiovascular disease in CKD. <i>Nature Reviews Nephrology</i> , 2017, 13, 429-442.	4.1	203
40	Comparison of nutritional and inflammatory markers in dialysis patients with reduced appetite. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 695-701.	2.2	202
41	Screening for muscle wasting and dysfunction in patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 53-66.	2.6	199
42	Serum immunoreactive leptin concentration and its relation to the body fat content in chronic renal failure.. <i>Journal of the American Society of Nephrology: JASN</i> , 1997, 8, 1423-1430.	3.0	189
43	Truncal fat mass as a contributor to inflammation in end-stage renal disease. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1222-1229.	2.2	187
44	Inflammatory and Atherosclerotic Interactions in the Depleted Uremic Patient. <i>Blood Purification</i> , 2001, 19, 53-61.	0.9	183
45	Plasma and dialysate IL-6 and VEGF concentrations are associated with high peritoneal solute transport rate. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1480-1486.	0.4	183
46	Elevated interleukin-6 predicts progressive carotid artery atherosclerosis in dialysis patients: Association with Chlamydia pneumoniae seropositivity. <i>American Journal of Kidney Diseases</i> , 2002, 39, 274-282.	2.1	181
47	Persistent Inflammation as a Catalyst for Other Risk Factors in Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, S49-S55.	2.2	178
48	Hyperhomocysteinemia, nutritional status, and cardiovascular disease in hemodialysis patients. <i>Kidney International</i> , 2000, 57, 1727-1735.	2.6	177
49	Inflammation and premature aging in advanced chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F938-F950.	1.3	176
50	Inflammation and outcome in end-stage renal failure: Does female gender constitute a survival advantage?. <i>Kidney International</i> , 2002, 62, 1791-1798.	2.6	175
51	Obesity in CKD—What Should Nephrologists Know?. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1727-1736.	3.0	174
52	Increases in Serum Leptin Levels during Peritoneal Dialysis Are Associated with Inflammation and a Decrease in Lean Body Mass. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1303-1309.	3.0	168
53	Low Serum Testosterone Increases Mortality Risk among Male Dialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 613-620.	3.0	167
54	Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. <i>Clinical Science</i> , 2016, 130, 1147-1163.	1.8	167

#	ARTICLE	IF	CITATIONS
55	A comparative analysis of nutritional parameters as predictors of outcome in male and female ESRD patients. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1266-1274.	0.4	166
56	Telomere attrition is associated with inflammation, low fetuin-A levels and high mortality in prevalent haemodialysis patients. <i>Journal of Internal Medicine</i> , 2008, 263, 302-312.	2.7	165
57	Nutritional strategies to modulate inflammation and oxidative stress pathways via activation of the master antioxidant switch Nrf2. <i>Biochimie</i> , 2013, 95, 1525-1533.	1.3	161
58	Adiponectin in renal disease: Relationship to phenotype and genetic variation in the gene encoding adiponectin. <i>Kidney International</i> , 2004, 65, 274-281.	2.6	160
59	Mortality, malnutrition, and atherosclerosis in ESRD: What is the role of interleukin-6?. <i>Kidney International</i> , 2002, 61, S103-S108.	2.6	159
60	Accelerated lean body mass loss in incident chronic dialysis patients with diabetes mellitus. <i>Kidney International</i> , 2005, 68, 2368-2374.	2.6	157
61	Inflammation in end-stage renal disease: The hidden enemy (Review Article). <i>Nephrology</i> , 2006, 11, 36-41.	0.7	157
62	Elevated serum levels of soluble adhesion molecules predict death in pre-dialysis patients: association with malnutrition, inflammation, and cardiovascular disease. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1624-1630.	0.4	155
63	Plasma Pentraxin 3 in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 889-897.	2.2	154
64	Low leptin gene expression and hyperleptinemia in chronic renal failure. <i>Kidney International</i> , 1998, 54, 1267-1275.	2.6	148
65	Diets and enteral supplements for improving outcomes in chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2011, 7, 369-384.	4.1	147
66	Clinical and biochemical implications of low thyroid hormone levels (total and free forms) in euthyroid patients with chronic kidney disease. <i>Journal of Internal Medicine</i> , 2007, 262, 690-701.	2.7	144
67	Prevalence and clinical implications of testosterone deficiency in men with end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 184-190.	0.4	144
68	Multinutrient Oral Supplements and Tube Feeding in Maintenance Dialysis: A Systematic Review and Meta-Analysis. <i>American Journal of Kidney Diseases</i> , 2005, 46, 387-405.	2.1	139
69	Serum Albumin as Predictor of Nutritional Status in Patients with ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1446-1453.	2.2	138
70	Inflammation in end-stage renal failure: could it be treated?. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 33-38.	0.4	135
71	Warfarin, Kidney Dysfunction, and Outcomes Following Acute Myocardial Infarction in Patients With Atrial Fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 919.	3.8	135
72	Muscle wasting in end-stage renal disease promulgates premature death: established, emerging and potential novel treatment strategies. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1070-1077.	0.4	135

#	ARTICLE	IF	CITATIONS
73	Malnutrition and Chronic Inflammation as Risk Factors for Cardiovascular Disease in Chronic Renal Failure. <i>Blood Purification</i> , 2001, 19, 143-151.	0.9	134
74	Systemic Consequences of Poor Oral Health in Chronic Kidney Disease Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 218-226.	2.2	134
75	Biomarkers of Cardiovascular Disease and Mortality Risk in Patients with Advanced CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1163-1172.	2.2	133
76	Plasma Pentosidine Is Associated with Inflammation and Malnutrition in End-Stage Renal Disease Patients Starting on Dialysis Therapy. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1614-1622.	3.0	131
77	Homocysteine in uraemia—a puzzling and conflicting story. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 16-21.	0.4	130
78	Association between inflammation and changes in residual renal function and peritoneal transport rate during the first year of dialysis. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 2240-2245.	0.4	128
79	Inflammation and Premature Ageing in Chronic Kidney Disease. <i>Toxins</i> , 2020, 12, 227.	1.5	126
80	Food as medicine: targeting the uraemic phenotype in chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2021, 17, 153-171.	4.1	126
81	PROGRESS IN UREMIC TOXIN RESEARCH: The Role of Oxidative Stress in Chronic Kidney Disease. <i>Seminars in Dialysis</i> , 2009, 22, 405-408.	0.7	119
82	Why cachexia kills: examining the causality of poor outcomes in wasting conditions. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2013, 4, 89-94.	2.9	117
83	Abdominal fat deposition is associated with increased inflammation, protein-energy wasting and worse outcome in patients undergoing haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 562-568.	0.4	116
84	Association between residual renal function, inflammation and patient survival in new peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 590-597.	0.4	115
85	Traditional and non-traditional risk factors as contributors to atherosclerotic cardiovascular disease in end-stage renal disease. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 405-416.	1.4	114
86	Short-Term Treatment with Sevelamer Increases Serum Fetuin-A Concentration and Improves Endothelial Dysfunction in Chronic Kidney Disease Stage 4 Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 61-68.	2.2	114
87	Dietary Components That May Influence the Disturbed Gut Microbiota in Chronic Kidney Disease. <i>Nutrients</i> , 2019, 11, 496.	1.7	112
88	Endothelial dysfunction and inflammation—“is there a link?”. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 1968-1971.	0.4	111
89	Comorbidity and Acute Clinical Events as Determinants of C-Reactive Protein Variation in Hemodialysis Patients: Implications for Patient Survival. <i>American Journal of Kidney Diseases</i> , 2009, 53, 1024-1033.	2.1	111
90	Associations between plasma ghrelin levels and body composition in end-stage renal disease: a longitudinal study. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 421-426.	0.4	110

#	ARTICLE	IF	CITATIONS
91	Circulating Levels of Visfatin/Pre- β -Cell Colony-Enhancing Factor 1 in Relation to Genotype, GFR, Body Composition, and Survival in Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2007, 49, 237-244.	2.1	109
92	Do ACE-inhibitors suppress tumour necrosis factor-alpha production in advanced chronic renal failure?. <i>Journal of Internal Medicine</i> , 1999, 246, 503-507.	2.7	108
93	Genetic and clinical factors influence the baseline permeability of the peritoneal membrane. <i>Kidney International</i> , 2005, 67, 2477-2487.	2.6	108
94	Adipose tissue and its relation to inflammation: The role of adipokines. , 2005, 15, 131-136.		108
95	Effects of insulin on renal haemodynamics and the proximal and distal tubular sodium handling in healthy subjects. <i>Diabetologia</i> , 1992, 35, 1042-1048.	2.9	106
96	Increased muscle protein breakdown in chronic hemodialysis patients with type 2 diabetes mellitus. <i>Kidney International</i> , 2005, 68, 1857-1865.	2.6	106
97	Additive Effects of Soluble TWEAK and Inflammation on Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 110-118.	2.2	106
98	Monitoring of inflammation in patients on dialysis: forewarned is forearmed. <i>Nature Reviews Nephrology</i> , 2011, 7, 166-176.	4.1	106
99	A functional variant of the myeloperoxidase gene is associated with cardiovascular disease in end-stage renal disease patients. <i>Kidney International</i> , 2003, 63, S172-S176.	2.6	105
100	Vascular health, systemic inflammation and progressive reduction in kidney function; clinical determinants and impact on cardiovascular outcomes. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3537-3543.	0.4	105
101	Novel Links between the Long Pentraxin 3, Endothelial Dysfunction, and Albuminuria in Early and Advanced Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 976-985.	2.2	103
102	Endothelial dysfunction in type-2 diabetics with early diabetic nephropathy is associated with low circulating adiponectin. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 1621-1627.	0.4	103
103	Serum visfatin concentration and endothelial dysfunction in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 959-965.	0.4	102
104	Inflammation as a risk factor and target for therapy in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2011, 20, 662-668.	1.0	102
105	Increased circulating sclerostin levels in end-stage renal disease predict biopsy-verified vascular medial calcification and coronary artery calcification. <i>Kidney International</i> , 2015, 88, 1356-1364.	2.6	102
106	Influence of Peritoneal Transport Rate, Inflammation, and Fluid Removal on Nutritional Status and Clinical Outcome in Prevalent Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2003, 23, 174-183.	1.1	101
107	Endogenous Testosterone, Endothelial Dysfunction, and Cardiovascular Events in Men with Nondialysis Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1617-1625.	2.2	101
108	Klotho, Aging, and the Failing Kidney. <i>Frontiers in Endocrinology</i> , 2020, 11, 560.	1.5	101

#	ARTICLE	IF	CITATIONS
109	Chronic Inflammation in Chronic Kidney Disease Progression: Role of Nrf2. <i>Kidney International Reports</i> , 2021, 6, 1775-1787.	0.4	100
110	Systemic and Intraperitoneal Interleukin-6 System during the First Year of Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2006, 26, 53-63.	1.1	98
111	Serum leptin concentrations correlate to plasma insulin concentrations independent of body fat content in chronic renal failure. <i>Nephrology Dialysis Transplantation</i> , 1997, 12, 1321-1325.	0.4	97
112	Inflammation and nutrition in renal insufficiency. <i>Advances in Chronic Kidney Disease</i> , 2003, 10, 155-169.	2.2	97
113	Prolactin Levels, Endothelial Dysfunction, and the Risk of Cardiovascular Events and Mortality in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 207-215.	2.2	96
114	Macrophage inhibitory cytokine-1 (MIC-1/GDF15) and mortality in end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 70-75.	0.4	96
115	High cardiovascular event rates occur within the first weeks of starting hemodialysis. <i>Kidney International</i> , 2015, 88, 1117-1125.	2.6	96
116	Circulating Inflammatory Endothelial Cells Contribute to Endothelial Progenitor Cell Dysfunction in Patients with Vasculitis and Kidney Involvement. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3110-3120.	3.0	95
117	Appetite Disorders in Uremia. , 2008, 18, 107-113.		95
118	Malnutrition, Inflammation, and Atherosclerosis in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2001, 21, 157-162.	1.1	94
119	Cytokine Dysregulation in Chronic Kidney Disease: How Can We Treat It?. <i>Blood Purification</i> , 2008, 26, 291-299.	0.9	94
120	Wasting, but not malnutrition, predicts cardiovascular mortality in end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2181-2183.	0.4	93
121	High Mobility Group Box Protein-1 Correlates with Renal Function in Chronic Kidney Disease (CKD). <i>Molecular Medicine</i> , 2008, 14, 109-115.	1.9	92
122	Therapeutics targeting persistent inflammation in chronic kidney disease. <i>Translational Research</i> , 2016, 167, 204-213.	2.2	92
123	Inflammation Modifies the Paradoxical Association between Body Mass Index and Mortality in Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1479-1486.	3.0	91
124	The higher mortality associated with low serum albumin is dependent on systemic inflammation in end-stage kidney disease. <i>PLoS ONE</i> , 2018, 13, e0190410.	1.1	91
125	Chronic Inflammation in Peritoneal Dialysis: The Search for the Holy Grail?. <i>Peritoneal Dialysis International</i> , 2004, 24, 327-339.	1.1	90
126	The role of epigenetics in renal ageing. <i>Nature Reviews Nephrology</i> , 2017, 13, 471-482.	4.1	86

#	ARTICLE	IF	CITATIONS
127	Inflammation in End-Stage Renal Disease – A Fire that Burns within. , 2005, 149, 185-199.		85
128	Fruit and Vegetable Intake and Mortality in Adults undergoing Maintenance Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 250-260.	2.2	85
129	ADMA Levels Correlate with Proteinuria, Secondary Amyloidosis, and Endothelial Dysfunction. Journal of the American Society of Nephrology: JASN, 2008, 19, 388-395.	3.0	84
130	Effect of Circulating Soluble Receptor for Advanced Glycation End Products (sRAGE) and the Proinflammatory RAGE Ligand (EN-RAGE, S100A12) on Mortality in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 2213-2219.	2.2	83
131	Anaemia, rHuEPO resistance, and cardiovascular disease in end-stage renal failure; links to inflammation and oxidative stress. Nephrology Dialysis Transplantation, 2002, 17, 32-37.	0.4	82
132	Cytokine gene polymorphism and progression of renal and cardiovascular diseases. Kidney International, 2007, 72, 549-556.	2.6	82
133	Low Serum Uric Acid Level Is a Risk Factor for Death in Incident Hemodialysis Patients. American Journal of Nephrology, 2009, 29, 79-85.	1.4	81
134	Adverse Pregnancy Outcomes and Long-term Maternal Kidney Disease. JAMA Network Open, 2020, 3, e1920964.	2.8	80
135	Update on interleukin-6 and its role in chronic renal failure. Nephrology Dialysis Transplantation, 2003, 18, 1042-1045.	0.4	78
136	Body Fat Mass and Serum Leptin Levels Influence Epoetin Sensitivity in Patients With ESRD. American Journal of Kidney Diseases, 2005, 46, 628-634.	2.1	78
137	Inflammation and Protein-Energy Wasting in the Uremic Milieu. Contributions To Nephrology, 2017, 191, 58-71.	1.1	78
138	Novel treatment strategies for chronic kidney disease: insights from the animal kingdom. Nature Reviews Nephrology, 2018, 14, 265-284.	4.1	78
139	Inflammation and wasting in chronic kidney disease: Partners in crime. Kidney International, 2006, 70, S8-S13.	2.6	77
140	Soluble CD14 Levels, Interleukin 6, and Mortality Among Prevalent Hemodialysis Patients. American Journal of Kidney Diseases, 2009, 54, 1072-1080.	2.1	75
141	The vulnerable man: impact of testosterone deficiency on the uraemic phenotype. Nephrology Dialysis Transplantation, 2012, 27, 4030-4041.	0.4	75
142	Eating During Hemodialysis Treatment: A Consensus Statement From the International Society of Renal Nutrition and Metabolism. , 2018, 28, 4-12.		75
143	Uremic toxicity: present state of the art. International Journal of Artificial Organs, 2001, 24, 695-725.	0.7	75
144	PROGRESS IN UREMIC TOXIN RESEARCH: Cytokines, Atherogenesis, and Hypercatabolism in Chronic Kidney Disease: A Dreadful Triad. Seminars in Dialysis, 2009, 22, 381-386.	0.7	74

#	ARTICLE	IF	CITATIONS
145	Testosterone deficiency is a cause of anaemia and reduced responsiveness to erythropoiesis-stimulating agents in men with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 709-715.	0.4	74
146	Classification of Uremic Toxins and Their Role in Kidney Failure. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1918-1928.	2.2	74
147	A study of plasmalogen as an index of oxidative stress in patients with chronic renal failure. Evidence of increased oxidative stress in malnourished patients. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 2594-2600.	0.4	73
148	Fructose metabolism as a common evolutionary pathway of survival associated with climate change, food shortage and droughts. <i>Journal of Internal Medicine</i> , 2020, 287, 252-262.	2.7	73
149	Inflammation contributes to low plasma amino acid concentrations in patients with chronic kidney disease. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 342-349.	2.2	72
150	Soluble leptin receptors and serum leptin in end-stage renal disease: relationship with inflammation and body composition. <i>European Journal of Clinical Investigation</i> , 2002, 32, 811-817.	1.7	70
151	Trimestral variations of C-reactive protein, interleukin-6 and tumour necrosis factor- α are similarly associated with survival in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1313-1318.	0.4	70
152	Apo(a)-isoform size, nutritional status and inflammatory markers in chronic renal failure. <i>Kidney International</i> , 1998, 53, 1336-1342.	2.6	69
153	Phospholipid plasmalogen, a surrogate marker of oxidative stress, is associated with increased cardiovascular mortality in patients on renal replacement therapy. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 972-976.	0.4	69
154	Relation between serum fibroblast growth factor-23 level and mortality in incident dialysis patients: are gender and cardiovascular disease confounding the relationship?. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3033-3038.	0.4	69
155	Improving the prognosis of patients with severely decreased glomerular filtration rate (CKD G4+): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2018, 93, 1281-1292.	2.6	69
156	Fat tissue accumulation during peritoneal dialysis is associated with a polymorphism in uncoupling protein 2. <i>Kidney International</i> , 2000, 57, 1713-1719.	2.6	68
157	Interactions between inflammation, oxidative stress, and endothelial dysfunction in end-stage renal disease. , 2003, 13, 144-148.		68
158	Effect of Renin Angiotensin System Blockade on Pentraxin 3 Levels in Type-2 Diabetic Patients With Proteinuria. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 535-541.	2.2	68
159	Vitamin K1 to slow vascular calcification in haemodialysis patients (VitaVasK trial): a rationale and study protocol. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1633-1638.	0.4	68
160	Inflammation and its impact on anaemia in chronic kidney disease: from haemoglobin variability to hyporesponsiveness. <i>NDT Plus</i> , 2009, 2, i18-i26.	1.2	67
161	Inflammation as a cause of malnutrition, atherosclerotic cardiovascular disease, and poor outcome in hemodialysis patients. <i>Hemodialysis International</i> , 2004, 8, 118-129.	0.4	66
162	Enhanced RAGE-mediated NF κ B stimulation in inflamed hemodialysis patients. <i>Atherosclerosis</i> , 2005, 180, 333-340.	0.4	66

#	ARTICLE	IF	CITATIONS
163	CCR5 Deletion Protects Against Inflammation-Associated Mortality in Dialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1641-1649.	3.0	66
164	Early Vascular Ageing and Cellular Senescence in Chronic Kidney Disease. <i>Computational and Structural Biotechnology Journal</i> , 2019, 17, 721-729.	1.9	65
165	Impact of curcumin supplementation on expression of inflammatory transcription factors in hemodialysis patients: A pilot randomized, double-blind, controlled study. <i>Clinical Nutrition</i> , 2020, 39, 3594-3600.	2.3	65
166	The prognostic impact of fluctuating levels of C-reactive protein in Brazilian haemodialysis patients: a prospective study. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2803-2809.	0.4	64
167	Changes in Fat Mass Correlate With Changes in Soluble sCD163, a Marker of Mature Macrophages, in Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2006, 48, 916-925.	2.1	64
168	Metabolic and Kidney Diseases in the Setting of Climate Change, Water Shortage, and Survival Factors. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2247-2256.	3.0	64
169	Bone alkaline phosphatase: An important biomarker in chronic kidney disease – mineral and bone disorder. <i>Clinica Chimica Acta</i> , 2020, 501, 198-206.	0.5	64
170	Biosimilars and biopharmaceuticals: what the nephrologists need to know--a position paper by the ERA-EDTA Council. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3731-3737.	0.4	62
171	Does statins promote vascular calcification in chronic kidney disease?. <i>European Journal of Clinical Investigation</i> , 2017, 47, 137-148.	1.7	62
172	High serum hyaluronan indicates poor survival in renal replacement therapy. <i>American Journal of Kidney Diseases</i> , 1999, 34, 1083-1088.	2.1	61
173	The reverse epidemiology of plasma total homocysteine as a mortality risk factor is related to the impact of wasting and inflammation. <i>Nephrology Dialysis Transplantation</i> , 2006, 22, 209-217.	0.4	61
174	Resveratrol: Why Is It a Promising Therapy for Chronic Kidney Disease Patients?. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-6.	1.9	61
175	Inflammation contributes to low plasma amino acid concentrations in patients with chronic kidney disease. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 342-349.	2.2	60
176	Soluble adhesion molecules in end-stage renal disease: a predictor of outcome. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1603-1610.	0.4	60
177	Protein-energy wasting modifies the association of ghrelin with inflammation, leptin, and mortality in hemodialysis patients. <i>Kidney International</i> , 2011, 79, 749-756.	2.6	60
178	Clinical global assessment of nutritional status as predictor of mortality in chronic kidney disease patients. <i>PLoS ONE</i> , 2017, 12, e0186659.	1.1	60
179	C-Reactive Protein in End-Stage Renal Disease: Are There Reasons to Measure It?. <i>Blood Purification</i> , 2005, 23, 72-78.	0.9	59
180	Red meat intake in chronic kidney disease patients: Two sides of the coin. <i>Nutrition</i> , 2018, 46, 26-32.	1.1	59

#	ARTICLE	IF	CITATIONS
181	Effects of Probiotic Supplementation on Trimethylamine-N-Oxide Plasma Levels in Hemodialysis Patients: a Pilot Study. <i>Probiotics and Antimicrobial Proteins</i> , 2019, 11, 648-654.	1.9	59
182	New insights on inflammation in chronic kidney disease – genetic and non-genetic factors. <i>Nephrologie Et Therapeutique</i> , 2006, 2, 111-119.	0.2	58
183	Elevated serum levels of S-adenosylhomocysteine, but not homocysteine, are associated with cardiovascular disease in stage 5 chronic kidney disease patients. <i>Clinica Chimica Acta</i> , 2008, 395, 106-110.	0.5	58
184	MicroRNAs in AKI and Kidney Transplantation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 454-468.	2.2	58
185	Lipoprotein(a) in nephrotic syndrome. <i>Kidney International</i> , 1993, 44, 1116-1123.	2.6	57
186	Reduced gene expression of adiponectin in fat tissue from patients with end-stage renal disease. <i>Kidney International</i> , 2004, 66, 46-50.	2.6	57
187	Endogenous Testosterone, Muscle Strength, and Fat-Free Mass in Men With Chronic Kidney Disease. , 2013, 23, e89-e95.		57
188	Redefining metabolic syndrome as a fat storage condition based on studies of comparative physiology. <i>Obesity</i> , 2013, 21, 659-664.	1.5	57
189	Genetic and environmental risk factors for chronic kidney disease. <i>Kidney International Supplements</i> , 2017, 7, 88-106.	4.6	57
190	Increased Plasma Lipoprotein(a) in Continuous Ambulatory Peritoneal Dialysis Is Related to Peritoneal Transport of Proteins and Glucose. <i>Nephron</i> , 1996, 72, 135-144.	0.9	56
191	Inflammation and Oxidative Stress in Chronic Kidney Disease and Dialysis Patients. <i>Antioxidants and Redox Signaling</i> , 2021, 35, 1426-1448.	2.5	56
192	Inflammation, Malnutrition and Atherosclerosis in End-Stage Renal Disease: A Global Perspective. <i>Blood Purification</i> , 2002, 20, 454-458.	0.9	55
193	Elevated cardiac troponin T in predialysis patients is associated with inflammation and predicts mortality. <i>Journal of Internal Medicine</i> , 2003, 253, 153-160.	2.7	55
194	The long pentraxin PTX-3 in prevalent hemodialysis patients: associations with comorbidities and mortality. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2008, 101, 397-405.	0.2	55
195	Improvement of cardiac function after haemodialysis. Quantitative evaluation by colour tissue velocity imaging. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1497-1506.	0.4	54
196	Chronic Systemic Inflammation in Dialysis Patients: An Update on Causes and Consequences. <i>ASAIO Journal</i> , 2004, 50, lii-lvii.	0.9	54
197	Baseline Levels and Trimestral Variation of Triiodothyronine and Thyroxine and Their Association with Mortality in Maintenance Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 131-138.	2.2	54
198	Hibernating bears (Ursidae): metabolic magicians of definite interest for the nephrologist. <i>Kidney International</i> , 2013, 83, 207-212.	2.6	54

#	ARTICLE	IF	CITATIONS
199	The Relationship between IL-10 Levels and Cardiovascular Events in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1207-1216.	2.2	54
200	Curcumin - A promising nutritional strategy for chronic kidney disease patients. <i>Journal of Functional Foods</i> , 2018, 40, 715-721.	1.6	54
201	Early vascular ageing in chronic kidney disease: impact of inflammation, vitamin K, senescence and genomic damage. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, ii31-ii37.	0.4	53
202	Matrix Gla protein is an independent predictor of both intimal and medial vascular calcification in chronic kidney disease. <i>Scientific Reports</i> , 2020, 10, 6586.	1.6	53
203	The importance of diabetic nephropathy in current nephrological practice. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 1716-1725.	0.4	52
204	Serum Testosterone Levels and Clinical Outcomes in Male Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2014, 63, 268-275.	2.1	52
205	Plasma S100A12 and soluble receptor of advanced glycation end product levels and mortality in chronic kidney disease Stage 5 patients. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 84-91.	0.4	52
206	Correlation of computed tomography with carotid plaque transcriptomes associates calcification with lesion-stabilization. <i>Atherosclerosis</i> , 2019, 288, 175-185.	0.4	52
207	Risk Factors for Cardiovascular Disease in Patients Undergoing Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2007, 27, 205-209.	1.1	52
208	CDKN2A/p16INK4a expression is associated with vascular progeria in chronic kidney disease. <i>Aging</i> , 2017, 9, 494-507.	1.4	52
209	Plasma sulfur amino acids in relation to cardiovascular disease, nutritional status, and diabetes mellitus in patients with chronic renal failure at start of dialysis therapy. <i>American Journal of Kidney Diseases</i> , 2002, 40, 480-488.	2.1	51
210	Low serum fetuin-A concentration predicts poor outcome only in the presence of inflammation in prevalent haemodialysis patients. <i>European Journal of Clinical Investigation</i> , 2008, 38, 804-811.	1.7	51
211	Elevated Serum Macrophage Migration Inhibitory Factor (MIF) Concentrations in Chronic Kidney Disease (CKD) Are Associated with Markers of Oxidative Stress and Endothelial Activation. <i>Molecular Medicine</i> , 2009, 15, 70-75.	1.9	50
212	Visfatin is increased in chronic kidney disease patients with poor appetite and correlates negatively with fasting serum amino acids and triglyceride levels. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 901-906.	0.4	50
213	Metabolic Changes in Summer Active and Anuric Hibernating Free-Ranging Brown Bears (<i>Ursus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.1	50
214	Clinical Correlates of Insulin Sensitivity and Its Association with Mortality among Men with CKD Stages 3 and 4. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 690-697.	2.2	50
215	Clinical determinants of reduced physical activity in hemodialysis and peritoneal dialysis patients. <i>Journal of Nephrology</i> , 2015, 28, 503-510.	0.9	50
216	Associations of Chronic Inflammation, Insulin Resistance, and Severe Obesity With Mortality, Myocardial Infarction, Cancer, and Chronic Pulmonary Disease. <i>JAMA Network Open</i> , 2019, 2, e1910456.	2.8	50

#	ARTICLE	IF	CITATIONS
217	Chronic inflammation in peritoneal dialysis: the search for the holy grail?. <i>Peritoneal Dialysis International</i> , 2004, 24, 327-39.	1.1	50
218	Systemic and intraperitoneal interleukin-6 system during the first year of peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2006, 26, 53-63.	1.1	50
219	The emerging pleiotrophic role of adipokines in the uremic phenotype. <i>Current Opinion in Nephrology and Hypertension</i> , 2010, 19, 37-42.	1.0	49
220	Increased expression of pro-inflammatory genes in abdominal subcutaneous fat in advanced chronic kidney disease patients. <i>Journal of Internal Medicine</i> , 2011, 269, 410-419.	2.7	49
221	Accelerated ageing and renal dysfunction links lower socioeconomic status and dietary phosphate intake. <i>Aging</i> , 2016, 8, 1135-1149.	1.4	49
222	Modification of the oxidative stress biomarker AOPP assay: Application in uremic samples. <i>Clinica Chimica Acta</i> , 2008, 393, 114-118.	0.5	48
223	Role of fat mass and adipokines in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2008, 17, 25-31.	1.0	48
224	Circulating markers of ageing and allostatic load: A slow train coming. <i>Practical Laboratory Medicine</i> , 2017, 7, 49-54.	0.6	48
225	Understanding the role of the cytoprotective transcription factor nuclear factor erythroid 2-related factor 2 lessons from evolution, the animal kingdom and rare progeroid syndromes. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2036-2045.	0.4	48
226	Nrf2 in early vascular ageing: Calcification, senescence and therapy. <i>Clinica Chimica Acta</i> , 2020, 505, 108-118.	0.5	48
227	Hyperhomocysteinemia and its relationship to cardiovascular disease in ESRD: Influence of hypoalbuminemia, malnutrition, inflammation, and diabetes mellitus. <i>American Journal of Kidney Diseases</i> , 2003, 41, S89-S95.	2.1	47
228	Overestimation of advanced oxidation protein products in uremic plasma due to presence of triglycerides and other endogenous factors. <i>Clinica Chimica Acta</i> , 2007, 379, 87-94.	0.5	47
229	Inverse Relationship between the Inflammatory Marker Pentraxin-3, Fat Body Mass, and Abdominal Obesity in End-Stage Renal Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2785-2791.	2.2	47
230	Essential polyunsaturated fatty acids, inflammation and mortality in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3615-3620.	0.4	47
231	Inflammatory biomarker pentraxin 3 (PTX3) in relation to obesity, body fat depots and weight loss. <i>Obesity</i> , 2014, 22, 1373-1379.	1.5	47
232	Preeclampsia and risk of end stage kidney disease: A Swedish nationwide cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002875.	3.9	47
233	Data Sharing Under the General Data Protection Regulation. <i>Hypertension</i> , 2021, 77, 1029-1035.	1.3	47
234	Low-grade inflammation in chronic kidney disease patients before the start of renal replacement therapy: sources and consequences. <i>Clinical Nephrology</i> , 2007, 68, 1-9.	0.4	47

#	ARTICLE	IF	CITATIONS
235	Serum Fetuin-A Concentration and Endothelial Dysfunction in Chronic Kidney Disease. <i>Nephron Clinical Practice</i> , 2008, 108, c233-c240.	2.3	46
236	The complex role of adiponectin in chronic kidney disease. <i>Biochimie</i> , 2012, 94, 2150-2156.	1.3	46
237	Whole genome DNA sequencing provides an atlas of somatic mutagenesis in healthy human cells and identifies a tumor-prone cell type. <i>Genome Biology</i> , 2019, 20, 285.	3.8	46
238	Impact of Residual Renal Function on Volume Status in Chronic Renal Failure. <i>Blood Purification</i> , 2004, 22, 285-292.	0.9	45
239	Normalization of endothelial dysfunction following renal transplantation is accompanied by a reduction of circulating visfatin/NAMPT. A novel marker of endothelial damage?. <i>Clinical Transplantation</i> , 2009, 23, 241-248.	0.8	45
240	POOR NUTRITIONAL STATUS AND INFLAMMATION: Novel Approaches in an Integrated Therapy of Inflammatory-Associated Wasting in End-Stage Renal Disease. <i>Seminars in Dialysis</i> , 2004, 17, 505-515.	0.7	44
241	Development and validation of cardiovascular risk scores for haemodialysis patients. <i>International Journal of Cardiology</i> , 2016, 216, 68-77.	0.8	44
242	Reduced skeletal muscle expression of mitochondrial-derived peptides humanin and MOTS-C and Nrf2 in chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F1122-F1131.	1.3	44
243	Are insulin-like growth factor and its binding proteins 1 and 3 clinically useful as markers of malnutrition, sarcopenia and inflammation in end-stage renal disease?. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 718-726.	1.3	43
244	Molecular basis of renal disease. Molecular studies of leptin: implications for renal disease. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 1103-1112.	0.4	42
245	Opposing Activity Changes in AMP Deaminase and AMP-Activated Protein Kinase in the Hibernating Ground Squirrel. <i>PLoS ONE</i> , 2015, 10, e0123509.	1.1	42
246	Dialysis modality and nutritional status are associated with variability of inflammatory markers. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1320-1327.	0.4	42
247	Vertebral bone density associates with coronary artery calcification and is an independent predictor of poor outcome in end-stage renal disease patients. <i>Bone</i> , 2016, 92, 50-57.	1.4	42
248	Circulating proteins as predictors of cardiovascular mortality in end-stage renal disease. <i>Journal of Nephrology</i> , 2019, 32, 111-119.	0.9	42
249	The Role of the TGF/Smad Signaling Pathway in Peritoneal Fibrosis Induced by Peritoneal Dialysis Solutions. <i>Nephron Experimental Nephrology</i> , 2008, 109, e71-e78.	2.4	41
250	Allostatic load and ageing: linking the microbiome and nutrition with age-related health. <i>Biochemical Society Transactions</i> , 2019, 47, 1165-1172.	1.6	41
251	Elevated Circulating Levels and Tissue Expression of Pentraxin 3 in Uremia: A Reflection of Endothelial Dysfunction. <i>PLoS ONE</i> , 2013, 8, e63493.	1.1	41
252	Leptin, ghrelin, and proinflammatory cytokines: compounds with nutritional impact in chronic kidney disease?. <i>Advances in Chronic Kidney Disease</i> , 2003, 10, 332-345.	2.2	40

#	ARTICLE	IF	CITATIONS
253	Malnutrition and inflammation are associated with impaired pulmonary function in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1823-1828.	0.4	40
254	Adipose Tissue and Inflammation in Chronic Kidney Disease. , 2006, 151, 165-174.		40
255	Polymorphisms in cytokine genes influence long-term survival differently in elderly male and female patients. <i>Journal of Internal Medicine</i> , 2007, 262, 215-223.	2.7	40
256	Clinical importance of an elevated circulating chemerin level in incident dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 4017-4023.	0.4	40
257	Kidney insufficiency and nutrient-based modulation of inflammation. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005, 8, 388-396.	1.3	39
258	Chronic kidney disease and inflammation in pediatric patients: from bench to playground. <i>Pediatric Nephrology</i> , 2005, 20, 714-720.	0.9	39
259	PROGRESS IN UREMIC TOXIN RESEARCH: Hyperhomocysteinemia in Uremiaâ€”A Red Flag in a Disrupted Circuit. <i>Seminars in Dialysis</i> , 2009, 22, 351-356.	0.7	39
260	Circulating vascular endothelial growth factor (VEGF) and its soluble receptor 1 (sVEGFR-1) are associated with inflammation and mortality in incident dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2356-2363.	0.4	39
261	Hyperhomocysteinemia in relation to plasma free amino acids, biomarkers of inflammation and mortality in patients with chronic kidney disease starting dialysis therapy. <i>American Journal of Kidney Diseases</i> , 2004, 44, 455-465.	2.1	38
262	Statin Treatment and Diabetes Affect Myeloperoxidase Activity in Maintenance Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006, 1, 281-287.	2.2	38
263	Adiponectin in Chronic Kidney Disease: A Complex and Context Sensitive Clinical Situation. , 2011, 21, 82-86.		38
264	Prevalence and Risk of Protein-Energy Wasting Assessed by Subjective Global Assessment in Older Adults With Advanced Chronic Kidney Disease: Results From the EQUAL Study. , 2018, 28, 165-174.		38
265	<i>Clostridium difficile</i> -Associated diarrhoea in uremic patients. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1987, 6, 352-356.	1.3	37
266	Leptin - a new hormone of definite interest for the nephrologist. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 1099-1101.	0.4	37
267	Interleukin-6 Is a Better Predictor of Mortality as Compared to C-Reactive Protein, Homocysteine, Pentosidine and Advanced Oxidation Protein Products in Hemodialysis Patients. <i>Blood Purification</i> , 2008, 26, 204-210.	0.9	37
268	Circulating Follistatin in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1001-1008.	2.2	37
269	Recent Insights in Inflammation-Associated Wasting in Patients with Chronic Kidney Disease. <i>Contributions To Nephrology</i> , 2011, 171, 120-126.	1.1	37
270	Oxidative Dna Damage and Mortality in Hemodialysis and Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015, 35, 206-215.	1.1	37

#	ARTICLE	IF	CITATIONS
271	Ageing – Oxidative stress, PTMs and disease. <i>Molecular Aspects of Medicine</i> , 2022, 86, 101099.	2.7	37
272	Biocompatibility of New Peritoneal Dialysis Solutions: What Can We Hope to Achieve?. <i>Peritoneal Dialysis International</i> , 2000, 20, 57-67.	1.1	36
273	End-stage renal disease - not an equal opportunity disease: the role of genetic polymorphisms. <i>Journal of Internal Medicine</i> , 2005, 258, 1-12.	2.7	36
274	Imbalance between Detached Circulating Endothelial Cells and Endothelial Progenitor Cells in Chronic Kidney Disease. <i>Blood Purification</i> , 2006, 24, 196-202.	0.9	36
275	Validation of insulin sensitivity surrogate indices and prediction of clinical outcomes in individuals with and without impaired renal function. <i>Kidney International</i> , 2014, 86, 383-391.	2.6	36
276	Serum fatty acid patterns, insulin sensitivity and the metabolic syndrome in individuals with chronic kidney disease. <i>Journal of Internal Medicine</i> , 2014, 275, 71-83.	2.7	36
277	Bone mineral density and mortality in end-stage renal disease patients. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 307-321.	1.4	36
278	Influence of peritoneal transport rate, inflammation, and fluid removal on nutritional status and clinical outcome in prevalent peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2003, 23, 174-83.	1.1	36
279	Dietary fat modification in patients with chronic kidney disease: n-3 fatty acids and beyond. <i>Journal of Nephrology</i> , 2013, 26, 960-974.	0.9	35
280	The G-protein coupled receptor ChemR23 determines smooth muscle cell phenotypic switching to enhance high phosphate-induced vascular calcification. <i>Cardiovascular Research</i> , 2019, 115, 1557-1566.	1.8	35
281	Nonthyroidal illness: a risk factor for coronary calcification and arterial stiffness in patients undergoing peritoneal dialysis?. <i>Journal of Internal Medicine</i> , 2013, 274, 584-593.	2.7	34
282	IGF-1 and Survival in ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 120-127.	2.2	34
283	Plasma Pentosidine and Its Association with Mortality in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0163826.	1.1	34
284	Serum soluble CD36, assessed by a novel monoclonal antibody-based sandwich ELISA, predicts cardiovascular mortality in dialysis patients. <i>Clinica Chimica Acta</i> , 2010, 411, 2079-2082.	0.5	33
285	Nonthyroidal illness and the cardiorenal syndrome. <i>Nature Reviews Nephrology</i> , 2013, 9, 599-609.	4.1	33
286	Obesity and nephrology: results of a knowledge and practice pattern survey. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, iv99-iv104.	0.4	33
287	Lung Dysfunction and Mortality in Patients with Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 522-535.	0.9	33
288	The Association of Mediterranean and DASH Diets with Mortality in Adults on Hemodialysis: The DIET-HD Multinational Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1741-1751.	3.0	33

#	ARTICLE	IF	CITATIONS
289	Health-related quality of life as predictor of mortality in end-stage renal disease patients: an observational study. <i>BMC Nephrology</i> , 2019, 20, 144.	0.8	33
290	Mechanisms of Endothelial Dysfunction in Resistance Arteries from Patients with End-Stage Renal Disease. <i>PLoS ONE</i> , 2012, 7, e36056.	1.1	33
291	Subclinical versus overt obesity in dialysis patients: more than meets the eye. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, iv175-iv181.	0.4	32
292	Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003255.	3.9	32
293	Renal hemodynamics and sodium handling in moderate renal insufficiency. <i>Journal of the American Society of Nephrology: JASN</i> , 1995, 5, 1751-1760.	3.0	32
294	Adiponectin in chronic kidney disease has an opposite impact on protein-energy wasting and cardiovascular risk: two sides of the same coin. <i>Clinical Nephrology</i> , 2009, 72, 87-96.	0.4	32
295	Anaemia and inflammation: what are the implications for the nephrologist?. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 17viii-22.	0.4	31
296	Impaired resistance artery function in patients with end-stage renal disease. <i>Clinical Science</i> , 2011, 120, 525-536.	1.8	31
297	Epicardial fat accumulation, cardiometabolic profile and cardiovascular events in patients with stages 3-5 chronic kidney disease. <i>Journal of Internal Medicine</i> , 2015, 278, 77-87.	2.7	31
298	Nutritional status of older patients on hemodialysis: Which nutritional markers can best predict clinical outcomes?. <i>Nutrition</i> , 2019, 65, 113-119.	1.1	31
299	Senescent Cells in Early Vascular Ageing and Bone Disease of Chronic Kidney Disease—A Novel Target for Treatment. <i>Toxins</i> , 2019, 11, 82.	1.5	31
300	Study Design and Baseline Characteristics of the CARDINAL Trial: A Phase 3 Study of Bardoxolone Methyl in Patients with Alport Syndrome. <i>American Journal of Nephrology</i> , 2021, 52, 180-189.	1.4	31
301	Associations between Thyroid Hormones, Calcification Inhibitor Levels and Vascular Calcification in End-Stage Renal Disease. <i>PLoS ONE</i> , 2015, 10, e0132353.	1.1	31
302	Changes in fat mass after initiation of maintenance dialysis is influenced by the uncoupling protein 2 exon 8 insertion/deletion polymorphism. <i>Nephrology Dialysis Transplantation</i> , 2006, 22, 196-202.	0.4	30
303	Chapter 6 Vascular Calcification Inhibitors In Relation To Cardiovascular Disease With Special Emphasis On Fetuin-A In Chronic Kidney Disease. <i>Advances in Clinical Chemistry</i> , 2008, 46, 217-262.	1.8	30
304	Is Fetuin-A/±2-Heremans-Schmid Glycoprotein Associated with the Metabolic Syndrome in Patients with Chronic Kidney Disease?. <i>American Journal of Nephrology</i> , 2008, 28, 669-676.	1.4	30
305	Biomimetics — Nature's roadmap to insights and solutions for burden of lifestyle diseases. <i>Journal of Internal Medicine</i> , 2020, 287, 238-251.	2.7	30
306	Impaired intrarenal dopamine production following intravenous sodium chloride infusion in Type 1 (insulin-dependent) diabetes mellitus. <i>Diabetologia</i> , 1991, 34, 114-118.	2.9	29

#	ARTICLE	IF	CITATIONS
307	Leptin and Its Clinical Implications in Chronic Renal Failure. <i>Mineral and Electrolyte Metabolism</i> , 1999, 25, 298-302.	1.1	29
308	Peroxisome proliferator-activated receptor β polymorphisms affect systemic inflammation and survival in end-stage renal disease patients starting renal replacement therapy. <i>Atherosclerosis</i> , 2005, 182, 105-111.	0.4	29
309	Activity-related Energy Expenditure of Patients Undergoing Hemodialysis. , 2011, 21, 226-234.		29
310	Inflammation modifies the association of osteoprotegerin with mortality in chronic kidney disease. <i>Journal of Nephrology</i> , 2009, 22, 774-82.	0.9	29
311	Low cholesterol in dialysis patients--causal factor for mortality or an effect of confounding?. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3325-3331.	0.4	28
312	Regional variations in the relationship between arterial stiffness and adipocyte volume or number in obese subjects. <i>International Journal of Obesity</i> , 2015, 39, 222-227.	1.6	28
313	Serum albumin, inflammation, and nutrition in end-stage renal disease: C-reactive protein is needed for optimal assessment. <i>Seminars in Dialysis</i> , 2018, 31, 435-439.	0.7	28
314	Novel insights into the disease transcriptome of human diabetic glomeruli and tubulointerstitium. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2059-2072.	0.4	28
315	Cruciferous vegetables: rationale for exploring potential salutary effects of sulforaphane-rich foods in patients with chronic kidney disease. <i>Nutrition Reviews</i> , 2021, 79, 1204-1224.	2.6	28
316	Effect of hepatitis C serology on C-reactive protein in a cohort of Brazilian hemodialysis patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2005, 38, 783-788.	0.7	28
317	PROGRESS IN UREMIC TOXIN RESEARCH: The Role of EUTox in Uremic Toxin Research. <i>Seminars in Dialysis</i> , 2009, 22, 323-328.	0.7	27
318	Association between levels of pentraxin 3 and incidence of chronic kidney disease in the elderly. <i>Journal of Internal Medicine</i> , 2016, 279, 173-179.	2.7	27
319	Total and bone-specific alkaline phosphatase are associated with bone mineral density over time in end-stage renal disease patients starting dialysis. <i>Journal of Nephrology</i> , 2017, 30, 255-262.	0.9	27
320	Long-lived animals with negligible senescence: clues for ageing research. <i>Biochemical Society Transactions</i> , 2019, 47, 1157-1164.	1.6	27
321	Temporal Associations Among Body Mass Index, Fasting Insulin, and Systemic Inflammation. <i>JAMA Network Open</i> , 2021, 4, e211263.	2.8	27
322	From the distinctive smell to therapeutic effects: Garlic for cardiovascular, hepatic, gut, diabetes and chronic kidney disease. <i>Clinical Nutrition</i> , 2021, 40, 4807-4819.	2.3	27
323	Recovery scenario and immunity in COVID-19 disease: A new strategy to predict the potential of reinfection. <i>Journal of Advanced Research</i> , 2021, 31, 49-60.	4.4	27
324	Determinants and survival implications of low bone mineral density in end-stage renal disease patients. <i>Journal of Nephrology</i> , 2013, 26, 485-494.	0.9	27

#	ARTICLE	IF	CITATIONS
325	Leptin and blood pressure“is there a link?. Nephrology Dialysis Transplantation, 2000, 15, 1115-1117.	0.4	26
326	LDL-apheresis in patients with nephrotic syndrome: effects on serum albumin and urinary albumin excretion. European Journal of Clinical Investigation, 2000, 30, 866-870.	1.7	26
327	Genetic approaches in the clinical investigation of complex disorders: Malnutrition, inflammation, and atherosclerosis (MIA) as a prototype. Kidney International, 2003, 63, S162-S167.	2.6	26
328	Elevated Serum 8-Oxo-dG in Hemodialysis Patients: A Marker of Systemic Inflammation?. Antioxidants and Redox Signaling, 2006, 8, 2169-2173.	2.5	26
329	TOF-SIMS analysis of adipose tissue from patients with chronic kidney disease. Applied Surface Science, 2008, 255, 1177-1180.	3.1	26
330	Metabolic abnormalities in chronic kidney disease that contribute to cardiovascular disease, and nutritional initiatives that may diminish the risk. Current Opinion in Lipidology, 2009, 20, 3-9.	1.2	26
331	Cardiovascular Biomarkers in Chronic Kidney Disease. , 2012, 22, 120-127.		26
332	Plasma Fatty Acids in Chronic Kidney Disease: Nervonic Acid Predicts Mortality. , 2012, 22, 277-283.		26
333	The microbial metabolite trimethylamine-N-oxide in association with inflammation and microbial dysregulation in three HIV cohorts at various disease stages. Aids, 2018, 32, 1589-1598.	1.0	26
334	Chemerin inhibits vascular calcification through ChemR23 and is associated with lower coronary calcium in chronic kidney disease. Journal of Internal Medicine, 2019, 286, 449-457.	2.7	26
335	Manipulating the exposome to enable better ageing. Biochemical Journal, 2021, 478, 2889-2898.	1.7	26
336	Gene Polymorphism Association Studies in Dialysis: The Nutrition-Inflammation Axis. Seminars in Dialysis, 2005, 18, 322-330.	0.7	25
337	Bone Mineral Density in End-Stage Renal Disease Patients: Association with Wasting, Cardiovascular Disease and Mortality. Blood Purification, 2008, 26, 284-290.	0.9	25
338	Progress in Uremic Toxin Research: Genetics/Genomics in Chronic Kidney Disease“Towards Personalized Medicine?. Seminars in Dialysis, 2009, 22, 417-422.	0.7	25
339	Is fetuin-A a mortality risk factor in dialysis patients or a mere risk marker? A Mendelian randomization approach. Nephrology Dialysis Transplantation, 2011, 26, 239-245.	0.4	25
340	Obesity“a disease with many aetiologies disguised in the same oversized phenotype: has the overeating theory failed?. Nephrology Dialysis Transplantation, 2015, 30, 1656-1664.	0.4	25
341	Serum 8-hydroxydeoxyguanosine, a marker of oxidative DNA damage, is associated with mortality independent of inflammation in chronic kidney disease. European Journal of Internal Medicine, 2019, 68, 60-65.	1.0	25
342	Skin autofluorescence, arterial stiffness and Framingham risk score as predictors of clinical outcome in chronic kidney disease patients: a cohort study. Nephrology Dialysis Transplantation, 2019, 34, 442-448.	0.4	25

#	ARTICLE	IF	CITATIONS
343	Decreased Renal Clearance of Sodium in Cystic Fibrosis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1991, 80, 194-198.	0.7	24
344	Why Do Dialysis Patients Develop a Heart of Stone and Bone of China?. <i>Blood Purification</i> , 2005, 23, 203-210.	0.9	24
345	Low levels of IgM antibodies against phosphorylcholine-A increase mortality risk in patients undergoing haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3454-3460.	0.4	24
346	Associations of VEGF and its receptors sVEGFR-1 and -2 with cardiovascular disease and survival in prevalent haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3468-3473.	0.4	24
347	Metabolism of alprazolam (a marker of CYP3A4) in hemodialysis patients with persistent inflammation. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 571-577.	0.8	24
348	Rare progerin-expressing preadipocytes and adipocytes contribute to tissue depletion over time. <i>Scientific Reports</i> , 2017, 7, 4405.	1.6	24
349	Effects of probiotic supplementation on inflammatory biomarkers and uremic toxins in non-dialysis chronic kidney patients: A double-blind, randomized, placebo-controlled trial. <i>Journal of Functional Foods</i> , 2018, 46, 378-383.	1.6	24
350	Hypoalbuminemia: a price worth paying for improved dialytic removal of middle-molecular-weight uremic toxins?. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 901-907.	0.4	24
351	Does the ob gene product leptin stimulate erythropoiesis in patients with chronic renal failure?. <i>Kidney International</i> , 1998, 53, 1430-1431.	2.6	23
352	End-stage renal disease: a state of chronic inflammation and hyperleptinemia. <i>European Journal of Clinical Investigation</i> , 2003, 33, 527-528.	1.7	23
353	Effect of High-Dose Thiamine and Pyridoxine on Advanced Glycation End Products and Other Oxidative Stress Markers in Hemodialysis Patients: A Randomized Placebo-Controlled Study. , 2006, 16, 119-124.		23
354	An Epidemiological Study of Hemodialysis Patients Based on the European Fresenius Medical Care Hemodialysis Network: Results of the ARO Study. <i>Nephron Clinical Practice</i> , 2011, 118, c143-c154.	2.3	23
355	Restrictive lung disorder is common in patients with kidney failure and associates with protein-energy wasting, inflammation and cardiovascular disease. <i>PLoS ONE</i> , 2018, 13, e0195585.	1.1	23
356	A distinct bone phenotype in ADPKD patients with end-stage renal disease. <i>Kidney International</i> , 2019, 95, 412-419.	2.6	23
357	Cranberries “ potential benefits in patients with chronic kidney disease. <i>Food and Function</i> , 2019, 10, 3103-3112.	2.1	23
358	To bee or not to bee? The bee extract propolis as a bioactive compound in the burden of lifestyle diseases. <i>Nutrition</i> , 2021, 83, 111094.	1.1	23
359	What are the causes of protein-energy malnutrition in chronic renal insufficiency?. <i>American Journal of Kidney Diseases</i> , 2002, 39, 422-425.	2.1	22
360	Epigenetics--a helpful tool to better understand processes in clinical nephrology?. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 1493-1496.	0.4	22

#	ARTICLE	IF	CITATIONS
361	N-Terminal Pro-Brain Natriuretic Peptide Independently Predicts Protein Energy Wasting and Is Associated with All-Cause Mortality in Prevalent HD Patients. <i>American Journal of Nephrology</i> , 2009, 29, 516-523.	1.4	22
362	Uraemic sera stimulate lipolysis in human adipocytes: role of perilipin. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2485-2491.	0.4	22
363	C-reactive Protein: Repeated Measurements will Improve Dialysis Patient Care. <i>Seminars in Dialysis</i> , 2016, 29, 7-14.	0.7	22
364	Factors influencing progression in patients with chronic renal failure. <i>Journal of Internal Medicine</i> , 1989, 226, 183-188.	2.7	21
365	Influence of variation at the apolipoprotein E locus on lipid and lipoprotein levels in CAPD patients. <i>Nephrology Dialysis Transplantation</i> , 1997, 12, 141-144.	0.4	21
366	Molecular genetics in renal medicine: what can we hope to achieve?. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 5-11.	0.4	21
367	Interleukin-1 Gene Cluster Polymorphisms Are Associated with Nutritional Status and Inflammation in Patients with End-Stage Renal Disease. <i>Blood Purification</i> , 2005, 23, 384-393.	0.9	21
368	DNA Hypermethylation and Inflammatory Markers in Incident Japanese Dialysis Patients. <i>Nephron Extra</i> , 2012, 2, 159-168.	1.1	21
369	Bioactive food and exercise in chronic kidney disease: Targeting the mitochondria. <i>European Journal of Clinical Investigation</i> , 2018, 48, e13020.	1.7	21
370	Mitochondrial dysfunction and gut microbiota imbalance: An intriguing relationship in chronic kidney disease. <i>Mitochondrion</i> , 2019, 47, 206-209.	1.6	21
371	Insights in the regulation of trimethylamine N-oxide production using a comparative biomimetic approach suggest a metabolic switch in hibernating bears. <i>Scientific Reports</i> , 2020, 10, 20323.	1.6	21
372	Resolved: being fat is good for dialysis patients: the Godzilla effect: con. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1062-4.	3.0	21
373	The influence of hepatitis C and iron replacement therapy on plasma pentosidine levels in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 3112-3116.	0.4	20
374	Serum albumin: a late-reacting negative acute-phase protein in clinically evident inflammation in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 658-660.	0.4	20
375	Associations between the CYBA 242C/T and the MPO 463G/A Polymorphisms, Oxidative Stress and Cardiovascular Disease in Chronic Kidney Disease Patients. <i>Blood Purification</i> , 2007, 25, 210-218.	0.9	20
376	Can Treating Persistent Inflammation Limit Protein Energy Wasting?. <i>Seminars in Dialysis</i> , 2013, 26, 16-19.	0.7	20
377	Nonpharmacologic Strategies to Modulate Nuclear Factor Erythroid 2-related Factor 2 Pathway in Chronic Kidney Disease. , 2017, 27, 282-291.		20
378	Inverse J-shaped relation between coronary arterial calcium density and mortality in advanced chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1202-1211.	0.4	20

#	ARTICLE	IF	CITATIONS
379	Bone mineral density at different sites and 5 years mortality in end-stage renal disease patients: A cohort study. <i>Bone</i> , 2020, 130, 115075.	1.4	20
380	Blood-brain barrier and gut barrier dysfunction in chronic kidney disease with a focus on circulating biomarkers and tight junction proteins. <i>Scientific Reports</i> , 2022, 12, 4414.	1.6	20
381	Renal haemodynamics and tubular sodium handling following volume expansion with sodium chloride (NaCl) and glucose in healthy humans. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1992, 52, 837-846.	0.6	19
382	Low-density lipoprotein metabolism and its association to plasma lipoprotein(a) in the nephrotic syndrome. <i>European Journal of Clinical Investigation</i> , 2003, 27, 169-177.	1.7	19
383	Renal function in hypoxaemic chronic obstructive pulmonary disease: effects of long-term oxygen treatment. <i>Respiratory Medicine</i> , 2003, 97, 308-316.	1.3	19
384	Being an Inflamed Peritoneal Dialysis Patient – A Dante’s Journey. , 2006, 150, 144-151.		19
385	Temporal discrepancies in the association between the apoB/apoA ratio and mortality in incident dialysis patients. <i>Journal of Internal Medicine</i> , 2009, 265, 708-716.	2.7	19
386	Self-Rated Appetite as a Predictor of Mortality in Patients With Stage 5 Chronic Kidney Disease. , 2013, 23, 106-113.		19
387	Increased Levels of Modified Advanced Oxidation Protein Products are Associated with Central and Peripheral Blood Pressure in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015, 35, 460-470.	1.1	19
388	Strategies to improve monitoring disease progression, assessing cardiovascular risk, and defining prognostic biomarkers in chronic kidney disease. <i>Kidney International Supplements</i> , 2017, 7, 107-113.	4.6	19
389	Association of changes in bone mineral parameters with mortality in haemodialysis patients: insights from the ARO cohort. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 478-487.	0.4	19
390	Adipokines in Chronic Kidney Disease – Fat Tissue Gives Nephrologists a Message. <i>Peritoneal Dialysis International</i> , 2005, 25, 340-342.	1.1	18
391	CARDIOVASCULAR AND SURVIVAL PARADOXES IN DIALYSIS PATIENTS: Homocysteine Lowering Is Not a Primary Target for Cardiovascular Disease Prevention in Chronic Kidney Disease Patients. <i>Seminars in Dialysis</i> , 2007, 20, 523-529.	0.7	18
392	Evaluation of the Association of Plasma Pentraxin 3 Levels with Type 2 Diabetes and Diabetic Nephropathy in a Malay Population. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-7.	1.0	18
393	Fractures after kidney transplantation: Incidence, predictors, and association with mortality. <i>Bone</i> , 2020, 140, 115554.	1.4	18
394	Role of Uremic Toxins in Early Vascular Ageing and Calcification. <i>Toxins</i> , 2021, 13, 26.	1.5	18
395	Serum Retinol-Binding Protein Concentration and Its Association with Components of the Uremic Metabolic Syndrome in Nondiabetic Patients with Chronic Kidney Disease Stage 5. <i>American Journal of Nephrology</i> , 2009, 29, 447-453.	1.4	17
396	Effects of Hemodiafiltration on Uremic Inflammation. <i>Blood Purification</i> , 2013, 35, 11-17.	0.9	17

#	ARTICLE	IF	CITATIONS
397	Methyl Donor Nutrients in Chronic Kidney Disease: Impact on the Epigenetic Landscape. <i>Journal of Nutrition</i> , 2019, 149, 372-380.	1.3	17
398	Inflammation, Oxidative Stress, and Bone in Chronic Kidney Disease in the Osteoimmunology Era. <i>Calcified Tissue International</i> , 2021, 108, 452-460.	1.5	17
399	Systematic review of the nuclear factor erythroid 2-related factor 2 (NRF2) system in human chronic kidney disease: alterations, interventions and relation to morbidity. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 904-916.	0.4	17
400	A Comparative Analysis of Nutritional Assessment Using Global Leadership Initiative on Malnutrition Versus Subjective Global Assessment and Malnutrition Inflammation Score in Maintenance Hemodialysis Patients. , 2022, 32, 476-482.		17
401	Postprandial metabolic response to a fat- and carbohydrate-rich meal in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2231-2237.	0.4	16
402	Subclinical Atherosclerosis, Endothelial Function, and Serum Inflammatory Markers in Chronic Kidney Disease Stages 3 to 4. <i>Angiology</i> , 2014, 65, 443-449.	0.8	16
403	Increased Telomere Attrition After Renal Transplantationâ€”Impact of Antimetabolite Therapy. <i>Transplantation Direct</i> , 2016, 2, e116.	0.8	16
404	Highâ€”density lipoprotein from endâ€”stage renal disease patients exhibits superior cardioprotection and increase in sphingosineâ€”1â€”phosphate. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12866.	1.7	16
405	Dietary n-3 polyunsaturated fatty acid intake and all-cause and cardiovascular mortality in adults on hemodialysis: The DIET-HD multinational cohort study. <i>Clinical Nutrition</i> , 2019, 38, 429-437.	2.3	16
406	Major fractures after initiation of dialysis: Incidence, predictors and association with mortality. <i>Bone</i> , 2020, 133, 115242.	1.4	16
407	Renal function and lipid metabolism are major predictors of circumpapillary retinal nerve fiber layer thicknessâ€”the LIFE-Adult Study. <i>BMC Medicine</i> , 2021, 19, 202.	2.3	16
408	Adipokine Signaling in the Peritoneal Dialysis Patient. , 2006, 150, 166-173.		15
409	Variations in C-reactive protein during a single haemodialysis session do not associate with mortality. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3717-3723.	0.4	15
410	Expression of osteoprotegerin in human fat tissue; implications for chronic kidney disease. <i>European Journal of Clinical Investigation</i> , 2011, 41, 498-506.	1.7	15
411	Endostatin, Cathepsin S, and Cathepsin L, and Their Association with Inflammatory Markers and Mortality in Patients Undergoing Hemodialysis. <i>Blood Purification</i> , 2015, 39, 259-265.	0.9	15
412	High Levels of Soluble Tumor Necrosis Factor Receptors 1 and 2 and Their Association with Mortality in Patients Undergoing Hemodialysis. <i>CardioRenal Medicine</i> , 2015, 5, 89-95.	0.7	15
413	Association of Serum Sclerostin with Bone Sclerostin in Chronic Kidney Disease is Lost in Glucocorticoid Treated Patients. <i>Calcified Tissue International</i> , 2019, 104, 214-223.	1.5	15
414	C-reactive proteinâ€”does it promote vascular disease?*. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2718-2720.	0.4	14

#	ARTICLE	IF	CITATIONS
415	Simple advice on lifestyle habits and long-term changes in biomarkers of inflammation and vascular adhesion in healthy middle-aged men. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 1450-1456.	1.3	14
416	Clinical determinants and mortality predictability of stearoyl-CoA desaturase-1 activity indices in dialysis patients. <i>Journal of Internal Medicine</i> , 2013, 273, 263-272.	2.7	14
417	Nutrients and ageing. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016, 19, 19-25.	1.3	14
418	A cohort study of insulin-like growth factor 1 and mortality in haemodialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 148-152.	1.4	14
419	A journey from microenvironment to macroenvironment: the role of metaflammation and epigenetic changes in cardiorenal disease. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 861-870.	1.4	14
420	Uremic Toxins and Vascular Calcification – “Missing the Forest for All the Trees. <i>Toxins</i> , 2020, 12, 624.	1.5	14
421	Sevelamer Use in End-Stage Kidney Disease (ESKD) Patients Associates with Poor Vitamin K Status and High Levels of Gut-Derived Uremic Toxins: A Drug – “Bug Interaction?. <i>Toxins</i> , 2020, 12, 351.	1.5	14
422	Functional vitamin K insufficiency, vascular calcification and mortality in advanced chronic kidney disease: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0247623.	1.1	14
423	Socioeconomic position links circulatory microbiota differences with biological age. <i>Scientific Reports</i> , 2021, 11, 12629.	1.6	14
424	Oral health and pro-inflammatory status in end-stage renal disease patients. <i>Oral Health & Preventive Dentistry</i> , 2007, 5, 235-44.	0.3	14
425	Beyond the membrane – “The role of new PD solutions in enhancing global biocompatibility. <i>Kidney International</i> , 2003, 64, S124-S132.	2.6	13
426	How can genetics and epigenetics help the nephrologist improve the diagnosis and treatment of chronic kidney disease patients?. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 972-980.	0.4	13
427	Implantation of Autologous Selected Renal Cells in Diabetic Chronic Kidney Disease Stages 3 and 4 – “Clinical Experience of a – “First in Human – “Study. <i>Kidney International Reports</i> , 2016, 1, 105-113.	0.4	13
428	High alkaline phosphatase and low intact parathyroid hormone associate with worse clinical outcome in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2021, 41, 236-243.	1.1	13
429	The sweet side of dark chocolate for chronic kidney disease patients. <i>Clinical Nutrition</i> , 2021, 40, 15-26.	2.3	13
430	A genome-wide association study suggests correlations of common genetic variants with peritoneal solute transfer rates in patients with kidney failure receiving peritoneal dialysis. <i>Kidney International</i> , 2021, 100, 1101-1111.	2.6	13
431	Osteomodulin attenuates smooth muscle cell osteogenic transition in vascular calcification. <i>Clinical and Translational Medicine</i> , 2022, 12, e682.	1.7	13
432	Influence of cytokine gene polymorphisms on erythropoietin dose requirements in chronic haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3586-3592.	0.4	12

#	ARTICLE	IF	CITATIONS
433	Insulin Resistance Is Associated With Circulating Fibrinogen Levels in Nondiabetic Patients Receiving Peritoneal Dialysis. , 2007, 17, 132-137.		12
434	Identifying and Managing Malnutrition Stemming from Different Causes. Peritoneal Dialysis International, 2007, 27, 239-244.	1.1	12
435	Understanding the role of genetic polymorphisms in chronic kidney disease. Pediatric Nephrology, 2008, 23, 1941-1949.	0.9	12
436	Epigenetics and the Uremic Phenotype: A Matter of Balance. , 2008, 161, 55-62.		12
437	Can ghrelin improve appetite in uremic wasting?. Nature Reviews Nephrology, 2009, 5, 672-673.	4.1	12
438	Influence of the CYP2D6 polymorphism and hemodialysis on codeine disposition in patients with end-stage renal disease. European Journal of Clinical Pharmacology, 2010, 66, 269-273.	0.8	12
439	The enigma of decreased creatinine generation in acute kidney injury. Nephrology Dialysis Transplantation, 2012, 27, 3973-3974.	0.4	12
440	Three-month variation of plasma pentraxin 3 compared with C-reactive protein, albumin and homocysteine levels in haemodialysis patients. CKJ: Clinical Kidney Journal, 2014, 7, 373-379.	1.4	12
441	Inflammation down-regulates CYP3A4-catalysed drug metabolism in hemodialysis patients. BMC Pharmacology & Toxicology, 2018, 19, 33.	1.0	12
442	The value of the Brazilian açaí fruit as a therapeutic nutritional strategy for chronic kidney disease patients. International Urology and Nephrology, 2018, 50, 2207-2220.	0.6	12
443	Dietary Patterns and Mortality in a Multinational Cohort of Adults Receiving Hemodialysis. American Journal of Kidney Diseases, 2020, 75, 361-372.	2.1	12
444	Can nutritional interventions modulate the activation of the NLRP3 inflammasome in chronic kidney disease?. Food Research International, 2020, 136, 109306.	2.9	12
445	Emerging Role of Clinical Genetics in CKD. Kidney Medicine, 2022, 4, 100435.	1.0	12
446	Role of Interleukin-1 β in the Development of Malnutrition in Chronic Renal Failure Patients. Blood Purification, 2005, 23, 275-281.	0.9	11
447	Systemic and Local Inflammation in Peritoneal Dialysis: Mechanisms, Biomarkers and Effects on Outcome. Contributions To Nephrology, 2009, 163, 132-139.	1.1	11
448	Low serum testosterone is associated with atherosclerosis in postmenopausal women undergoing hemodialysis. Clinical and Experimental Nephrology, 2014, 18, 499-506.	0.7	11
449	Elevated Circulating S100A12 Associates with Vascular Disease and Worse Clinical Outcome in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2016, 36, 269-276.	1.1	11
450	Telomere Attrition and Elongation after Chronic Dialysis Initiation in Patients with End-Stage Renal Disease. Blood Purification, 2016, 41, 25-33.	0.9	11

#	ARTICLE	IF	CITATIONS
451	Current epigenetic aspects the clinical kidney researcher should embrace. <i>Clinical Science</i> , 2017, 131, 1649-1667.	1.8	11
452	A planetary health perspective for kidney disease. <i>Kidney International</i> , 2020, 98, 261-265.	2.6	11
453	Methods and rationale of the DISCOVER CKD global observational study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1570-1578.	1.4	11
454	Potential natural immunization against atherosclerosis in hibernating bears. <i>Scientific Reports</i> , 2021, 11, 12120.	1.6	11
455	Role of GDF-15, YKL-40 and MMP 9 in patients with end-stage kidney disease: focus on sex-specific associations with vascular outcomes and all-cause mortality. <i>Biology of Sex Differences</i> , 2021, 12, 50.	1.8	11
456	Pro-neurotensin depends on renal function and is related to all-cause mortality in chronic kidney disease. <i>European Journal of Endocrinology</i> , 2020, 183, 233-244.	1.9	11
457	Longitudinal genome-wide DNA methylation changes in response to kidney failure replacement therapy. <i>Scientific Reports</i> , 2022, 12, 470.	1.6	11
458	Inhibiting BTB domain and CNC homolog 1 (Bach1) as an alternative to increase Nrf2 activation in chronic diseases. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2022, 1866, 130129.	1.1	11
459	Peroxisome Proliferator-Activated Receptor- β Agonists Diminish Peritoneal Functional and Morphological Changes Induced by Bioincompatible Peritoneal Dialysis Solution. <i>Blood Purification</i> , 2006, 24, 575-582.	0.9	10
460	Nonphosphate-binding Effects of Sevelamer—are They of Clinical Relevance?. <i>Seminars in Dialysis</i> , 2008, 21, 385-389.	0.7	10
461	PROGRESS IN UREMIC TAXIN RESEARCH: Leptin and Uremic Protein—Energy Wasting—the Axis of Eating. <i>Seminars in Dialysis</i> , 2009, 22, 387-390.	0.7	10
462	Does the Uremic Milieu Affect the Epigenotype?. , 2009, 19, 82-85.		10
463	Delta-He: a novel marker of inflammation predicting mortality and ESA response in peritoneal dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 275-281.	1.4	10
464	Serum hepatocyte growth factor is associated with truncal fat mass and increased mortality in chronic kidney disease stage 5 patients with protein-energy wasting. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 274-282.	0.4	10
465	Phenotypic features of vascular calcification in chronic kidney disease. <i>Journal of Internal Medicine</i> , 2020, 287, 422-434.	2.7	10
466	Intestinal alkaline phosphatase modulation by food components: predictive, preventive, and personalized strategies for novel treatment options in chronic kidney disease. <i>EPMA Journal</i> , 2020, 11, 565-579.	3.3	10
467	Aortic Valve Calcium Associates with All-Cause Mortality Independent of Coronary Artery Calcium and Inflammation in Patients with End-Stage Renal Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 607.	1.0	10
468	Risk of long-term renal disease in women with a history of preterm delivery: a population-based cohort study. <i>BMC Medicine</i> , 2020, 18, 66.	2.3	10

#	ARTICLE	IF	CITATIONS
469	Prognostic Value of Copeptin in Chronic Kidney Disease: From General Population to End-Stage Renal Disease. <i>Current Protein and Peptide Science</i> , 2017, 18, 1232-1243.	0.7	10
470	Place of genotyping and phenotyping in understanding and potentially modifying outcomes in peritoneal dialysis patients. <i>Kidney International</i> , 2006, 70, S138-S145.	2.6	9
471	Kidney Biomimicry—A Rediscovered Scientific Field That Could Provide Hope to Patients with Kidney Disease. <i>Archives of Medical Research</i> , 2013, 44, 584-590.	1.5	9
472	Determinants of Fibroblast Growth Factor-23 and Parathyroid Hormone Variability in Dialysis Patients. <i>American Journal of Nephrology</i> , 2013, 37, 462-471.	1.4	9
473	Novel insights from genetic and epigenetic studies in understanding the complex uraemic phenotype. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 964-971.	0.4	9
474	Premature aging in chronic kidney disease and chronic obstructive pulmonary disease. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2015, 18, 528-534.	1.3	9
475	Renal volumetry with magnetic resonance imaging. <i>Acta Radiologica Open</i> , 2017, 6, 205846011773112.	0.3	9
476	Muscle Mass Assessed by Computed Tomography at the Third Lumbar Vertebra Predicts Patient Survival in Chronic Kidney Disease. , 2021, 31, 342-350.		9
477	Hospitalization and mortality following non-attendance for hemodialysis according to dialysis day of the week: a European cohort study. <i>BMC Nephrology</i> , 2020, 21, 218.	0.8	9
478	Copeptin is independently associated with vascular calcification in chronic kidney disease stage 5. <i>BMC Nephrology</i> , 2020, 21, 43.	0.8	9
479	High-sensitivity troponins in dialysis patients: variation and prognostic value. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1789-1797.	1.4	9
480	Scoring of medial arterial calcification predicts cardiovascular events and mortality after kidney transplantation. <i>Journal of Internal Medicine</i> , 2022, 291, 813-823.	2.7	9
481	Physical activity promotes health also among dialysis patients. <i>International Journal of Cardiology</i> , 2000, 72, 299-300.	0.8	8
482	Novel targets for slowing CKD progression. <i>Nature Reviews Nephrology</i> , 2011, 7, 65-66.	4.1	8
483	Differences in acute metabolism of fructose between hemodialysis patients and healthy subjects. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 154-160.	0.6	8
484	Genotypic and phenotypic predictors of inflammation in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 2033-2040.	0.4	8
485	Bone mineral density of extremities is associated with coronary calcification and biopsy-verified vascular calcification in living-donor renal transplant recipients. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 536-543.	1.3	8
486	Plasma Beta-Trace Protein as a Marker of Residual Renal Function: The Effect of Different Hemodialysis Modalities and Intra-Individual Variability over Time. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 877-885.	0.9	8

#	ARTICLE	IF	CITATIONS
487	Could Low-Protein Diet Modulate Nrf2 Pathway in Chronic Kidney Disease?. , 2018, 28, 229-234.		8
488	Serum Glutaredoxin Activity as a Marker of Oxidative Stress in Chronic Kidney Disease: A Pilot Study. Nephron, 2018, 140, 249-256.	0.9	8
489	Serum concentration and vascular expression of adiponectin are differentially associated with the diabetic calcifying peripheral arteriopathy. Diabetology and Metabolic Syndrome, 2019, 11, 32.	1.2	8
490	Differences in association of lower bone mineral density with higher coronary calcification in female and male end-stage renal disease patients. BMC Nephrology, 2019, 20, 59.	0.8	8
491	Effects of acute fructose loading on levels of serum uric acid—a pilot study. European Journal of Clinical Investigation, 2019, 49, e13040.	1.7	8
492	Cinacalcet-induced hypocalcemia in a cohort of European haemodialysis patients: predictors, therapeutic approaches and outcomes. Journal of Nephrology, 2020, 33, 803-816.	0.9	8
493	Incidence of Fractures Before and After Dialysis Initiation. Journal of Bone and Mineral Research, 2020, 35, 2372-2380.	3.1	8
494	Different subclasses and isotypes of antibodies against phosphorylcholine in haemodialysis patients: association with mortality. Clinical and Experimental Immunology, 2020, 201, 94-104.	1.1	8
495	Mitochondrial dysfunction as part of an inflammatory intermediate phenotype that drives premature ageing. Journal of Internal Medicine, 2021, 290, 231-234.	2.7	8
496	Time-dependent lipid profile inversely associates with mortality in hemodialysis patients — independent of inflammation/malnutrition. Journal of Internal Medicine, 2021, 290, 910-921.	2.7	8
497	Chronic Inflammation in PD Patients. , 2003, 140, 104-111.		7
498	Statins to Treat Chronic Inflammation in Dialysis Patients — is this Feasible?. Peritoneal Dialysis International, 2007, 27, 254-257.	1.1	7
499	Is UCP2 Gene Polymorphism Associated With Decreased Resting Energy Expenditure in Nondialyzed Chronic Kidney Disease Patients?. , 2008, 18, 489-494.		7
500	TNF- α levels are not increased in inflamed patients carrying the CCR5 deletion 32. Cytokine, 2011, 53, 16-18.	1.4	7
501	Determinants of N-Terminal Pro-Brain Natriuretic Peptide Variation in Hemodialysis Patients and Prediction of Survival. Blood Purification, 2014, 37, 138-145.	0.9	7
502	Inflamed fat and mitochondrial dysfunction in end-stage renal disease links to hypoxia—could curcumin be of benefit?. Nephrology Dialysis Transplantation, 2017, 32, 909-912.	0.4	7
503	The oxygen cascade in patients treated with hemodialysis and native high-altitude dwellers: lessons from extreme physiology to benefit patients with end-stage renal disease. American Journal of Physiology - Renal Physiology, 2021, 320, F249-F261.	1.3	7
504	A biomimetic natural sciences approach to understanding the mechanisms of ageing in burden of lifestyle diseases. Clinical Science, 2021, 135, 1251-1272.	1.8	7

#	ARTICLE	IF	CITATIONS
505	Pink pressure: beetroot (<i>Beta vulgaris rubra</i>) as a possible novel medical therapy for chronic kidney disease. <i>Nutrition Reviews</i> , 2022, 80, 1041-1061.	2.6	7
506	Genetic studies in chronic kidney disease: interpretation and clinical applicability. <i>Journal of Nephrology</i> , 2012, 25, 851-864.	0.9	7
507	Effect of insulin on renal sodium handling and renal haemodynamics in insulin-dependent (type 1) diabetes mellitus patients. <i>Acta Diabetologica</i> , 1995, 32, 230-234.	1.2	6
508	The enigma of increasing serum leptin levels during peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1999, 34, 947-950.	2.1	6
509	Hyperhomocysteinemia, Malnutrition, and Inflammation in ESRD Patients. <i>Seminars in Nephrology</i> , 2006, 26, 14-19.	0.6	6
510	Use of Single-Nucleotide Polymorphisms in the Search for Genetic Modifiers of the Uremic Phenotype. , 2007, 17, 17-22.		6
511	Reply to A Molfino et al. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1551-1553.	2.2	6
512	Can cardiovascular risk in dialysis patients be decreased?. <i>Nature Reviews Nephrology</i> , 2012, 8, 72-74.	4.1	6
513	Hypogonadism in Males with Chronic Kidney Disease: Another Cause of Resistance to Erythropoiesis-Stimulating Agents?. <i>Contributions To Nephrology</i> , 2012, 178, 35-39.	1.1	6
514	Uremic Toxicity. , 2013, , 49-77.		6
515	Sclerostinâ€™s Debutant on the Autosomal Dominant Polycystic Kidney Disease Scene?. <i>Kidney International Reports</i> , 2017, 2, 481-485.	0.4	6
516	Pregnancy-associated plasma protein-A predicts survival in end-stage renal diseaseâ€™ confounding and modifying effects of cardiovascular disease, body composition and inflammation. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 971-977.	0.4	6
517	Sparing effect of peritoneal dialysis vs hemodialysis on BMD changes and its impact on mortality. <i>Journal of Bone and Mineral Metabolism</i> , 2021, 39, 260-269.	1.3	6
518	Insulin causes renal vasodilatation independently of renal prostaglandins in healthy humans. <i>Nephrology Dialysis Transplantation</i> , 1994, 9, 1728-33.	0.4	6
519	Lipoprotein(a) in chronic renal disease. <i>Mineral and Electrolyte Metabolism</i> , 1996, 22, 16-21.	1.1	6
520	Short Report: Choline plasma levels are related to Nrf2 transcriptional expression in chronic kidney disease?. <i>Clinical Nutrition ESPEN</i> , 2022, 50, 318-321.	0.5	6
521	New Strategies for Management of Malnutrition in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2000, 20, 271-275.	1.1	5
522	Association between oestrogen receptor β gene polymorphism and mortality in female end-stage renal disease patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 2571-2577.	0.4	5

#	ARTICLE	IF	CITATIONS
523	Influence of Erythropoiesis-Stimulating Agents on Glycated Hemoglobin in Nondiabetic Kidney Diseases at the Start of Dialysis. <i>American Journal of Nephrology</i> , 2011, 33, 17-24.	1.4	5
524	Immunoglobulin (Ig)M antibodies against oxidized cardiolipin but not native cardiolipin are novel biomarkers in haemodialysis patients, associated negatively with mortality. <i>Clinical and Experimental Immunology</i> , 2013, 174, 441-448.	1.1	5
525	The One Health concept – the health of humans is intimately linked with the health of animals and a sustainable environment. <i>Journal of Internal Medicine</i> , 2020, 287, 223-225.	2.7	5
526	Protein-Energy Malnutrition/Wasting During Peritoneal Dialysis. , 2009, , 611-647.		5
527	Genetic studies in chronic kidney disease: basic concepts. <i>Journal of Nephrology</i> , 2012, 25, 141-149.	0.9	5
528	Survival on four compared with three times per week haemodialysis in high ultrafiltration patients: an observational study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 665-672.	1.4	5
529	Effects of microsomal prostaglandin E synthase-1 inhibition on resistance artery tone in patients with end stage kidney disease. <i>British Journal of Pharmacology</i> , 2022, 179, 1433-1449.	2.7	5
530	Does gestational diabetes increase the risk of maternal kidney disease? A Swedish national cohort study. <i>PLoS ONE</i> , 2022, 17, e0264992.	1.1	5
531	Resistant Starch Type-2 Supplementation Does Not Decrease Trimethylamine N-Oxide (TMAO) Plasma Level in Hemodialysis Patients. , 2022, 41, 788-795.		5
532	Lipid Profile Is Negatively Associated with Uremic Toxins in Patients with Kidney Failure – A Tri-National Cohort. <i>Toxins</i> , 2022, 14, 412.	1.5	5
533	Low-Plasma Insulin-Like Growth Factor-1 Associates With Increased Mortality in Chronic Kidney Disease Patients With Reduced Muscle Strength. , 2023, 33, 298-306.		5
534	OPTA–Influence of inflammation/infection on anaemia therapy in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, iii7-iii12.	0.4	4
535	Cardiovascular Disease in Chronic Kidney Disease. , 2010, , 935-950.		4
536	Effects of dopamine on leptin release and leptin gene (OB) expression in adipocytes from obese and hypertensive patients. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013, 6, 259.	0.8	4
537	Selection of Genetic and Phenotypic Features Associated with Inflammatory Status of Patients on Dialysis Using Relaxed Linear Separability Method. <i>PLoS ONE</i> , 2014, 9, e86630.	1.1	4
538	Fabry Disease: A New Model of Premature Ageing?. <i>Nephron</i> , 2020, 144, 1-4.	0.9	4
539	Design and methodology of the Aging Nephropathy Study (AGNES): a prospective cohort study of elderly patients with chronic kidney disease. <i>BMC Nephrology</i> , 2020, 21, 461.	0.8	4
540	Antibodies against Malondialdehyde in Haemodialysis Patients and Its Association with Clinical Outcomes: Differences between Subclasses and Isotypes. <i>Journal of Clinical Medicine</i> , 2020, 9, 753.	1.0	4

#	ARTICLE	IF	CITATIONS
541	SARSâ€COVâ€2 and biomimetics: What saves the planet will save our health. Journal of Internal Medicine, 2021, 289, 244-246.	2.7	4
542	Biomimetics provides lessons from nature for contemporary ways to improve human health. Journal of Clinical and Translational Science, 2021, 5, e128.	0.3	4
543	Patient-Reported Measures and Lifestyle Are Associated With Deterioration in Nutritional Status in CKD Stage 4-5: The EQUAL Cohort Study. , 2022, 32, 161-169.		4
544	Secular trends in hip fracture incidence and subsequent mortality in dialysis patients and the general population in Sweden. Bone, 2021, 147, 115909.	1.4	4
545	Observational study of risk factors associated with clinical outcome among elderly kidney transplant recipients in Sweden â€ a decade of followâ€up. Transplant International, 2021, 34, 2363-2370.	0.8	4
546	Short-term treatment with ramipril normalizes renal haemodynamics and the natriuretic response to a sodium load in type 1 diabetic patients with early nephropathy. Acta Diabetologica, 1997, 34, 10-17.	1.2	3
547	Telomere Biology Alterations as a Mortality Risk Factor in CKD. American Journal of Kidney Diseases, 2008, 51, 1076-1077.	2.1	3
548	Inflamed fat and mitochondrial dysfunction in end-stage renal disease links to hypoxiaâ€ could curcumin be of benefit?. Nephrology Dialysis Transplantation, 2017, 32, 1263-1263.	0.4	3
549	Metabolic syndrome in combination with chronic kidney diseaseâ€It's a gut feeling. Journal of Internal Medicine, 2021, 290, 1108-1111.	2.7	3
550	Cardiovascular Disease Risk Factors in Chronic Kidney Disease: Traditional, Nontraditional, and Uremia-related Threats. , 2010, , 91-104.		3
551	Endocrine Aspects of Chronic Kidney Disease. , 2011, , 2122-2137.		3
552	Inflammation as a target for improving health in chronic kidney disease. F1000 Medicine Reports, 2010, 2, 88.	2.9	3
553	Fermented food: Should patients with cardiometabolic diseases go back to an early neolithic diet?. Critical Reviews in Food Science and Nutrition, 2023, 63, 10173-10196.	5.4	3
554	Is Hyperhomocysteinemia a Contributor to Atherosclerosis in Chronic Kidney Disease Patients?. Nephron Clinical Practice, 2005, 101, c187-c189.	2.3	2
555	Malnutrition in Patients with End-Stage Renal Disease - Anorexia, Cachexia and Catabolism. Current Nutrition and Food Science, 2007, 3, 37-46.	0.3	2
556	Lipoprotein Lipase 1595 C/G and Hepatic Lipase â€480 C/T Polymorphisms â€ Impact on Lipid Profile in Incident Dialysis Patients. Blood Purification, 2008, 26, 555-560.	0.9	2
557	Adiponectin in chronic kidney disease: Dr Jekyll and Mr Hyde. Kidney International, 2009, 75, 120-121.	2.6	2
558	Association with Helicobacter pylori infection and ghrelin level in hemodialysis patients. Kidney International, 2011, 80, 894.	2.6	2

#	ARTICLE	IF	CITATIONS
559	Anorexia and Appetite Stimulants in Chronic Kidney Disease. , 2013, , 645-657.		2
560	Research update for articles published in <scp>EJCI</scp> in 2011. European Journal of Clinical Investigation, 2013, 43, 1097-1110.	1.7	2
561	Do metabolic derangements in end-stage polycystic kidney disease differ versus other primary kidney diseases?. Nephrology, 2018, 23, 31-36.	0.7	2
562	Vascular Calcification in Chronic Kidney Disease. , 2009, , 697-711.		2
563	Angiotensin-converting enzyme 2 and transmembrane protease serine 2 in female and male patients with end-stage kidney disease. European Journal of Clinical Investigation, 2022, 52, e13786.	1.7	2
564	Brazil nut supplementation does not affect trimethylamine-N-oxide plasma levels in patients with coronary artery disease. Journal of Food Biochemistry, 2022, 46, e14201.	1.2	2
565	Insulin causes renal vasodilatation independently of renal prostaglandins in healthy humans. Nephrology Dialysis Transplantation, 1994, , .	0.4	1
566	PROGRESS IN UREMIC TOXIN RESEARCH: Conservative Treatment of the Uremic Syndrome. Seminars in Dialysis, 2009, 22, 449-453.	0.7	1
567	Research update for articles published in EJCI in 2008. European Journal of Clinical Investigation, 2010, 40, 770-789.	1.7	1
568	THE VARIATION IN HOSPITALISATION AND MORTALITY FOLLOWING NON-ATTENDANCE FOR HAEMODIALYSIS ACCORDING TO DIALYSIS DAY OF THE WEEK IN A EUROPEAN COHORT: FURTHER EVIDENCE OF HARM FROM THE TWO-DAY BREAK IN THREE TIMES A WEEK HAEMODIALYSIS. Nephrology Dialysis Transplantation, 2018, 33, i344-i344.	0.4	1
569	ASSOCIATION OF FRUIT AND VEGETABLE INTAKE WITH ALL-CAUSE MORTALITY IN HEMODIALYSIS PATIENTS (DIET-HD): A PROSPECTIVE COHORT STUDY. Nephrology Dialysis Transplantation, 2018, 33, i255-i256.	0.4	1
570	MAJOR OSTEOPOROTIC FRACTURES AFTER INITIATION OF DIALYSIS: INCIDENCE, PREDICTORS AND ASSOCIATION WITH MORTALITY. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	1
571	RENAL TRANSPLANTATION MITIGATES INCREASED BIOLOGICAL (EPIGENETIC) AGE IN CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	1
572	SARS-COV-2 RECEPTOR ACE-2, TMPRSS2 AND SOLUBLE ACE-2 IN PATIENTS WITH END STAGE KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	1
573	Effects of Acute Fructose Loading on Markers of Inflammation – A Pilot Study. Nutrients, 2021, 13, 3110.	1.7	1
574	Premature vascular aging and senescence in chronic kidney disease. , 2022, , 263-279.		1
575	Effects of Probiotic Supplementation on Trimethylamine-N-Oxide Plasma Levels in Hemodialysis Patients: a Pilot Study. , 2019, 11, 648.		1
576	Inflammation in chronic kidney disease. , 2022, , 91-105.		1

#	ARTICLE	IF	CITATIONS
577	A calcium-channel blocker, amlodipine, attenuates insulin antinatriuresis but does not modulate insulin-mediated attenuation of cardiovascular reactivity in healthy man. <i>Nephrology Dialysis Transplantation</i> , 1997, 12, 1600-1607.	0.4	0
578	The Impact of Occasional vs Persistent Inflammation on the Survival of HD Patients. <i>Hemodialysis International</i> , 2003, 7, 73-104.	0.4	0
579	Similar Increase Plasma Asymmetric Dimethylarginine (P-ADMA) and in Non Renal patients with Abnormal Myocardial Perfusion and in Hemodialysis Patients.. <i>Hemodialysis International</i> , 2003, 7, 73-104.	0.4	0
580	Gene Expression Analysis in Inflamed and Non-inflamed Hemodialysis (HD) Patients Using a cDNA Microarray. <i>Hemodialysis International</i> , 2003, 7, 73-104.	0.4	0
581	The Influence of C-Hepatitis on C-Reactive Protein in a Cohort of Brazilian Hemodialysis Patients. <i>Hemodialysis International</i> , 2004, 8, 102-102.	0.4	0
582	Response to "Resistin letters". <i>Kidney International</i> , 2006, 70, 1372.	2.6	0
583	Like total ghrelin, acylated ghrelin is also lower in HD patients with cardiovascular disease. <i>Kidney International</i> , 2011, 80, 783-784.	2.6	0
584	Inflammation in Chronic Kidney Disease. , 2013, , 79-91.		0
585	Vascular Effects of Inflammation and Oxidative Stress in CKD. , 2015, , 51-59.		0
586	SP242GLOMERULAR FILTRATION RATE ESTIMATION USING BETA TRACE PROTEIN: EXTERNAL VALIDATION OF THREE EQUATIONS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i167-i167.	0.4	0
587	SP286PLASMA BETA TRACE PROTEIN PREDICTS MORTALITY IN CKD: RELATION WITH ENDOTHELIAL DYSFUNCTION. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i183-i184.	0.4	0
588	MP528SKIN AUTOFLUORESCENCE (SAF), A MARKER OF TISSUE ADVANCED GLYCATED END-PRODUCTS (AGE), AND ARTERIAL STIFFNESS IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i516-i516.	0.4	0
589	FP634HIGH ALL CAUSE AND CVD MORTALITY IN AN INCIDENT COHORT OF HEMODIALYSIS PATIENTS WITH LOW SERUM ALBUMIN AND INFLAMMATION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i257-i257.	0.4	0
590	SP298HIGHER MEAN CORPUSCULAR VOLUME ASSOCIATES WITH POOR CLINICAL OUTCOME IN CKD5 PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i444-i444.	0.4	0
591	FP336HIGHER NEUTROPHIL TO LYMPHOCYTE RATIO ASSOCIATES WITH POOR CLINICAL OUTCOME IN CKD5 PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i144-i145.	0.4	0
592	Sa0027CHANGES IN BONE-MINERAL PARAMETERS PREDICT SUBSEQUENT MORTALITY IN HEMODIALYSIS PATIENTS - INSIGHTS FROM THE EUROPEAN ARO-COHORT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i326-i326.	0.4	0
593	SP323HIGH FIBRINOGEN LEVELS ARE INDEPENDENTLY ASSOCIATED WITH INCREASED MORTALITY IN PATIENTS WITH CHRONIC KIDNEY DISEASE (CKD). <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i452-i452.	0.4	0
594	FP662THE ASSOCIATION OF MEDITERRANEAN AND DASH DIETS WITH MORTALITY IN ADULTS ON HEMODIALYSIS: THE DIET-HD MULTINATIONAL COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i268-i268.	0.4	0

#	ARTICLE	IF	CITATIONS
595	Pregnancy-associated plasma protein A and mortality in haemodialysis. European Journal of Clinical Investigation, 2018, 48, e12959.	1.7	0
596	FC061DIETARY PATTERNS AND MORTALITY IN ADULTS ON HEMODIALYSIS. Nephrology Dialysis Transplantation, 2019, 34, .	0.4	0
597	FC060THE ASSOCIATION BETWEEN FOUR TIMES A WEEK COMPARED TO THREE TIMES A WEEK HAEMODIALYSIS AND SURVIVAL, HOSPITALISATION AND VASCULAR ACCESS COMPLICATIONS IN EUROPEAN IN-CENTRE PATIENTS. Nephrology Dialysis Transplantation, 2019, 34, .	0.4	0
598	FP392DYNAMIC PREDICTION OF MORTALITY IN ADVANCED CKD USING TROPONIN T. Nephrology Dialysis Transplantation, 2019, 34, .	0.4	0
599	Inflammation in Chronic Kidney Disease. , 2019, , 208-223.e9.		0
600	P1409HIP FRACTURE TRENDS IN SWEDISH GENERAL POPULATION AND DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
601	P1415PARATHYROIDECTOMY IMPROVES MUSCULAR FUNCTION BUT NOT MUSCLE MASS IN HEMODIALYSIS PATIENTS WITH SEVERE HYPERPARATHYROIDISM. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
602	P0669HIGH ESTIMATED PHENOTYPIC AGE ASSOCIATES WITH WORSE CLINICAL OUTCOME IN CHRONIC KIDNEY DISEASE PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
603	P0673INVERSE ASSOCIATION OF TRANSFERRIN SATURATION WITH MORTALITY RISK IN CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
604	P0791MATRIX GLA PROTEIN AND PREMATURE VASCULAR CALCIFICATION IN PATIENTS WITH END-STAGE RENAL DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
605	SO042WHOLE GENOME SEQUENCING OF HUMAN KIDNEY PROGENITORS IDENTIFIES A MUTATION-PRONE CELL TYPE IN THE PROXIMAL TUBULE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
606	MO439NATURAL IMMUNISATION AGAINST ATHEROSCLEROSIS IN BEARS DURING HIBERNATION*. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
607	MO445BRAIN AND GLUT AXIS IN CHRONIC KIDNEY DISEASE: FOCUS ON SPECIFIC BIOMARKERS, AND TIGHT JUNCTION PROTEINS. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
608	MO009ROLE OF GDF-15, YKL-40, AND MMP-9 IN PATIENTS WITH ESKD: FOCUS ON SEX SPECIFIC ASSOCIATIONS WITH VASCULAR OUTCOMES AND ALL-CAUSE MORTALITY. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
609	Reply letter- critical comments on the impact of curcumin supplementation on expression of inflammatory transcription factors in hemodialysis patients: A pilot randomized, double-blind, controlled study. Clinical Nutrition, 2021, 40, 5521-5522.	2.3	0
610	Cardiovascular Disease and Inflammation. , 2021, , 1-22.		0
611	Cardiovascular Disease and Inflammation. , 2009, , 679-695.		0
612	Hormonal status in critically ill patients with or without acute renal failure. , 1998, , 391-403.		0

#	ARTICLE	IF	CITATIONS
613	Obesity in Kidney Disease. , 2019, , 265-275.		0
614	Nutritional management of chronic peritoneal dialysis patients. , 2022, , 593-606.		0
615	Protein-Energy Wasting/Malnutrition and the Inflammatory Response. , 2020, , 413-429.		0
616	Cellular mechanisms of aging and their impact on the aortic/arterial wall. , 2022, , 391-405.		0
617	Title is missing!. , 2020, 17, e1003255.		0
618	Title is missing!. , 2020, 17, e1003255.		0
619	Title is missing!. , 2020, 17, e1003255.		0
620	Title is missing!. , 2020, 17, e1003255.		0
621	Title is missing!. , 2020, 17, e1003255.		0
622	Title is missing!. , 2020, 17, e1003255.		0
623	MO673: Association of Mean Corpuscular Volume with Mortality in Kidney Failure Patients: Opposite Findings in Chinese and Swedish Kidney Failure Patients. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
624	MO550: Vascular Cells Senescence and Modifications in NRF2 Pathway in a Model of URaEMIC Vascular Calcification. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
625	MO708: Association of Atherogenic Index of Plasma (AIP) with Mortality in Chinese and Swedish End-Stage Kidney Disease Patients: Results from Two Cohorts. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
626	MO681: Association of Framingham Risk Score with Mortality in Kidney Failure Patients from China and Sweden. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
627	Anti-Inflammatory, Antioxidant, and Anti-Atherosclerotic Effects of Natural Supplements on Patients with FMF-Related AA Amyloidosis: A Non-Randomized 24-Week Open-Label Interventional Study. Life, 2022, 12, 896.	1.1	0