
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6600535/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Medication use in pregnancy: a cross-sectional, multinational web-based study. BMJ Open, 2014, 4, e004365.	1.9	311
2	Herbal medicine use in pregnancy: results of a multinational study. BMC Complementary and Alternative Medicine, 2013, 13, 355.	3.7	158
3	Characteristics of women who continue smoking during pregnancy: a cross-sectional study of pregnant women and new mothers in 15 European countries. BMC Pregnancy and Childbirth, 2014, 14, 213.	2.4	149
4	Adherence to medication for chronic disorders during pregnancy: results from a multinational study. International Journal of Clinical Pharmacy, 2014, 36, 145-153.	2.1	81
5	Consumption of alcohol during pregnancy—A multinational European study. Women and Birth, 2017, 30, e207-e213.	2.0	75
6	Safety classification of herbal medicines used in pregnancy in a multinational study. BMC Complementary and Alternative Medicine, 2016, 16, 102.	3.7	73
7	Multiple Information Sources and Consequences of Conflicting Information About Medicine Use During Pregnancy: A Multinational Internet-Based Survey. Journal of Medical Internet Research, 2014, 16, e60.	4.3	73
8	Women's perception of risks of adverse fetal pregnancy outcomes: a large-scale multinational survey. BMJ Open, 2015, 5, e007390-e007390.	1.9	72
9	Medicines information needs during pregnancy: a multinational comparison. BMJ Open, 2013, 3, e002594.	1.9	67
10	Health literacy and its association with perception of teratogenic risks and health behavior during pregnancy. Patient Education and Counseling, 2014, 96, 171-178.	2.2	67
11	Effect of Time-Dependent Selective Serotonin Reuptake Inhibitor Antidepressants During Pregnancy on Behavioral, Emotional, and SocialÂDevelopment in Preschool-Aged Children. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 200-208.	0.5	49
12	Women's beliefs about medication use during their pregnancy: a UK perspective. International Journal of Clinical Pharmacy, 2016, 38, 968-976.	2.1	48
13	PATTERNS AND FACTORS ASSOCIATED WITH LOW ADHERENCE TO PSYCHOTROPIC MEDICATIONS DURING PREGNANCY-A CROSS-SECTIONAL, MULTINATIONAL WEB-BASED STUDY. Depression and Anxiety, 2015, 32, 426-436.	4.1	47
14	The relationship between maternal depression and smoking cessation during pregnancy—a cross-sectional study of pregnant women from 15 European countries. Archives of Women's Mental Health, 2015, 18, 73-84.	2.6	46
15	Neonatal Outcomes After Gestational Exposure to Nitrofurantoin. Obstetrics and Gynecology, 2013, 121, 306-313.	2.4	45
16	Risk of Vaginal Bleeding and Postpartum Hemorrhage After Use of Antidepressants in Pregnancy. Journal of Clinical Psychopharmacology, 2014, 34, 143-148.	1.4	36
17	Association of Maternal Use of Benzodiazepines and Z-Hypnotics During Pregnancy With Motor and Communication Skills and Attention-Deficit/Hyperactivity Disorder Symptoms in Preschoolers. JAMA Network Open, 2019, 2, e191435.	5.9	34
18	Safety profile of medication used during pregnancy: results of a multinational European study. Pharmacoepidemiology and Drug Safety, 2017, 26, 802-811.	1.9	29

#	Article	IF	CITATIONS
19	Women's Beliefs About Medicines and Adherence to Pharmacotherapy in Pregnancy: Opportunities for Community Pharmacists. Current Pharmaceutical Design, 2019, 25, 469-482.	1.9	26
20	Emerging issues and questions on peripartum depression prevention, diagnosis and treatment: a consensus report from the cost action riseup-PPD. Journal of Affective Disorders, 2020, 274, 167-173.	4.1	25
21	Risk of preeclampsia after gestational exposure to selective serotonin reuptake inhibitors and other antidepressants: A study from The Norwegian Mother and Child Cohort Study. Pharmacoepidemiology and Drug Safety, 2017, 26, 1266-1276.	1.9	23
22	Use and validity of child neurodevelopment outcome measures in studies on prenatal exposure to psychotropic and analgesic medications – A systematic review. PLoS ONE, 2019, 14, e0219778.	2.5	22
23	Medication adherence among pregnant women with hypothyroidism—missed opportunities to improve reproductive health? A cross-sectional, web-based study. Patient Education and Counseling, 2016, 99, 1699-1707.	2.2	21
24	Self-reported perinatal depressive symptoms and postnatal symptom severity after treatment with antidepressants in pregnancy: a cross-sectional study across 12 European countries using the Edinburgh Postnatal Depression Scale. Clinical Epidemiology, 2018, Volume 10, 655-669.	3.0	20
25	Treatment of nausea in pregnancy: a cross-sectional multinational web-based study of pregnant women and new mothers. BMC Pregnancy and Childbirth, 2015, 15, 321.	2.4	19
26	Translation and factor analysis of structural models of Edinburgh Postnatal Depression Scale in Serbian pregnant and postpartum women – Web-based study. Women and Birth, 2015, 28, e31-e35.	2.0	18
27	Maternal use of thyroid hormone replacement therapy before, during, and after pregnancy: agreement between self-report and prescription records and group-based trajectory modeling of prescription patterns. Clinical Epidemiology, 2018, Volume 10, 1801-1816.	3.0	18
28	Factors associated with the need for information about medicines among pregnant women – A multinational internet-based survey. Research in Social and Administrative Pharmacy, 2015, 11, 297-302.	3.0	17
29	Sick leave and medication use in pregnancy: a European web-based study. BMJ Open, 2017, 7, e014934.	1.9	16
30	Prenatal paracetamol exposure and neurodevelopmental outcomes in preschoolâ€ a ged children. Paediatric and Perinatal Epidemiology, 2020, 34, 247-256.	1.7	16
31	Antibiotic Prescription Patterns in the Paediatric Primary Care Setting before and after the COVID-19 Pandemic in Italy: An Analysis Using the AWaRe Metrics. Antibiotics, 2022, 11, 457.	3.7	16
32	Analyzing Missing Data in Perinatal Pharmacoepidemiology Research: Methodological Considerations to Limit the Risk of Bias. Clinical Therapeutics, 2019, 41, 2477-2487.	2.5	13
33	Longitudinal Methods for Modeling Exposures in Pharmacoepidemiologic Studies in Pregnancy. Epidemiologic Reviews, 2022, 43, 130-146.	3.5	13
34	Nordic Pharmacy Students' Opinions of their Patient Communication Skills Training. American Journal of Pharmaceutical Education, 2018, 82, 6208.	2.1	11
35	Differences in medication beliefs between pregnant women using medication, or not, for chronic diseases: a cross-sectional, multinational, web-based study. BMJ Open, 2020, 10, e034529.	1.9	11
36	Antihistamine use during breastfeeding with focus on breast milk transfer and safety in humans: A systematic literature review. Basic and Clinical Pharmacology and Toxicology, 2022, 130, 171-181.	2.5	11

#	Article	IF	CITATIONS
37	Medication Use before, during, and after Pregnancy among Women with Eating Disorders: A Study from the Norwegian Mother and Child Cohort Study. PLoS ONE, 2015, 10, e0133045.	2.5	11
38	Antidepressant discontinuation before or during pregnancy and risk of psychiatric emergency in Denmark: A population-based propensity score–matched cohort study. PLoS Medicine, 2022, 19, e1003895.	8.4	11
39	Attentionâ€deficit/hyperactivity disorder in children following prenatal exposure to antidepressants: results from the Norwegian mother, father and child cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1917-1927.	2.3	10
40	Treatment of Peripartum Depression with Antidepressants and Other Psychotropic Medications: A Synthesis of Clinical Practice Guidelines in Europe. International Journal of Environmental Research and Public Health, 2022, 19, 1973.	2.6	10
41	Perceived sensitivity to medicines: a study among chronic medicine users in Norway. International Journal of Clinical Pharmacy, 2019, 41, 804-812.	2.1	8
42	Use and Intentional Avoidance of Prescribed Medications in Pregnancy: A Cross-Sectional, Web-Based Study among 926 Women in Italy. International Journal of Environmental Research and Public Health, 2020, 17, 3830.	2.6	8
43	Acetaminophen use during pregnancy and offspring attention deficit hyperactivity disorder – a longitudinal sibling control study. JCPP Advances, 2021, 1, e12020.	2.4	8
44	Association between antidepressant use in pregnancy and gestational diabetes mellitus: Results from the Norwegian Mother, Father and Child Cohort Study. Pharmacoepidemiology and Drug Safety, 2022, 31, 247-256.	1.9	7
45	Prenatal exposure to antidepressants and increased risk of psychiatric disorders. BMJ: British Medical Journal, 2017, 358, j3950.	2.3	5
46	Learning the effects of psychotropic drugs during pregnancy using real-world safety data: a paradigm shift toward modern pharmacovigilance. International Journal of Clinical Pharmacy, 2018, 40, 783-786.	2.1	5
47	Association of Timing and Duration of Prenatal Analgesic Opioid Exposure With Attention-Deficit/Hyperactivity Disorder in Children. JAMA Network Open, 2021, 4, e2124324.	5.9	5
48	Personality and its relation to the use of alcohol and cigarettes during pregnancy: A multinational study. Journal of Health Psychology, 2021, 26, 1293-1306.	2.3	4
49	Thyroid hormone replacement therapy patterns in pregnant women and perinatal outcomes in the offspring. Pharmacoepidemiology and Drug Safety, 2020, 29, 111-121.	1.9	4
50	Risk factors for discontinuation of thyroid hormone replacement therapy in early pregnancy: a study from the Norwegian Mother and Child Cohort Study and the Medical Birth Registry of Norway. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 852-860.	2.8	3
51	Association between Antidepressant Treatment during Pregnancy and Postpartum Self-Harm Ideation in Women with Psychiatric Disorders: A Cross-Sectional, Multinational Study. International Journal of Environmental Research and Public Health, 2021, 18, 46.	2.6	3
52	Maternal Thyroid Hormone Replacement Therapy Exposure and Language and Communication Skills of Offspring at 8 Years of Age. JAMA Network Open, 2019, 2, e1912424.	5.9	2
53	Thyroid hormone replacement therapy in pregnancy and motor function, communication skills, and behavior of preschool children: The Norwegian Mother, Father, and Child Cohort Study. Pharmacoepidemiology and Drug Safety, 2021, 30, 716-726.	1.9	2
54	Prenatal exposure to <scp>nonâ€steroidal antiâ€inflammatory</scp> drugs and risk of <scp>attentionâ€deficit</scp> /hyperactivity disorder: A <scp>followâ€up</scp> study in the Norwegian mother, father and child cohort. Pharmacoepidemiology and Drug Safety, 2021, 30, 1380-1390.	1.9	2

#	Article	IF	CITATIONS
55	Factors associated with alcohol consumption during pregnancy – a cross-sectional study in 15 European countries. European Journal of Public Health, 2014, 24, .	0.3	1
56	Medical care contact for infertility and related medication use during pregnancy – a European, cross-sectional web-based study. Norsk Epidemiologi, 2021, 29, .	0.3	1
57	Perinatal use of triptans and other drugs for migraine—A nationwide drug utilization study. PLoS ONE, 2021, 16, e0256214.	2.5	1
58	Extending balance assessment for the generalized propensity score under multiple imputation. Epidemiologic Methods, 2020, 9, .	0.9	1
59	Polysubstance Exposure During Pregnancy and Attention-Deficit/Hyperactivity Disorder in Offspring—Methodological Challenges and Opportunities for Future Research. JAMA Network Open, 2022, 5, e221964.	5.9	1
60	Dr. Lupattelli etÂal. Reply. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 699-700.	0.5	0
61	Antithyroid drug treatment and pregnancy outcomes among women with hyperthyroidism in pregnancy: A Norwegian population-based registry-linkage study. Norsk Epidemiologi. 2021, 29	0.3	0