

# Angela Lupattelli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6600535/publications.pdf>

Version: 2024-02-01

61  
papers

1,893  
citations

331670

21  
h-index

276875

41  
g-index

66  
all docs

66  
docs citations

66  
times ranked

2499  
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal Methods for Modeling Exposures in Pharmacoepidemiologic Studies in Pregnancy. <i>Epidemiologic Reviews</i> , 2022, 43, 130-146.	3.5	13
2	Antihistamine use during breastfeeding with focus on breast milk transfer and safety in humans: A systematic literature review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 171-181.	2.5	11
3	Association between antidepressant use in pregnancy and gestational diabetes mellitus: Results from the Norwegian Mother, Father and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 247-256.	1.9	7
4	Antidepressant discontinuation before or during pregnancy and risk of psychiatric emergency in Denmark: A population-based propensity score-matched cohort study. <i>PLoS Medicine</i> , 2022, 19, e1003895.	8.4	11
5	Treatment of Peripartum Depression with Antidepressants and Other Psychotropic Medications: A Synthesis of Clinical Practice Guidelines in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1973.	2.6	10
6	Antibiotic Prescription Patterns in the Paediatric Primary Care Setting before and after the COVID-19 Pandemic in Italy: An Analysis Using the AWaRe Metrics. <i>Antibiotics</i> , 2022, 11, 457.	3.7	16
7	Polysubstance Exposure During Pregnancy and Attention-Deficit/Hyperactivity Disorder in Offspring: Methodological Challenges and Opportunities for Future Research. <i>JAMA Network Open</i> , 2022, 5, e221964.	5.9	1
8	Personality and its relation to the use of alcohol and cigarettes during pregnancy: A multinational study. <i>Journal of Health Psychology</i> , 2021, 26, 1293-1306.	2.3	4
9	Thyroid hormone replacement therapy in pregnancy and motor function, communication skills, and behavior of preschool children: The Norwegian Mother, Father, and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 716-726.	1.9	2
10	Prenatal exposure to non-steroidal anti-inflammatory drugs and risk of attention-deficit/hyperactivity disorder: A follow-up study in the Norwegian mother, father and child cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1380-1390.	1.9	2
11	Acetaminophen use during pregnancy and offspring attention deficit hyperactivity disorder: a longitudinal sibling control study. <i>JCPP Advances</i> , 2021, 1, e12020.	2.4	8
12	Attention-deficit/hyperactivity disorder in children following prenatal exposure to antidepressants: results from the Norwegian mother, father and child cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1917-1927.	2.3	10
13	Medical care contact for infertility and related medication use during pregnancy: a European, cross-sectional web-based study. <i>Norsk Epidemiologi</i> , 2021, 29, .	0.3	1
14	Perinatal use of triptans and other drugs for migraine: A nationwide drug utilization study. <i>PLoS ONE</i> , 2021, 16, e0256214.	2.5	1
15	Antithyroid drug treatment and pregnancy outcomes among women with hyperthyroidism in pregnancy: A Norwegian population-based registry-linkage study. <i>Norsk Epidemiologi</i> , 2021, 29, .	0.3	0
16	Association of Timing and Duration of Prenatal Analgesic Opioid Exposure With Attention-Deficit/Hyperactivity Disorder in Children. <i>JAMA Network Open</i> , 2021, 4, e2124324.	5.9	5
17	Association between Antidepressant Treatment during Pregnancy and Postpartum Self-Harm Ideation in Women with Psychiatric Disorders: A Cross-Sectional, Multinational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 46.	2.6	3
18	Prenatal paracetamol exposure and neurodevelopmental outcomes in preschool-aged children. <i>Paediatric and Perinatal Epidemiology</i> , 2020, 34, 247-256.	1.7	16

#	ARTICLE	IF	CITATIONS
19	Thyroid hormone replacement therapy patterns in pregnant women and perinatal outcomes in the offspring. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 111-121.	1.9	4
20	Differences in medication beliefs between pregnant women using medication, or not, for chronic diseases: a cross-sectional, multinational, web-based study. <i>BMJ Open</i> , 2020, 10, e034529.	1.9	11
21	Use and Intentional Avoidance of Prescribed Medications in Pregnancy: A Cross-Sectional, Web-Based Study among 926 Women in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3830.	2.6	8
22	Emerging issues and questions on peripartum depression prevention, diagnosis and treatment: a consensus report from the cost action riseup-PPD. <i>Journal of Affective Disorders</i> , 2020, 274, 167-173.	4.1	25
23	Extending balance assessment for the generalized propensity score under multiple imputation. <i>Epidemiologic Methods</i> , 2020, 9, .	0.9	1
24	Use and validity of child neurodevelopment outcome measures in studies on prenatal exposure to psychotropic and analgesic medications – A systematic review. <i>PLoS ONE</i> , 2019, 14, e0219778.	2.5	22
25	Maternal Thyroid Hormone Replacement Therapy Exposure and Language and Communication Skills of Offspring at 8 Years of Age. <i>JAMA Network Open</i> , 2019, 2, e1912424.	5.9	2
26	Perceived sensitivity to medicines: a study among chronic medicine users in Norway. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 804-812.	2.1	8
27	Association of Maternal Use of Benzodiazepines and Z-Hypnotics During Pregnancy With Motor and Communication Skills and Attention-Deficit/Hyperactivity Disorder Symptoms in Preschoolers. <i>JAMA Network Open</i> , 2019, 2, e191435.	5.9	34
28	Analyzing Missing Data in Perinatal Pharmacoepidemiology Research: Methodological Considerations to Limit the Risk of Bias. <i>Clinical Therapeutics</i> , 2019, 41, 2477-2487.	2.5	13
29	Women's Beliefs About Medicines and Adherence to Pharmacotherapy in Pregnancy: Opportunities for Community Pharmacists. <i>Current Pharmaceutical Design</i> , 2019, 25, 469-482.	1.9	26
30	Risk factors for discontinuation of thyroid hormone replacement therapy in early pregnancy: a study from the Norwegian Mother and Child Cohort Study and the Medical Birth Registry of Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 852-860.	2.8	3
31	Effect of Time-Dependent Selective Serotonin Reuptake Inhibitor Antidepressants During Pregnancy on Behavioral, Emotional, and Social Development in Preschool-Aged Children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 200-208.	0.5	49
32	Nordic Pharmacy Students' Opinions of their Patient Communication Skills Training. <i>American Journal of Pharmaceutical Education</i> , 2018, 82, 6208.	2.1	11
33	Maternal use of thyroid hormone replacement therapy before, during, and after pregnancy: agreement between self-report and prescription records and group-based trajectory modeling of prescription patterns. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1801-1816.	3.0	18
34	Dr. Lupattelli et al. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 699-700.	0.5	0
35	Learning the effects of psychotropic drugs during pregnancy using real-world safety data: a paradigm shift toward modern pharmacovigilance. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 783-786.	2.1	5
36	Self-reported perinatal depressive symptoms and postnatal symptom severity after treatment with antidepressants in pregnancy: a cross-sectional study across 12 European countries using the Edinburgh Postnatal Depression Scale. <i>Clinical Epidemiology</i> , 2018, Volume 10, 655-669.	3.0	20

#	ARTICLE	IF	CITATIONS
37	Consumption of alcohol during pregnancyâ€”A multinational European study. <i>Women and Birth</i> , 2017, 30, e207-e213.	2.0	75
38	Safety profile of medication used during pregnancy: results of a multinational European study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 802-811.	1.9	29
39	Prenatal exposure to antidepressants and increased risk of psychiatric disorders. <i>BMJ: British Medical Journal</i> , 2017, 358, j3950.	2.3	5
40	Risk of preeclampsia after gestational exposure to selective serotonin reuptake inhibitors and other antidepressants: A study from The Norwegian Mother and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1266-1276.	1.9	23
41	Sick leave and medication use in pregnancy: a European web-based study. <i>BMJ Open</i> , 2017, 7, e014934.	1.9	16
42	Womenâ€™s beliefs about medication use during their pregnancy: a UK perspective. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 968-976.	2.1	48
43	Medication adherence among pregnant women with hypothyroidismâ€”missed opportunities to improve reproductive health? A cross-sectional, web-based study. <i>Patient Education and Counseling</i> , 2016, 99, 1699-1707.	2.2	21
44	Safety classification of herbal medicines used in pregnancy in a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 102.	3.7	73
45	Treatment of nausea in pregnancy: a cross-sectional multinational web-based study of pregnant women and new mothers. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 321.	2.4	19
46	Factors associated with the need for information about medicines among pregnant women â€” A multinational internet-based survey. <i>Research in Social and Administrative Pharmacy</i> , 2015, 11, 297-302.	3.0	17
47	PATTERNS AND FACTORS ASSOCIATED WITH LOW ADHERENCE TO PSYCHOTROPIC MEDICATIONS DURING PREGNANCY-A CROSS-SECTIONAL, MULTINATIONAL WEB-BASED STUDY. <i>Depression and Anxiety</i> , 2015, 32, 426-436.	4.1	47
48	Translation and factor analysis of structural models of Edinburgh Postnatal Depression Scale in Serbian pregnant and postpartum women â€” Web-based study. <i>Women and Birth</i> , 2015, 28, e31-e35.	2.0	18
49	Women's perception of risks of adverse fetal pregnancy outcomes: a large-scale multinational survey. <i>BMJ Open</i> , 2015, 5, e007390-e007390.	1.9	72
50	The relationship between maternal depression and smoking cessation during pregnancyâ€”a cross-sectional study of pregnant women from 15 European countries. <i>Archives of Women's Mental Health</i> , 2015, 18, 73-84.	2.6	46
51	Medication Use before, during, and after Pregnancy among Women with Eating Disorders: A Study from the Norwegian Mother and Child Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0133045.	2.5	11
52	Factors associated with alcohol consumption during pregnancy â€” a cross-sectional study in 15 European countries. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	1
53	Medication use in pregnancy: a cross-sectional, multinational web-based study. <i>BMJ Open</i> , 2014, 4, e004365.	1.9	311
54	Adherence to medication for chronic disorders during pregnancy: results from a multinational study. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 145-153.	2.1	81

#	ARTICLE	IF	CITATIONS
55	Health literacy and its association with perception of teratogenic risks and health behavior during pregnancy. <i>Patient Education and Counseling</i> , 2014, 96, 171-178.	2.2	67
56	Characteristics of women who continue smoking during pregnancy: a cross-sectional study of pregnant women and new mothers in 15 European countries. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 213.	2.4	149
57	Risk of Vaginal Bleeding and Postpartum Hemorrhage After Use of Antidepressants in Pregnancy. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 143-148.	1.4	36
58	Multiple Information Sources and Consequences of Conflicting Information About Medicine Use During Pregnancy: A Multinational Internet-Based Survey. <i>Journal of Medical Internet Research</i> , 2014, 16, e60.	4.3	73
59	Herbal medicine use in pregnancy: results of a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 355.	3.7	158
60	Medicines information needs during pregnancy: a multinational comparison. <i>BMJ Open</i> , 2013, 3, e002594.	1.9	67
61	Neonatal Outcomes After Gestational Exposure to Nitrofurantoin. <i>Obstetrics and Gynecology</i> , 2013, 121, 306-313.	2.4	45