Shusheng Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6606420/publications.pdf Version: 2024-02-01



SHUSHENC LL

#	Article	IF	CITATIONS
1	The Efficacy and Safety of Sodium Bicarbonate Ringer's Solution in Critically Ill Patients: A Retrospective Cohort Study. Frontiers in Pharmacology, 2022, 13, 829394.	3.5	8
2	Characteristics of Liver Function in Patients With SARS-CoV-2 and Chronic HBV Coinfection. Clinical Gastroenterology and Hepatology, 2021, 19, 597-603.	4.4	67
3	The modified NUTRIC score can be used for nutritional risk assessment as well as prognosis prediction in critically ill COVID-19 patients. Clinical Nutrition, 2021, 40, 534-541.	5.0	94
4	Early prediction of mortality risk among patients with severe COVID-19, using machine learning. International Journal of Epidemiology, 2021, 49, 1918-1929.	1.9	92
5	Li Yan et al. reply. Nature Machine Intelligence, 2021, 3, 28-32.	16.0	8
6	Corticosteroid Therapy Is Associated With Improved Outcome in Critically III Patients With COVID-19 With Hyperinflammatory Phenotype. Chest, 2021, 159, 1793-1802.	0.8	51
7	Reply to: Consider the laboratory aspects in developing patient prediction models. Nature Machine Intelligence, 2021, 3, 19-19.	16.0	3
8	Hyperosmolarity Deserves More Attention in Critically Ill COVID-19 Patients with Diabetes: A Cohort-Based Study. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 47-58.	2.4	4
9	Machine learning discovery of distinguishing laboratory features for severity classification of COVIDâ€19 patients. IET Cyber-Systems and Robotics, 2021, 3, 31-43.	1.8	3
10	Early identification of patients with severe COVID-19 at increased risk of in-hospital death: a multicenter case-control study in Wuhan. Journal of Thoracic Disease, 2021, 13, 1380-1395.	1.4	8
11	Expression of AOX1 Predicts Prognosis of Clear Cell Renal Cell Carcinoma. Frontiers in Genetics, 2021, 12, 683173.	2.3	5
12	Individualized resuscitation strategy for septic shock formalized by finite mixture modeling and dynamic treatment regimen. Critical Care, 2021, 25, 243.	5.8	26
13	Bacterial characteristics of carbapenem-resistant Enterobacteriaceae (CRE) colonized strains and their correlation with subsequent infection. BMC Infectious Diseases, 2021, 21, 638.	2.9	26
14	Tissue Kallikrein Exacerbating Sepsis-Induced Endothelial Hyperpermeability is Highly Predictive of Severity and Mortality in Sepsis. Journal of Inflammation Research, 2021, Volume 14, 3321-3333.	3.5	5
15	COVID-19 mortality in ICUs associated with critical care staffing. Burns and Trauma, 2021, 9, tkab006.	4.9	3
16	Utilizing reclassification toâ€,exploreâ€,characteristics and prognosis of KDIGOSCr AKI subgroups: a retrospective analysis of a multicenter prospective cohort study. Renal Failure, 2021, 43, 1569-1576.	2.1	0
17	Efficacy and Safety of Anticoagulation Treatment in COVID-19 Patient Subgroups Identified by Clinical-Based Stratification and Unsupervised Machine Learning: A Matched Cohort Study. Frontiers in Medicine, 2021, 8, 786414.	2.6	2
18	The Effect of Host Immunity on Predicting the Mortality of Carbapenem-Resistant Organism Infection. Frontiers in Cellular and Infection Microbiology, 2020, 10, 480.	3.9	7

Shusheng Li

#	Article	IF	CITATIONS
19	<p>Coagulopathy of Patients with COVID-19 is Associated with Infectious and Inflammatory Markers</p> . Risk Management and Healthcare Policy, 2020, Volume 13, 1965-1975.	2.5	21
20	Acute Physiology and Chronic Health Evaluation II Score as a Predictor of Hospital Mortality in Patients of Coronavirus Disease 2019. Critical Care Medicine, 2020, 48, e657-e665.	0.9	177
21	An interpretable mortality prediction model for COVID-19 patients. Nature Machine Intelligence, 2020, 2, 283-288.	16.0	686
22	Clinical characteristics of 113 deceased patients with coronavirus disease 2019: retrospective study. BMJ, The, 2020, 368, m1091.	6.0	3,061
23	Leucocyte Subsets Effectively Predict the Clinical Outcome of Patients With COVID-19 Pneumonia: A Retrospective Case-Control Study. Frontiers in Public Health, 2020, 8, 299.	2.7	35
24	COVID-19: a risk factor for fatal outcomes in patients with comorbid cardiovascular disease. Aging, 2020, 12, 18866-18877.	3.1	0
25	Tanshinone IIA inhibits myocardial remodeling induced by pressure overload via suppressing oxidative stress and inflammation: Possible role of silent information regulator 1. European Journal of Pharmacology, 2016, 791, 632-639.	3.5	36
26	Tanshinone IIA ameliorates apoptosis of cardiomyocytes induced by endoplasmic reticulum stress. Experimental Biology and Medicine, 2016, 241, 2042-2048.	2.4	11
27	Candidate genes and pathogenesis investigation for sepsis-related acute respiratory distress syndrome based on gene expression profile. Biological Research, 2016, 49, 25.	3.4	20
28	Screening genes associated with myocardial infarction and transverse aortic constriction using a combined analysis of miRNA and mRNA microarray. Gene, 2015, 571, 245-248.	2.2	8
29	Impacts of Stress, Self-Efficacy, and Optimism on Suicide Ideation among Rehabilitation Patients with Acute Pesticide Poisoning. PLoS ONE, 2015, 10, e0118011.	2.5	27
30	Epidemiology and Outcome of Severe Sepsis and Septic Shock in Intensive Care Units in Mainland China. PLoS ONE, 2014, 9, e107181.	2.5	147
31	Clinical Features of Severe Wasp Sting Patients with Dominantly Toxic Reaction: Analysis of 1091 Cases. PLoS ONE, 2013, 8, e83164.	2.5	84
32	Protective effect of diallyl trisulfide on liver in rats with sepsis and the mechanism. Journal of Huazhong University of Science and Technology [Medical Sciences], 2012, 32, 657-662.	1.0	6
33	Experimental study on the preventive mechanism of salviae miltiorrhizae against atherosclerosis in rabbits models. Journal of Huazhong University of Science and Technology [Medical Sciences], 2004, 24, 233-235.	1.0	13