

Hyung-Seok Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/660698/publications.pdf>

Version: 2024-02-01

27
papers

300
citations

1040056

9
h-index

940533

16
g-index

28
all docs

28
docs citations

28
times ranked

354
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between proton pump inhibitor use and gastric cancer: a population-based cohort study using two different types of nationwide databases in Korea. <i>Gut</i> , 2021, 70, 2066-2075.	12.1	60
2	Serum levels of protein carbonyl, a marker of oxidative stress, are associated with overhydration, sarcopenia and mortality in hemodialysis patients. <i>BMC Nephrology</i> , 2020, 21, 281.	1.8	36
3	Longitudinal changes in body composition are associated with all-cause mortality in patients on peritoneal dialysis. <i>Clinical Nutrition</i> , 2021, 40, 120-126.	5.0	29
4	Fat-to-Lean Mass Ratio Can Predict Cardiac Events and All-Cause Mortality in Patients Undergoing Hemodialysis. <i>Annals of Nutrition and Metabolism</i> , 2018, 73, 241-249.	1.9	21
5	Prognostic role of circulating neutrophil extracellular traps levels for long-term mortality in new end-stage renal disease patients. <i>Clinical Immunology</i> , 2020, 210, 108263.	3.2	21
6	The relationship between autophagy, increased neutrophil extracellular traps formation and endothelial dysfunction in chronic kidney disease. <i>Clinical Immunology</i> , 2018, 197, 189-197.	3.2	16
7	Late stage 3 chronic kidney disease is an independent risk factor for sarcopenia, but not proteinuria. <i>Scientific Reports</i> , 2021, 11, 18472.	3.3	16
8	Outcomes of vascular access in hemodialysis patients: Analysis based on the Korean National Health Insurance Database from 2008 to 2016. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 391-398.	2.2	13
9	Current treatment status and medical costs for hemodialysis vascular access based on analysis of the Korean Health Insurance Database. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1160-1168.	1.7	11
10	Clinical outcome of percutaneous thrombectomy of dialysis access thrombosis by an interventional nephrologist. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 204-209.	2.2	10
11	Serum cystatin C to creatinine ratio is associated with sarcopenia in non-dialysis-dependent chronic kidney disease. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 580-590.	2.2	10
12	Long-term proton pump inhibitor use and risk of osteoporosis and hip fractures: A nationwide population-based and multicenter cohort study using a common data model. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1534-1543.	2.8	8
13	Anatomical variants of upper arm veins on preoperative mapping venography for hemodialysis access in Korean adults. <i>Journal of Vascular Access</i> , 2019, 20, 270-275.	0.9	7
14	Current state of dialysis access management in Korea. <i>Journal of Vascular Access</i> , 2019, 20, 15-19.	0.9	6
15	Uremic serum damages endothelium by provoking excessive neutrophil extracellular trap formation. <i>Scientific Reports</i> , 2021, 11, 21439.	3.3	6
16	Fatal anaphylaxis Due to Nafamostat Mesylate During Hemodialysis. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 517.	2.9	5
17	A Korean perspective on the 2019 Kidney Disease Outcomes Quality Initiative guidelines for vascular access: what has changed and what should be changed in practice?. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 29-39.	2.2	5
18	Efficacy and Safety of Plastic Cannulae Compared with Metal Needles in the Initial Use of an Arteriovenous Fistulae in Incident Hemodialysis Patients: A Randomized Controlled Study. <i>American Journal of Nephrology</i> , 2021, 52, 479-486.	3.1	5

#	ARTICLE	IF	CITATIONS
19	Acute Hydronephrosis owing to A Giant Fecaloma in an Older Patient. <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 223-226.	1.8	5
20	Comparison of dynamic arterial and venous pressure between metal needles and plastic cannulas in incident hemodialysis patients with arteriovenous graft. <i>Journal of Vascular Access</i> , 2021, 22, 42-47.	0.9	4
21	Recovery from ischemic monomelic neuropathy after delayed ligation of dialysis access. <i>Journal of Vascular Access</i> , 2021, 22, 314-318.	0.9	2
22	Effectiveness of Flow Volume Measurement Training Using a Custom-Made Doppler Flow Simulator. <i>Simulation in Healthcare</i> , 2021, 16, 73-77.	1.2	2
23	Custom-made Doppler ultrasound flow simulator for dialysis access using continuous renal replacement therapy machine. <i>Journal of Vascular Access</i> , 2019, 20, 701-705.	0.9	1
24	Neutrophil extracellular traps and heparin-induced antibodies contribute to vascular access thrombosis in hemodialysis patients. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 712-723.	2.2	1
25	P1580LONGITUDINAL CHANGES IN BODY COMPOSITION ARE ASSOCIATED WITH ALL-CAUSE MORTALITY IN PATIENTS ON PERITONEAL DIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
26	Role of peribrachial fat as a key determinant of brachial artery dilatation for successful arteriovenous fistula maturation in hemodialysis patients. <i>Scientific Reports</i> , 2020, 10, 3841.	3.3	0
27	A Case Study of Ischemic Monomelic Neuropathy with Brachial-Cephalic Arteriovenous Fistula. <i>Vascular Specialist International</i> , 2013, 29, 71-75.	0.6	0