List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6607672/publications.pdf Version: 2024-02-01



KAV-TEE KHANA

#	Article	IF	CITATIONS
1	Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283.	21.4	2,641
2	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. Nature Genetics, 2010, 42, 937-948.	21.4	2,634
3	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. Nature Genetics, 2012, 44, 981-990.	21.4	1,748
4	Association of Leisure-Time Physical Activity With Risk of 26 Types of Cancer in 1.44 Million Adults. JAMA Internal Medicine, 2016, 176, 816.	5.1	1,000
5	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. Nature Genetics, 2014, 46, 234-244.	21.4	959
6	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. Nature Genetics, 2018, 50, 1412-1425.	21.4	924
7	Association of Hemoglobin A _{1c} with Cardiovascular Disease and Mortality in Adults: The European Prospective Investigation into Cancer in Norfolk. Annals of Internal Medicine, 2004, 141, 413.	3.9	847
8	Glycated haemoglobin, diabetes, and mortality in men in Norfolk cohort of European Prospective Investigation of Cancer and Nutrition (EPIC-Norfolk). BMJ: British Medical Journal, 2001, 322, 15-15.	2.3	832
9	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916.	6.3	716
10	Endogenous Testosterone and Mortality Due to All Causes, Cardiovascular Disease, and Cancer in Men. Circulation, 2007, 116, 2694-2701.	1.6	695
11	A Prospective Study of Dehydroepiandrosterone Sulfate, Mortality, and Cardiovascular Disease. New England Journal of Medicine, 1986, 315, 1519-1524.	27.0	671
12	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. Nature Genetics, 2018, 50, 928-936.	21.4	652
13	Combined Impact of Health Behaviours and Mortality in Men and Women: The EPIC-Norfolk Prospective Population Study. PLoS Medicine, 2008, 5, e12.	8.4	630
14	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. Nature, 2014, 514, 92-97.	27.8	548
15	Serum Myeloperoxidase Levels Are Associated With the Future Risk of Coronary Artery Disease in Apparently Healthy Individuals. Journal of the American College of Cardiology, 2007, 50, 159-165.	2.8	544
16	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	6.0	528
17	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. Nature Genetics, 2015, 47, 373-380.	21.4	513
18	Relation between plasma ascorbic acid and mortality in men and women in EPIC-Norfolk prospective study: a prospective population study. Lancet, The, 2001, 357, 657-663.	13.7	508

#	Article	IF	CITATIONS
19	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 920-931.	6.3	485
20	Wholeâ€genome sequencing identifies EN1 as a determinant of bone density and fracture. Nature, 2015, 526, 112-117.	27.8	483
21	Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. Nature Communications, 2020, 11, 163.	12.8	466
22	Dietary Potassium and Stroke-Associated Mortality. New England Journal of Medicine, 1987, 316, 235-240.	27.0	460
23	Integrative genomic analysis implicates limited peripheral adipose storage capacity in the pathogenesis of human insulin resistance. Nature Genetics, 2017, 49, 17-26.	21.4	452
24	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. Lancet Diabetes and Endocrinology,the, 2014, 2, 810-818.	11.4	431
25	Early Age at Menarche Associated with Cardiovascular Disease and Mortality. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 4953-4960.	3.6	430
26	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. Nature Genetics, 2014, 46, 1103-1109.	21.4	408
27	Body Fat Distribution and Risk of Coronary Heart Disease in Men and Women in the European Prospective Investigation Into Cancer and Nutrition in Norfolk Cohort. Circulation, 2007, 116, 2933-2943.	1.6	407
28	New gene functions in megakaryopoiesis and platelet formation. Nature, 2011, 480, 201-208.	27.8	401
29	Association of HDL cholesterol efflux capacity with incident coronary heart disease events: a prospective case-control study. Lancet Diabetes and Endocrinology,the, 2015, 3, 507-513.	11.4	389
30	A Meta-Analysis of the Association of Fracture Risk and Body Mass Index in Women. Journal of Bone and Mineral Research, 2014, 29, 223-233.	2.8	388
31	FTO genotype is associated with phenotypic variability of body mass index. Nature, 2012, 490, 267-272.	27.8	383
32	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nature Genetics, 2016, 48, 1171-1184.	21.4	362
33	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. Nature Genetics, 2014, 46, 736-741.	21.4	360
34	Effect of Monthly High-Dose Vitamin D Supplementation on Cardiovascular Disease in the Vitamin D Assessment Study. JAMA Cardiology, 2017, 2, 608.	6.1	353
35	ï‰-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. JAMA Internal Medicine, 2016, 176, 1155.	5.1	326
36	Genetic Predisposition to an Impaired Metabolism of the Branched-Chain Amino Acids and Risk of Type 2 Diabetes: A Mendelian Randomisation Analysis. PLoS Medicine, 2016, 13, e1002179.	8.4	324

#	Article	IF	CITATIONS
37	Genome-wide association study in 79,366 European-ancestry individuals informs the genetic architecture of 25-hydroxyvitamin D levels. Nature Communications, 2018, 9, 260.	12.8	295
38	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. Nature Genetics, 2014, 46, 994-1000.	21.4	294
39	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	4.7	285
40	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
41	Beyond Low-Density Lipoprotein Cholesterol. Journal of the American College of Cardiology, 2009, 55, 35-41.	2.8	268
42	Subclinical Thyroid Dysfunction and Fracture Risk. JAMA - Journal of the American Medical Association, 2015, 313, 2055.	7.4	264
43	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. Nature Genetics, 2021, 53, 65-75.	21.4	264
44	Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. Lancet, The, 2004, 363, 197-202.	13.7	257
45	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452.	4.7	251
46	Urinary Bisphenol A Concentration and Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. Circulation, 2012, 125, 1482-1490.	1.6	242
47	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. Molecular Psychiatry, 2015, 20, 647-656.	7.9	235
48	Physical Activity Attenuates the Genetic Predisposition to Obesity in 20,000 Men and Women from EPIC-Norfolk Prospective Population Study. PLoS Medicine, 2010, 7, e1000332.	8.4	230
49	Value of Low-Density Lipoprotein Particle Number and Size as Predictors of Coronary Artery Disease in Apparently Healthy Men and Women. Journal of the American College of Cardiology, 2007, 49, 547-553.	2.8	225
50	Lipoprotein(a) Levels, Genotype, and Incident Aortic Valve Stenosis. Circulation: Cardiovascular Genetics, 2014, 7, 304-310.	5.1	219
51	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2012, 7, e39361.	2.5	218
52	Plasma Phospholipid Fatty Acid Concentration and Incident Coronary Heart Disease in Men and Women: The EPIC-Norfolk Prospective Study. PLoS Medicine, 2012, 9, e1001255.	8.4	216
53	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39â€~740 adults from 20 prospective cohort studies. Lancet Diabetes and Endocrinology,the, 2017, 5, 965-974.	11.4	213
54	Plasma Levels of Cholesteryl Ester Transfer Protein and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. Circulation, 2004, 110, 1418-1423.	1.6	210

#	Article	IF	CITATIONS
55	High-Density Lipoprotein Particle Size and Concentration and Coronary Risk. Annals of Internal Medicine, 2009, 150, 84.	3.9	201
56	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. Circulation, 2019, 139, 2422-2436.	1.6	199
57	Sense of Coherence and Mortality in Men and Women in the EPIC-Norfolk United Kingdom Prospective Cohort Study. American Journal of Epidemiology, 2003, 158, 1202-1209.	3.4	198
58	Physical activity trajectories and mortality: population based cohort study. BMJ: British Medical Journal, 2019, 365, I2323.	2.3	194
59	Sleep duration and risk of fatal and nonfatal stroke. Neurology, 2015, 84, 1072-1079.	1.1	192
60	Physical Activity and Risk of Colon and Rectal Cancers: The European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2398-2407.	2.5	190
61	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 331-346.	4.7	188
62	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. Nature Communications, 2018, 9, 556.	12.8	188
63	A proposed panel of biomarkers of healthy ageing. BMC Medicine, 2015, 13, 222.	5.5	184
64	DIETARY FIBER AND REDUCED ISCREMIC HEART DISEASE MORTALITY RATES IT MEN AND WOMEN: A 12-YEAR PROSPECTIVE STUDY. American Journal of Epidemiology, 1987, 126, 1093-1102.	3.4	181
65	A Prospective Study of the Association Between Quantity and Variety of Fruit and Vegetable Intake and Incident Type 2 Diabetes. Diabetes Care, 2012, 35, 1293-1300.	8.6	181
66	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. BMC Medicine, 2014, 12, 168.	5.5	178
67	Depression and Ischemic Heart Disease Mortality: Evidence From the EPIC-Norfolk United Kingdom Prospective Cohort Study. American Journal of Psychiatry, 2008, 165, 515-523.	7.2	177
68	N-nitroso compounds and cancer incidence: the European Prospective Investigation into Cancer and Nutrition (EPIC)–Norfolk Study. American Journal of Clinical Nutrition, 2011, 93, 1053-1061.	4.7	174
69	<i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. Journal of Medical Genetics, 2016, 53, 800-811.	3.2	174
70	Association Between Soft Drink Consumption and Mortality in 10 European Countries. JAMA Internal Medicine, 2019, 179, 1479.	5.1	169
71	Coffee Drinking and Mortality in 10 European Countries. Annals of Internal Medicine, 2017, 167, 236-247.	3.9	168
72	Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. Circulation, 2017, 136, 2100-2116.	1.6	159

#	Article	IF	CITATIONS
73	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. Cancer Discovery, 2016, 6, 1052-1067.	9.4	157
74	C-reactive protein levels and coronary artery disease incidence and mortality in apparently healthy men and women: The EPIC-Norfolk prospective population study 1993–2003. Atherosclerosis, 2006, 187, 415-422.	0.8	153
75	A new tool for converting food frequency questionnaire data into nutrient and food group values: FETA research methods and availability. BMJ Open, 2014, 4, e004503.	1.9	153
76	Polygenic hazard score to guide screening for aggressive prostate cancer: development and validation in large scale cohorts. BMJ: British Medical Journal, 2018, 360, j5757.	2.3	153
77	Social relationships and healthful dietary behaviour: Evidence from over-50s in the EPIC cohort, UK. Social Science and Medicine, 2014, 100, 167-175.	3.8	152
78	Association of Genetic Variants Related to Gluteofemoral vs Abdominal Fat Distribution With Type 2 Diabetes, Coronary Disease, and Cardiovascular Risk Factors. JAMA - Journal of the American Medical Association, 2018, 320, 2553.	7.4	152
79	Effect of monthly high-dose vitamin D supplementation on falls and non-vertebral fractures: secondary and post-hoc outcomes from the randomised, double-blind, placebo-controlled ViDA trial. Lancet Diabetes and Endocrinology,the, 2017, 5, 438-447.	11.4	151
80	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. American Journal of Clinical Nutrition, 2013, 97, 1107-1120.	4.7	150
81	The hypertriglyceridemic-waist phenotype and the risk of coronary artery disease: results from the EPIC-Norfolk Prospective Population Study. Cmaj, 2010, 182, 1427-1432.	2.0	149
82	Large-scale GWAS identifies multiple loci for hand grip strength providing biological insights into muscular fitness. Nature Communications, 2017, 8, 16015.	12.8	149
83	Serum B Vitamin Levels and Risk of Lung Cancer. JAMA - Journal of the American Medical Association, 2010, 303, 2377.	7.4	147
84	Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. Nature Communications, 2017, 8, 80.	12.8	147
85	Dietary dairy product intake and incident type 2 diabetes: a prospective study using dietary data from a 7-day food diary. Diabetologia, 2014, 57, 909-917.	6.3	145
86	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. Human Molecular Genetics, 2014, 23, 6961-6972.	2.9	143
87	Flavonoid Intake in European Adults (18 to 64 Years). PLoS ONE, 2015, 10, e0128132.	2.5	143
88	Work and leisure time physical activity assessed using a simple, pragmatic, validated questionnaire and incident cardiovascular disease and all-cause mortality in men and women: The European Prospective Investigation into Cancer in Norfolk prospective population study. International Journal of Epidemiology, 2006, 35, 1034-1043.	1.9	141
89	Healthy lifestyle choices: could sense of coherence aid health promotion?. Journal of Epidemiology and Community Health, 2007, 61, 871-876.	3.7	141
90	Prospective association of the Mediterranean diet with cardiovascular disease incidence and mortality and its population impact in a non-Mediterranean population: the EPIC-Norfolk study. BMC Medicine, 2016, 14, 135.	5.5	141

#	Article	IF	CITATIONS
91	Role of the Apolipoprotein B–Apolipoprotein A-I Ratio in Cardiovascular Risk Assessment: A Case–Control Analysis in EPIC-Norfolk. Annals of Internal Medicine, 2007, 146, 640.	3.9	140
92	Initial thyroid status and cardiovascular risk factors: The EPICâ€Norfolk prospective population study. Clinical Endocrinology, 2010, 72, 404-410.	2.4	140
93	Blood pressure and urinary sodium in men and women: the Norfolk Cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). American Journal of Clinical Nutrition, 2004, 80, 1397-1403.	4.7	136
94	Monthly High-Dose Vitamin D Supplementation and Cancer Risk. JAMA Oncology, 2018, 4, e182178.	7.1	134
95	Combined effect of health behaviours and risk of first ever stroke in 20 040 men and women over 11 years' follow-up in Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): prospective population study. BMJ: British Medical Journal, 2009, 338, b349-b349.	2.3	130
96	Randomised trial of coconut oil, olive oil or butter on blood lipids and other cardiovascular risk factors in healthy men and women. BMJ Open, 2018, 8, e020167.	1.9	129
97	Variability and determinants of total homocysteine concentrations in plasma in an elderly population. Clinical Chemistry, 1998, 44, 102-107.	3.2	128
98	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 582-593.	2.5	126
99	Performance of the UK Prospective Diabetes Study Risk Engine and the Framingham Risk Equations in Estimating Cardiovascular Disease in the EPIC- Norfolk Cohort. Diabetes Care, 2009, 32, 708-713.	8.6	125
100	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. Nature Genetics, 2016, 48, 374-386.	21.4	125
101	Prospective associations and population impact of sweet beverage intake and type 2 diabetes, and effects of substitutions with alternative beverages. Diabetologia, 2015, 58, 1474-1483.	6.3	121
102	Differential White Blood Cell Count and Type 2 Diabetes: Systematic Review and Meta-Analysis of Cross-Sectional and Prospective Studies. PLoS ONE, 2010, 5, e13405.	2.5	118
103	A cross-platform approach identifies genetic regulators of human metabolism and health. Nature Genetics, 2021, 53, 54-64.	21.4	117
104	Secretory Phospholipase A2-IIA and Cardiovascular Disease. Journal of the American College of Cardiology, 2013, 62, 1966-1976.	2.8	115
105	Plasma ascorbic acid concentrations and fat distribution in 19 068 British men and women in the European Prospective Investigation into Cancer and Nutrition Norfolk cohort study. American Journal of Clinical Nutrition, 2005, 82, 1203-1209.	4.7	114
106	Residential area deprivation predicts fruit and vegetable consumption independently of individual educational level and occupational social class: a cross sectional population study in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). Journal of Epidemiology and Community Health, 2004, 58, 686-691.	3.7	111
107	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. American Journal of Human Genetics, 2014, 95, 24-38.	6.2	109
108	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor–Positive and -Negative Breast Cancer: a Nested Case–Control Study. Cancer Prevention Research, 2011, 4, 1626-1635.	1.5	108

#	Article	IF	CITATIONS
109	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. Nature Communications, 2017, 8, 15724.	12.8	106
110	Plasma levels of plant sterols and the risk of coronary artery disease: the prospective EPIC-Norfolk Population Study. Journal of Lipid Research, 2007, 48, 139-144.	4.2	105
111	Plasma vitamin C concentrations predict risk of incident stroke over 10 y in 20 649 participants of the European Prospective Investigation into Cancer–Norfolk prospective population study. American Journal of Clinical Nutrition, 2008, 87, 64-69.	4.7	104
112	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. Circulation, 2019, 139, 2835-2845.	1.6	103
113	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029.	2.5	102
114	Apolipoprotein A-II Is Inversely Associated With Risk of Future Coronary Artery Disease. Circulation, 2007, 116, 2029-2035.	1.6	101
115	Common Breast Cancer Susceptibility Variants in <i>LSP1</i> and <i>RAD51L1</i> Are Associated with Mammographic Density Measures that Predict Breast Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1156-1166.	2.5	101
116	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497.	6.2	101
117	Serum Levels of Type II Secretory Phospholipase A2 and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 839-846.	2.4	100
118	Cardiovascular disease risk associated with elevated lipoprotein(a) attenuates at low low-density lipoprotein cholesterol levels in a primary prevention setting. European Heart Journal, 2018, 39, 2589-2596.	2.2	100
119	Circulating Secretory Phospholipase A2 Activity and Risk of Incident Coronary Events in Healthy Men and Women. Arteriosclerosis, Thrombosis, and Vascular Biology, 2007, 27, 1177-1183.	2.4	99
120	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: AÂMultinational Cohort Study. Clinical Gastroenterology and Hepatology, 2019, 17, 1323-1331.e6.	4.4	99
121	Energy Intake at Breakfast and Weight Change: Prospective Study of 6,764 Middle-aged Men and Women. American Journal of Epidemiology, 2007, 167, 188-192.	3.4	97
122	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. European Heart Journal, 2019, 40, 621-631.	2.2	97
123	Family history of premature coronary heart disease and risk prediction in the EPIC-Norfolk prospective population study. Heart, 2010, 96, 1985-1989.	2.9	96
124	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Carcinogenesis, 2017, 38, 699-707.	2.8	94
125	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. BMC Medicine, 2015, 13, 242.	5.5	93
126	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. Nature Communications, 2016, 7, 11375.	12.8	93

#	Article	IF	CITATIONS
127	Mendelian Randomization Study of B-Type Natriuretic Peptide and Type 2 Diabetes: Evidence of Causal Association from Population Studies. PLoS Medicine, 2011, 8, e1001112.	8.4	92
128	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. European Journal of Epidemiology, 2007, 22, 129-141.	5.7	91
129	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
130	Dietary Diversity, Diet Cost, and Incidence of Type 2 Diabetes in the United Kingdom: A Prospective Cohort Study. PLoS Medicine, 2016, 13, e1002085.	8.4	90
131	Estimating the population impact of screening strategies for identifying and treating people at high risk of cardiovascular disease: modelling study. BMJ: British Medical Journal, 2010, 340, c1693-c1693.	2.3	88
132	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. Oncotarget, 2016, 7, 66328-66343.	1.8	88
133	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. Nature Communications, 2018, 9, 2256.	12.8	88
134	Shared heritability and functional enrichment across six solid cancers. Nature Communications, 2019, 10, 431.	12.8	88
135	Associations with Intraocular Pressure in a Large Cohort. Ophthalmology, 2016, 123, 771-782.	5.2	87
136	Interrelation of vitamin C, infection, haemostatic factors, and cardiovascular disease. BMJ: British Medical Journal, 1995, 310, 1559-1563.	2.3	87
137	Genetic Variation at the <i>Phospholipid Transfer Protein</i> Locus Affects Its Activity and High-Density Lipoprotein Size and Is a Novel Marker of Cardiovascular Disease Susceptibility. Circulation, 2010, 122, 470-477.	1.6	86
138	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. Nature Communications, 2016, 7, 11843.	12.8	86
139	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2013, 8, e72715.	2.5	85
140	Assessing the causal association of glycine with risk of cardio-metabolic diseases. Nature Communications, 2019, 10, 1060.	12.8	85
141	Apolipoprotein A-V, triglycerides and risk of coronary artery disease: the prospective Epic-Norfolk Population Study. Journal of Lipid Research, 2006, 47, 2064-2070.	4.2	84
142	Associations of autozygosity with a broad range of human phenotypes. Nature Communications, 2019, 10, 4957.	12.8	84
143	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. Scientific Reports, 2020, 10, 14541.	3.3	84
144	Relationship between Subdomains of Total Physical Activity and Mortality. Medicine and Science in Sports and Exercise, 2008, 40, 1909-1915.	0.4	82

#	Article	IF	CITATIONS
145	The Association Between Circulating Lipoprotein(a) and Type 2 Diabetes: Is It Causal?. Diabetes, 2014, 63, 332-342.	0.6	82
146	Glaucoma and intraocular pressure in EPIC-Norfolk Eye Study: cross sectional study. BMJ: British Medical Journal, 2017, 358, j3889.	2.3	82
147	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. BMJ Open, 2014, 4, e005245-e005245.	1.9	81
148	Plasma metabolites to profile pathways in noncommunicable disease multimorbidity. Nature Medicine, 2021, 27, 471-479.	30.7	81
149	The Vitamin D Assessment (ViDA) Study: design of a randomized controlled trial of vitamin D supplementation for the prevention of cardiovascular disease, acute respiratory infection, falls and non-vertebral fractures. Journal of Steroid Biochemistry and Molecular Biology, 2016, 164, 318-325.	2.5	80
150	Plasma vitamin C predicts incident heart failure in men and women in European Prospective Investigation into Cancer and Nutrition–Norfolk prospective study. American Heart Journal, 2011, 162, 246-253.	2.7	79
151	Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. Age and Ageing, 2015, 44, 219-225.	1.6	79
152	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). Journal of Crohn's and Colitis, 2018, 12, 129-136.	1.3	79
153	Genome-wide association study identifies 48 common genetic variants associated with handedness. Nature Human Behaviour, 2021, 5, 59-70.	12.0	79
154	Estimated urinary sodium excretion and risk of heart failure in men and women in the <scp>EPIC</scp> â€Norfolk study. European Journal of Heart Failure, 2014, 16, 394-402.	7.1	78
155	Macrophage migration inhibitory factor and the risk of myocardial infarction or death due to coronary artery disease in adults without prior myocardial infarction or stroke: The EPIC-Norfolk Prospective Population study. American Journal of Medicine, 2004, 117, 390-397.	1.5	77
156	The effects of height and BMI on prostate cancer incidence and mortality: a Mendelian randomization study in 20,848 cases and 20,214 controls from the PRACTICAL consortium. Cancer Causes and Control, 2015, 26, 1603-1616.	1.8	77
157	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. International Journal of Cancer, 2016, 138, 348-360.	5.1	77
158	Epigenome-Wide Association Study of Incident Type 2 Diabetes in a British Population: EPIC-Norfolk Study. Diabetes, 2019, 68, 2315-2326.	0.6	77
159	Prospective cohort study of hostility and the risk of cardiovascular disease mortality. International Journal of Cardiology, 2005, 100, 155-161.	1.7	76
160	Fruit and vegetable consumption and self-reported functional health in men and women in the European Prospective Investigation into Cancer–Norfolk (EPIC–Norfolk): a population-based cross-sectional study. Public Health Nutrition, 2007, 10, 34-41.	2.2	75
161	Cohort Profile: A prospective cohort study of objective physical and cognitive capability and visual health in an ageing population of men and women in Norfolk (EPIC-Norfolk 3). International Journal of Epidemiology, 2014, 43, 1063-1072.	1.9	75
162	Using lifestyle factors to identify individuals at higher risk of inflammatory polyarthritis (results) Tj ETQq0 0 0 rgBT	/Overlock 0.9	10 Tf 50 62

#	Article	IF	CITATIONS
163	Impact of physical activity on the risk of cardiovascular disease in middle-aged and older adults: EPIC Norfolk prospective population study. European Journal of Preventive Cardiology, 2018, 25, 200-208.	1.8	75
164	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194.	6.0	75
165	Glycated hemoglobin as a marker of cardiovascular risk. Current Opinion in Lipidology, 2006, 17, 637-643.	2.7	74
166	Mediterranean diet adherence and cognitive function in older UK adults: the European Prospective Investigation into Cancer and Nutrition–Norfolk (EPIC-Norfolk) Study. American Journal of Clinical Nutrition, 2019, 110, 938-948.	4.7	74
167	Serum 25-hydroxyvitamin D, mortality, and incident cardiovascular disease, respiratory disease, cancers, and fractures: a 13-y prospective population study. American Journal of Clinical Nutrition, 2014, 100, 1361-1370.	4.7	73
168	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. Human Molecular Genetics, 2016, 25, 358-370.	2.9	73
169	Osteoprotegerin and Soluble Receptor Activator of Nuclear Factor-κB Ligand and Risk for Coronary Events. Arteriosclerosis, Thrombosis, and Vascular Biology, 2009, 29, 975-980.	2.4	71
170	Preliminary communication: glycated hemoglobin, diabetes, and incident colorectal cancer in men and women: a prospective analysis from the European prospective investigation into cancer-Norfolk study. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 915-9.	2.5	71
171	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948.	5.1	70
172	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	4.7	70
173	Prediction of individualized lifetime benefit from cholesterol lowering, blood pressure lowering, antithrombotic therapy, and smoking cessation in apparently healthy people. European Heart Journal, 2020, 41, 1190-1199.	2.2	70
174	Blood lipids and prostate cancer: a Mendelian randomization analysis. Cancer Medicine, 2016, 5, 1125-1136.	2.8	68
175	Improved cardiovascular risk prediction using targeted plasma proteomics in primary prevention. European Heart Journal, 2020, 41, 3998-4007.	2.2	68
176	Serum Lipoprotein Lipase Concentration and Risk for Future Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2006, 26, 637-642.	2.4	67
177	Seventeen year risk of all-cause and cause-specific mortality associated with C-reactive protein, fibrinogen and leukocyte count in men and women: the EPIC-Norfolk study. European Journal of Epidemiology, 2013, 28, 541-550.	5.7	67
178	Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. Heart, 2015, 101, 1279-1287.	2.9	67
179	Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. Human Molecular Genetics, 2015, 24, 5589-5602.	2.9	67
180	Thyroid Function Within the Normal Range and Risk of Coronary Heart Disease. JAMA Internal Medicine, 2015, 175, 1037.	5.1	66

#	Article	IF	CITATIONS
181	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. BMC Medicine, 2015, 13, 107.	5.5	66
182	Relation Between Self-Reported Physical Functional Health and Chronic Disease Mortality in Men And Women in the European Prospective Investigation Into Cancer (EPIC–Norfolk): A Prospective Population Study. Annals of Epidemiology, 2006, 16, 492-500.	1.9	65
183	Alcohol intake and breast cancer in the <scp>E</scp> uropean prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 137, 1921-1930.	5.1	65
184	Ideal cardiovascular health influences cardiovascular disease risk associated with high lipoprotein(a) levels and genotype: The EPIC-Norfolk prospective population study. Atherosclerosis, 2017, 256, 47-52.	0.8	65
185	Evaluation of the Framingham Risk Score in the European Prospective Investigation of Cancer–Norfolk Cohort <subtitle>Does Adding Glycated Hemoglobin Improve the Prediction of Coronary Heart Disease Events?</subtitle> . Archives of Internal Medicine, 2008, 168, 1209.	3.8	64
186	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2015, 102, 1498-1508.	4.7	63
187	Ideal cardiovascular health and risk of cardiovascular events in the EPIC-Norfolk prospective population study. European Journal of Preventive Cardiology, 2016, 23, 986-994.	1.8	63
188	Effect of Monthly, Highâ€Dose, Longâ€Term Vitamin D Supplementation on Central Blood Pressure Parameters: A Randomized Controlled Trial Substudy. Journal of the American Heart Association, 2017, 6, .	3.7	63
189	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	8.4	63
190	Visual acuity, self-reported vision and falls in the EPIC-Norfolk Eye study. British Journal of Ophthalmology, 2014, 98, 377-382.	3.9	62
191	CYP19A1 fine-mapping and Mendelian randomization: estradiol is causal for endometrial cancer. Endocrine-Related Cancer, 2016, 23, 77-91.	3.1	62
192	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. Clinical Gastroenterology and Hepatology, 2011, 9, 137-144.	4.4	61
193	Dietary magnesium and potassium intakes and circulating magnesium are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the EPIC-Norfolk cohort study ,. American Journal of Clinical Nutrition, 2015, 102, 376-384.	4.7	61
194	Incidence of Type 2 Diabetes Using Proposed HbA1c Diagnostic Criteria in the European Prospective Investigation of Cancer–Norfolk Cohort. Diabetes Care, 2011, 34, 950-956.	8.6	60
195	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418Â329 participants in the EPIC cohort across nine European countries. European Heart Journal, 2020, 41, 2632-2640.	2.2	60
196	Social Class, Risk Factors, and Stroke Incidence in Men and Women. Stroke, 2009, 40, 1070-1077.	2.0	59
197	Mastery is associated with cardiovascular disease mortality in men and women at apparently low risk Health Psychology, 2010, 29, 412-420.	1.6	57
198	Performance of the CHARGE-AF risk model for incident atrial fibrillation in the EPIC Norfolk cohort. European Journal of Preventive Cardiology, 2015, 22, 932-939.	1.8	57

#	Article	IF	CITATIONS
199	Longitudinal Association of C-Reactive Protein and Lung Function Over 13 Years: The EPIC-Norfolk Study. American Journal of Epidemiology, 2014, 179, 48-56.	3.4	56
200	A Large-Scale Analysis of Genetic Variants within Putative miRNA Binding Sites in Prostate Cancer. Cancer Discovery, 2015, 5, 368-379.	9.4	56
201	Apolipoprotein C-III Levels and Incident Coronary Artery Disease Risk. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 1206-1212.	2.4	56
202	Prospective Associations of Accelerometer-Measured Physical Activity and Sedentary Time With Incident Cardiovascular Disease, Cancer, and All-Cause Mortality. Circulation, 2020, 141, 1113-1115.	1.6	56
203	Vitamin C status and blood pressure. Journal of Hypertension, 1996, 14, 503???508.	0.5	55
204	Daytime napping, sleep duration and serum C reactive protein: a population-based cohort study. BMJ Open, 2014, 4, e006071.	1.9	55
205	The relationship between dietary magnesium intake, stroke and its major risk factors, blood pressure and cholesterol, in the EPIC-Norfolk cohort. International Journal of Cardiology, 2015, 196, 108-114.	1.7	55
206	Novel Associations between Common Breast Cancer Susceptibility Variants and Risk-Predicting Mammographic Density Measures. Cancer Research, 2015, 75, 2457-2467.	0.9	55
207	Association of Genetically Enhanced Lipoprotein Lipase–Mediated Lipolysis and Low-Density Lipoprotein Cholesterol–Lowering Alleles With Risk of Coronary Disease and Type 2 Diabetes. JAMA Cardiology, 2018, 3, 957.	6.1	55
208	Prediction of individual genetic risk to prostate cancer using a polygenic score. Prostate, 2015, 75, 1467-1474.	2.3	54
209	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition Study. Journal of Clinical Oncology, 2015, 33, 877-884.	1.6	53
210	Reproductive and hormoneâ€related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. International Journal of Cancer, 2015, 137, 1196-1208.	5.1	53
211	Contribution of common non-synonymous variants in PCSK1 to body mass index variation and risk of obesity: a systematic review and meta-analysis with evidence from up to 331 175 individuals. Human Molecular Genetics, 2015, 24, 3582-3594.	2.9	53
212	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. British Journal of Cancer, 2017, 116, 688-696.	6.4	53
213	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. Journal of Proteome Research, 2017, 16, 3137-3146.	3.7	53
214	Accordance to the Dietary Approaches to Stop Hypertension diet pattern and cardiovascular disease in a British, population-based cohort. European Journal of Epidemiology, 2018, 33, 235-244.	5.7	53
215	Evaluation at scale of microbiome-derived metabolites as biomarker of flavan-3-ol intake in epidemiological studies. Scientific Reports, 2018, 8, 9859.	3.3	53
216	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 2680-2693.	5.1	52

#	Article	IF	CITATIONS
217	Occupational social class, risk factors and cardiovascular disease incidence in men and women: a prospective study in the European Prospective Investigation of Cancer and Nutrition in Norfolk (EPIC-Norfolk) cohort. European Journal of Epidemiology, 2008, 23, 449-458.	5.7	51
218	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 951-961.	2.5	51
219	Effect of Monthly, High-Dose, Long-Term Vitamin D on Lung Function: A Randomized Controlled Trial. Nutrients, 2017, 9, 1353.	4.1	51
220	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. Nature Communications, 2016, 7, 10979.	12.8	50
221	Population Study of Blood Pressure and Associated Factors in St Lucia, West Indies. International Journal of Epidemiology, 1982, 11, 372-377.	1.9	48
222	Both Paraoxonase-1 Genotype and Activity Do Not Predict the Risk of Future Coronary Artery Disease; the EPIC-Norfolk Prospective Population Study. PLoS ONE, 2009, 4, e6809.	2.5	48
223	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. European Journal of Nutrition, 2016, 55, 7-20.	3.9	48
224	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. International Journal of Cancer, 2017, 141, 905-915.	5.1	48
225	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2017, 15, 122.	5.5	47
226	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. BMC Medicine, 2017, 15, 203.	5.5	47
227	Vitamin C and cardiovascular disease: a systematic review. European Journal of Cardiovascular Prevention and Rehabilitation, 1996, 3, 513-521.	1.5	46
228	Physical activity, metabolic syndrome, and coronary risk: the EPIC–Norfolk prospective population study. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 209-217.	2.8	46
229	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. Blood, 2014, 124, 530-535.	1.4	46
230	Association between sucrose intake and risk of overweight and obesity in a prospective sub-cohort of the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk). Public Health Nutrition, 2015, 18, 2815-2824.	2.2	46
231	Objective Sedentary Time, Moderate-to-Vigorous Physical Activity, and Physical Capability in a British Cohort. Medicine and Science in Sports and Exercise, 2016, 48, 421-429.	0.4	46
232	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. BMC Medicine, 2016, 14, 122.	5.5	46
233	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 976-985.	2.5	45
234	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2015, 137, 2705-2714.	5.1	45

#	Article	IF	CITATIONS
235	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. Breast Cancer Research, 2015, 17, 15.	5.0	45
236	Polyclonal human antibodies against glycans bearing red meat-derived non-human sialic acid N-glycolylneuraminic acid are stable, reproducible, complex and vary between individuals: Total antibody levels are associated with colorectal cancer risk. PLoS ONE, 2018, 13, e0197464.	2.5	45
237	Genetic Variants Associated With Corneal Biomechanical Properties and Potentially Conferring Susceptibility to Keratoconus in a Genome-Wide Association Study. JAMA Ophthalmology, 2019, 137, 1005.	2.5	45
238	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: AÂmeta-analysis and Mendelian randomisation analysis. PLoS Medicine, 2020, 17, e1003394.	8.4	45
239	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. International Journal of Cancer, 2021, 148, 609-625.	5.1	45
240	Measured Height Loss Predicts Fractures in Middle-Aged and Older Men and Women: The EPIC-Norfolk Prospective Population Study. Journal of Bone and Mineral Research, 2008, 23, 425-432.	2.8	44
241	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. PLoS ONE, 2014, 9, e98647.	2.5	44
242	Self-reported sleep patterns in a British population cohort. Sleep Medicine, 2014, 15, 295-302.	1.6	44
243	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. BMC Medicine, 2016, 14, 87.	5.5	44
244	Estimated 10-year cardiovascular mortality seriously underestimates overall cardiovascular risk. Heart, 2016, 102, 63-68.	2.9	44
245	Monthly high-dose vitamin D supplementation does not increase kidney stone risk or serum calcium: results from a randomized controlled trial. American Journal of Clinical Nutrition, 2019, 109, 1578-1587.	4.7	44
246	Retinal Vasculometry Associations with Cardiometabolic Risk Factors in the European Prospective Investigation of Cancer—Norfolk Study. Ophthalmology, 2019, 126, 96-106.	5.2	44
247	CA19â€9 and apolipoproteinâ€A2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. International Journal of Cancer, 2019, 144, 1877-1887.	5.1	44
248	Prolactin Levels and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. Circulation: Cardiovascular Genetics, 2009, 2, 389-395.	5.1	43
249	Germline variation at 8q24 and prostate cancer risk in men of European ancestry. Nature Communications, 2018, 9, 4616.	12.8	43
250	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. International Journal of Cancer, 2014, 135, 1949-1960.	5.1	42
251	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 466-471.	2.5	42
252	Pubertal development and prostate cancer risk: Mendelian randomization study in a population-based cohort. BMC Medicine, 2016, 14, 66.	5.5	42

#	Article	IF	CITATIONS
253	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. International Journal of Cancer, 2018, 142, 1332-1342.	5.1	42
254	Patterns of physical activity and ultrasound attenuation by heel bone among Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): population based. BMJ: British Medical Journal, 2001, 322, 140-140.	2.3	41
255	No evidence that social stress is associated with breast cancer incidence. Breast Cancer Research and Treatment, 2010, 120, 169-174.	2.5	41
256	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2014, 134, 612-621.	5.1	41
257	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. Cancer Prevention Research, 2016, 9, 758-765.	1.5	41
258	Carotenoid dietary intakes and plasma concentrations are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk cohort. British Journal of Nutrition, 2017, 117, 1439-1453.	2.3	41
259	Effect of Monthly High-Dose Vitamin D Supplementation on Acute Respiratory Infections in Older Adults: A Randomized Controlled Trial. Clinical Infectious Diseases, 2020, 71, 311-317.	5.8	41
260	Functional single nucleotide polymorphisms within the cyclin-dependent kinase inhibitor 2A/2B region affect pancreatic cancer risk. Oncotarget, 2016, 7, 57011-57020.	1.8	41
261	Adverse experience in childhood as a developmental risk factor for altered immune status in adulthood. International Journal of Behavioral Medicine, 2003, 10, 251-268.	1.7	40
262	Associations of endogenous testosterone and SHBG with glycated haemoglobin in middle-aged and older men. Clinical Endocrinology, 2011, 74, 572-578.	2.4	40
263	Polygenic hazard score is associated with prostate cancer in multi-ethnic populations. Nature Communications, 2021, 12, 1236.	12.8	40
264	Lack of association between common genetic variation in endothelial lipase (LIPG) and the risk for CAD and DVT. Atherosclerosis, 2010, 211, 558-564.	0.8	39
265	Heterogeneous impact of classic atherosclerotic risk factors on different arterial territories: the EPIC-Norfolk prospective population study. European Heart Journal, 2016, 37, 880-889.	2.2	39
266	The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3658-3667.	3.6	39
267	Accuracy of death certification and hospital record linkage for identification of incident stroke. BMC Medical Research Methodology, 2008, 8, 74.	3.1	38
268	Dietary intake measurement using 7Âd diet diaries in British men and women in the European Prospective Investigation into Cancer-Norfolk study: a focus on methodological issues. British Journal of Nutrition, 2014, 111, 516-526.	2.3	38
269	Serum carbon and nitrogen stable isotopes as potential biomarkers of dietary intake and their relation with incident type 2 diabetes: the EPIC-Norfolk study. American Journal of Clinical Nutrition, 2014, 100, 708-718.	4.7	38
270	Body Mass Index, Smoking, and Alcohol and Risks of Barrett's Esophagus and Esophageal Adenocarcinoma: A UK Prospective Cohort Study. Digestive Diseases and Sciences, 2014, 59, 1552-1559.	2.3	38

#	Article	IF	CITATIONS
271	Dietary fat, fat subtypes and hepatocellular carcinoma in a large <scp>E</scp> uropean cohort. International Journal of Cancer, 2015, 137, 2715-2728.	5.1	38
272	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. Inflammatory Bowel Diseases, 2018, 24, 633-640.	1.9	38
273	Disentangling the genetics of lean mass. American Journal of Clinical Nutrition, 2019, 109, 276-287.	4.7	38
274	Changes in waist circumference and risk of all-cause and CVD mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. BMC Cardiovascular Disorders, 2019, 19, 238.	1.7	38
275	Post-GWAS gene–environment interplay in breast cancer: results from the Breast and Prostate Cancer Cohort Consortium and a meta-analysis on 79 000 women. Human Molecular Genetics, 2014, 23, 5260-5270.	2.9	37
276	Low Bone Mineral Density Predicts Incident Heart Failure in Men and Women. JACC: Heart Failure, 2014, 2, 380-389.	4.1	37
277	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. American Journal of Human Genetics, 2015, 97, 22-34.	6.2	37
278	Crowdsourcing as a Screening Tool to Detect Clinical Features of Glaucomatous Optic Neuropathy from Digital Photography. PLoS ONE, 2015, 10, e0117401.	2.5	37
279	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2447-2454.	2.5	36
280	Genetic determinants of telomere length and risk of pancreatic cancer: A PANDoRA study. International Journal of Cancer, 2019, 144, 1275-1283.	5.1	36
281	Physical Activity and Ocular Perfusion Pressure: The EPIC-Norfolk Eye Study. , 2011, 52, 8186.		35
282	Lifestyle behaviours and quality-adjusted life years in middle and older age. Age and Ageing, 2011, 40, 589-595.	1.6	35
283	The association of cycling with all-cause, cardiovascular and cancer mortality: findings from the population-based EPIC-Norfolk cohort. BMJ Open, 2013, 3, e003797.	1.9	35
284	Associations between flavan-3-ol intake and CVD risk in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). Free Radical Biology and Medicine, 2015, 84, 1-10.	2.9	35
285	Consumption of individual saturated fatty acids and the risk of myocardial infarction in a UK and a Danish cohort. International Journal of Cardiology, 2019, 279, 18-26.	1.7	35
286	Plasma trimethylamine N-oxide (TMAO) levels predict future risk of coronary artery disease in apparently healthy individuals in the EPIC-Norfolk prospective population study. American Heart Journal, 2021, 236, 80-86.	2.7	35
287	Fine-Mapping the HOXB Region Detects Common Variants Tagging a Rare Coding Allele: Evidence for Synthetic Association in Prostate Cancer. PLoS Genetics, 2014, 10, e1004129.	3.5	34
288	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1813-1823.	2.5	34

#	Article	IF	CITATIONS
289	Mediterranean Diet Reduces Risk of Incident Stroke in a Population With Varying Cardiovascular Disease Risk Profiles. Stroke, 2018, 49, 2415-2420.	2.0	34
290	Major Depression, C-Reactive Protein, and Incident Ischemic Heart Disease in Healthy Men and Women. Psychosomatic Medicine, 2008, 70, 850-855.	2.0	33
291	Baseline alcohol consumption, type of alcoholic beverage and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition-Norfolk study. Cancer Epidemiology, 2009, 33, 347-354.	1.9	33
292	Metabolic dyslipidemia and risk of future coronary heart disease in apparently healthy men and women: The EPIC-Norfolk prospective population study. International Journal of Cardiology, 2010, 143, 399-404.	1.7	33
293	Bone Mineral Density and Incidence of Stroke. Stroke, 2014, 45, 373-382.	2.0	33
294	Association of breast cancer risk <i>loci</i> with breast cancer survival. International Journal of Cancer, 2015, 137, 2837-2845.	5.1	33
295	Thyroid dysfunction and anaemia in a large populationâ€based study. Clinical Endocrinology, 2016, 84, 627-631.	2.4	33
296	A prospective evaluation of plasma polyphenol levels and colon cancer risk. International Journal of Cancer, 2018, 143, 1620-1631.	5.1	33
297	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. International Journal of Cancer, 2010, 126, 1928-1935.	5.1	32
298	Alcohol consumption and the risk of renal cancers in the <scp>E</scp> uropean prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 1953-1966.	5.1	32
299	Dietary intake of carbohydrates and risk of type 2 diabetes: the European Prospective Investigation into Cancer-Norfolk study. British Journal of Nutrition, 2014, 111, 342-352.	2.3	31
300	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	2.5	31
301	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768.	4.7	31
302	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. Scientific Reports, 2016, 6, 36017.	3.3	31
303	Understanding the relationship between cognition and death: a within cohort examination of cognitive measures and mortality. European Journal of Epidemiology, 2018, 33, 1049-1062.	5.7	31
304	Ascorbic acid metabolites are involved in intraocular pressure control in the general population. Redox Biology, 2019, 20, 349-353.	9.0	31
305	Low thyroid function is not associated with an accelerated deterioration in renal function. Nephrology Dialysis Transplantation, 2019, 34, 650-659.	0.7	31
306	Lower Dietary and Circulating Vitamin C in Middle- and Older-Aged Men and Women Are Associated with Lower Estimated Skeletal Muscle Mass. Journal of Nutrition, 2020, 150, 2789-2798.	2.9	31

#	Article	IF	CITATIONS
307	Cross Sectional and Longitudinal Associations between Cardiovascular Risk Factors and Age Related Macular Degeneration in the EPIC-Norfolk Eye Study. PLoS ONE, 2015, 10, e0132565.	2.5	31
308	Association Between Plasma Vitamin C Concentrations and Blood Pressure in the European Prospective Investigation Into Cancer-Norfolk Population-Based Study. Hypertension, 2011, 58, 372-379.	2.7	30
309	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	2.5	30
310	Distribution and determinants of Câ€reactive protein in the older adult population: European Prospective Investigation into Cancerâ€Norfolk study. European Journal of Clinical Investigation, 2013, 43, 899-911.	3.4	30
311	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49.	5.0	30
312	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	2.5	30
313	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
314	Biomarker-estimated flavan-3-ol intake is associated with lower blood pressure in cross-sectional analysis in EPIC Norfolk. Scientific Reports, 2020, 10, 17964.	3.3	30
315	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	2.3	29
316	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. British Journal of Cancer, 2015, 113, 1622-1631.	6.4	29
317	The Accuracy and Reliability of Crowdsource Annotations of Digital Retinal Images. Translational Vision Science and Technology, 2016, 5, 6.	2.2	29
318	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2016, 103, 161-167.	4.7	29
319	Generalised anxiety disorder and hospital admissions: findings from a large, population cohort study. BMJ Open, 2018, 8, e018539.	1.9	29
320	Plasma Vitamin C Levels: Risk Factors for Deficiency and Association with Self-Reported Functional Health in the European Prospective Investigation into Cancer-Norfolk. Nutrients, 2019, 11, 1552.	4.1	29
321	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. Diabetes Care, 2019, 42, 568-575.	8.6	29
322	Association between area deprivation and major depressive disorder in British men and women: a cohort study. BMJ Open, 2019, 9, e027530.	1.9	29
323	The association between physical activity in different domains of life and risk of osteoporotic fractures. Bone, 2010, 47, 693-700.	2.9	28
324	Physical activity, the Framingham risk score and risk of coronary heart disease in men and women of the EPIC-Norfolk study. Atherosclerosis, 2010, 209, 261-265.	0.8	28

#	Article	IF	CITATIONS
325	The physical capability of community-based men and women from a British cohort: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. BMC Geriatrics, 2013, 13, 93.	2.7	28
326	Distribution of lipid parameters according to different socio-economic indicators- the EPIC-Norfolk prospective population study. BMC Public Health, 2014, 14, 782.	2.9	28
327	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. International Journal of Cancer, 2015, 137, 2904-2914.	5.1	28
328	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 291-301.	2.5	28
329	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323.	5.1	28
330	Alcohol consumption and prostate cancer incidence and progression: A Mendelian randomisation study. International Journal of Cancer, 2017, 140, 75-85.	5.1	28
331	Nonâ€ <scp>HDL</scp> cholesterol vs. Apo B for risk of coronary heart disease in healthy individuals: the <scp>EPIC</scp> â€Norfolk prospective population study. European Journal of Clinical Investigation, 2013, 43, 1009-1015.	3.4	27
332	A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. Atherosclerosis, 2014, 237, 5-12.	0.8	27
333	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. PLoS ONE, 2015, 10, e0118206.	2.5	27
334	Genome-Wide Association Study of Prostate Cancer–Specific Survival. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1796-1800.	2.5	27
335	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2017, 116, 811-820.	6.4	27
336	Circulating isoflavone and lignan concentrations and prostate cancer risk: a metaâ€analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. International Journal of Cancer, 2018, 143, 2677-2686.	5.1	27
337	Is loneliness associated with increased health and social care utilisation in the oldest old? Findings from a population-based longitudinal study. BMJ Open, 2019, 9, e024645.	1.9	27
338	A Genetic Risk Score to Personalize Prostate Cancer Screening, Applied to Population Data. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1731-1738.	2.5	27
339	Association of Long-term Exposure to Elevated Lipoprotein(a) Levels With Parental Life Span, Chronic Disease–Free Survival, and Mortality Risk. JAMA Network Open, 2020, 3, e200129.	5.9	27
340	Educational attainment and mean leukocyte telomere length in women in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. Brain, Behavior, and Immunity, 2012, 26, 414-418.	4.1	26
341	Cognitive function in a general population of men and women: a cross sectional study in the European Investigation of Cancer–Norfolk cohort (EPIC-Norfolk). BMC Geriatrics, 2014, 14, 142.	2.7	26
342	Assessing the role of insulinâ€like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. International Journal of Cancer, 2016, 139, 1520-1533.	5.1	26

#	Article	IF	CITATIONS
343	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. British Journal of Cancer, 2016, 115, 1430-1440.	6.4	26
344	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. Clinical Cancer Research, 2017, 23, 4181-4189.	7.0	26
345	Individual and combined impact of lifestyle factors on atrial fibrillation in apparently healthy men and women: The EPIC-Norfolk prospective population study. European Journal of Preventive Cardiology, 2018, 25, 1374-1383.	1.8	26
346	Cross-sectional associations of dietary and circulating magnesium with skeletal muscle mass in the EPIC-Norfolk cohort. Clinical Nutrition, 2019, 38, 317-323.	5.0	26
347	Serologic markers of <i>Chlamydia trachomatis</i> and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2020, 147, 2042-2052.	5.1	26
348	Epidemiological aspects of ageing. Philosophical Transactions of the Royal Society B: Biological Sciences, 1997, 352, 1829-1835.	4.0	25
349	Modifiable lifestyle behaviors and functional health in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. Preventive Medicine, 2007, 44, 109-116.	3.4	25
350	Developing a database of vitamin and mineral supplements (ViMiS) for the Norfolk arm of the European Prospective Investigation into Cancer (EPIC-Norfolk). Public Health Nutrition, 2011, 14, 459-471.	2.2	25
351	Longitudinal associations between built environment characteristics and changes in active commuting. BMC Public Health, 2017, 17, 458.	2.9	25
352	Weight change and 15Âyear mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. European Journal of Epidemiology, 2018, 33, 37-53.	5.7	25
353	Physical capability predicts mortality in late mid-life as well as in old age: Findings from a large British cohort study. Archives of Gerontology and Geriatrics, 2018, 74, 77-82.	3.0	25
354	Prediagnostic circulating markers of inflammation and risk of oesophageal adenocarcinoma: a study within the National Cancer Institute Cohort Consortium. Gut, 2019, 68, 960-968.	12.1	25
355	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1293-1303.	3.6	25
356	Association of depression with peripheral leukocyte counts in EPIC-Norfolk—role of sex and cigarette smoking. Journal of Psychosomatic Research, 2003, 54, 303-306.	2.6	24
357	Population and assay thresholds for the predictive value of lipoprotein (a) for coronary artery disease: the EPIC-Norfolk Prospective Population Study. Journal of Lipid Research, 2016, 57, 697-705.	4.2	24
358	Carriers of the PCSK9 R46L Variant Are Characterized by an Antiatherogenic Lipoprotein Profile Assessed by Nuclear Magnetic Resonance Spectroscopy—Brief Report. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 43-48.	2.4	24
359	Ovarian cancer early detection by circulating <scp>CA</scp> 125 in the context of antiâ€ <scp>CA</scp> 125 autoantibody levels: Results from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2018, 142, 1355-1360.	5.1	24
360	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case–Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993.	2.9	24

#	Article	IF	CITATIONS
361	Polyunsaturated fatty acids and prostate cancer risk: a Mendelian randomisation analysis from the PRACTICAL consortium. British Journal of Cancer, 2016, 115, 624-631.	6.4	23
362	C-reactive protein and fracture risk: European Prospective Investigation into Cancer Norfolk Study. Bone, 2013, 56, 67-72.	2.9	22
363	The Systematic COronary Risk Evaluation (SCORE) in a large UK population: 10-year follow-up in the EPIC-Norfolk prospective population study. European Journal of Preventive Cardiology, 2015, 22, 119-126.	1.8	22
364	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. Journal of Ovarian Research, 2017, 10, 20.	3.0	22
365	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. Nutrients, 2019, 11, 935.	4.1	22
366	Calcium intake, calcium supplementation and cardiovascular disease and mortality in the British population: EPIC-norfolk prospective cohort study and meta-analysis. European Journal of Epidemiology, 2021, 36, 669-683.	5.7	22
367	A Genome-wide Pleiotropy Scan for Prostate Cancer Risk. European Urology, 2015, 67, 649-657.	1.9	21
368	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	5.5	21
369	Sex differences in the association between area deprivation and generalised anxiety disorder: British population study. BMJ Open, 2017, 7, e013590.	1.9	21
370	Identification of a novel locus on chromosome 2q13, which predisposes to clinical vertebral fractures independently of bone density. Annals of the Rheumatic Diseases, 2018, 77, 378-385.	0.9	21
371	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2019, 144, 240-250.	5.1	21
372	Evaluation of (â^')-epicatechin metabolites as recovery biomarker of dietary flavan-3-ol intake. Scientific Reports, 2019, 9, 13108.	3.3	21
373	Circulating Metabolic Biomarkers of Screen-Detected Prostate Cancer in the ProtecT Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 208-216.	2.5	21
374	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920.	5.1	20
375	Vitamin D–Associated Genetic Variation and Risk of Breast Cancer in the Breast and Prostate Cancer Cohort Consortium (BPC3). Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 627-630.	2.5	20
376	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-847.	6.4	20
377	Association between urinary biomarkers of total sugars intake and measures of obesity in a cross-sectional study. PLoS ONE, 2017, 12, e0179508.	2.5	20
378	Baseline anticholinergic burden from medications predicts incident fatal and non-fatal stroke in the EPIC-Norfolk general population. International Journal of Epidemiology, 2018, 47, 625-633.	1.9	20

#	Article	IF	CITATIONS
379	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. Diabetologia, 2018, 61, 1325-1332.	6.3	20
380	FEV1 and total Cardiovascular mortality and morbidity over an 18 years follow-up Population-Based Prospective EPIC-NORFOLK Study. BMC Public Health, 2019, 19, 501.	2.9	20
381	A Mediterranean Diet Is Positively Associated with Bone and Muscle Health in a Non-Mediterranean Region in 25,450 Men and Women from EPIC-Norfolk. Nutrients, 2020, 12, 1154.	4.1	20
382	A comprehensive evaluation of interaction between genetic variants and use of menopausal hormone therapy on mammographic density. Breast Cancer Research, 2015, 17, 110.	5.0	19
383	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2017, 147, 1366-1373.	2.9	19
384	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835.	1.9	19
385	Life's simple 7 and calcific aortic valve stenosis incidence in apparently healthy men and women. International Journal of Cardiology, 2018, 269, 226-228.	1.7	19
386	Effect of Monthly Vitamin D Supplementation on Preventing Exacerbations of Asthma or Chronic Obstructive Pulmonary Disease in Older Adults: Post Hoc Analysis of a Randomized Controlled Trial. Nutrients, 2021, 13, 521.	4.1	19
387	Physical Activity and Mammographic Breast Density in the EPIC-Norfolk Cohort Study. American Journal of Epidemiology, 2007, 167, 579-585.	3.4	18
388	Socioeconomic position and risk of short-term weight gain: Prospective study of 14,619 middle-aged men and women. BMC Public Health, 2008, 8, 112.	2.9	18
389	Chemokine Ligand 2 Genetic Variants, Serum Monocyte Chemoattractant Protein-1 Levels, and the Risk of Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 1460-1466.	2.4	18
390	Daytime napping and increased risk of incident respiratory diseases: symptom, marker, or risk factor?. Sleep Medicine, 2016, 23, 12-15.	1.6	18
391	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of Clinical Oncology, 2017, 35, 1297-1303.	1.6	18
392	Dietary oleic acid is inversely associated with pancreatic cancer – Data from food diaries in a cohort study. Pancreatology, 2018, 18, 655-660.	1.1	18
393	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. BMC Medicine, 2019, 17, 221.	5.5	18
394	Alcohol Consumption and Incident Cataract Surgery in Two Large UK Cohorts. Ophthalmology, 2021, 128, 837-847.	5.2	18
395	Association between dietary phyto-oestrogens and bone density in men and postmenopausal women. British Journal of Nutrition, 2011, 106, 1063-1069.	2.3	17
396	The association between Mediterranean Diet Score and glucokinase regulatory protein gene variation on the markers of cardiometabolic risk: an analysis in the European Prospective Investigation into Cancer (EPIC)-Norfolk study. British Journal of Nutrition, 2014, 112, 122-131.	2.3	17

#	Article	IF	CITATIONS
397	PLA2G10 Gene Variants, sPLA2 Activity, and Coronary Heart Disease Risk. Circulation: Cardiovascular Genetics, 2015, 8, 356-362.	5.1	17
398	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, .	6.3	17
399	Area deprivation and age related macular degeneration in the EPIC-Norfolk Eye Study. Public Health, 2015, 129, 103-109.	2.9	17
400	Underweight and mortality. Public Health Nutrition, 2016, 19, 1751-1756.	2.2	17
401	Investigating the possible causal role of coffee consumption with prostate cancer risk and progression using Mendelian randomization analysis. International Journal of Cancer, 2017, 140, 322-328.	5.1	17
402	Changes in plasma phospholipid fatty acid profiles over 13 years and correlates of change: European Prospective Investigation into Cancer and Nutrition-Norfolk Study. American Journal of Clinical Nutrition, 2019, 109, 1527-1534.	4.7	17
403	Hormone replacement therapy and glucose tolerance in EPIC-Norfolk: a population-based study. Diabetes/Metabolism Research and Reviews, 2000, 16, 20-25.	4.0	16
404	Long-term Cryoconservation and Stability of Vitamin C in Serum Samples of the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1837-1840.	2,5	16
405	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	1.9	16
406	Cross-sectional and prospective associations between dietary and plasma vitamin C, heel bone ultrasound, and fracture risk in men and women in the European Prospective Investigation into Cancer in Norfolk cohort. American Journal of Clinical Nutrition, 2015, 102, 1416-1424.	4.7	16
407	Descriptive epidemiology of changes in objectively measured sedentary behaviour and physical activity: six-year follow-up of the EPIC-Norfolk cohort. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 122.	4.6	16
408	Plasma vitamin C concentrations and risk of incident respiratory diseases and mortality in the European Prospective Investigation into Cancer-Norfolk population-based cohort study. European Journal of Clinical Nutrition, 2019, 73, 1492-1500.	2.9	16
409	What factors modify the effect of monthly bolus dose vitamin D supplementation on 25-hydroxyvitamin D concentrations?. Journal of Steroid Biochemistry and Molecular Biology, 2020, 201, 105687.	2.5	16
410	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 681-686.	2.5	16
411	Physical activity and fibrinogen concentrations in 23,201 men and women in the EPIC-Norfolk population-based study. Atherosclerosis, 2008, 198, 419-425.	0.8	15
412	Physical functional health predicts the incidence of coronary heart disease in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. International Journal of Epidemiology, 2010, 39, 996-1003.	1.9	15
413	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. European Journal of Epidemiology, 2013, 28, 677-688.	5.7	15
414	Tinned Fruit Consumption and Mortality in Three Prospective Cohorts. PLoS ONE, 2015, 10, e0117796.	2.5	15

#	Article	IF	CITATIONS
415	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. European Journal of Nutrition, 2016, 55, 2093-2104.	3.9	15
416	Effects of vitamin D supplementation on adherence to and persistence with long-term statin therapy: Secondary analysis from the randomized, double-blind, placebo-controlled ViDA study. Atherosclerosis, 2018, 273, 59-66.	0.8	15
417	Autoimmunity plays a role in the onset of diabetes after 40 years of age. Diabetologia, 2020, 63, 266-277.	6.3	15
418	Observational versus randomised trial evidence. Lancet, The, 2004, 364, 753-754.	13.7	14
419	How far can we explain the social class differential in respiratory function? A cross-sectional population study of 21,991 men and women from EPIC-Norfolk. European Journal of Epidemiology, 2009, 24, 193-201.	5.7	14
420	Lifestyle factors and p53 mutation patterns in colorectal cancer patients in the EPIC-Norfolk study. Mutagenesis, 2010, 25, 351-358.	2.6	14
421	Plasma vitamin C and risk of hospitalisation with diagnosis of atrial fibrillation in men and women in EPIC-Norfolk prospective study. International Journal of Cardiology, 2014, 177, 830-835.	1.7	14
422	ABO blood group alleles and prostate cancer risk: Results from the breast and prostate cancer cohort consortium (BPC3). Prostate, 2015, 75, 1677-1681.	2.3	14
423	Do pancreatic cancer and chronic pancreatitis share the same genetic risk factors? A PANcreatic Disease ReseArch (PANDoRA) consortium investigation. International Journal of Cancer, 2018, 142, 290-296.	5.1	14
424	The effect of sample size on polygenic hazard models for prostate cancer. European Journal of Human Genetics, 2020, 28, 1467-1475.	2.8	14
425	Inflammatory dispositions: a population-based study of the association between hostility and peripheral leukocyte counts. Personality and Individual Differences, 2003, 35, 1271-1284.	2.9	13
426	Does ICD-10 hospital discharge code I50 identify people with heart failure? A validation study within the EPIC-Norfolk study. International Journal of Cardiology, 2013, 168, 4413-4414.	1.7	13
427	Cod Liver Oil Supplement Consumption and Health: Cross‑sectional Results from the EPIC-Norfolk Cohort Study. Nutrients, 2014, 6, 4320-4337.	4.1	13
428	Sulfate, nitrate and blood pressure – An EPIC interaction between sulfur and nitrogen. Pharmacological Research, 2017, 122, 127-129.	7.1	13
429	Association of Highâ€Density Lipoproteinâ€Cholesterol Versus Apolipoprotein Aâ€I With Risk of Coronary Heart Disease: The European Prospective Investigation Into Cancerâ€Norfolk Prospective Population Study, the Atherosclerosis Risk in Communities Study, and the Women's Health Study. Journal of the American Heart Association. 2017. 6.	3.7	13
430	A Common Glaucoma-risk Variant of SIX6 Alters Retinal Nerve Fiber Layer and Optic Disc Measures in a European Population: The EPIC-Norfolk Eye Study. Journal of Glaucoma, 2018, 27, 743-749.	1.6	13
431	Circulating insulinâ€like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 957-966.	5.1	12
432	Development and validation of circulating CA125 prediction models in postmenopausal women. Journal of Ovarian Research, 2019, 12, 116.	3.0	12

#	Article	IF	CITATIONS
433	Vitamin C and Cardiovascular Disease: A Systematic Review. European Journal of Cardiovascular Prevention and Rehabilitation, 1996, 3, 513-521.	2.8	11
434	Fibrinogen and cigarette smoking in men and women in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 144-150.	2.8	11
435	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 538-545.	2.5	11
436	Inverse association between bone mineral density and risk of aortic stenosis in men and women in EPIC–Norfolk prospective study. International Journal of Cardiology, 2015, 178, 29-30.	1.7	11
437	SNP interaction pattern identifier (SIPI): an intensive search for SNP–SNP interaction patterns. Bioinformatics, 2017, 33, 822-833.	4.1	11
438	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 895-904.	2.5	11
439	Interactions Between Genome-Wide Significant Genetic Variants and Circulating Concentrations of 25-Hydroxyvitamin D in Relation to Prostate Cancer Risk in the National Cancer Institute BPC3. American Journal of Epidemiology, 2017, 185, 452-464.	3.4	11
440	Monthly vitamin D supplementation, pain, and pattern of analgesic prescription: secondary analysis from the randomized, double-blind, placebo-controlled Vitamin D Assessment study. Pain, 2018, 159, 1074-1082.	4.2	11
441	Nonsteroidal antiâ€inflammatory drug use and breast cancer risk in a European prospective cohort study. International Journal of Cancer, 2018, 143, 1688-1695.	5.1	11
442	Cross-sectional associations of vitamin D status with asthma prevalence, exacerbations, and control in New Zealand adults. Journal of Steroid Biochemistry and Molecular Biology, 2019, 188, 1-7.	2.5	11
443	Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. Drugs and Aging, 2020, 37, 105-114.	2.7	11
444	The genomics of heart failure: design and rationale of the HERMES consortium. ESC Heart Failure, 2021, 8, 5531-5541.	3.1	11
445	Management of Cardiovascular Disease Patients With Confirmed or Suspected COVID-19 in Limited Resource Settings. Global Heart, 2020, 15, 44.	2.3	11
446	Respiratory Function as a Marker of Bone Health and Fracture Risk in an Older Population. Journal of Bone and Mineral Research, 2009, 24, 956-963.	2.8	10
447	A simple risk score using routine data for predicting cardiovascular disease in primary care. British Journal of General Practice, 2010, 60, e327-e334.	1.4	10
448	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2532-2542.	2.5	10
449	Longitudinal association of C-reactive protein and Haemoglobin A1c over 13Âyears: the European Prospective Investigation into Cancer - Norfolk study. Cardiovascular Diabetology, 2015, 14, 61.	6.8	10
450	Fracture Risk in Relation to Serum 25-Hydroxyvitamin D and Physical Activity: Results from the EPIC-Norfolk Cohort Study. PLoS ONE, 2016, 11, e0164160.	2.5	10

#	Article	IF	CITATIONS
451	Longitudinal associations between marine omega-3 supplement users and coronary heart disease in a UK population-based cohort. BMJ Open, 2017, 7, e017471.	1.9	10
452	A strong sense of coherence associated with reduced risk of anxiety disorder among women in disadvantaged circumstances: British population study. BMJ Open, 2018, 8, e018501.	1.9	10
453	Monthly high-dose vitamin D3 supplementation and self-reported adverse events in a 4-year randomized controlled trial. Clinical Nutrition, 2019, 38, 1581-1587.	5.0	10
454	Dietary acid–base load and its association with risk of osteoporotic fractures and low estimated skeletal muscle mass. European Journal of Clinical Nutrition, 2020, 74, 33-42.	2.9	10
455	Usual physical activity and subsequent hospital usage over 20 years in a general population: the EPIC-Norfolk cohort. BMC Geriatrics, 2020, 20, 165.	2.7	10
456	<i>HMGCR</i> gene polymorphism is associated with stroke risk in the EPIC-Norfolk study. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 89-93.	2.8	9
457	Impact of abdominal obesity and systemic hypertension on risk of coronary heart disease in men and women. Journal of Hypertension, 2014, 32, 2224-2230.	0.5	9
458	Repeat Cardiovascular Risk Assessment after Four Years: Is There Improvement in Risk Prediction?. PLoS ONE, 2016, 11, e0147417.	2.5	9
459	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. Immunity and Ageing, 2016, 13, 5.	4.2	9
460	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1076-1085.	2.5	9
461	Long Term Prognostic Impact of Sex-specific Longitudinal Changes in Blood Pressure. The EPIC-Norfolk Prospective Population Cohort Study. European Journal of Preventive Cardiology, 2022, 29, 180-191.	1.8	9
462	Cross Sectional Associations between Socio-Demographic Factors and Cognitive Performance in an Older British Population: The European Investigation of Cancer in Norfolk (EPIC-Norfolk) Study. PLoS ONE, 2016, 11, e0166779.	2.5	9
463	Vitamin C Status and Undiagnosed Angina. European Journal of Cardiovascular Prevention and Rehabilitation, 1996, 3, 373-377.	2.8	8
464	A HMGCR polymorphism is associated with relations between blood pressure and urinary sodium and potassium ratio in the Epic-Norfolk Study. Journal of the American Society of Hypertension, 2009, 3, 238-244.	2.3	8
465	Differences in Dietary Supplement Use and Secular and Seasonal Trends Assessed Using Three Different Instruments in the EPIC-Norfolk Population Study. Journal of Dietary Supplements, 2013, 10, 142-151.	2.6	8
466	A Genome-Wide "Pleiotropy Scan―Does Not Identify New Susceptibility Loci for Estrogen Receptor Negative Breast Cancer. PLoS ONE, 2014, 9, e85955.	2.5	8
467	Opposites don't attract: high spouse concordance for dietary supplement use in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. Public Health Nutrition, 2015, 18, 1060-1066.	2.2	8
468	Hepcidin levels and gastric cancer risk in the EPICâ€EurGast study. International Journal of Cancer, 2017, 141, 945-951.	5.1	8

#	Article	IF	CITATIONS
469	Validation of the Systematic COronary Risk Evaluation - Older Persons (SCORE-OP) in the EPIC-Norfolk prospective population study. International Journal of Cardiology, 2019, 293, 226-230.	1.7	8
470	Sociodemographic and lifestyle predictors of incident hospital admissions with multimorbidity in a general population, 1999–2019: the EPIC-Norfolk cohort. BMJ Open, 2020, 10, e042115.	1.9	8
471	Long-term effects of gestational diabetes on bone mineral density and fracture risk: Analysis of the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk) population-based study. Maturitas, 2021, 144, 68-73.	2.4	8
472	A single nucleotide polymorphism in the 3-hydroxy-3-methylglutaryl-coenzyme A reductase gene (HMGCR) influences the serum triacylglycerol relationship with dietary fat and fibre in the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. British Journal of Nutrition, 2010, 104, 765-772.	2.3	7
473	Relationship of lipoprotein-associated apolipoprotein C-III with lipid variables and coronary artery disease risk: The EPIC-Norfolk prospective population study. Journal of Clinical Lipidology, 2018, 12, 1493-1501.e11.	1.5	7
474	Association between serum 25-hydroxyvitamin D levels and self-reported chronic pain in older adults: A cross-sectional analysis from the ViDA study. Journal of Steroid Biochemistry and Molecular Biology, 2019, 188, 17-22.	2.5	7
475	Fracture Incidence and the Relevance of Dietary and Lifestyle Factors Differ in the United Kingdom and Hong Kong: An International Comparison of Longitudinal Cohort Study Data. Calcified Tissue International, 2021, 109, 563-576.	3.1	7
476	Higher anticholinergic burden from medications is associated with significant increase in markers of inflammation in the EPICâ€Norfolk prospective populationâ€based cohort study. British Journal of Clinical Pharmacology, 2022, 88, 3297-3306.	2.4	7
477	The Short-Form Six-Dimension utility index predicted mortality in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. Journal of Clinical Epidemiology, 2010, 63, 192-198.	5.0	6
478	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 790-804.	2.5	6
479	Oneâ€carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 2349-2359.	5.1	6
480	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. Journal of Nutrition, 2019, 149, 1047-1055.	2.9	6
481	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1089-1092.	2.5	6
482	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 1511-1521.	5.1	6
483	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2019, 188, 274-281.	3.4	6
484	A prediction tool for vitamin D deficiency in New Zealand adults. Archives of Osteoporosis, 2020, 15, 172.	2.4	6
485	The relationship between alcohol intake and falls hospitalization: Results from the <scp>EPICâ€Norfolk</scp> . Geriatrics and Gerontology International, 2021, 21, 657-663.	1.5	6
486	Elevated HbA1c level: a risk factor for cardiovascular disease mortality in patients with chronic heart failure?. Nature Reviews Endocrinology, 2009, 5, 130-131.	9.6	5

#	Article	IF	CITATIONS
487	Topical Beta-Blockers and Cardiovascular Mortality: Systematic Review and Meta-Analysis with Data from the EPIC-Norfolk Cohort Study. Ophthalmic Epidemiology, 2016, 23, 277-284.	1.7	5
488	Retinal Vasculometry Associations With Glaucoma: Findings From the European Prospective Investigation of Cancer–Norfolk Eye Study. American Journal of Ophthalmology, 2020, 220, 140-151.	3.3	5
489	Plasma Sulfur Amino Acids and Risk of Cerebrovascular Diseases. Stroke, 2021, 52, 172-180.	2.0	5
490	KLK3 SNP–SNP interactions for prediction of prostate cancer aggressiveness. Scientific Reports, 2021, 11, 9264.	3.3	5
491	CHD risk in relation to alcohol intake from categorical and open-ended dietary instruments. Public Health Nutrition, 2011, 14, 402-409.	2.2	4
492	Baseline anticholinergic burden from medications predicts poorer baseline and longâ€term healthâ€related quality of life in 16 675 men and women of <scp>EPICâ€Norfolk</scp> prospective populationâ€based cohort study. Pharmacoepidemiology and Drug Safety, 2021, 30, 135-143.	1.9	4
493	The Relationship Between Cognitive Performance Using Tests Assessing a Range of Cognitive Domains and Future Dementia Diagnosis in a British Cohort: A Ten-Year Prospective Study. Journal of Alzheimer's Disease, 2021, 81, 123-135.	2.6	4
494	Physical activity intensity profiles associated with cardiometabolic risk in middle-aged to older men and women. Preventive Medicine, 2022, 156, 106977.	3.4	4
495	Screening: The need for a balance. Eye, 1989, 3, vii-ix.	2.1	3
496	A comparative analysis of three widely used lipid management guidelines in the EPIC-Norfolk cohort. European Journal of Preventive Cardiology, 2013, 20, 98-106.	1.8	3
497	AA9int: SNP interaction pattern search using non-hierarchical additive model set. Bioinformatics, 2018, 34, 4141-4150.	4.1	3
498	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1654-1664.	2.5	3
499	Self-Reported Fatigue Predicts Incident Stroke in a General Population. Stroke, 2020, 51, 1077-1084.	2.0	3
500	Cross-sectional and prospective associations between active living environments and accelerometer-assessed physical activity in the EPIC-Norfolk cohort. Health and Place, 2021, 67, 102490.	3.3	3
501	Self-reported physical functional health predicts future bone mineral density in EPIC-Norfolk cohort. Archives of Osteoporosis, 2022, 17, 25.	2.4	3
502	Commentary: Vitamin D: prime mover or fellow traveller?. International Journal of Epidemiology, 2015, 44, 1612-1613.	1.9	2
503	Interactions between breast cancer susceptibility loci and menopausal hormone therapy in relationship to breast cancer in the Breast and Prostate Cancer Cohort Consortium. Breast Cancer Research and Treatment, 2016, 155, 531-540.	2.5	2
504	Alcohol consumption and future hospital usage: The EPIC-Norfolk prospective population study. PLoS ONE, 2018, 13, e0200747.	2.5	2

#	Article	IF	CITATIONS
505	Incidence of inflammatory polyarthritis in polymyalgia rheumatica: a population-based cohort study. Annals of the Rheumatic Diseases, 2019, 78, 704-705.	0.9	2
506	Hypertensive Disorders of Pregnancy (HDP) and the Risk of Common Cancers in Women: Evidence from the European Prospective Investigation into Cancer (EPIC)-Norfolk Prospective Population-Based Study. Cancers, 2020, 12, 3100.	3.7	2
507	Risk factors for previously undiagnosed primary open-angle glaucoma: the EPIC-Norfolk Eye Study. British Journal of Ophthalmology, 2022, 106, 1684-1688.	3.9	2
508	Association between serum secretory phospholipase A2 and risk of ischaemic stroke. European Journal of Neurology, 2021, 28, 3650-3655.	3.3	2
509	Abstract 19753: Hdl Cholesterol Efflux Capacity is Inversely Associated With Incident Chd Events Independent of Hdl-c and Apoa-i Concentrations. Circulation, 2014, 130, .	1.6	2
510	Comment on Miettinen: Rose Revisited. European Journal of Epidemiology, 2003, 19, 745-748.	5.7	1
511	Commentary: AG Shaper and KW Jones, 'Serum-cholesterol, diet and coronary heart-disease in Africans and Asians in Uganda'. International Journal of Epidemiology, 2012, 41, 1231-1232.	1.9	1
512	Influence of Inflammatory Polyarthritis on Quantitative Heel Ultrasound Measurements. BMC Musculoskeletal Disorders, 2012, 13, 133.	1.9	1
513	Elizabeth Barrett-Connor: Instrumental Contributor to the Understanding of Midlife Well-being and Health in Both Women and Men. Diabetes Care, 2019, 42, 502-506.	8.6	1
514	Cross-sectional and prospective relationship between occupational and leisure-time inactivity and cognitive function in an ageing population: the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. International Journal of Epidemiology, 2020, 49, 1338-1352.	1.9	1
515	Relationship of Sodium Intake With Granulocytes, Renal and Cardiovascular Outcomes in the Prospective EPICâ€Norfolk Cohort. Journal of the American Heart Association, 2022, 11, .	3.7	1
516	Reply to GC Burdge. American Journal of Clinical Nutrition, 2011, 93, 666-667.	4.7	0
517	Social Adversity Experience and Blood Pressure Control Following Antihypertensive Medication Use in a Community Sample of Older Adults. International Journal of Behavioral Medicine, 2014, 21, 456-463.	1.7	0
518	Reply to WB Grant. American Journal of Clinical Nutrition, 2015, 102, 230-231.	4.7	0
519	Reply to W Lin and R Wang. American Journal of Clinical Nutrition, 2016, 103, 290-291.	4.7	0
520	A comprehensive analysis of polymorphic variants in steroid hormone and insulinâ€like growth factorâ€1 metabolism and risk of <i>in situ</i> breast cancer: Results from the Breast and Prostate Cancer Cohort Consortium. International Journal of Cancer, 2018, 142, 1182-1188.	5.1	0
521	Dimension of pain-related quality of life and self-reported mental health in men and women of the European Prospective Investigation into Cancer–Norfolk cohort: a population-based cross-sectional study. British Journal of Pain, 2018, 12, 35-46.	1.5	0
522	088 Cardiovascular risk factors are associated with the onset of polymyalgia rheumatica (PMR) and giant cell arteritis (GCA) in a prospective cohort: EPIC-Norfolk study. Rheumatology, 2018, 57, .	1.9	0

#	Article	IF	CITATIONS
523	O14 Pro-inflammatory diets are associated with increased C-reactive protein and subsequent rheumatoid arthritis in the European Investigation of Cancer: Norfolk Arthritis Register cohort. Rheumatology, 2019, 58, .	1.9	0
524	FRI0657â€METABOLIC SYNDROME PRECEDES THE ONSET OF HIP AND KNEE PAIN AND THE RISK IS NOT MODIFIED BY DIET OR CHANGES IN BMI. , 2019, , .		0
525	Incorporating multiple sets of eQTL weights into geneâ€byâ€environment interaction analysis identifies novel susceptibility loci for pancreatic cancer. Genetic Epidemiology, 2020, 44, 880-892.	1.3	0
526	The sarcopenic risk factor of low skeletal muscle mass is associated with inadequate plasma vitamin C concentrations and obesity Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
527	Abstract 3132: Paraoxonase-1 Activity Is not Independently Related with the Risk of Future Coronary Artery Disease. Circulation, 2008, 118, .	1.6	0
528	Abstract P174: Early Onset Parental Hypertension is Associated With Hypertension Status of Their Offspring. Circulation, 2018, 137, .	1.6	0
529	Senescence, Cancer and 'Endogenous Parasites'. Journal of the Royal College of Physicians of London, 1996, 30, 189.	0.2	0
530	Author reply: The relationship between alcohol intake and falls. Geriatrics and Gerontology International, 2022, 22, 91-92.	1.5	0
531	Face Validity of Observed Meal Patterns Reported with 7-Day Diet Diaries in a Large Population-Based Cohort Using Diurnal Variation in Concentration Biomarkers of Dietary Intake. Nutrients, 2022, 14, 238.	4.1	0
532	Genetic control of serum 25(OH)D levels and its association with ethnicity. Journal of Steroid Biochemistry and Molecular Biology, 2022, , 106149.	2.5	0