

# Kay-Tee Khaw

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6607672/publications.pdf>

Version: 2024-02-01

532  
papers

52,606  
citations

1877

105  
h-index

2453

203  
g-index

546  
all docs

546  
docs citations

546  
times ranked

69456  
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283.	9.4	2,641
2	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,634
3	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012, 44, 981-990.	9.4	1,748
4	Association of Leisure-Time Physical Activity With Risk of 26 Types of Cancer in 1.44 Million Adults. <i>JAMA Internal Medicine</i> , 2016, 176, 816.	2.6	1,000
5	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	9.4	959
6	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018, 50, 1412-1425.	9.4	924
7	Association of Hemoglobin A <sub>1c</sub> with Cardiovascular Disease and Mortality in Adults: The European Prospective Investigation into Cancer in Norfolk. <i>Annals of Internal Medicine</i> , 2004, 141, 413.	2.0	847
8	Glycated haemoglobin, diabetes, and mortality in men in Norfolk cohort of European Prospective Investigation of Cancer and Nutrition (EPIC-Norfolk). <i>BMJ: British Medical Journal</i> , 2001, 322, 15-15.	2.4	832
9	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2005, 97, 906-916.	3.0	716
10	Endogenous Testosterone and Mortality Due to All Causes, Cardiovascular Disease, and Cancer in Men. <i>Circulation</i> , 2007, 116, 2694-2701.	1.6	695
11	A Prospective Study of Dehydroepiandrosterone Sulfate, Mortality, and Cardiovascular Disease. <i>New England Journal of Medicine</i> , 1986, 315, 1519-1524.	13.9	671
12	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936.	9.4	652
13	Combined Impact of Health Behaviours and Mortality in Men and Women: The EPIC-Norfolk Prospective Population Study. <i>PLoS Medicine</i> , 2008, 5, e12.	3.9	630
14	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. <i>Nature</i> , 2014, 514, 92-97.	13.7	548
15	Serum Myeloperoxidase Levels Are Associated With the Future Risk of Coronary Artery Disease in Apparently Healthy Individuals. <i>Journal of the American College of Cardiology</i> , 2007, 50, 159-165.	1.2	544
16	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014, 349, g4164-g4164.	3.0	528
17	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015, 47, 373-380.	9.4	513
18	Relation between plasma ascorbic acid and mortality in men and women in EPIC-Norfolk prospective study: a prospective population study. <i>Lancet, The</i> , 2001, 357, 657-663.	6.3	508

#	ARTICLE	IF	CITATIONS
19	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 920-931.	3.0	485
20	Whole-genome sequencing identifies EN1 as a determinant of bone density and fracture. <i>Nature</i> , 2015, 526, 112-117.	13.7	483
21	Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. <i>Nature Communications</i> , 2020, 11, 163.	5.8	466
22	Dietary Potassium and Stroke-Associated Mortality. <i>New England Journal of Medicine</i> , 1987, 316, 235-240.	13.9	460
23	Integrative genomic analysis implicates limited peripheral adipose storage capacity in the pathogenesis of human insulin resistance. <i>Nature Genetics</i> , 2017, 49, 17-26.	9.4	452
24	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	5.5	431
25	Early Age at Menarche Associated with Cardiovascular Disease and Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4953-4960.	1.8	430
26	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014, 46, 1103-1109.	9.4	408
27	Body Fat Distribution and Risk of Coronary Heart Disease in Men and Women in the European Prospective Investigation Into Cancer and Nutrition in Norfolk Cohort. <i>Circulation</i> , 2007, 116, 2933-2943.	1.6	407
28	New gene functions in megakaryopoiesis and platelet formation. <i>Nature</i> , 2011, 480, 201-208.	13.7	401
29	Association of HDL cholesterol efflux capacity with incident coronary heart disease events: a prospective case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 507-513.	5.5	389
30	A Meta-Analysis of the Association of Fracture Risk and Body Mass Index in Women. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 223-233.	3.1	388
31	FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012, 490, 267-272.	13.7	383
32	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	9.4	362
33	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014, 46, 736-741.	9.4	360
34	Effect of Monthly High-Dose Vitamin D Supplementation on Cardiovascular Disease in the Vitamin D Assessment Study. <i>JAMA Cardiology</i> , 2017, 2, 608.	3.0	353
35	ω-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1155.	2.6	326
36	Genetic Predisposition to an Impaired Metabolism of the Branched-Chain Amino Acids and Risk of Type 2 Diabetes: A Mendelian Randomisation Analysis. <i>PLoS Medicine</i> , 2016, 13, e1002179.	3.9	324

#	ARTICLE	IF	CITATIONS
37	Genome-wide association study in 79,366 European-ancestry individuals informs the genetic architecture of 25-hydroxyvitamin D levels. <i>Nature Communications</i> , 2018, 9, 260.	5.8	295
38	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. <i>Nature Genetics</i> , 2014, 46, 994-1000.	9.4	294
39	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 150-163.	2.2	285
40	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 613-621.	2.2	284
41	Beyond Low-Density Lipoprotein Cholesterol. <i>Journal of the American College of Cardiology</i> , 2009, 55, 35-41.	1.2	268
42	Subclinical Thyroid Dysfunction and Fracture Risk. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 2055.	3.8	264
43	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75.	9.4	264
44	Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. <i>Lancet, The</i> , 2004, 363, 197-202.	6.3	257
45	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1441-1452.	2.2	251
46	Urinary Bisphenol A Concentration and Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Circulation</i> , 2012, 125, 1482-1490.	1.6	242
47	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	4.1	235
48	Physical Activity Attenuates the Genetic Predisposition to Obesity in 20,000 Men and Women from EPIC-Norfolk Prospective Population Study. <i>PLoS Medicine</i> , 2010, 7, e1000332.	3.9	230
49	Value of Low-Density Lipoprotein Particle Number and Size as Predictors of Coronary Artery Disease in Apparently Healthy Men and Women. <i>Journal of the American College of Cardiology</i> , 2007, 49, 547-553.	1.2	225
50	Lipoprotein(a) Levels, Genotype, and Incident Aortic Valve Stenosis. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 304-310.	5.1	219
51	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2012, 7, e39361.	1.1	218
52	Plasma Phospholipid Fatty Acid Concentration and Incident Coronary Heart Disease in Men and Women: The EPIC-Norfolk Prospective Study. <i>PLoS Medicine</i> , 2012, 9, e1001255.	3.9	216
53	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39,740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 965-974.	5.5	213
54	Plasma Levels of Cholesteryl Ester Transfer Protein and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Circulation</i> , 2004, 110, 1418-1423.	1.6	210

#	ARTICLE	IF	CITATIONS
55	High-Density Lipoprotein Particle Size and Concentration and Coronary Risk. <i>Annals of Internal Medicine</i> , 2009, 150, 84.	2.0	201
56	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436.	1.6	199
57	Sense of Coherence and Mortality in Men and Women in the EPIC-Norfolk United Kingdom Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2003, 158, 1202-1209.	1.6	198
58	Physical activity trajectories and mortality: population based cohort study. <i>BMJ: British Medical Journal</i> , 2019, 365, l2323.	2.4	194
59	Sleep duration and risk of fatal and nonfatal stroke. <i>Neurology</i> , 2015, 84, 1072-1079.	1.5	192
60	Physical Activity and Risk of Colon and Rectal Cancers: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2398-2407.	1.1	190
61	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 331-346.	2.2	188
62	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. <i>Nature Communications</i> , 2018, 9, 556.	5.8	188
63	A proposed panel of biomarkers of healthy ageing. <i>BMC Medicine</i> , 2015, 13, 222.	2.3	184
64	DIETARY FIBER AND REDUCED ISCREMIC HEART DISEASE MORTALITY RATES IT MEN AND WOMEN: A 12-YEAR PROSPECTIVE STUDY. <i>American Journal of Epidemiology</i> , 1987, 126, 1093-1102.	1.6	181
65	A Prospective Study of the Association Between Quantity and Variety of Fruit and Vegetable Intake and Incident Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1293-1300.	4.3	181
66	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014, 12, 168.	2.3	178
67	Depression and Ischemic Heart Disease Mortality: Evidence From the EPIC-Norfolk United Kingdom Prospective Cohort Study. <i>American Journal of Psychiatry</i> , 2008, 165, 515-523.	4.0	177
68	N-nitroso compounds and cancer incidence: the European Prospective Investigation into Cancer and Nutrition (EPIC)â€™Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1053-1061.	2.2	174
69	<i>PALB2</i>,<i>CHEK2</i>and<i>ATM</i>rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016, 53, 800-811.	1.5	174
70	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019, 179, 1479.	2.6	169
71	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247.	2.0	168
72	Thyroid Function Within the Normal Range, Subclinical Hypothyroidism, and the Risk of Atrial Fibrillation. <i>Circulation</i> , 2017, 136, 2100-2116.	1.6	159

#	ARTICLE	IF	CITATIONS
73	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	7.7	157
74	C-reactive protein levels and coronary artery disease incidence and mortality in apparently healthy men and women: The EPIC-Norfolk prospective population study 1993â€“2003. <i>Atherosclerosis</i> , 2006, 187, 415-422.	0.4	153
75	A new tool for converting food frequency questionnaire data into nutrient and food group values: FETA research methods and availability. <i>BMJ Open</i> , 2014, 4, e004503.	0.8	153
76	Polygenic hazard score to guide screening for aggressive prostate cancer: development and validation in large scale cohorts. <i>BMJ: British Medical Journal</i> , 2018, 360, j5757.	2.4	153
77	Social relationships and healthful dietary behaviour: Evidence from over-50s in the EPIC cohort, UK. <i>Social Science and Medicine</i> , 2014, 100, 167-175.	1.8	152
78	Association of Genetic Variants Related to Gluteofemoral vs Abdominal Fat Distribution With Type 2 Diabetes, Coronary Disease, and Cardiovascular Risk Factors. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 2553.	3.8	152
79	Effect of monthly high-dose vitamin D supplementation on falls and non-vertebral fractures: secondary and post-hoc outcomes from the randomised, double-blind, placebo-controlled ViDA trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 438-447.	5.5	151
80	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1107-1120.	2.2	150
81	The hypertriglyceridemic-waist phenotype and the risk of coronary artery disease: results from the EPIC-Norfolk Prospective Population Study. <i>Cmaj</i> , 2010, 182, 1427-1432.	0.9	149
82	Large-scale GWAS identifies multiple loci for hand grip strength providing biological insights into muscular fitness. <i>Nature Communications</i> , 2017, 8, 16015.	5.8	149
83	Serum B Vitamin Levels and Risk of Lung Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 2377.	3.8	147
84	Large meta-analysis of genome-wide association studies identifies five loci for lean body mass. <i>Nature Communications</i> , 2017, 8, 80.	5.8	147
85	Dietary dairy product intake and incident type 2 diabetes: a prospective study using dietary data from a 7-day food diary. <i>Diabetologia</i> , 2014, 57, 909-917.	2.9	145
86	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. <i>Human Molecular Genetics</i> , 2014, 23, 6961-6972.	1.4	143
87	Flavonoid Intake in European Adults (18 to 64 Years). <i>PLoS ONE</i> , 2015, 10, e0128132.	1.1	143
88	Work and leisure time physical activity assessed using a simple, pragmatic, validated questionnaire and incident cardiovascular disease and all-cause mortality in men and women: The European Prospective Investigation into Cancer in Norfolk prospective population study. <i>International Journal of Epidemiology</i> , 2006, 35, 1034-1043.	0.9	141
89	Healthy lifestyle choices: could sense of coherence aid health promotion?. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 871-876.	2.0	141
90	Prospective association of the Mediterranean diet with cardiovascular disease incidence and mortality and its population impact in a non-Mediterranean population: the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016, 14, 135.	2.3	141

#	ARTICLE	IF	CITATIONS
91	Role of the Apolipoprotein Bâ€“Apolipoprotein A-I Ratio in Cardiovascular Risk Assessment: A Caseâ€“Control Analysis in EPIC-Norfolk. <i>Annals of Internal Medicine</i> , 2007, 146, 640.	2.0	140
92	Initial thyroid status and cardiovascular risk factors: The EPICâ€“Norfolk prospective population study. <i>Clinical Endocrinology</i> , 2010, 72, 404-410.	1.2	140
93	Blood pressure and urinary sodium in men and women: the Norfolk Cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1397-1403.	2.2	136
94	Monthly High-Dose Vitamin D Supplementation and Cancer Risk. <i>JAMA Oncology</i> , 2018, 4, e182178.	3.4	134
95	Combined effect of health behaviours and risk of first ever stroke in 20 040 men and women over 11 years' follow-up in Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): prospective population study. <i>BMJ: British Medical Journal</i> , 2009, 338, b349-b349.	2.4	130
96	Randomised trial of coconut oil, olive oil or butter on blood lipids and other cardiovascular risk factors in healthy men and women. <i>BMJ Open</i> , 2018, 8, e020167.	0.8	129
97	Variability and determinants of total homocysteine concentrations in plasma in an elderly population. <i>Clinical Chemistry</i> , 1998, 44, 102-107.	1.5	128
98	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 582-593.	1.1	126
99	Performance of the UK Prospective Diabetes Study Risk Engine and the Framingham Risk Equations in Estimating Cardiovascular Disease in the EPIC- Norfolk Cohort. <i>Diabetes Care</i> , 2009, 32, 708-713.	4.3	125
100	Breast cancer risk variants at 6q25 display different phenotype associations and regulate <i>ESR1</i> , <i>RMND1</i> and <i>CCDC170</i> . <i>Nature Genetics</i> , 2016, 48, 374-386.	9.4	125
101	Prospective associations and population impact of sweet beverage intake and type 2 diabetes, and effects of substitutions with alternative beverages. <i>Diabetologia</i> , 2015, 58, 1474-1483.	2.9	121
102	Differential White Blood Cell Count and Type 2 Diabetes: Systematic Review and Meta-Analysis of Cross-Sectional and Prospective Studies. <i>PLoS ONE</i> , 2010, 5, e13405.	1.1	118
103	A cross-platform approach identifies genetic regulators of human metabolism and health. <i>Nature Genetics</i> , 2021, 53, 54-64.	9.4	117
104	Secretory Phospholipase A2-IIA and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1966-1976.	1.2	115
105	Plasma ascorbic acid concentrations and fat distribution in 19 068 British men and women in the European Prospective Investigation into Cancer and Nutrition Norfolk cohort study. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1203-1209.	2.2	114
106	Residential area deprivation predicts fruit and vegetable consumption independently of individual educational level and occupational social class: a cross sectional population study in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 686-691.	2.0	111
107	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. <i>American Journal of Human Genetics</i> , 2014, 95, 24-38.	2.6	109
108	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptorâ€“Positive and -Negative Breast Cancer: a Nested Caseâ€“Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635.	0.7	108

#	ARTICLE	IF	CITATIONS
109	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017, 8, 15724.	5.8	106
110	Plasma levels of plant sterols and the risk of coronary artery disease: the prospective EPIC-Norfolk Population Study. <i>Journal of Lipid Research</i> , 2007, 48, 139-144.	2.0	105
111	Plasma vitamin C concentrations predict risk of incident stroke over 10 y in 20 649 participants of the European Prospective Investigation into Cancerâ€“Norfolk prospective population study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 64-69.	2.2	104
112	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
113	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016, 11, e0147029.	1.1	102
114	Apolipoprotein A-II Is Inversely Associated With Risk of Future Coronary Artery Disease. <i>Circulation</i> , 2007, 116, 2029-2035.	1.6	101
115	Common Breast Cancer Susceptibility Variants in <i>LSP1</i> and <i>RAD51L1</i> Are Associated with Mammographic Density Measures that Predict Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1156-1166.	1.1	101
116	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. <i>American Journal of Human Genetics</i> , 2015, 96, 487-497.	2.6	101
117	Serum Levels of Type II Secretory Phospholipase A2 and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 839-846.	1.1	100
118	Cardiovascular disease risk associated with elevated lipoprotein(a) attenuates at low low-density lipoprotein cholesterol levels in a primary prevention setting. <i>European Heart Journal</i> , 2018, 39, 2589-2596.	1.0	100
119	Circulating Secretory Phospholipase A2 Activity and Risk of Incident Coronary Events in Healthy Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1177-1183.	1.1	99
120	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1323-1331.e6.	2.4	99
121	Energy Intake at Breakfast and Weight Change: Prospective Study of 6,764 Middle-aged Men and Women. <i>American Journal of Epidemiology</i> , 2007, 167, 188-192.	1.6	97
122	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631.	1.0	97
123	Family history of premature coronary heart disease and risk prediction in the EPIC-Norfolk prospective population study. <i>Heart</i> , 2010, 96, 1985-1989.	1.2	96
124	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017, 38, 699-707.	1.3	94
125	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	2.3	93
126	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016, 7, 11375.	5.8	93



#	ARTICLE	IF	CITATIONS
127	Mendelian Randomization Study of B-Type Natriuretic Peptide and Type 2 Diabetes: Evidence of Causal Association from Population Studies. <i>PLoS Medicine</i> , 2011, 8, e1001112.	3.9	92
128	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141.	2.5	91
129	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	1.4	90
130	Dietary Diversity, Diet Cost, and Incidence of Type 2 Diabetes in the United Kingdom: A Prospective Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002085.	3.9	90
131	Estimating the population impact of screening strategies for identifying and treating people at high risk of cardiovascular disease: modelling study. <i>BMJ: British Medical Journal</i> , 2010, 340, c1693-c1693.	2.4	88
132	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , 2016, 7, 66328-66343.	0.8	88
133	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256.	5.8	88
134	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431.	5.8	88
135	Associations with Intraocular Pressure in a Large Cohort. <i>Ophthalmology</i> , 2016, 123, 771-782.	2.5	87
136	Interrelation of vitamin C, infection, haemostatic factors, and cardiovascular disease. <i>BMJ: British Medical Journal</i> , 1995, 310, 1559-1563.	2.4	87
137	Genetic Variation at the <i>Phospholipid Transfer Protein</i> Locus Affects Its Activity and High-Density Lipoprotein Size and Is a Novel Marker of Cardiovascular Disease Susceptibility. <i>Circulation</i> , 2010, 122, 470-477.	1.6	86
138	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843.	5.8	86
139	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013, 8, e72715.	1.1	85
140	Assessing the causal association of glycine with risk of cardio-metabolic diseases. <i>Nature Communications</i> , 2019, 10, 1060.	5.8	85
141	Apolipoprotein A-V, triglycerides and risk of coronary artery disease: the prospective Epic-Norfolk Population Study. <i>Journal of Lipid Research</i> , 2006, 47, 2064-2070.	2.0	84
142	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019, 10, 4957.	5.8	84
143	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020, 10, 14541.	1.6	84
144	Relationship between Subdomains of Total Physical Activity and Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1909-1915.	0.2	82

#	ARTICLE	IF	CITATIONS
145	The Association Between Circulating Lipoprotein(a) and Type 2 Diabetes: Is It Causal?. <i>Diabetes</i> , 2014, 63, 332-342.	0.3	82
146	Glaucoma and intraocular pressure in EPIC-Norfolk Eye Study: cross sectional study. <i>BMJ: British Medical Journal</i> , 2017, 358, j3889.	2.4	82
147	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014, 4, e005245-e005245.	0.8	81
148	Plasma metabolites to profile pathways in noncommunicable disease multimorbidity. <i>Nature Medicine</i> , 2021, 27, 471-479.	15.2	81
149	The Vitamin D Assessment (ViDA) Study: design of a randomized controlled trial of vitamin D supplementation for the prevention of cardiovascular disease, acute respiratory infection, falls and non-vertebral fractures. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 164, 318-325.	1.2	80
150	Plasma vitamin C predicts incident heart failure in men and women in European Prospective Investigation into Cancer and Nutritionâ€“Norfolk prospective study. <i>American Heart Journal</i> , 2011, 162, 246-253.	1.2	79
151	Total anticholinergic burden and risk of mortality and cardiovascular disease over 10 years in 21,636 middle-aged and older men and women of EPIC-Norfolk prospective population study. <i>Age and Ageing</i> , 2015, 44, 219-225.	0.7	79
152	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	0.6	79
153	Genome-wide association study identifies 48 common genetic variants associated with handedness. <i>Nature Human Behaviour</i> , 2021, 5, 59-70.	6.2	79
154	Estimated urinary sodium excretion and risk of heart failure in men and women in the EPICâ€“Norfolk study. <i>European Journal of Heart Failure</i> , 2014, 16, 394-402.	2.9	78
155	Macrophage migration inhibitory factor and the risk of myocardial infarction or death due to coronary artery disease in adults without prior myocardial infarction or stroke: The EPIC-Norfolk Prospective Population study. <i>American Journal of Medicine</i> , 2004, 117, 390-397.	0.6	77
156	The effects of height and BMI on prostate cancer incidence and mortality: a Mendelian randomization study in 20,848 cases and 20,214 controls from the PRACTICAL consortium. <i>Cancer Causes and Control</i> , 2015, 26, 1603-1616.	0.8	77
157	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016, 138, 348-360.	2.3	77
158	Epigenome-Wide Association Study of Incident Type 2 Diabetes in a British Population: EPIC-Norfolk Study. <i>Diabetes</i> , 2019, 68, 2315-2326.	0.3	77
159	Prospective cohort study of hostility and the risk of cardiovascular disease mortality. <i>International Journal of Cardiology</i> , 2005, 100, 155-161.	0.8	76
160	Fruit and vegetable consumption and self-reported functional health in men and women in the European Prospective Investigation into Cancerâ€“Norfolk (EPICâ€“Norfolk): a population-based cross-sectional study. <i>Public Health Nutrition</i> , 2007, 10, 34-41.	1.1	75
161	Cohort Profile: A prospective cohort study of objective physical and cognitive capability and visual health in an ageing population of men and women in Norfolk (EPIC-Norfolk 3). <i>International Journal of Epidemiology</i> , 2014, 43, 1063-1072.	0.9	75
162	Using lifestyle factors to identify individuals at higher risk of inflammatory polyarthritis (results) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67	0.5	75

#	ARTICLE	IF	CITATIONS
163	Impact of physical activity on the risk of cardiovascular disease in middle-aged and older adults: EPIC Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 200-208.	0.8	75
164	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ</i> , The, 2020, 370, m2194.	3.0	75
165	Glycated hemoglobin as a marker of cardiovascular risk. <i>Current Opinion in Lipidology</i> , 2006, 17, 637-643.	1.2	74
166	Mediterranean diet adherence and cognitive function in older UK adults: the European Prospective Investigation into Cancer and Nutrition—Norfolk (EPIC-Norfolk) Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 938-948.	2.2	74
167	Serum 25-hydroxyvitamin D, mortality, and incident cardiovascular disease, respiratory disease, cancers, and fractures: a 13-y prospective population study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1361-1370.	2.2	73
168	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. <i>Human Molecular Genetics</i> , 2016, 25, 358-370.	1.4	73
169	Osteoprotegerin and Soluble Receptor Activator of Nuclear Factor- $\kappa$ B Ligand and Risk for Coronary Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 975-980.	1.1	71
170	Preliminary communication: glycated hemoglobin, diabetes, and incident colorectal cancer in men and women: a prospective analysis from the European prospective investigation into cancer-Norfolk study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 915-9.	1.1	71
171	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	2.3	70
172	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	2.2	70
173	Prediction of individualized lifetime benefit from cholesterol lowering, blood pressure lowering, antithrombotic therapy, and smoking cessation in apparently healthy people. <i>European Heart Journal</i> , 2020, 41, 1190-1199.	1.0	70
174	Blood lipids and prostate cancer: a Mendelian randomization analysis. <i>Cancer Medicine</i> , 2016, 5, 1125-1136.	1.3	68
175	Improved cardiovascular risk prediction using targeted plasma proteomics in primary prevention. <i>European Heart Journal</i> , 2020, 41, 3998-4007.	1.0	68
176	Serum Lipoprotein Lipase Concentration and Risk for Future Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 637-642.	1.1	67
177	Seventeen year risk of all-cause and cause-specific mortality associated with C-reactive protein, fibrinogen and leukocyte count in men and women: the EPIC-Norfolk study. <i>European Journal of Epidemiology</i> , 2013, 28, 541-550.	2.5	67
178	Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. <i>Heart</i> , 2015, 101, 1279-1287.	1.2	67
179	Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. <i>Human Molecular Genetics</i> , 2015, 24, 5589-5602.	1.4	67
180	Thyroid Function Within the Normal Range and Risk of Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2015, 175, 1037.	2.6	66

#	ARTICLE	IF	CITATIONS
181	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015, 13, 107.	2.3	66
182	Relation Between Self-Reported Physical Functional Health and Chronic Disease Mortality in Men And Women in the European Prospective Investigation Into Cancer (EPIC-Norfolk): A Prospective Population Study. <i>Annals of Epidemiology</i> , 2006, 16, 492-500.	0.9	65
183	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	2.3	65
184	Ideal cardiovascular health influences cardiovascular disease risk associated with high lipoprotein(a) levels and genotype: The EPIC-Norfolk prospective population study. <i>Atherosclerosis</i> , 2017, 256, 47-52.	0.4	65
185	Evaluation of the Framingham Risk Score in the European Prospective Investigation of Cancer-Norfolk Cohort: Does Adding Glycated Hemoglobin Improve the Prediction of Coronary Heart Disease Events? <i>Archives of Internal Medicine</i> , 2008, 168, 1209.	4.3	64
186	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1498-1508.	2.2	63
187	Ideal cardiovascular health and risk of cardiovascular events in the EPIC-Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 986-994.	0.8	63
188	Effect of Monthly, High-Dose, Long-Term Vitamin D Supplementation on Central Blood Pressure Parameters: A Randomized Controlled Trial Substudy. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	63
189	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	3.9	63
190	Visual acuity, self-reported vision and falls in the EPIC-Norfolk Eye study. <i>British Journal of Ophthalmology</i> , 2014, 98, 377-382.	2.1	62
191	CYP19A1 fine-mapping and Mendelian randomization: estradiol is causal for endometrial cancer. <i>Endocrine-Related Cancer</i> , 2016, 23, 77-91.	1.6	62
192	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	2.4	61
193	Dietary magnesium and potassium intakes and circulating magnesium are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the EPIC-Norfolk cohort study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 376-384.	2.2	61
194	Incidence of Type 2 Diabetes Using Proposed HbA1c Diagnostic Criteria in the European Prospective Investigation of Cancer-Norfolk Cohort. <i>Diabetes Care</i> , 2011, 34, 950-956.	4.3	60
195	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418,329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640.	1.0	60
196	Social Class, Risk Factors, and Stroke Incidence in Men and Women. <i>Stroke</i> , 2009, 40, 1070-1077.	1.0	59
197	Mastery is associated with cardiovascular disease mortality in men and women at apparently low risk. <i>Health Psychology</i> , 2010, 29, 412-420.	1.3	57
198	Performance of the CHARGE-AF risk model for incident atrial fibrillation in the EPIC Norfolk cohort. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 932-939.	0.8	57

#	ARTICLE	IF	CITATIONS
199	Longitudinal Association of C-Reactive Protein and Lung Function Over 13 Years: The EPIC-Norfolk Study. <i>American Journal of Epidemiology</i> , 2014, 179, 48-56.	1.6	56
200	A Large-Scale Analysis of Genetic Variants within Putative miRNA Binding Sites in Prostate Cancer. <i>Cancer Discovery</i> , 2015, 5, 368-379.	7.7	56
201	Apolipoprotein C-III Levels and Incident Coronary Artery Disease Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1206-1212.	1.1	56
202	Prospective Associations of Accelerometer-Measured Physical Activity and Sedentary Time With Incident Cardiovascular Disease, Cancer, and All-Cause Mortality. <i>Circulation</i> , 2020, 141, 1113-1115.	1.6	56
203	Vitamin C status and blood pressure. <i>Journal of Hypertension</i> , 1996, 14, 503-508.	0.3	55
204	Daytime napping, sleep duration and serum C reactive protein: a population-based cohort study. <i>BMJ Open</i> , 2014, 4, e006071.	0.8	55
205	The relationship between dietary magnesium intake, stroke and its major risk factors, blood pressure and cholesterol, in the EPIC-Norfolk cohort. <i>International Journal of Cardiology</i> , 2015, 196, 108-114.	0.8	55
206	Novel Associations between Common Breast Cancer Susceptibility Variants and Risk-Predicting Mammographic Density Measures. <i>Cancer Research</i> , 2015, 75, 2457-2467.	0.4	55
207	Association of Genetically Enhanced Lipoprotein Lipase-Mediated Lipolysis and Low-Density Lipoprotein Cholesterol-Lowering Alleles With Risk of Coronary Disease and Type 2 Diabetes. <i>JAMA Cardiology</i> , 2018, 3, 957.	3.0	55
208	Prediction of individual genetic risk to prostate cancer using a polygenic score. <i>Prostate</i> , 2015, 75, 1467-1474.	1.2	54
209	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 877-884.	0.8	53
210	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015, 137, 1196-1208.	2.3	53
211	Contribution of common non-synonymous variants in PCSK1 to body mass index variation and risk of obesity: a systematic review and meta-analysis with evidence from up to 331 175 individuals. <i>Human Molecular Genetics</i> , 2015, 24, 3582-3594.	1.4	53
212	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017, 116, 688-696.	2.9	53
213	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017, 16, 3137-3146.	1.8	53
214	Accordance to the Dietary Approaches to Stop Hypertension diet pattern and cardiovascular disease in a British, population-based cohort. <i>European Journal of Epidemiology</i> , 2018, 33, 235-244.	2.5	53
215	Evaluation at scale of microbiome-derived metabolites as biomarker of flavan-3-ol intake in epidemiological studies. <i>Scientific Reports</i> , 2018, 8, 9859.	1.6	53
216	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 2680-2693.	2.3	52

#	ARTICLE	IF	CITATIONS
217	Occupational social class, risk factors and cardiovascular disease incidence in men and women: a prospective study in the European Prospective Investigation of Cancer and Nutrition in Norfolk (EPIC-Norfolk) cohort. <i>European Journal of Epidemiology</i> , 2008, 23, 449-458.	2.5	51
218	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 951-961.	1.1	51
219	Effect of Monthly, High-Dose, Long-Term Vitamin D on Lung Function: A Randomized Controlled Trial. <i>Nutrients</i> , 2017, 9, 1353.	1.7	51
220	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , 2016, 7, 10979.	5.8	50
221	Population Study of Blood Pressure and Associated Factors in St Lucia, West Indies. <i>International Journal of Epidemiology</i> , 1982, 11, 372-377.	0.9	48
222	Both Paraoxonase-1 Genotype and Activity Do Not Predict the Risk of Future Coronary Artery Disease; the EPIC-Norfolk Prospective Population Study. <i>PLoS ONE</i> , 2009, 4, e6809.	1.1	48
223	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016, 55, 7-20.	1.8	48
224	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , 2017, 141, 905-915.	2.3	48
225	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017, 15, 122.	2.3	47
226	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017, 15, 203.	2.3	47
227	Vitamin C and cardiovascular disease: a systematic review. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1996, 3, 513-521.	1.5	46
228	Physical activity, metabolic syndrome, and coronary risk: the EPIC-Norfolk prospective population study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 209-217.	3.1	46
229	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014, 124, 530-535.	0.6	46
230	Association between sucrose intake and risk of overweight and obesity in a prospective sub-cohort of the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk). <i>Public Health Nutrition</i> , 2015, 18, 2815-2824.	1.1	46
231	Objective Sedentary Time, Moderate-to-Vigorous Physical Activity, and Physical Capability in a British Cohort. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 421-429.	0.2	46
232	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016, 14, 122.	2.3	46
233	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 976-985.	1.1	45
234	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	2.3	45

#	ARTICLE	IF	CITATIONS
235	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	2.2	45
236	Polyclonal human antibodies against glycans bearing red meat-derived non-human sialic acid N-glycolylneuraminic acid are stable, reproducible, complex and vary between individuals: Total antibody levels are associated with colorectal cancer risk. <i>PLoS ONE</i> , 2018, 13, e0197464.	1.1	45
237	Genetic Variants Associated With Corneal Biomechanical Properties and Potentially Conferring Susceptibility to Keratoconus in a Genome-Wide Association Study. <i>JAMA Ophthalmology</i> , 2019, 137, 1005.	1.4	45
238	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394.	3.9	45
239	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	2.3	45
240	Measured Height Loss Predicts Fractures in Middle-Aged and Older Men and Women: The EPIC-Norfolk Prospective Population Study. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 425-432.	3.1	44
241	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. <i>PLoS ONE</i> , 2014, 9, e98647.	1.1	44
242	Self-reported sleep patterns in a British population cohort. <i>Sleep Medicine</i> , 2014, 15, 295-302.	0.8	44
243	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016, 14, 87.	2.3	44
244	Estimated 10-year cardiovascular mortality seriously underestimates overall cardiovascular risk. <i>Heart</i> , 2016, 102, 63-68.	1.2	44
245	Monthly high-dose vitamin D supplementation does not increase kidney stone risk or serum calcium: results from a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1578-1587.	2.2	44
246	Retinal Vasculometry Associations with Cardiometabolic Risk Factors in the European Prospective Investigation of Cancer—Norfolk Study. <i>Ophthalmology</i> , 2019, 126, 96-106.	2.5	44
247	CA19 and apolipoprotein A2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , 2019, 144, 1877-1887.	2.3	44
248	Prolactin Levels and the Risk of Future Coronary Artery Disease in Apparently Healthy Men and Women. <i>Circulation: Cardiovascular Genetics</i> , 2009, 2, 389-395.	5.1	43
249	Germline variation at 8q24 and prostate cancer risk in men of European ancestry. <i>Nature Communications</i> , 2018, 9, 4616.	5.8	43
250	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014, 135, 1949-1960.	2.3	42
251	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	1.1	42
252	Pubertal development and prostate cancer risk: Mendelian randomization study in a population-based cohort. <i>BMC Medicine</i> , 2016, 14, 66.	2.3	42

#	ARTICLE	IF	CITATIONS
253	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	2.3	42
254	Patterns of physical activity and ultrasound attenuation by heel bone among Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): population based. <i>BMJ: British Medical Journal</i> , 2001, 322, 140-140.	2.4	41
255	No evidence that social stress is associated with breast cancer incidence. <i>Breast Cancer Research and Treatment</i> , 2010, 120, 169-174.	1.1	41
256	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 134, 612-621.	2.3	41
257	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	0.7	41
258	Carotenoid dietary intakes and plasma concentrations are associated with heel bone ultrasound attenuation and osteoporotic fracture risk in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk cohort. <i>British Journal of Nutrition</i> , 2017, 117, 1439-1453.	1.2	41
259	Effect of Monthly High-Dose Vitamin D Supplementation on Acute Respiratory Infections in Older Adults: A Randomized Controlled Trial. <i>Clinical Infectious Diseases</i> , 2020, 71, 311-317.	2.9	41
260	Functional single nucleotide polymorphisms within the cyclin-dependent kinase inhibitor 2A/2B region affect pancreatic cancer risk. <i>Oncotarget</i> , 2016, 7, 57011-57020.	0.8	41
261	Adverse experience in childhood as a developmental risk factor for altered immune status in adulthood. <i>International Journal of Behavioral Medicine</i> , 2003, 10, 251-268.	0.8	40
262	Associations of endogenous testosterone and SHBG with glycated haemoglobin in middle-aged and older men. <i>Clinical Endocrinology</i> , 2011, 74, 572-578.	1.2	40
263	Polygenic hazard score is associated with prostate cancer in multi-ethnic populations. <i>Nature Communications</i> , 2021, 12, 1236.	5.8	40
264	Lack of association between common genetic variation in endothelial lipase (LIPG) and the risk for CAD and DVT. <i>Atherosclerosis</i> , 2010, 211, 558-564.	0.4	39
265	Heterogeneous impact of classic atherosclerotic risk factors on different arterial territories: the EPIC-Norfolk prospective population study. <i>European Heart Journal</i> , 2016, 37, 880-889.	1.0	39
266	The Relation Between Thyroid Function and Anemia: A Pooled Analysis of Individual Participant Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3658-3667.	1.8	39
267	Accuracy of death certification and hospital record linkage for identification of incident stroke. <i>BMC Medical Research Methodology</i> , 2008, 8, 74.	1.4	38
268	Dietary intake measurement using 7-day diet diaries in British men and women in the European Prospective Investigation into Cancer-Norfolk study: a focus on methodological issues. <i>British Journal of Nutrition</i> , 2014, 111, 516-526.	1.2	38
269	Serum carbon and nitrogen stable isotopes as potential biomarkers of dietary intake and their relation with incident type 2 diabetes: the EPIC-Norfolk study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 708-718.	2.2	38
270	Body Mass Index, Smoking, and Alcohol and Risks of Barrett's Esophagus and Esophageal Adenocarcinoma: A UK Prospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2014, 59, 1552-1559.	1.1	38



#	ARTICLE	IF	CITATIONS
271	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015, 137, 2715-2728.	2.3	38
272	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 633-640.	0.9	38
273	Disentangling the genetics of lean mass. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 276-287.	2.2	38
274	Changes in waist circumference and risk of all-cause and CVD mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 238.	0.7	38
275	Post-GWAS gene-environment interplay in breast cancer: results from the Breast and Prostate Cancer Cohort Consortium and a meta-analysis on 79 000 women. <i>Human Molecular Genetics</i> , 2014, 23, 5260-5270.	1.4	37
276	Low Bone Mineral Density Predicts Incident Heart Failure in Men and Women. <i>JACC: Heart Failure</i> , 2014, 2, 380-389.	1.9	37
277	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015, 97, 22-34.	2.6	37
278	Crowdsourcing as a Screening Tool to Detect Clinical Features of Glaucomatous Optic Neuropathy from Digital Photography. <i>PLoS ONE</i> , 2015, 10, e0117401.	1.1	37
279	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2447-2454.	1.1	36
280	Genetic determinants of telomere length and risk of pancreatic cancer: A PANDoRA study. <i>International Journal of Cancer</i> , 2019, 144, 1275-1283.	2.3	36
281	Physical Activity and Ocular Perfusion Pressure: The EPIC-Norfolk Eye Study. , 2011, 52, 8186.		35
282	Lifestyle behaviours and quality-adjusted life years in middle and older age. <i>Age and Ageing</i> , 2011, 40, 589-595.	0.7	35
283	The association of cycling with all-cause, cardiovascular and cancer mortality: findings from the population-based EPIC-Norfolk cohort. <i>BMJ Open</i> , 2013, 3, e003797.	0.8	35
284	Associations between flavan-3-ol intake and CVD risk in the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>Free Radical Biology and Medicine</i> , 2015, 84, 1-10.	1.3	35
285	Consumption of individual saturated fatty acids and the risk of myocardial infarction in a UK and a Danish cohort. <i>International Journal of Cardiology</i> , 2019, 279, 18-26.	0.8	35
286	Plasma trimethylamine N-oxide (TMAO) levels predict future risk of coronary artery disease in apparently healthy individuals in the EPIC-Norfolk prospective population study. <i>American Heart Journal</i> , 2021, 236, 80-86.	1.2	35
287	Fine-Mapping the HOXB Region Detects Common Variants Tagging a Rare Coding Allele: Evidence for Synthetic Association in Prostate Cancer. <i>PLoS Genetics</i> , 2014, 10, e1004129.	1.5	34
288	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1813-1823.	1.1	34

#	ARTICLE	IF	CITATIONS
289	Mediterranean Diet Reduces Risk of Incident Stroke in a Population With Varying Cardiovascular Disease Risk Profiles. <i>Stroke</i> , 2018, 49, 2415-2420.	1.0	34
290	Major Depression, C-Reactive Protein, and Incident Ischemic Heart Disease in Healthy Men and Women. <i>Psychosomatic Medicine</i> , 2008, 70, 850-855.	1.3	33
291	Baseline alcohol consumption, type of alcoholic beverage and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition-Norfolk study. <i>Cancer Epidemiology</i> , 2009, 33, 347-354.	0.8	33
292	Metabolic dyslipidemia and risk of future coronary heart disease in apparently healthy men and women: The EPIC-Norfolk prospective population study. <i>International Journal of Cardiology</i> , 2010, 143, 399-404.	0.8	33
293	Bone Mineral Density and Incidence of Stroke. <i>Stroke</i> , 2014, 45, 373-382.	1.0	33
294	Association of breast cancer risk <i>loci</i> with breast cancer survival. <i>International Journal of Cancer</i> , 2015, 137, 2837-2845.	2.3	33
295	Thyroid dysfunction and anaemia in a large population-based study. <i>Clinical Endocrinology</i> , 2016, 84, 627-631.	1.2	33
296	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 1620-1631.	2.3	33
297	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010, 126, 1928-1935.	2.3	32
298	Alcohol consumption and the risk of renal cancers in the <sc>E</sc>uropean prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 1953-1966.	2.3	32
299	Dietary intake of carbohydrates and risk of type 2 diabetes: the European Prospective Investigation into Cancer-Norfolk study. <i>British Journal of Nutrition</i> , 2014, 111, 342-352.	1.2	31
300	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 389-401.	1.1	31
301	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016, 104, 760-768.	2.2	31
302	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016, 6, 36017.	1.6	31
303	Understanding the relationship between cognition and death: a within cohort examination of cognitive measures and mortality. <i>European Journal of Epidemiology</i> , 2018, 33, 1049-1062.	2.5	31
304	Ascorbic acid metabolites are involved in intraocular pressure control in the general population. <i>Redox Biology</i> , 2019, 20, 349-353.	3.9	31
305	Low thyroid function is not associated with an accelerated deterioration in renal function. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 650-659.	0.4	31
306	Lower Dietary and Circulating Vitamin C in Middle- and Older-Aged Men and Women Are Associated with Lower Estimated Skeletal Muscle Mass. <i>Journal of Nutrition</i> , 2020, 150, 2789-2798.	1.3	31

#	ARTICLE	IF	CITATIONS
307	Cross Sectional and Longitudinal Associations between Cardiovascular Risk Factors and Age Related Macular Degeneration in the EPIC-Norfolk Eye Study. PLoS ONE, 2015, 10, e0132565.	1.1	31
308	Association Between Plasma Vitamin C Concentrations and Blood Pressure in the European Prospective Investigation Into Cancer-Norfolk Population-Based Study. Hypertension, 2011, 58, 372-379.	1.3	30
309	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	1.1	30
310	Distribution and determinants of C-reactive protein in the older adult population: European Prospective Investigation into Cancer-Norfolk study. European Journal of Clinical Investigation, 2013, 43, 899-911.	1.7	30
311	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49.	2.2	30
312	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	1.1	30
313	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	1.2	30
314	Biomarker-estimated flavan-3-ol intake is associated with lower blood pressure in cross-sectional analysis in EPIC Norfolk. Scientific Reports, 2020, 10, 17964.	1.6	30
315	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	1.2	29
316	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. British Journal of Cancer, 2015, 113, 1622-1631.	2.9	29
317	The Accuracy and Reliability of Crowdsourced Annotations of Digital Retinal Images. Translational Vision Science and Technology, 2016, 5, 6.	1.1	29
318	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2016, 103, 161-167.	2.2	29
319	Generalised anxiety disorder and hospital admissions: findings from a large, population cohort study. BMJ Open, 2018, 8, e018539.	0.8	29
320	Plasma Vitamin C Levels: Risk Factors for Deficiency and Association with Self-Reported Functional Health in the European Prospective Investigation into Cancer-Norfolk. Nutrients, 2019, 11, 1552.	1.7	29
321	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. Diabetes Care, 2019, 42, 568-575.	4.3	29
322	Association between area deprivation and major depressive disorder in British men and women: a cohort study. BMJ Open, 2019, 9, e027530.	0.8	29
323	The association between physical activity in different domains of life and risk of osteoporotic fractures. Bone, 2010, 47, 693-700.	1.4	28
324	Physical activity, the Framingham risk score and risk of coronary heart disease in men and women of the EPIC-Norfolk study. Atherosclerosis, 2010, 209, 261-265.	0.4	28

#	ARTICLE	IF	CITATIONS
325	The physical capability of community-based men and women from a British cohort: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>BMC Geriatrics</i> , 2013, 13, 93.	1.1	28
326	Distribution of lipid parameters according to different socio-economic indicators- the EPIC-Norfolk prospective population study. <i>BMC Public Health</i> , 2014, 14, 782.	1.2	28
327	Body iron status and gastric cancer risk in the <sc>EURGAST</sc> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	2.3	28
328	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	1.1	28
329	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1317-1323.	2.3	28
330	Alcohol consumption and prostate cancer incidence and progression: A Mendelian randomisation study. <i>International Journal of Cancer</i> , 2017, 140, 75-85.	2.3	28
331	Nonâ€<sc>HDL</sc> cholesterol vs. Apo B for risk of coronary heart disease in healthy individuals: the <sc>EPIC</sc>â€Norfolk prospective population study. <i>European Journal of Clinical Investigation</i> , 2013, 43, 1009-1015.	1.7	27
332	A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. <i>Atherosclerosis</i> , 2014, 237, 5-12.	0.4	27
333	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	1.1	27
334	Genome-Wide Association Study of Prostate Cancerâ€™Specific Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1796-1800.	1.1	27
335	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820.	2.9	27
336	Circulating isoflavone and lignan concentrations and prostate cancer risk: a metaâ€™analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. <i>International Journal of Cancer</i> , 2018, 143, 2677-2686.	2.3	27
337	Is loneliness associated with increased health and social care utilisation in the oldest old? Findings from a population-based longitudinal study. <i>BMJ Open</i> , 2019, 9, e024645.	0.8	27
338	A Genetic Risk Score to Personalize Prostate Cancer Screening, Applied to Population Data. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1731-1738.	1.1	27
339	Association of Long-term Exposure to Elevated Lipoprotein(a) Levels With Parental Life Span, Chronic Diseaseâ€™Free Survival, and Mortality Risk. <i>JAMA Network Open</i> , 2020, 3, e200129.	2.8	27
340	Educational attainment and mean leukocyte telomere length in women in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 414-418.	2.0	26
341	Cognitive function in a general population of men and women: a cross sectional study in the European Investigation of Cancerâ€™Norfolk cohort (EPIC-Norfolk). <i>BMC Geriatrics</i> , 2014, 14, 142.	1.1	26
342	Assessing the role of insulinâ€™like growth factors and binding proteins in prostate cancer using Mendelian randomization: Genetic variants as instruments for circulating levels. <i>International Journal of Cancer</i> , 2016, 139, 1520-1533.	2.3	26

#	ARTICLE	IF	CITATIONS
343	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , 2016, 115, 1430-1440.	2.9	26
344	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017, 23, 4181-4189.	3.2	26
345	Individual and combined impact of lifestyle factors on atrial fibrillation in apparently healthy men and women: The EPIC-Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1374-1383.	0.8	26
346	Cross-sectional associations of dietary and circulating magnesium with skeletal muscle mass in the EPIC-Norfolk cohort. <i>Clinical Nutrition</i> , 2019, 38, 317-323.	2.3	26
347	Serologic markers of <i>Chlamydia trachomatis</i> and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 147, 2042-2052.	2.3	26
348	Epidemiological aspects of ageing. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1997, 352, 1829-1835.	1.8	25
349	Modifiable lifestyle behaviors and functional health in the European Prospective Investigation into Cancer (EPIC)-Norfolk population study. <i>Preventive Medicine</i> , 2007, 44, 109-116.	1.6	25
350	Developing a database of vitamin and mineral supplements (ViMiS) for the Norfolk arm of the European Prospective Investigation into Cancer (EPIC-Norfolk). <i>Public Health Nutrition</i> , 2011, 14, 459-471.	1.1	25
351	Longitudinal associations between built environment characteristics and changes in active commuting. <i>BMC Public Health</i> , 2017, 17, 458.	1.2	25
352	Weight change and 15-year mortality: results from the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>European Journal of Epidemiology</i> , 2018, 33, 37-53.	2.5	25
353	Physical capability predicts mortality in late mid-life as well as in old age: Findings from a large British cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2018, 74, 77-82.	1.4	25
354	Prediagnostic circulating markers of inflammation and risk of oesophageal adenocarcinoma: a study within the National Cancer Institute Cohort Consortium. <i>Gut</i> , 2019, 68, 960-968.	6.1	25
355	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1293-1303.	1.8	25
356	Association of depression with peripheral leukocyte counts in EPIC-Norfolk—role of sex and cigarette smoking. <i>Journal of Psychosomatic Research</i> , 2003, 54, 303-306.	1.2	24
357	Population and assay thresholds for the predictive value of lipoprotein (a) for coronary artery disease: the EPIC-Norfolk Prospective Population Study. <i>Journal of Lipid Research</i> , 2016, 57, 697-705.	2.0	24
358	Carriers of the PCSK9 R46L Variant Are Characterized by an Antiatherogenic Lipoprotein Profile Assessed by Nuclear Magnetic Resonance Spectroscopy—Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 43-48.	1.1	24
359	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360.	2.3	24
360	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019, 149, 1985-1993.	1.3	24

#	ARTICLE	IF	CITATIONS
361	Polyunsaturated fatty acids and prostate cancer risk: a Mendelian randomisation analysis from the PRACTICAL consortium. <i>British Journal of Cancer</i> , 2016, 115, 624-631.	2.9	23
362	C-reactive protein and fracture risk: European Prospective Investigation into Cancer Norfolk Study. <i>Bone</i> , 2013, 56, 67-72.	1.4	22
363	The Systematic COronary Risk Evaluation (SCORE) in a large UK population: 10-year follow-up in the EPIC-Norfolk prospective population study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 119-126.	0.8	22
364	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20.	1.3	22
365	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019, 11, 935.	1.7	22
366	Calcium intake, calcium supplementation and cardiovascular disease and mortality in the British population: EPIC-norfolk prospective cohort study and meta-analysis. <i>European Journal of Epidemiology</i> , 2021, 36, 669-683.	2.5	22
367	A Genome-wide Pleiotropy Scan for Prostate Cancer Risk. <i>European Urology</i> , 2015, 67, 649-657.	0.9	21
368	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	2.3	21
369	Sex differences in the association between area deprivation and generalised anxiety disorder: British population study. <i>BMJ Open</i> , 2017, 7, e013590.	0.8	21
370	Identification of a novel locus on chromosome 2q13, which predisposes to clinical vertebral fractures independently of bone density. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 378-385.	0.5	21
371	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019, 144, 240-250.	2.3	21
372	Evaluation of (âˆ™)-epicatechin metabolites as recovery biomarker of dietary flavan-3-ol intake. <i>Scientific Reports</i> , 2019, 9, 13108.	1.6	21
373	Circulating Metabolic Biomarkers of Screen-Detected Prostate Cancer in the ProtecT Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 208-216.	1.1	21
374	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015, 137, 911-920.	2.3	20
375	Vitamin D-Associated Genetic Variation and Risk of Breast Cancer in the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 627-630.	1.1	20
376	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015, 113, 840-847.	2.9	20
377	Association between urinary biomarkers of total sugars intake and measures of obesity in a cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0179508.	1.1	20
378	Baseline anticholinergic burden from medications predicts incident fatal and non-fatal stroke in the EPIC-Norfolk general population. <i>International Journal of Epidemiology</i> , 2018, 47, 625-633.	0.9	20

#	ARTICLE	IF	CITATIONS
379	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018, 61, 1325-1332.	2.9	20
380	FEV1 and total Cardiovascular mortality and morbidity over an 18 years follow-up Population-Based Prospective EPIC-NORFOLK Study. <i>BMC Public Health</i> , 2019, 19, 501.	1.2	20
381	A Mediterranean Diet Is Positively Associated with Bone and Muscle Health in a Non-Mediterranean Region in 25,450 Men and Women from EPIC-Norfolk. <i>Nutrients</i> , 2020, 12, 1154.	1.7	20
382	A comprehensive evaluation of interaction between genetic variants and use of menopausal hormone therapy on mammographic density. <i>Breast Cancer Research</i> , 2015, 17, 110.	2.2	19
383	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017, 147, 1366-1373.	1.3	19
384	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017, 46, 1823-1835.	0.9	19
385	Life's simple 7 and calcific aortic valve stenosis incidence in apparently healthy men and women. <i>International Journal of Cardiology</i> , 2018, 269, 226-228.	0.8	19
386	Effect of Monthly Vitamin D Supplementation on Preventing Exacerbations of Asthma or Chronic Obstructive Pulmonary Disease in Older Adults: Post Hoc Analysis of a Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 521.	1.7	19
387	Physical Activity and Mammographic Breast Density in the EPIC-Norfolk Cohort Study. <i>American Journal of Epidemiology</i> , 2007, 167, 579-585.	1.6	18
388	Socioeconomic position and risk of short-term weight gain: Prospective study of 14,619 middle-aged men and women. <i>BMC Public Health</i> , 2008, 8, 112.	1.2	18
389	Chemokine Ligand 2 Genetic Variants, Serum Monocyte Chemoattractant Protein-1 Levels, and the Risk of Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1460-1466.	1.1	18
390	Daytime napping and increased risk of incident respiratory diseases: symptom, marker, or risk factor?. <i>Sleep Medicine</i> , 2016, 23, 12-15.	0.8	18
391	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	0.8	18
392	Dietary oleic acid is inversely associated with pancreatic cancer – Data from food diaries in a cohort study. <i>Pancreatology</i> , 2018, 18, 655-660.	0.5	18
393	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, 221.	2.3	18
394	Alcohol Consumption and Incident Cataract Surgery in Two Large UK Cohorts. <i>Ophthalmology</i> , 2021, 128, 837-847.	2.5	18
395	Association between dietary phyto-oestrogens and bone density in men and postmenopausal women. <i>British Journal of Nutrition</i> , 2011, 106, 1063-1069.	1.2	17
396	The association between Mediterranean Diet Score and glucokinase regulatory protein gene variation on the markers of cardiometabolic risk: an analysis in the European Prospective Investigation into Cancer (EPIC)-Norfolk study. <i>British Journal of Nutrition</i> , 2014, 112, 122-131.	1.2	17

#	ARTICLE	IF	CITATIONS
397	PLA2G10 Gene Variants, sPLA2 Activity, and Coronary Heart Disease Risk. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 356-362.	5.1	17
398	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	17
399	Area deprivation and age related macular degeneration in the EPIC-Norfolk Eye Study. <i>Public Health</i> , 2015, 129, 103-109.	1.4	17
400	Underweight and mortality. <i>Public Health Nutrition</i> , 2016, 19, 1751-1756.	1.1	17
401	Investigating the possible causal role of coffee consumption with prostate cancer risk and progression using Mendelian randomization analysis. <i>International Journal of Cancer</i> , 2017, 140, 322-328.	2.3	17
402	Changes in plasma phospholipid fatty acid profiles over 13 years and correlates of change: European Prospective Investigation into Cancer and Nutrition-Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1527-1534.	2.2	17
403	Hormone replacement therapy and glucose tolerance in EPIC-Norfolk: a population-based study. <i>Diabetes/Metabolism Research and Reviews</i> , 2000, 16, 20-25.	1.7	16
404	Long-term Cryoconservation and Stability of Vitamin C in Serum Samples of the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1837-1840.	1.1	16
405	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014, 38, 528-537.	0.8	16
406	Cross-sectional and prospective associations between dietary and plasma vitamin C, heel bone ultrasound, and fracture risk in men and women in the European Prospective Investigation into Cancer in Norfolk cohort. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1416-1424.	2.2	16
407	Descriptive epidemiology of changes in objectively measured sedentary behaviour and physical activity: six-year follow-up of the EPIC-Norfolk cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 122.	2.0	16
408	Plasma vitamin C concentrations and risk of incident respiratory diseases and mortality in the European Prospective Investigation into Cancer-Norfolk population-based cohort study. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1492-1500.	1.3	16
409	What factors modify the effect of monthly bolus dose vitamin D supplementation on 25-hydroxyvitamin D concentrations?. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 201, 105687.	1.2	16
410	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 681-686.	1.1	16
411	Physical activity and fibrinogen concentrations in 23,201 men and women in the EPIC-Norfolk population-based study. <i>Atherosclerosis</i> , 2008, 198, 419-425.	0.4	15
412	Physical functional health predicts the incidence of coronary heart disease in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>International Journal of Epidemiology</i> , 2010, 39, 996-1003.	0.9	15
413	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	2.5	15
414	Tinned Fruit Consumption and Mortality in Three Prospective Cohorts. <i>PLoS ONE</i> , 2015, 10, e0117796.	1.1	15



#	ARTICLE	IF	CITATIONS
415	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016, 55, 2093-2104.	1.8	15
416	Effects of vitamin D supplementation on adherence to and persistence with long-term statin therapy: Secondary analysis from the randomized, double-blind, placebo-controlled ViDA study. <i>Atherosclerosis</i> , 2018, 273, 59-66.	0.4	15
417	Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , 2020, 63, 266-277.	2.9	15
418	Observational versus randomised trial evidence. <i>Lancet</i> , The, 2004, 364, 753-754.	6.3	14
419	How far can we explain the social class differential in respiratory function? A cross-sectional population study of 21,991 men and women from EPIC-Norfolk. <i>European Journal of Epidemiology</i> , 2009, 24, 193-201.	2.5	14
420	Lifestyle factors and p53 mutation patterns in colorectal cancer patients in the EPIC-Norfolk study. <i>Mutagenesis</i> , 2010, 25, 351-358.	1.0	14
421	Plasma vitamin C and risk of hospitalisation with diagnosis of atrial fibrillation in men and women in EPIC-Norfolk prospective study. <i>International Journal of Cardiology</i> , 2014, 177, 830-835.	0.8	14
422	ABO blood group alleles and prostate cancer risk: Results from the breast and prostate cancer cohort consortium (BPC3). <i>Prostate</i> , 2015, 75, 1677-1681.	1.2	14
423	Do pancreatic cancer and chronic pancreatitis share the same genetic risk factors? A PANcreatic Disease ReseArch (PANDoRA) consortium investigation. <i>International Journal of Cancer</i> , 2018, 142, 290-296.	2.3	14
424	The effect of sample size on polygenic hazard models for prostate cancer. <i>European Journal of Human Genetics</i> , 2020, 28, 1467-1475.	1.4	14
425	Inflammatory dispositions: a population-based study of the association between hostility and peripheral leukocyte counts. <i>Personality and Individual Differences</i> , 2003, 35, 1271-1284.	1.6	13
426	Does ICD-10 hospital discharge code I50 identify people with heart failure? A validation study within the EPIC-Norfolk study. <i>International Journal of Cardiology</i> , 2013, 168, 4413-4414.	0.8	13
427	Cod Liver Oil Supplement Consumption and Health: Cross-sectional Results from the EPIC-Norfolk Cohort Study. <i>Nutrients</i> , 2014, 6, 4320-4337.	1.7	13
428	Sulfate, nitrate and blood pressure – An EPIC interaction between sulfur and nitrogen. <i>Pharmacological Research</i> , 2017, 122, 127-129.	3.1	13
429	Association of High-Density Lipoprotein Cholesterol Versus Apolipoprotein A With Risk of Coronary Heart Disease: The European Prospective Investigation Into Cancer-Norfolk Prospective Population Study, the Atherosclerosis Risk in Communities Study, and the Women's Health Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	13
430	A Common Glaucoma-risk Variant of SIX6 Alters Retinal Nerve Fiber Layer and Optic Disc Measures in a European Population: The EPIC-Norfolk Eye Study. <i>Journal of Glaucoma</i> , 2018, 27, 743-749.	0.8	13
431	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 957-966.	2.3	12
432	Development and validation of circulating CA125 prediction models in postmenopausal women. <i>Journal of Ovarian Research</i> , 2019, 12, 116.	1.3	12

#	ARTICLE	IF	CITATIONS
433	Vitamin C and Cardiovascular Disease: A Systematic Review. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1996, 3, 513-521.	3.1	11
434	Fibrinogen and cigarette smoking in men and women in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) population. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 144-150.	3.1	11
435	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 538-545.	1.1	11
436	Inverse association between bone mineral density and risk of aortic stenosis in men and women in EPIC-Norfolk prospective study. <i>International Journal of Cardiology</i> , 2015, 178, 29-30.	0.8	11
437	SNP interaction pattern identifier (SIPI): an intensive search for SNP-SNP interaction patterns. <i>Bioinformatics</i> , 2017, 33, 822-833.	1.8	11
438	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 895-904.	1.1	11
439	Interactions Between Genome-Wide Significant Genetic Variants and Circulating Concentrations of 25-Hydroxyvitamin D in Relation to Prostate Cancer Risk in the National Cancer Institute BPC3. <i>American Journal of Epidemiology</i> , 2017, 185, 452-464.	1.6	11
440	Monthly vitamin D supplementation, pain, and pattern of analgesic prescription: secondary analysis from the randomized, double-blind, placebo-controlled Vitamin D Assessment study. <i>Pain</i> , 2018, 159, 1074-1082.	2.0	11
441	Nonsteroidal anti-inflammatory drug use and breast cancer risk in a European prospective cohort study. <i>International Journal of Cancer</i> , 2018, 143, 1688-1695.	2.3	11
442	Cross-sectional associations of vitamin D status with asthma prevalence, exacerbations, and control in New Zealand adults. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 188, 1-7.	1.2	11
443	Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2020, 37, 105-114.	1.3	11
444	The genomics of heart failure: design and rationale of the HERMES consortium. <i>ESC Heart Failure</i> , 2021, 8, 5531-5541.	1.4	11
445	Management of Cardiovascular Disease Patients With Confirmed or Suspected COVID-19 in Limited Resource Settings. <i>Global Heart</i> , 2020, 15, 44.	0.9	11
446	Respiratory Function as a Marker of Bone Health and Fracture Risk in an Older Population. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 956-963.	3.1	10
447	A simple risk score using routine data for predicting cardiovascular disease in primary care. <i>British Journal of General Practice</i> , 2010, 60, e327-e334.	0.7	10
448	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	1.1	10
449	Longitudinal association of C-reactive protein and Haemoglobin A1c over 13 years: the European Prospective Investigation into Cancer - Norfolk study. <i>Cardiovascular Diabetology</i> , 2015, 14, 61.	2.7	10
450	Fracture Risk in Relation to Serum 25-Hydroxyvitamin D and Physical Activity: Results from the EPIC-Norfolk Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164160.	1.1	10

#	ARTICLE	IF	CITATIONS
451	Longitudinal associations between marine omega-3 supplement users and coronary heart disease in a UK population-based cohort. <i>BMJ Open</i> , 2017, 7, e017471.	0.8	10
452	A strong sense of coherence associated with reduced risk of anxiety disorder among women in disadvantaged circumstances: British population study. <i>BMJ Open</i> , 2018, 8, e018501.	0.8	10
453	Monthly high-dose vitamin D3 supplementation and self-reported adverse events in a 4-year randomized controlled trial. <i>Clinical Nutrition</i> , 2019, 38, 1581-1587.	2.3	10
454	Dietary acid-base load and its association with risk of osteoporotic fractures and low estimated skeletal muscle mass. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 33-42.	1.3	10
455	Usual physical activity and subsequent hospital usage over 20 years in a general population: the EPIC-Norfolk cohort. <i>BMC Geriatrics</i> , 2020, 20, 165.	1.1	10
456	<i>HMGR</i> gene polymorphism is associated with stroke risk in the EPIC-Norfolk study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 89-93.	3.1	9
457	Impact of abdominal obesity and systemic hypertension on risk of coronary heart disease in men and women. <i>Journal of Hypertension</i> , 2014, 32, 2224-2230.	0.3	9
458	Repeat Cardiovascular Risk Assessment after Four Years: Is There Improvement in Risk Prediction?. <i>PLoS ONE</i> , 2016, 11, e0147417.	1.1	9
459	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	1.8	9
460	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1076-1085.	1.1	9
461	Long Term Prognostic Impact of Sex-specific Longitudinal Changes in Blood Pressure. The EPIC-Norfolk Prospective Population Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 180-191.	0.8	9
462	Cross Sectional Associations between Socio-Demographic Factors and Cognitive Performance in an Older British Population: The European Investigation of Cancer in Norfolk (EPIC-Norfolk) Study. <i>PLoS ONE</i> , 2016, 11, e0166779.	1.1	9
463	Vitamin C Status and Undiagnosed Angina. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1996, 3, 373-377.	3.1	8
464	A <i>HMGR</i> polymorphism is associated with relations between blood pressure and urinary sodium and potassium ratio in the Epic-Norfolk Study. <i>Journal of the American Society of Hypertension</i> , 2009, 3, 238-244.	2.3	8
465	Differences in Dietary Supplement Use and Secular and Seasonal Trends Assessed Using Three Different Instruments in the EPIC-Norfolk Population Study. <i>Journal of Dietary Supplements</i> , 2013, 10, 142-151.	1.4	8
466	A Genome-Wide <i>ePleiotropy Scan</i> Does Not Identify New Susceptibility Loci for Estrogen Receptor Negative Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e85955.	1.1	8
467	Opposites don't attract: high spouse concordance for dietary supplement use in the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk) cohort study. <i>Public Health Nutrition</i> , 2015, 18, 1060-1066.	1.1	8
468	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	2.3	8

#	ARTICLE	IF	CITATIONS
469	Validation of the Systematic COronary Risk Evaluation - Older Persons (SCORE-OP) in the EPIC-Norfolk prospective population study. <i>International Journal of Cardiology</i> , 2019, 293, 226-230.	0.8	8
470	Sociodemographic and lifestyle predictors of incident hospital admissions with multimorbidity in a general population, 1999â€“2019: the EPIC-Norfolk cohort. <i>BMJ Open</i> , 2020, 10, e042115.	0.8	8
471	Long-term effects of gestational diabetes on bone mineral density and fracture risk: Analysis of the Norfolk cohort of the European Prospective Investigation into Cancer (EPIC-Norfolk) population-based study. <i>Maturitas</i> , 2021, 144, 68-73.	1.0	8
472	A single nucleotide polymorphism in the 3-hydroxy-3-methylglutaryl-coenzyme A reductase gene (HMGCR) influences the serum triacylglycerol relationship with dietary fat and fibre in the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. <i>British Journal of Nutrition</i> , 2010, 104, 765-772.	1.2	7
473	Relationship of lipoprotein-associated apolipoprotein C-III with lipid variables and coronary artery disease risk: The EPIC-Norfolk prospective population study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1493-1501.e11.	0.6	7
474	Association between serum 25-hydroxyvitamin D levels and self-reported chronic pain in older adults: A cross-sectional analysis from the ViDA study. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 188, 17-22.	1.2	7
475	Fracture Incidence and the Relevance of Dietary and Lifestyle Factors Differ in the United Kingdom and Hong Kong: An International Comparison of Longitudinal Cohort Study Data. <i>Calcified Tissue International</i> , 2021, 109, 563-576.	1.5	7
476	Higher anticholinergic burden from medications is associated with significant increase in markers of inflammation in the EPICâ€“Norfolk prospective populationâ€“based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 3297-3306.	1.1	7
477	The Short-Form Six-Dimension utility index predicted mortality in the European Prospective Investigation into Cancer-Norfolk prospective population-based study. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 192-198.	2.4	6
478	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 790-804.	1.1	6
479	Oneâ€“carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 2349-2359.	2.3	6
480	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019, 149, 1047-1055.	1.3	6
481	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	1.1	6
482	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 1511-1521.	2.3	6
483	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	1.6	6
484	A prediction tool for vitamin D deficiency in New Zealand adults. <i>Archives of Osteoporosis</i> , 2020, 15, 172.	1.0	6
485	The relationship between alcohol intake and falls hospitalization: Results from the <sc>EPICâ€“Norfolk</sc>. <i>Geriatrics and Gerontology International</i> , 2021, 21, 657-663.	0.7	6
486	Elevated HbA1c level: a risk factor for cardiovascular disease mortality in patients with chronic heart failure?. <i>Nature Reviews Endocrinology</i> , 2009, 5, 130-131.	4.3	5

#	ARTICLE	IF	CITATIONS
487	Topical Beta-Blockers and Cardiovascular Mortality: Systematic Review and Meta-Analysis with Data from the EPIC-Norfolk Cohort Study. <i>Ophthalmic Epidemiology</i> , 2016, 23, 277-284.	0.8	5
488	Retinal Vasculometry Associations With Glaucoma: Findings From the European Prospective Investigation of Cancerâ€“Norfolk Eye Study. <i>American Journal of Ophthalmology</i> , 2020, 220, 140-151.	1.7	5
489	Plasma Sulfur Amino Acids and Risk of Cerebrovascular Diseases. <i>Stroke</i> , 2021, 52, 172-180.	1.0	5
490	KLK3 SNPâ€“SNP interactions for prediction of prostate cancer aggressiveness. <i>Scientific Reports</i> , 2021, 11, 9264.	1.6	5
491	CHD risk in relation to alcohol intake from categorical and open-ended dietary instruments. <i>Public Health Nutrition</i> , 2011, 14, 402-409.	1.1	4
492	Baseline anticholinergic burden from medications predicts poorer baseline and longâ€“term healthâ€“related quality of life in 16â€“%675 men and women of <scp>EPICâ€“Norfolk</scp> prospective populationâ€“based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 135-143.	0.9	4
493	The Relationship Between Cognitive Performance Using Tests Assessing a Range of Cognitive Domains and Future Dementia Diagnosis in a British Cohort: A Ten-Year Prospective Study. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 123-135.	1.2	4
494	Physical activity intensity profiles associated with cardiometabolic risk in middle-aged to older men and women. <i>Preventive Medicine</i> , 2022, 156, 106977.	1.6	4
495	Screening: The need for a balance. <i>Eye</i> , 1989, 3, vii-ix.	1.1	3
496	A comparative analysis of three widely used lipid management guidelines in the EPIC-Norfolk cohort. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 98-106.	0.8	3
497	AA9int: SNP interaction pattern search using non-hierarchical additive model set. <i>Bioinformatics</i> , 2018, 34, 4141-4150.	1.8	3
498	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1654-1664.	1.1	3
499	Self-Reported Fatigue Predicts Incident Stroke in a General Population. <i>Stroke</i> , 2020, 51, 1077-1084.	1.0	3
500	Cross-sectional and prospective associations between active living environments and accelerometer-assessed physical activity in the EPIC-Norfolk cohort. <i>Health and Place</i> , 2021, 67, 102490.	1.5	3
501	Self-reported physical functional health predicts future bone mineral density in EPIC-Norfolk cohort. <i>Archives of Osteoporosis</i> , 2022, 17, 25.	1.0	3
502	Commentary: Vitamin D: prime mover or fellow traveller?. <i>International Journal of Epidemiology</i> , 2015, 44, 1612-1613.	0.9	2
503	Interactions between breast cancer susceptibility loci and menopausal hormone therapy in relationship to breast cancer in the Breast and Prostate Cancer Cohort Consortium. <i>Breast Cancer Research and Treatment</i> , 2016, 155, 531-540.	1.1	2
504	Alcohol consumption and future hospital usage: The EPIC-Norfolk prospective population study. <i>PLoS ONE</i> , 2018, 13, e0200747.	1.1	2

#	ARTICLE	IF	CITATIONS
505	Incidence of inflammatory polyarthritis in polymyalgia rheumatica: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 704-705.	0.5	2
506	Hypertensive Disorders of Pregnancy (HDP) and the Risk of Common Cancers in Women: Evidence from the European Prospective Investigation into Cancer (EPIC)-Norfolk Prospective Population-Based Study. <i>Cancers</i> , 2020, 12, 3100.	1.7	2
507	Risk factors for previously undiagnosed primary open-angle glaucoma: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2022, 106, 1684-1688.	2.1	2
508	Association between serum secretory phospholipase A2 and risk of ischaemic stroke. <i>European Journal of Neurology</i> , 2021, 28, 3650-3655.	1.7	2
509	Abstract 19753: Hdl Cholesterol Efflux Capacity is Inversely Associated With Incident Chd Events Independent of Hdl-c and Apo-a1 Concentrations. <i>Circulation</i> , 2014, 130, .	1.6	2
510	Comment on Miettinen: Rose Revisited. <i>European Journal of Epidemiology</i> , 2003, 19, 745-748.	2.5	1
511	Commentary: AG Shaper and KW Jones, 'Serum-cholesterol, diet and coronary heart-disease in Africans and Asians in Uganda'. <i>International Journal of Epidemiology</i> , 2012, 41, 1231-1232.	0.9	1
512	Influence of Inflammatory Polyarthritis on Quantitative Heel Ultrasound Measurements. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 133.	0.8	1
513	Elizabeth Barrett-Connor: Instrumental Contributor to the Understanding of Midlife Well-being and Health in Both Women and Men. <i>Diabetes Care</i> , 2019, 42, 502-506.	4.3	1
514	Cross-sectional and prospective relationship between occupational and leisure-time inactivity and cognitive function in an ageing population: the European Prospective Investigation into Cancer and Nutrition in Norfolk (EPIC-Norfolk) study. <i>International Journal of Epidemiology</i> , 2020, 49, 1338-1352.	0.9	1
515	Relationship of Sodium Intake With Granulocytes, Renal and Cardiovascular Outcomes in the Prospective EPIC-Norfolk Cohort. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	1
516	Reply to GC Burdge. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 666-667.	2.2	0
517	Social Adversity Experience and Blood Pressure Control Following Antihypertensive Medication Use in a Community Sample of Older Adults. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 456-463.	0.8	0
518	Reply to WB Grant. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 230-231.	2.2	0
519	Reply to W Lin and R Wang. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 290-291.	2.2	0
520	A comprehensive analysis of polymorphic variants in steroid hormone and insulin-like growth factor-1 metabolism and risk of <i>in situ</i> breast cancer: Results from the Breast and Prostate Cancer Cohort Consortium. <i>International Journal of Cancer</i> , 2018, 142, 1182-1188.	2.3	0
521	Dimension of pain-related quality of life and self-reported mental health in men and women of the European Prospective Investigation into Cancer-Norfolk cohort: a population-based cross-sectional study. <i>British Journal of Pain</i> , 2018, 12, 35-46.	0.7	0
522	Cardiovascular risk factors are associated with the onset of polymyalgia rheumatica (PMR) and giant cell arteritis (GCA) in a prospective cohort: EPIC-Norfolk study. <i>Rheumatology</i> , 2018, 57, .	0.9	0

#	ARTICLE	IF	CITATIONS
523	O14â€fPro-inflammatory diets are associated with increased C-reactive protein and subsequent rheumatoid arthritis in the European Investigation of Cancer: Norfolk Arthritis Register cohort. <i>Rheumatology</i> , 2019, 58, .	0.9	0
524	FRI0657â€...METABOLIC SYNDROME PRECEDES THE ONSET OF HIP AND KNEE PAIN AND THE RISK IS NOT MODIFIED BY DIET OR CHANGES IN BMI. , 2019, , .		0
525	Incorporating multiple sets of eQTL weights into geneâ€byâ€environment interaction analysis identifies novel susceptibility loci for pancreatic cancer. <i>Genetic Epidemiology</i> , 2020, 44, 880-892.	0.6	0
526	The sarcopenic risk factor of low skeletal muscle mass is associated with inadequate plasma vitamin C concentrations and obesity.. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
527	Abstract 3132: Paraoxonase-1 Activity Is not Independently Related with the Risk of Future Coronary Artery Disease. <i>Circulation</i> , 2008, 118, .	1.6	0
528	Abstract P174: Early Onset Parental Hypertension is Associated With Hypertension Status of Their Offspring. <i>Circulation</i> , 2018, 137, .	1.6	0
529	Senescence, Cancer and 'Endogenous Parasites'. <i>Journal of the Royal College of Physicians of London</i> , 1996, 30, 189.	0.2	0
530	Author reply: The relationship between alcohol intake and falls. <i>Geriatrics and Gerontology International</i> , 2022, 22, 91-92.	0.7	0
531	Face Validity of Observed Meal Patterns Reported with 7-Day Diet Diaries in a Large Population-Based Cohort Using Diurnal Variation in Concentration Biomarkers of Dietary Intake. <i>Nutrients</i> , 2022, 14, 238.	1.7	0
532	Genetic control of serum 25(OH)D levels and its association with ethnicity. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2022, , 106149.	1.2	0