

Connie L Celum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6612993/publications.pdf>

Version: 2024-02-01

211
papers

14,532
citations

23500

58
h-index

22102

113
g-index

214
all docs

214
docs citations

214
times ranked

10142
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel "HIV salience and Perception" scale is associated with PrEP dispensing and adherence among adolescent girls and young women in Kampala, Uganda. <i>AIDS and Behavior</i> , 2023, 27, 279-289.	1.4	1
2	The Effect of PrEP Use Disclosure on Adherence in a Cohort of Adolescent Girls and Young Women in South Africa. <i>AIDS and Behavior</i> , 2022, 26, 1007-1016.	1.4	7
3	Implementation strategies for integrating pre-exposure prophylaxis for HIV prevention and family planning services for adolescent girls and young women in Kenya: a qualitative study. <i>BMC Health Services Research</i> , 2022, 22, 422.	0.9	8
4	Health Care Worker Perspectives of HIV Pre-exposure Prophylaxis Service Delivery in Central Uganda. <i>Frontiers in Public Health</i> , 2022, 10, 658826.	1.3	5
5	<i>Mycobacterium tuberculosis</i> -Specific T-Cell Responses Are Impaired During Late Pregnancy With Elevated Biomarkers of Tuberculosis Risk Postpartum. <i>Journal of Infectious Diseases</i> , 2022, 225, 1663-1674.	1.9	6
6	Adaptive HIV pre-exposure prophylaxis adherence interventions for young South African women: Study protocol for a sequential multiple assignment randomized trial. <i>PLoS ONE</i> , 2022, 17, e0266665.	1.1	8
7	Efficacy of Single-Dose Human Papillomavirus Vaccination among Young African Women. , 2022, 1, .		69
8	Secondary Distribution of HIV Self-Testing Kits to Social and Sexual Networks of PLWH in KwaZulu-Natal, South Africa. A Brief Report. <i>Frontiers in Public Health</i> , 2022, 10, 855625.	1.3	3
9	Characterizing HIV-Preventive, Plasma Tenofovir Concentrations" A Pooled Participant-level Data Analysis From Human Immunodeficiency Virus Preexposure Prophylaxis Clinical Trials. <i>Clinical Infectious Diseases</i> , 2022, 75, 1873-1882.	2.9	10
10	Intimate partner violence and oral HIV pre-exposure prophylaxis adherence among young African women. <i>Aids</i> , 2022, 36, 1151-1159.	1.0	8
11	Doxycycline post-exposure prophylaxis for prevention of sexually transmitted infections among Kenyan women using HIV pre-exposure prophylaxis: study protocol for an open-label randomized trial. <i>Trials</i> , 2022, 23, .	0.7	13
12	PrEP use and HIV seroconversion rates in adolescent girls and young women from Kenya and South Africa: the POWER demonstration project. <i>Journal of the International AIDS Society</i> , 2022, 25, .	1.2	29
13	Narrative sexual histories and perceptions of HIV risk among young women taking PrEP in southern Africa: Findings from a novel participatory method. <i>Social Science and Medicine</i> , 2021, 270, 113600.	1.8	16
14	Depression and anxiety as barriers to art initiation, retention in care, and treatment outcomes in KwaZulu-Natal, South Africa. <i>EClinicalMedicine</i> , 2021, 31, 100621.	3.2	21
15	Trajectories of PrEP Adherence Among Young Women Aged 16 to 25 in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021, 25, 2046-2053.	1.4	19
16	The PrEP Journey: Understanding How Internal Drivers and External Circumstances Impact The PrEP Trajectory of Adolescent Girls and Young Women in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021, 25, 2154-2165.	1.4	28
17	Experiences of oral pre-exposure prophylaxis (PrEP) use disclosure among South African adolescent girls and young women and its perceived impact on adherence. <i>PLoS ONE</i> , 2021, 16, e0248307.	1.1	32
18	Cost-effectiveness of point-of-care testing with task-shifting for HIV care in South Africa: a modelling study. <i>Lancet HIV</i> , 2021, 8, e216-e224.	2.1	15

#	ARTICLE	IF	CITATIONS
19	Cost of pre-exposure prophylaxis delivery in family planning clinics to prevent HIV acquisition among adolescent girls and young women in Kisumu, Kenya. <i>PLoS ONE</i> , 2021, 16, e0249625.	1.1	6
20	Health Care Providers as Agents of Change: Integrating PrEP With Other Sexual and Reproductive Health Services for Adolescent Girls and Young Women. <i>Frontiers in Reproductive Health</i> , 2021, 3, .	0.6	8
21	PrEP uptake, persistence, adherence, and effect of retrospective drug level feedback on PrEP adherence among young women in southern Africa: Results from HPTN 082, a randomized controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003670.	3.9	87
22	Assessing longitudinal patterns of depressive symptoms and the influence of symptom trajectories on HIV pre-exposure prophylaxis adherence among adolescent girls in the HPTN 082 randomized controlled trial. <i>Journal of the International AIDS Society</i> , 2021, 24, e25731.	1.2	17
23	Antibody responses to prophylactic quadrivalent human papillomavirus vaccine at 48 months among HIV-infected girls and boys ages 9–14 in Kenya, Africa. <i>Vaccine</i> , 2021, 39, 4751-4758.	1.7	6
24	The Community PrEP Study: a randomized control trial leveraging community-based platforms to improve access and adherence to pre-exposure prophylaxis to prevent HIV among adolescent girls and young women in South Africa—study protocol. <i>Trials</i> , 2021, 22, 489.	0.7	14
25	Doxycycline for Sexually Transmitted Infection Prevention: Evolving Evidence and Implementation Perspectives. <i>Sexually Transmitted Diseases</i> , 2021, 48, 620-621.	0.8	4
26	Implementation of HIV Self-Testing to Reach Men in Rural uMkhanyakude, KwaZulu-Natal, South Africa. a DO-ART Trial Sub Study. <i>Frontiers in Public Health</i> , 2021, 9, 652887.	1.3	12
27	A community-based mobile clinic model delivering PrEP for HIV prevention to adolescent girls and young women in Cape Town, South Africa. <i>BMC Health Services Research</i> , 2021, 21, 888.	0.9	33
28	How community ART delivery may improve HIV treatment outcomes: Qualitative inquiry into mechanisms of effect in a randomized trial of community-based ART initiation, monitoring and re-supply (DO ART) in South Africa and Uganda. <i>Journal of the International AIDS Society</i> , 2021, 24, e25821.	1.2	9
29	Simplifying TREATment and Monitoring for HIV (STREAM HIV): protocol for a randomised controlled trial of point-of-care urine tenofovir and viral load testing to improve HIV outcomes. <i>BMJ Open</i> , 2021, 11, e050116.	0.8	7
30	Adolescent girls and young women's PrEP-user journey during an implementation science study in South Africa and Kenya. <i>PLoS ONE</i> , 2021, 16, e0258542.	1.1	67
31	No Evidence of Sexual Risk Compensation Following PrEP Initiation Among Heterosexual HIV Serodiscordant Couples in Kenya and Uganda. <i>AIDS and Behavior</i> , 2020, 24, 1365-1375.	1.4	11
32	Emerging evidence from a systematic review of safety of pre-exposure prophylaxis for pregnant and postpartum women: where are we now and where are we heading?. <i>Journal of the International AIDS Society</i> , 2020, 23, e25426.	1.2	67
33	Alignment of PrEP use and effective contraceptive use among East African women in HIV serodiscordant partnerships. <i>International Journal of STD and AIDS</i> , 2020, 31, 1263-1271.	0.5	4
34	Covid-19, Ebola, and HIV — Leveraging Lessons to Maximize Impact. <i>New England Journal of Medicine</i> , 2020, 383, e106.	13.9	17
35	Sexual Behaviors After PrEP Discontinuation Among HIV Serodiscordant Couples in Kenya and Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 174-181.	0.9	0
36	Point-of-care and Near Real-time Testing for Antiretroviral Adherence Monitoring to HIV Treatment and Prevention. <i>Current HIV/AIDS Reports</i> , 2020, 17, 487-498.	1.1	19

#	ARTICLE	IF	CITATIONS
37	Adherence to recommendations for ART and targeted PrEP use among HIV serodiscordant couples in East Africa: the "PrEP as a bridge to ART" strategy. <i>BMC Public Health</i> , 2020, 20, 1621.	1.2	9
38	An implementation study of oral and blood-based HIV self-testing and linkage to care among men in rural and peri-urban KwaZulu-Natal, South Africa. <i>Journal of the International AIDS Society</i> , 2020, 23, e25514.	1.2	35
39	Defining gaps in pre-exposure prophylaxis delivery for pregnant and post-partum women in high-burden settings using an implementation science framework. <i>Lancet HIV</i> , 2020, 7, e582-e592.	2.1	44
40	Model-Based Predictions of HIV Incidence Among African Women Using HIV Risk Behaviors and Community-Level Data on Male HIV Prevalence and Viral Suppression. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 423-429.	0.9	7
41	Tuberculosis-related stigma among adults presenting for HIV testing in KwaZulu-Natal, South Africa. <i>BMC Public Health</i> , 2020, 20, 1338.	1.2	5
42	Community-based antiretroviral therapy versus standard clinic-based services for HIV in South Africa and Uganda (DO ART): a randomised trial. <i>The Lancet Global Health</i> , 2020, 8, e1305-e1315.	2.9	78
43	Uptake and impact of facility-based HIV self-testing on PrEP delivery: a pilot study among young women in Kisumu, Kenya. <i>Journal of the International AIDS Society</i> , 2020, 23, e25561.	1.2	20
44	Heterogeneity in individual preferences for HIV testing: A systematic literature review of discrete choice experiments. <i>EClinicalMedicine</i> , 2020, 29-30, 100653.	3.2	16
45	Incentives conditioned on tenofovir levels to support PrEP adherence among young South African women: a randomized trial. <i>Journal of the International AIDS Society</i> , 2020, 23, e25636.	1.2	41
46	The influence of HIV-related stigma on PrEP disclosure and adherence among adolescent girls and young women in HPTN 082: a qualitative study. <i>Journal of the International AIDS Society</i> , 2020, 23, e25463.	1.2	115
47	Point-of-care HIV viral load testing combined with task shifting to improve treatment outcomes (STREAM): findings from an open-label, non-inferiority, randomised controlled trial. <i>Lancet HIV</i> , 2020, 7, e229-e237.	2.1	66
48	Lottery incentives have short-term impact on ART initiation among men: results from a randomized pilot study. <i>Journal of the International AIDS Society</i> , 2020, 23, e25519.	1.2	18
49	Associations between schistosomiasis and HIV acquisition risk in four prospective cohorts: a nested case-control analysis. <i>Journal of the International AIDS Society</i> , 2020, 23, e25534.	1.2	6
50	Lessons on PrEP from the SEARCH study in east Africa. <i>Lancet HIV</i> , 2020, 7, e219-e220.	2.1	7
51	Cryptococcal antigenemia is associated with meningitis or death in HIV-infected adults with CD4 100-200 cells/mm ³ . <i>BMC Infectious Diseases</i> , 2020, 20, 61.	1.3	9
52	Sexual Behavior and Perceived HIV Risk Among HIV-Negative Members of Serodiscordant Couples in East Africa. <i>AIDS and Behavior</i> , 2020, 24, 2082-2090.	1.4	5
53	The Effect of Depression on Adherence to HIV Pre-exposure Prophylaxis Among High-Risk South African Women in HPTN 067/ADAPT. <i>AIDS and Behavior</i> , 2020, 24, 2178-2187.	1.4	13
54	PrEP for HIV Prevention: Evidence, Global Scale-up, and Emerging Options. <i>Cell Host and Microbe</i> , 2020, 27, 502-506.	5.1	30

#	ARTICLE	IF	CITATIONS
55	Evaluation of a behavior-centered design strategy for creating demand for oral PrEP among young women in Cape Town, South Africa. <i>Gates Open Research</i> , 2020, 4, 29.	2.0	16
56	Evaluation of a behavior-centered design strategy for creating demand for oral PrEP among young women in Cape Town, South Africa. <i>Gates Open Research</i> , 2020, 4, 29.	2.0	14
57	Knowledge and barriers of PrEP delivery among diverse groups of potential PrEP users in Central Uganda. <i>PLoS ONE</i> , 2020, 15, e0241399.	1.1	24
58	Adolescent healthcare: <i>South African Journal of HIV Medicine</i> , 2020, 21, 1147.	0.3	3
59	Impact of Tenofovir-Based Pre-exposure Prophylaxis on Biomarkers of Bone Formation, Bone Resorption, and Bone Mineral Metabolism in HIV-Negative Adults. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz338.	0.4	3
60	The Incremental Cost of Delivering PrEP as a Bridge to ART for HIV Serodiscordant Couples in Public HIV Care Clinics in Kenya. <i>AIDS Research and Treatment</i> , 2019, 2019, 1-8.	0.3	18
61	HIV pre-exposure prophylaxis for adolescent girls and young women in Africa: from efficacy trials to delivery. <i>Journal of the International AIDS Society</i> , 2019, 22, e25298.	1.2	150
62	Tenofovir-Diphosphate as a Marker of HIV Pre-exposure Prophylaxis Use Among East African Men and Women. <i>Frontiers in Pharmacology</i> , 2019, 10, 401.	1.6	9
63	Comparisons of Human Immunodeficiency Virus Type 1 Envelope Variants in Blood and Genital Fluids near the Time of Male-to-Female Transmission. <i>Journal of Virology</i> , 2019, 93, .	1.5	4
64	Implementation of a comprehensive safer conception intervention for HIV serodiscordant couples in Kenya: uptake, use and effectiveness. <i>Journal of the International AIDS Society</i> , 2019, 22, e25261.	1.2	28
65	Schistosomiasis was not associated with higher HIV-1 plasma or genital set point viral loads among HIV seroconverters from four cohort studies. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007886.	1.3	2
66	PrEP Discontinuation and Prevention-Effective Adherence: Experiences of PrEP Users in Ugandan HIV Serodiscordant Couples. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 82, 265-274.	0.9	20
67	Reaching the 90-90-90 target: lessons from HIV self-testing. <i>Lancet HIV</i> , 2019, 6, e68-e69.	2.1	14
68	Beyond HIV prevention: everyday life priorities and demand for PrEP among Ugandan HIV serodiscordant couples. <i>Journal of the International AIDS Society</i> , 2019, 22, e25225.	1.2	34
69	A clinic-based tablet application to support safer conception among HIV serodiscordant couples in Kenya: feasibility and acceptability study. <i>MHealth</i> , 2019, 5, 4-4.	0.9	14
70	Identification and validation of a multi-assay algorithm for cross-sectional HIV incidence estimation in populations with subtype C infection. <i>Journal of the International AIDS Society</i> , 2018, 21, e25082.	1.2	26
71	Safer conception among HIV-1 serodiscordant couples in East Africa: understanding knowledge, attitudes, and experiences. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 973-981.	0.6	12
72	Increased Risk of HIV Acquisition Among Women Throughout Pregnancy and During the Postpartum Period: A Prospective Per-Coital-Act Analysis Among Women With HIV-Infected Partners. <i>Journal of Infectious Diseases</i> , 2018, 218, 16-25.	1.9	198

#	ARTICLE	IF	CITATIONS
73	Depression and Anxiety as Risk Factors for Delayed Care-Seeking Behavior in Human Immunodeficiency Virus-Infected Individuals in South Africa. <i>Clinical Infectious Diseases</i> , 2018, 67, 1411-1418.	2.9	50
74	Motivated Reasoning and HIV Risk? Views on Relationships, Trust, and Risk from Young Women in Cape Town, South Africa, and Implications for Oral PrEP. <i>AIDS and Behavior</i> , 2018, 22, 3468-3479.	1.4	38
75	Evaluation of the association between the concentrations of key vaginal bacteria and the increased risk of HIV acquisition in African women from five cohorts: a nested case-control study. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 554-564.	4.6	175
76	High Levels of Viral Suppression Among East African HIV-Infected Women and Men in Serodiscordant Partnerships Initiating Antiretroviral Therapy with High CD4 Counts and During Pregnancy. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 140-147.	0.5	4
77	Intimate Partner Violence and Self-Reported Pre-exposure Prophylaxis Interruptions Among HIV-Negative Partners in HIV Serodiscordant Couples in Kenya and Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 77, 154-159.	0.9	47
78	Fertility Intentions, Pregnancy, and Use of PrEP and ART for Safer Conception Among East African HIV Serodiscordant Couples. <i>AIDS and Behavior</i> , 2018, 22, 1758-1765.	1.4	31
79	Brief Report: PrEP Use During Periods of HIV Risk Among East African Women in Serodiscordant Relationships. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 77, 41-45.	0.9	9
80	Modeling HIV disease progression and transmission at population-level: The potential impact of modifying disease progression in HIV treatment programs. <i>Epidemics</i> , 2018, 23, 34-41.	1.5	8
81	Brief Report: Frequency of Monitoring Kidney Function in HIV-Uninfected Persons Using Daily Oral Tenofovir Disoproxil Fumarate Pre-exposure Prophylaxis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 77, 206-211.	0.9	23
82	Effect of Depression on Adherence to Oral PrEP Among Men and Women in East Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 330-338.	0.9	20
83	Quadrivalent HPV vaccine in HIV-1-infected early adolescent girls and boys in Kenya: Month 7 and 12 post vaccine immunogenicity and correlation with immune status. <i>Vaccine</i> , 2018, 36, 7025-7032.	1.7	16
84	Patterns of Oral PrEP Adherence and HIV Risk Among Eastern African Women in HIV Serodiscordant Partnerships. <i>AIDS and Behavior</i> , 2018, 22, 3718-3725.	1.4	21
85	Pregnancy outcomes and infant growth among babies with in-utero exposure to tenofovir-based preexposure prophylaxis for HIV prevention. <i>Aids</i> , 2018, 32, 1707-1713.	1.0	32
86	Cost of Integrating Noncommunicable Disease Screening Into Home-Based HIV Testing and Counseling in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 522-526.	0.9	16
87	Integrated delivery of antiretroviral treatment and pre-exposure prophylaxis to HIV serodiscordant couples in East Africa: a qualitative evaluation study in Uganda. <i>Journal of the International AIDS Society</i> , 2018, 21, e25113.	1.2	19
88	Messaging Circumstances and Economic Pressures as Influences on Linkage to Medical Male Circumcision following Community-Based HIV Testing for Men in Rural Southwest Uganda: A Qualitative Study. <i>AIDS Research and Treatment</i> , 2018, 2018, 1-7.	0.3	2
89	HIV-Uninfected Kenyan Adolescent and Young Women Share Perspectives on Using Pre-Exposure Prophylaxis During Pregnancy. <i>AIDS Patient Care and STDs</i> , 2018, 32, 538-544.	1.1	37
90	Could misreporting of condom use explain the observed association between injectable hormonal contraceptives and HIV acquisition risk?. <i>Contraception</i> , 2017, 95, 424-430.	0.8	11

#	ARTICLE	IF	CITATIONS
91	A cross-sectional analysis of <i>Trichomonas vaginalis</i> infection among heterosexual HIV-1 serodiscordant African couples. <i>Sexually Transmitted Infections</i> , 2017, 93, 520-529.	0.8	12
92	Worldwide circulation of HSV-2 and HSV-1 recombinant strains. <i>Scientific Reports</i> , 2017, 7, 44084.	1.6	81
93	Contraceptive Use and Pregnancy Incidence Among Women Participating in an HIV Prevention Trial. <i>Journal of Women's Health</i> , 2017, 26, 670-676.	1.5	5
94	Markov Mixed Effects Modeling Using Electronic Adherence Monitoring Records Identifies Influential Covariates to HIV Preexposure Prophylaxis. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 606-615.	1.0	7
95	Brief Report: Context Matters: PrEP Adherence is Associated With Sexual Behavior Among HIV Serodiscordant Couples in East Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 76, 488-492.	0.9	16
96	Delivering safer conception services to HIV serodiscordant couples in Kenya: perspectives from healthcare providers and HIV serodiscordant couples. <i>Journal of the International AIDS Society</i> , 2017, 20, 21309.	1.2	31
97	Efficacy of oral pre-exposure prophylaxis (PrEP) for HIV among women with abnormal vaginal microbiota: a post-hoc analysis of the randomised, placebo-controlled Partners PrEP Study. <i>Lancet HIV</i> , 2017, 4, e449-e456.	2.1	44
98	Highly conserved intragenic HSV-2 sequences: Results from next-generation sequencing of HSV-2 UL and US regions from genital swabs collected from 3 continents. <i>Virology</i> , 2017, 510, 90-98.	1.1	17
99	Counseling Framework for HIV-Serodiscordant Couples on the Integrated Use of Antiretroviral Therapy and Pre-exposure Prophylaxis for HIV Prevention. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 74, S15-S22.	0.9	37
100	Antiretroviral Therapy Initiation Is Not Associated With Risky Sexual Behavior Among Heterosexual Human Immunodeficiency Virus-Infected Persons in Serodiscordant Partnerships. <i>Sexually Transmitted Diseases</i> , 2017, 44, 58-62.	0.8	8
101	High prevalence of HIV and non-communicable disease (NCD) risk factors in rural KwaZulu-Natal, South Africa. <i>Journal of the International AIDS Society</i> , 2017, 20, e25012.	1.2	59
102	Alignment of adherence and risk for HIV acquisition in a demonstration project of pre-exposure prophylaxis among HIV serodiscordant couples in Kenya and Uganda: a prospective analysis of prevention-effective adherence. <i>Journal of the International AIDS Society</i> , 2017, 20, 21842.	1.2	67
103	Protocol for a randomised controlled implementation trial of point-of-care viral load testing and task shifting: the Simplifying HIV Treatment and Monitoring (STREAM) study. <i>BMJ Open</i> , 2017, 7, e017507.	0.8	19
104	Feasibility and acceptability of HIV self-testing among pre-exposure prophylaxis users in Kenya. <i>Journal of the International AIDS Society</i> , 2017, 20, 21234.	1.2	66
105	Community-based strategies to strengthen men's engagement in the HIV care cascade in sub-Saharan Africa. <i>PLoS Medicine</i> , 2017, 14, e1002262.	3.9	154
106	Closing the gaps in the HIV care continuum. <i>PLoS Medicine</i> , 2017, 14, e1002443.	3.9	10
107	Supporting people living with HIV in serodiscordant partnerships to attempt a desired pregnancy by integrating sexual and reproductive health and HIV interventions. <i>Journal of the International AIDS Society</i> , 2017, 20, 21829.	1.2	5
108	Pre-exposure prophylaxis for HIV-negative persons with partners living with HIV: uptake, use, and effectiveness in an open-label demonstration project in East Africa. <i>Gates Open Research</i> , 2017, 1, 3.	2.0	71

#	ARTICLE	IF	CITATIONS
109	Pre-exposure prophylaxis for HIV-negative persons with partners living with HIV: uptake, use, and effectiveness in an open-label demonstration project in East Africa. <i>Gates Open Research</i> , 2017, 1, 3.	2.0	75
110	Dual-strain genital herpes simplex virus type 2 (HSV-2) infection in the US, Peru, and 8 countries in sub-Saharan Africa: A nested cross-sectional viral genotyping study. <i>PLoS Medicine</i> , 2017, 14, e1002475.	3.9	22
111	Gender-Specific Combination HIV Prevention for Youth in High-Burden Settings: The MP3 Youth Observational Pilot Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e22.	0.5	8
112	Effect of Condom Use on Per-act HSV-2 Transmission Risk in HIV-1, HSV-2-discordant Couples. <i>Clinical Infectious Diseases</i> , 2016, 62, civ908.	2.9	21
113	Response to "Oral PrEP for young African women and men". <i>Journal of the International AIDS Society</i> , 2016, 19, 20861.	1.2	0
114	Preventing HIV among adolescents with oral PrEP: observations and challenges in the United States and South Africa. <i>Journal of the International AIDS Society</i> , 2016, 19, 21107.	1.2	104
115	Estimating the impact of universal antiretroviral therapy for HIV serodiscordant couples through home HIV testing: insights from mathematical models. <i>Journal of the International AIDS Society</i> , 2016, 19, 20864.	1.2	4
116	How home HIV testing and counselling with follow-up support achieves high testing coverage and linkage to treatment and prevention: a qualitative analysis from Uganda. <i>Journal of the International AIDS Society</i> , 2016, 19, 20929.	1.2	23
117	Integrated Delivery of Antiretroviral Treatment and Pre-exposure Prophylaxis to HIV-1 Serodiscordant Couples: A Prospective Implementation Study in Kenya and Uganda. <i>PLoS Medicine</i> , 2016, 13, e1002099.	3.9	166
118	Pre-exposure Prophylaxis Use by Breastfeeding HIV-Uninfected Women: A Prospective Short-Term Study of Antiretroviral Excretion in Breast Milk and Infant Absorption. <i>PLoS Medicine</i> , 2016, 13, e1002132.	3.9	70
119	Taking HIV Testing to Families: Designing a Family-Based Intervention to Facilitate HIV Testing, Disclosure, and Intergenerational Communication. <i>Frontiers in Public Health</i> , 2016, 4, 154.	1.3	34
120	Reversibility of Glomerular Renal Function Decline in HIV-Uninfected Men and Women Discontinuing Emtricitabine-Tenofovir Disoproxil Fumarate Pre-Exposure Prophylaxis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 71, 374-380.	0.9	57
121	Tenofovir-based oral preexposure prophylaxis prevents HIV infection among women. <i>Current Opinion in HIV and AIDS</i> , 2016, 11, 18-26.	1.5	94
122	Low Risk of Proximal Tubular Dysfunction Associated With Emtricitabine-Tenofovir Disoproxil Fumarate Preexposure Prophylaxis in Men and Women. <i>Journal of Infectious Diseases</i> , 2016, 214, 1050-1057.	1.9	40
123	"I Knew I Would Be Safer". Experiences of Kenyan HIV Serodiscordant Couples Soon After Pre-Exposure Prophylaxis (PrEP) Initiation. <i>AIDS Patient Care and STDs</i> , 2016, 30, 78-83.	1.1	44
124	Development and Evaluation of a Modified Fourth-Generation Human Immunodeficiency Virus Enzyme Immunoassay for Cross-Sectional Incidence Estimation in Clade B Populations. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 756-762.	0.5	7
125	Seminal HIV-1 RNA Detection in Heterosexual African Men Initiating Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2016, 214, 212-215.	1.9	19
126	Use of a risk scoring tool to identify higher-risk HIV-1 serodiscordant couples for an antiretroviral-based HIV-1 prevention intervention. <i>BMC Infectious Diseases</i> , 2016, 16, 571.	1.3	23

#	ARTICLE	IF	CITATIONS
127	Intimate Partner Violence and Adherence to HIV Pre-exposure Prophylaxis (PrEP) in African Women in HIV Serodiscordant Relationships: A Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 73, 313-322.	0.9	89
128	Home testing and counselling to reduce HIV incidence in a generalised epidemic setting: a mathematical modelling analysis. <i>Lancet HIV</i> , 2016, 3, e275-e282.	2.1	20
129	Patterns of human herpesvirus-8 oral shedding among diverse cohorts of human herpesvirus-8 seropositive persons. <i>Infectious Agents and Cancer</i> , 2016, 11, 7.	1.2	12
130	Population Pharmacokinetics of Tenofovir in HIV-1-Uninfected Members of Serodiscordant Couples and Effect of Dose Reporting Methods. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 5379-5386.	1.4	14
131	Acyclovir Prophylaxis Reduces the Incidence of Herpes Zoster Among HIV-Infected Individuals: Results of a Randomized Clinical Trial. <i>Journal of Infectious Diseases</i> , 2016, 213, 551-555.	1.9	17
132	Uptake of antiretroviral therapy and male circumcision after community-based HIV testing and strategies for linkage to care versus standard clinic referral: a multisite, open-label, randomised controlled trial in South Africa and Uganda. <i>Lancet HIV</i> , 2016, 3, e212-e220.	2.1	62
133	Cost-effectiveness of pre-exposure prophylaxis targeted to high-risk serodiscordant couples as a bridge to sustained ART use in Kampala, Uganda. <i>Journal of the International AIDS Society</i> , 2015, 18, 20013.	1.2	59
134	Rethinking HIV prevention to prepare for oral PrEP implementation for young African women. <i>Journal of the International AIDS Society</i> , 2015, 18, 20227.	1.2	109
135	Frequency of False Positive Rapid HIV Serologic Tests in African Men and Women Receiving PrEP for HIV Prevention: Implications for Programmatic Roll-Out of Biomedical Interventions. <i>PLoS ONE</i> , 2015, 10, e0123005.	1.1	15
136	A Scoring Tool to Identify East African HIV-1 Serodiscordant Partnerships with a High Likelihood of Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0145515.	1.1	4
137	Tailored combination prevention packages and PrEP for young key populations. <i>Journal of the International AIDS Society</i> , 2015, 18, 19434.	1.2	78
138	Changes in Glomerular Kidney Function Among HIV-1 Uninfected Men and Women Receiving Emtricitabine/Tenofovir Disoproxil Fumarate Preexposure Prophylaxis. <i>JAMA Internal Medicine</i> , 2015, 175, 246.	2.6	83
139	Toll-like receptor gene variants and bacterial vaginosis among HIV-1 infected and uninfected African women. <i>Genes and Immunity</i> , 2015, 16, 362-365.	2.2	18
140	Risk of Drug Resistance Among Persons Acquiring HIV Within a Randomized Clinical Trial of Single- or Dual-Agent Preexposure Prophylaxis. <i>Journal of Infectious Diseases</i> , 2015, 211, 1211-8.	1.9	80
141	Empowering patients to link to care and treatment: qualitative findings about the role of a home-based HIV counselling, testing and linkage intervention in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 1162-1167.	0.6	22
142	Plasma Cytokine Levels and Risk of HIV Type 1 (HIV-1) Transmission and Acquisition: A Nested Case-Control Study Among HIV-1 Serodiscordant Couples. <i>Journal of Infectious Diseases</i> , 2015, 211, 1451-1460.	1.9	47
143	ART coverage in Rwanda: successes and remaining challenges. <i>Lancet HIV</i> , 2015, 2, e176-e177.	2.1	0
144	Estimating the Cost-Effectiveness of Pre-Exposure Prophylaxis to Reduce HIV-1 and HSV-2 Incidence in HIV-Serodiscordant Couples in South Africa. <i>PLoS ONE</i> , 2015, 10, e0115511.	1.1	17

#	ARTICLE	IF	CITATIONS
145	Estimating PMTCT's Impact on Heterosexual HIV Transmission: A Mathematical Modeling Analysis. PLoS ONE, 2015, 10, e0134271.	1.1	5
146	Rapid Antiretroviral Therapy Initiation for Women in an HIV-1 Prevention Clinical Trial Experiencing Primary HIV-1 Infection during Pregnancy or Breastfeeding. PLoS ONE, 2015, 10, e0140773.	1.1	3
147	A Comparison of Two Measures of HIV Diversity in Multi-Assay Algorithms for HIV Incidence Estimation. PLoS ONE, 2014, 9, e101043.	1.1	16
148	Defining herpes simplex virus type 2 sequence heterogeneity using next generation sequencing. Open Forum Infectious Diseases, 2014, 1, S42-S43.	0.4	0
149	My intention was a child but I was very afraid: fertility intentions and HIV risk perceptions among HIV-serodiscordant couples experiencing pregnancy in Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 1283-1287.	0.6	53
150	HIV-1 subtype C is not associated with higher risk of heterosexual HIV-1 transmission. Aids, 2014, 28, 235-243.	1.0	12
151	Unreported Antiretroviral Use by HIV-1 Infected Participants Enrolling in a Prospective Research Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, e90-e94.	0.9	32
152	Pregnancy Incidence and Outcomes Among Women Receiving Preexposure Prophylaxis for HIV Prevention. JAMA - Journal of the American Medical Association, 2014, 312, 362.	3.8	110
153	Association between male circumcision and incidence of syphilis in men and women: a prospective study in HIV-1 serodiscordant heterosexual African couples. The Lancet Global Health, 2014, 2, e664-e671.	2.9	32
154	Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. Lancet Infectious Diseases, The, 2014, 14, 1055-1064.	4.6	94
155	HIV Protective Efficacy and Correlates of Tenofovir Blood Concentrations in a Clinical Trial of PrEP for HIV Prevention. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 340-348.	0.9	270
156	An Intervention to Support HIV Preexposure Prophylaxis Adherence in HIV-Serodiscordant Couples in Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 522-529.	0.9	56
157	Delay of Antiretroviral Therapy Initiation Is Common in East African HIV-Infected Individuals in Serodiscordant Partnerships. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 436-442.	0.9	33
158	Initiation of antiretroviral therapy and viral suppression after home HIV testing and counselling in KwaZulu-Natal, South Africa, and Mbarara district, Uganda: a prospective, observational intervention study. Lancet HIV, the, 2014, 1, e68-e76.	2.1	76
159	Bending the curve: maximising impact with focused HIV prevention. Lancet, The, 2014, 384, 216-217.	6.3	4
160	HIV infection: epidemiology, pathogenesis, treatment, and prevention. Lancet, The, 2014, 384, 258-271.	6.3	616
161	"If I am given antiretrovirals I will think I am nearing the grave"™. Aids, 2014, 28, 227-233.	1.0	47
162	A Prospective Study of the Effect of Pregnancy on CD4 Counts and Plasma HIV-1 RNA Concentrations of Antiretroviral-Naive HIV-1 Infected Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 231-236.	0.9	27

#	ARTICLE	IF	CITATIONS
163	Serodiscordancy and HIV prevention in sub-Saharan Africa. <i>Lancet, The</i> , 2013, 381, 1519-1521.	6.3	5
164	Systemic and Topical Drugs for the Prevention of HIV Infection: Antiretroviral Pre-exposure Prophylaxis. <i>Annual Review of Medicine</i> , 2013, 64, 219-232.	5.0	59
165	Integrated Strategies for Combination HIV Prevention. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, S213-S220.	0.9	20
166	Efficacy of preexposure prophylaxis for HIV-1 prevention among high-risk heterosexuals. <i>Aids</i> , 2013, 27, 2155-2160.	1.0	124
167	High HIV Testing Uptake and Linkage to Care in a Novel Program of Home-Based HIV Counseling and Testing With Facilitated Referral in KwaZulu-Natal, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 64, e1-e8.	0.9	128
168	Adherence to Antiretroviral Prophylaxis for HIV Prevention: A Substudy Cohort within a Clinical Trial of Serodiscordant Couples in East Africa. <i>PLoS Medicine</i> , 2013, 10, e1001511.	3.9	192
169	An Empiric Risk Scoring Tool for Identifying High-Risk Heterosexual HIV-1 Serodiscordant Couples for Targeted HIV-1 Prevention. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 62, 339-347.	0.9	117
170	Performance of a Limiting-Antigen Avidity Enzyme Immunoassay for Cross-Sectional Estimation of HIV Incidence in the United States. <i>PLoS ONE</i> , 2013, 8, e82772.	1.1	57
171	Understanding the Potential Impact of a Combination HIV Prevention Intervention in a Hyper-Endemic Community. <i>PLoS ONE</i> , 2013, 8, e54575.	1.1	36
172	Determinants of Per-Coital-Act HIV-1 Infectivity Among African HIV-1 Serodiscordant Couples. <i>Journal of Infectious Diseases</i> , 2012, 205, 358-365.	1.9	291
173	Antiretroviral-Based HIV-1 Prevention: Antiretroviral Treatment and Pre-Exposure Prophylaxis. <i>Antiviral Therapy</i> , 2012, 17, 1483-1493.	0.6	34
174	Tenofovir-based pre-exposure prophylaxis for HIV prevention. <i>Current Opinion in Infectious Diseases</i> , 2012, 25, 51-57.	1.3	139
175	Infectious Co-Factors in HIV-1 Transmission Herpes Simplex Virus Type-2 and HIV-1: New Insights and Interventions. <i>Current HIV Research</i> , 2012, 10, 228-237.	0.2	94
176	Outside Sexual Partnerships and Risk of HIV Acquisition for HIV Uninfected Partners in African HIV Serodiscordant Partnerships. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 65-71.	0.9	33
177	Willingness of Kenyan HIV-1 Serodiscordant Couples to Use Antiretroviral-Based HIV-1 Prevention Strategies. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 116-119.	0.9	53
178	Use of hormonal contraceptives and risk of HIV-1 transmission: a prospective cohort study. <i>Lancet Infectious Diseases, The</i> , 2012, 12, 19-26.	4.6	375
179	A qualitative study of barriers to consistent condom use among HIV-1 serodiscordant couples in Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 509-516.	0.6	50
180	Antiretroviral Prophylaxis for HIV Prevention in Heterosexual Men and Women. <i>New England Journal of Medicine</i> , 2012, 367, 399-410.	13.9	2,665

#	ARTICLE	IF	CITATIONS
181	What's Love Got to Do With It? Explaining Adherence to Oral Antiretroviral Pre-Exposure Prophylaxis for HIV-Serodiscordant Couples. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2012, 59, 463-468.	0.9	221
182	HIV-1 Prevention for HIV-1 Serodiscordant Couples. <i>Current HIV/AIDS Reports</i> , 2012, 9, 160-170.	1.1	80
183	Household-Based HIV Counseling and Testing as a Platform for Referral to HIV Care and Medical Male Circumcision in Uganda: A Pilot Evaluation. <i>PLoS ONE</i> , 2012, 7, e51620.	1.1	38
184	Viral Linkage in HIV-1 Seroconverters and Their Partners in an HIV-1 Prevention Clinical Trial. <i>PLoS ONE</i> , 2011, 6, e16986.	1.1	80
185	Circumcision of Male Children for Reduction of Future Risk for HIV: Acceptability among HIV Serodiscordant Couples in Kampala, Uganda. <i>PLoS ONE</i> , 2011, 6, e22254.	1.1	9
186	Characteristics of HIV-1 Serodiscordant Couples Enrolled in a Clinical Trial of Antiretroviral Pre-Exposure Prophylaxis for HIV-1 Prevention. <i>PLoS ONE</i> , 2011, 6, e25828.	1.1	75
187	Increased risk of HIV-1 transmission in pregnancy. <i>Aids</i> , 2011, 25, 1887-1895.	1.0	219
188	Combination HIV Prevention: Significance, Challenges, and Opportunities. <i>Current HIV/AIDS Reports</i> , 2011, 8, 62-72.	1.1	226
189	High-dose Valacyclovir HSV-2 Suppression Results in Greater Reduction in Plasma HIV-1 Levels Compared With Standard Dose Acyclovir Among HIV-1/HSV-2 Coinfected Persons: A Randomized, Crossover Trial. <i>Journal of Infectious Diseases</i> , 2011, 204, 1912-1917.	1.9	38
190	A prospective study of frequency and correlates of intimate partner violence among African heterosexual HIV serodiscordant couples. <i>Aids</i> , 2011, 25, 2009-2018.	1.0	59
191	Will circumcision provide even more protection from HIV to women and men? New estimates of the population impact of circumcision interventions. <i>Sexually Transmitted Infections</i> , 2011, 87, 88-93.	0.8	84
192	Genital HIV-1 RNA Predicts Risk of Heterosexual HIV-1 Transmission. <i>Science Translational Medicine</i> , 2011, 3, 77ra29.	5.8	265
193	Optimal Uses of Antiretrovirals for Prevention in HIV-1 Serodiscordant Heterosexual Couples in South Africa: A Modelling Study. <i>PLoS Medicine</i> , 2011, 8, e1001123.	3.9	130
194	Genomewide Association Study for Determinants of HIV-1 Acquisition and Viral Set Point in HIV-1 Serodiscordant Couples with Quantified Virus Exposure. <i>PLoS ONE</i> , 2011, 6, e28632.	1.1	80
195	Male circumcision and risk of male-to-female HIV-1 transmission: a multinational prospective study in African HIV-1-serodiscordant couples. <i>Aids</i> , 2010, 24, 737-744.	1.0	72
196	Treatment of sexually transmitted infections for HIV prevention: end of the road or new beginning?. <i>Aids</i> , 2010, 24, S15-S26.	1.0	142
197	Periconception pre-exposure prophylaxis to prevent HIV transmission: benefits, risks, and challenges to implementation. <i>Aids</i> , 2010, 24, 1975-1982.	1.0	86
198	Pregnancy, Contraceptive Use, and HIV Acquisition in HPTN 039: Relevance for HIV Prevention Trials Among African Women. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2010, 53, 606-613.	0.9	81

#	ARTICLE	IF	CITATIONS
199	Estimating the Impact of Plasma HIV-1 RNA Reductions on Heterosexual HIV-1 Transmission Risk. PLoS ONE, 2010, 5, e12598.	1.1	129
200	Daily aciclovir for HIV-1 disease progression in people dually infected with HIV-1 and herpes simplex virus type 2: a randomised placebo-controlled trial. Lancet, The, 2010, 375, 824-833.	6.3	142
201	Heterosexual HIV-1 transmission after initiation of antiretroviral therapy: a prospective cohort analysis. Lancet, The, 2010, 375, 2092-2098.	6.3	844
202	A Prospective Study of Contraceptive Use Among African Women in HIV-1 Serodiscordant Partnerships. Sexually Transmitted Diseases, 2010, 37, 621-628.	0.8	36
203	Sexually transmitted infections and HIV: epidemiology and interventions. Topics in HIV Medicine: A Publication of the International AIDS Society, USA, 2010, 18, 138-42.	2.9	13
204	Male circumcision and HIV risks and benefits for women. Lancet, The, 2009, 374, 182-184.	6.3	23
205	Successful increase in contraceptive uptake among Kenyan HIV-1-serodiscordant couples enrolled in an HIV-1 prevention trial. Aids, 2009, 23, S89-S95.	1.0	29
206	Effect of aciclovir on HIV-1 acquisition in herpes simplex virus 2 seropositive women and men who have sex with men: a randomised, double-blind, placebo-controlled trial. Lancet, The, 2008, 371, 2109-2119.	6.3	412
207	Regional Differences in Prevalence of HIV-1 Discordance in Africa and Enrollment of HIV-1 Discordant Couples into an HIV-1 Prevention Trial. PLoS ONE, 2008, 3, e1411.	1.1	136
208	Potential Effect of HIV Type 1 Antiretroviral and Herpes Simplex Virus Type 2 Antiviral Therapy on Transmission and Acquisition of HIV Type 1 Infection. Journal of Infectious Diseases, 2005, 191, S107-S114.	1.9	78
209	Genital herpes and human immunodeficiency virus: double trouble. Bulletin of the World Health Organization, 2004, 82, 447-53.	1.5	91
210	The Dimensions of Stress Scale: Psychometric Properties ¹ . Journal of Applied Social Psychology, 1993, 23, 1847-1878.	1.3	23
211	Factors influencing adolescent girls and young women's uptake of community-based PrEP services following home-based HIV testing in Eastern Cape, South Africa: a qualitative study. AIDS and Behavior, 0, , .	1.4	3