

Ante Vujić

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6616026/publications.pdf>

Version: 2024-02-01

116
papers

2,191
citations

236925
25
h-index

302126
39
g-index

119
all docs

119
docs citations

119
times ranked

2409
citing authors

#	ARTICLE	IF	CITATIONS
1	Mass flowering crops dilute pollinator abundance in agricultural landscapes across Europe. <i>Ecology Letters</i> , 2016, 19, 1228-1236.	6.4	195
2	Ecological networks are more sensitive to plant than to animal extinction under climate change. <i>Nature Communications</i> , 2016, 7, 13965.	12.8	180
3	International scientists formulate a roadmap for insect conservation and recovery. <i>Nature Ecology and Evolution</i> , 2020, 4, 174-176.	7.8	176
4	Developing European conservation and mitigation tools for pollination services: approaches of the STEP (Status and Trends of European Pollinators) project. <i>Journal of Apicultural Research</i> , 2011, 50, 152-164.	1.5	64
5	Revision of Iberian species of the genus Merodon (Diptera: Syrphidae). <i>European Journal of Entomology</i> , 2007, 104, 531-572.	1.2	56
6	High molecular and phenotypic diversity in the Merodon avidus complex (Diptera, Syrphidae): cryptic speciation in a diverse insect taxon. <i>Zoological Journal of the Linnean Society</i> , 2009, 155, 819-833.	2.3	46
7	Three new cryptic species of the genus Merodon Meigen (Diptera: Syrphidae) from the island of Lesvos (Greece). <i>Zootaxa</i> , 2011, 2735, 35.	0.5	44
8	Systematics and taxonomy of the <i>ruficornis</i> group of genus <i>Merodon</i> Meigen (Diptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 3.9 42		
9	Genetic diversity of populations of <i>Merodon aureus</i> and <i>M. cinereus</i> species complexes (Diptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 1 Peninsula. <i>Conservation Genetics</i> , 2008, 9, 1125-1137.	1.5	41
10	Moderate fire severity is best for the diversity of most of the pollinator guilds in Mediterranean pine forests. <i>Ecology</i> , 2019, 100, e02615.	3.2	40
11	Towards an integrated taxonomy of the <i>Merodon equestris</i> species complex (Diptera: Syrphidae) including description of a new species, with additional data on Iberian <i>Merodon</i> . <i>Canadian Entomologist</i> , 2011, 143, 332-348.	0.8	37
12	Wing Geometric Morphometric Inferences on Species Delimitation and Intraspecific Divergent Units in the <i>Merodon ruficornis</i> Group (Diptera, Syrphidae) from the Balkan Peninsula. <i>Zoological Science</i> , 2009, 26, 301-308.	0.7	36
13	Hoverfly diversity (Diptera: Syrphidae) in a Mediterranean scrub community near Athens, Greece. <i>Annales De La Societe Entomologique De France</i> , 2011, 47, 168-175.	0.9	35
14	Investigating plant pollinator relationships in the Aegean: the approaches of the project POL-AEGIS (The pollinators of the Aegean archipelago: diversity and threats). <i>Journal of Apicultural Research</i> , 2013, 52, 106-117.	1.5	34
15	Two new species of the genus <i>Merodon</i> Meigen 1803 (Diptera: Syrphidae) from the island of Lesvos (Greece), in the eastern Mediterranean. <i>Annales De La Societe Entomologique De France</i> , 2007, 43, 319-326.	0.9	33
16	Molecular and Morphological Inference of Three Cryptic Species within the <i>Merodon aureus</i> Species Group (Diptera: Syrphidae). <i>PLoS ONE</i> , 2016, 11, e0160001.	2.5	33
17	New data on the <i>Merodon Meigen 1803</i> fauna (Diptera: Syrphidae) of Turkey including description of a new species and changes in the nomenclatural status of several taxa. <i>Annales De La Societe Entomologique De France</i> , 2011, 47, 78-88.	0.9	32
18	Taxonomy of <i>Chrysotoxum festivum</i> ...Linnaeus, 1758 (Diptera: Syrphidae) - an integrative approach. <i>Zoological Journal of the Linnean Society</i> , 2013, 169, 84-102.	2.3	32

#	ARTICLE	IF	CITATIONS
19	Phenotypic evidence for hidden biodiversity in the <i>Merodon aureus</i> group (Diptera, Syrphidae) on the Balkan Peninsula: conservation implication. <i>Journal of Insect Conservation</i> , 2011, 15, 379-388.	1.4	30
20	Revision of the species of the <i>Merodon nanus</i> group (Diptera: Syrphidae) including three new species. <i>Zootaxa</i> , 2015, 4006, 439-62.	0.5	30
21	An integrated approach to delimiting species borders in the genus <i>Chrysotoxum</i> Meigen, 1803 (Diptera: Tephritidae). <i>Turkish Journal of Entomology</i> , 2015, 39, 784-814.	0.5	30
22	Phylogeographic patterns of <i>Merodon</i> hoverflies in the Eastern Mediterranean region: revealing connections and barriers. <i>Ecology and Evolution</i> , 2016, 6, 2226-2245.	1.9	30
23	Systematics of Pipizini and taxonomy of European <i>Pipiza</i> Fallén: molecular and morphological evidence (Diptera, Syrphidae). <i>Zoologica Scripta</i> , 2013, 42, 288-305.	1.7	29
24	Plant-pollinator networks in semi-natural grasslands are resistant to the loss of pollinators during blooming of mass-flowering crops. <i>Ecography</i> , 2018, 41, 62-74.	4.5	29
25	Sibling species delimitation and nomenclature of the <i>Merodon avidus</i> complex (Diptera: Syrphidae). <i>European Journal of Entomology</i> , 2015, 112, 790-809.	1.2	28
26	Phylogenetic relationships of the genus <i>Cheilosia</i> and the tribe Rhingiini (Diptera, Syrphidae) based on morphological and molecular characters. <i>Cladistics</i> , 2004, 20, 105-122.	3.3	26
27	Three new species of the < i>Merodon nigrifrons</i> group (Diptera: Syrphidae) from the Middle East. <i>Zootaxa</i> , 2013, 3640, 442-64.	0.5	26
28	Cryptic speciation in the <i>Merodon luteomaculatus</i> complex (Diptera: Syrphidae) from the eastern Mediterranean. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018, 56, 170-191.	1.4	25
29	Genetic and phenotypic diversity patterns in <i>M. erodon albifrons</i> Meigen, 1822 (Diptera: Tephritidae). <i>Turkish Journal of Entomology</i> , 2015, 39, 784-814.	1.6	24
30	Disentangling a cryptic species complex and defining new species within the <i>Eumerus minotaurus</i> group (Diptera: Syrphidae), based on integrative taxonomy and Aegean palaeogeography. <i>Contributions To Zoology</i> , 2018, 87, 197-225.	0.5	23
31	Pollinator diversity (Hymenoptera and Diptera) in semi-natural habitats in Serbia during summer. <i>Archives of Biological Sciences</i> , 2012, 64, 777-786.	0.5	23
32	Winners and losers of climate change for the genus <i>Merodon</i> (Diptera: Syrphidae) across the Balkan Peninsula. <i>Ecological Modelling</i> , 2015, 313, 201-211.	2.5	22
33	Pupal stages of three species of the phytophagous genus <i>Merodon</i> Meigen (Diptera: Syrphidae). <i>Zootaxa</i> , 2018, 4420, 229-242.	0.5	21
34	<i>Cheilosia vernalis</i> (Diptera, Syrphidae) Complex: Molecular and Morphological Variability. <i>Annales Zoologici Fennici</i> , 2008, 45, 149-159.	0.6	20
35	Taxonomy and systematics of three species of the genus <i>Eumerus</i> Meigen, 1822 (Diptera: Syrphidae) new to southeastern Europe. <i>Zoologischer Anzeiger</i> , 2017, 270, 176-192.	0.9	20
36	An integrative approach in the assessment of species delimitation and structure of the <i>Merodon nanus</i> species group (Diptera: Syrphidae). <i>Organisms Diversity and Evolution</i> , 2018, 18, 479-497.	1.6	20

#	ARTICLE	IF	CITATIONS
37	Biogeographical patterns of the genus <i>Merodon</i> Meigen, 1803 (Diptera: Syrphidae) in islands of the eastern Mediterranean and adjacent mainland. <i>Insect Conservation and Diversity</i> , 2016, 9, 181-191.	3.0	19
38	Defining species boundaries in the <i>Merodon avidus</i> complex (Diptera, Syrphidae) using integrative taxonomy, with the description of a new species. <i>European Journal of Taxonomy</i> , 2016, , .	0.6	17
39	The <i>Cheilosia canicularis</i> group (Diptera: Syrphidae): species delimitation and evolutionary relationships based on wing geometric morphometrics. <i>Zootaxa</i> , 2008, 1825, 40.	0.5	16
40	Three new Eastern-Mediterranean endemic species of the <i>Merodon aureus</i> group (Diptera: Syrphidae). <i>Zootaxa</i> , 2017, 4254, 401-434.	0.5	16
41	Close relatives of Mediterranean endemo-relict hoverflies (Diptera, Syrphidae) in South Africa: Morphological and molecular evidence in the <i>Merodon melanocerus</i> subgroup. <i>PLoS ONE</i> , 2018, 13, e0200805.	2.5	16
42	Taxonomic complexity in the genus <i>Merodon</i> Meigen, 1803 (Diptera, Syrphidae). <i>ZooKeys</i> , 2021, 1031, 85-124.	1.1	16
43	Systematics and phylogeny of the tribe Paragini (Diptera: Syrphidae) based on molecular and morphological characters. <i>Zoological Journal of the Linnean Society</i> , 2008, 152, 507-536.	2.3	15
44	Revision of the West-Palaearctic species of the tribe Ceriodini (Diptera, Syrphidae). <i>Zootaxa</i> , 2016, 4196, zootaxa.4196.2.1.	0.5	15
45	Effects of climate change on the distribution of hoverfly species (Diptera: Syrphidae) in Southeast Europe. <i>Biodiversity and Conservation</i> , 2018, 27, 1173-1187.	2.6	15
46	Influence of landscape structure and land use on <i>Merodon</i> and <i>Cheilosia</i> (Diptera: Syrphidae): contrasting responses of two genera. <i>Journal of Insect Conservation</i> , 2017, 21, 53-64.	1.4	14
47	Designating conservation priorities for Southeast European hoverflies (Diptera: Syrphidae) based on species distribution models and species vulnerability. <i>Insect Conservation and Diversity</i> , 2017, 10, 354-366.	3.0	14
48	Review of the <i>Merodon albifasciatus</i> Macquart species complex (Diptera: Syrphidae): the nomenclatural type located and its provenance discussed. <i>Zootaxa</i> , 2018, 4374, 25-48.	0.5	14
49	Estimating genetic and phenotypic diversity in a northern hoverfly reveals lack of heterozygosity correlated with significant fluctuating asymmetry of wing traits. <i>Journal of Insect Conservation</i> , 2010, 14, 77-88.	1.4	13
50	The Hoverflies of an Oak Dehesa from Spain, with a New Species and Other Insights into the Taxonomy of the <i>Eumerus tricolor</i> Group (Diptera: Syrphidae). <i>Annales Zoologici</i> , 2018, 68, 259-280.	0.8	13
51	Two new enigmatic species of the genus <i>Merodon</i> Meigen (Diptera: Syrphidae) from the north-eastern Middle East. <i>Zootaxa</i> , 2019, 4555, 187-208.	0.5	13
52	Diagnostic molecular markers and the genetic relationships among three species of the <i>Cheilosia canicularis</i> group (Diptera: Syrphidae). <i>European Journal of Entomology</i> , 2005, 102, 125-131.	1.2	13
53	Revision of the <i>Merodon serrulatus</i> group (Diptera, Syrphidae). <i>ZooKeys</i> , 2020, 909, 79-158.	1.1	13
54	Hide-and-seek with hoverflies: <i>Merodon aureus</i> â€“ a species, a complex or a subgroup?. <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 974-1001.	2.3	12

#	ARTICLE	IF	CITATIONS
55	Genetic structure and phenotypic diversity of two northern populations of <i>Cheilosia</i> aff. <i>longula</i> (Diptera: Syrphidae) has implications for evolution and conservation. <i>European Journal of Entomology</i> , 2010, 107, 305-315.	1.2	12
56	The genus <i>Xanthogramma</i> Schiner, 1861 (Diptera: Syrphidae) in southeastern Europe, with descriptions of two new species. <i>Canadian Entomologist</i> , 2018, 150, 440-464.	0.8	11
57	Systematic position and composition of <i>Merodon nigritarsis</i> and <i>M. avidus</i> groups (Diptera, Syrphidae) with a description of four new hoverflies species. <i>Contributions To Zoology</i> , 2019, 89, 74-125.	0.5	11
58	Stability and changes in the distribution of <i>Pipiza</i> hoverflies (Diptera, Syrphidae) in Europe under projected future climate conditions. <i>PLoS ONE</i> , 2019, 14, e0221934.	2.5	11
59	Bee (Hymenoptera: Apoidea) and hoverfly (Diptera: Syrphidae) pollinators in Pannonian habitats of Serbia, with a description of a new <i>Eumerus</i> Meigen species (Syrphidae). <i>Zootaxa</i> , 2016, 4154, 27-50.	0.5	10
60	Revision of the Palaearctic species of the <i>Merodon desuturinus</i> group (Diptera, Syrphidae). <i>ZooKeys</i> , 2018, 771, 105-138.	1.1	10
61	On an application of fuzzy relations in biogeography. <i>Information Sciences</i> , 1996, 89, 77-93.	6.9	9
62	Key for European species of the <i>Cheilosia proxima</i> group (Diptera, Syrphidae) with a description of a new species. <i>ZooKeys</i> , 2013, 269, 33-50.	1.1	9
63	Hidden European diversity: a new monotypic hoverfly genus (Diptera: Syrphidae: Eristalinae: Rhingiini). <i>Zoological Journal of the Linnean Society</i> , 2019, 185, 1188-1211.	2.3	9
64	New data on the genus <i>Chrysotoxum</i> Meigen (Diptera: Syrphidae) from North-East Turkey, Armenia, Azerbaijan and Iran including descriptions of three new species. <i>Zoology in the Middle East</i> , 2017, 63, 250-268.	0.6	8
65	The importance of hidden diversity for insect conservation: a case study in hoverflies (the <i>Merodon</i>) Tj ETQq1 1 0.784314 rgBT /Overloc	1.4	8
66	Come to the dark side! The role of functional traits in shaping dark diversity patterns of south-eastern European hoverflies. <i>Ecological Entomology</i> , 2020, 45, 232-242.	2.2	8
67	The <i>Merodon planifacies</i> subgroup (Diptera, Syrphidae): Congruence of molecular and morphometric evidences reveal new taxa in Drakensberg mountains valleys (Republic of South Africa). <i>Zoologischer Anzeiger</i> , 2020, 287, 105-120.	0.9	8
68	Conflict and congruence between morphological and molecular data: revision of the <i>Merodon constans</i> group (Diptera : Syrphidae). <i>Invertebrate Systematics</i> , 2020, , .	1.3	8
69	Review of the <i>Merodon natans</i> group with description of a new species, a key to the adults of known species of the <i>natans</i> lineage and first descriptions of some preimaginal stages. <i>Arthropod Systematics and Phylogeny</i> , 0, 79, 343-378.	1.1	8
70	Sky island diversification in the <i>Merodon rufus</i> group (Diptera, Syrphidae) – recent vicariance in south-east Europe. <i>Organisms Diversity and Evolution</i> , 2020, 20, 345-368.	1.6	8
71	Integrative taxonomy of <i>Merodon caerulescens</i> complex (Diptera: Syrphidae) - evidence of cryptic speciation. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 103-118.	0.1	8
72	Taxonomic revision of the highly threatened <i>Eumerus tricolor</i> species group (Diptera: Syrphidae) in Southeast Europe, with insights into the conservation of the genus <i>Eumerus</i> . <i>European Journal of Entomology</i> , 0, 118, 368-393.	1.2	8

#	ARTICLE	IF	CITATIONS
73	Image Processing Method for Automatic Discrimination of Hoverfly Species. Mathematical Problems in Engineering, 2014, 2014, 1-12.	1.1	7
74	Integrative taxonomy confirms two new West-Palaearctic species allied with <i>Chrysotoxum verna</i> Loew, 1841 (Diptera: Syrphidae). Organisms Diversity and Evolution, 2020, 20, 821-833.	1.6	7
75	Genetic characterization of the Balkan endemic species, <i>Merodon desuturinus</i> (Diptera: Syrphidae). European Journal of Entomology, 2008, 105, 197-204.	1.2	7
76	Environmental niche divergence of species from <i>Merodon ruficornis</i> group (Diptera: Syrphidae). Archives of Biological Sciences, 2017, 69, 247-259.	0.5	7
77	Two new European long-legged hoverfly species of the <i>Eumerus binominatus</i> species subgroup (Diptera, Syrphidae). ZooKeys, 2019, 858, 91-108.	1.1	7
78	A review of the luteitarsis group of the genus <i>Pipiza</i> Fallen (Diptera: Syrphidae) with description of a new species from the Balkan Peninsula. Zootaxa, 2008, 1845, 33.	0.5	6
79	Resolving the taxonomy of the <i>Merodon dobrogensis</i> species subgroup (Diptera: Syrphidae), with the description of a new species. Canadian Entomologist, 2020, 152, 36-59.	0.8	6
80	Characterization of preimaginal developmental stages of two cryptic South African species of the <i>Merodon planifacies</i> complex (Diptera: Syrphidae: Eristalinae: Merodontini), with differentiation through morphometry analysis. Arthropod Structure and Development, 2022, 70, 101187.	1.4	6
81	Assessment of genetic diversity within the <i>Merodon ruficornis</i> species group (Diptera: Syrphidae) by RAPD analysis. Archives of Biological Sciences, 2017, 69, 553-560.	0.5	5
82	<i>Brachyopa minima</i> (Diptera: Syrphidae), a new species from Greece with notes on the biodiversity and conservation of the genus <i>Brachyopa</i> Meigen in the Northern Aegean Islands. Zootaxa, 2016, 4072, 217-34.	0.5	4
83	Connecting the dots: Bridging genetic and spatial differentiation of the genus <i>Eumerus</i> (Diptera: Tephritidae). Evolutionary Research, 2019, 57, 822-839.	1.4	4
84	Landscape heterogeneity effects on keystone rodent species: agro-ecological zoning for conservation of open grasslands. Biodiversity and Conservation, 2019, 28, 3139-3158.	2.6	4
85	Revision of the <i>Merodon aurifer</i> group (Diptera: Syrphidae) with new synonyms of <i>M. testaceus</i> Sack, 1913. Journal of Asia-Pacific Entomology, 2021, 24, 1301-1312.	0.9	4
86	Species composition and seasonal dynamics of mosquitoes (Diptera: Culicidae) in flooded areas of Vojvodina, Serbia. Archives of Biological Sciences, 2010, 62, 1193-1206.	0.5	4
87	A new check list of hoverflies (Diptera: Syrphidae) of the Republic of Serbia. Zbornik Matice Srpske Za Prirodne Nauke, 2018, , 7-51.	0.1	4
88	TWO RELATED SPECIES OF PARAGUS (DIPTERA: SYRPHIDAE), ONE FROM THE NEARCTIC AND ONE FROM THE PALAEARCTIC. Canadian Entomologist, 1999, 131, 203-209.	0.8	3
89	New data about hoverflies diversity (Insecta: Diptera: Syrphidae) on the Fruska Gora mountain, Serbia. Zbornik Matice Srpske Za Prirodne Nauke, 2002, , 91-106.	0.1	3
90	New data on the Syrphidae (Diptera) of Iran, with descriptions of two new species. Zootaxa, 2017, 4303, 27.	0.5	3

#	ARTICLE	IF	CITATIONS
91	Three new hoverfly species from Greece (Diptera: Syrphidae). Zootaxa, 2020, 4830, zootaxa.4830.1.4.	0.5	3
92	Revision of the Merodon bombiformis group (Diptera: Syrphidae) – rare and endemic African hoverflies. European Journal of Taxonomy, 0, 755, .	0.6	3
93	The fauna of hoverflies (Diptera: Syrphidae) of Vojvodina province, Serbia. Archives of Biological Sciences, 2009, 61, 147-154.	0.5	3
94	New data on hoverfly diversity (Insecta: Diptera: Syrphidae) of the special nature reserve the Obedska bara marsh (ramsar site in Serbia). Zbornik Matice Srpske Za Prirodne Nauke, 2004, , 21-31.	0.1	3
95	Genetic differentiation between conspecific populations of Merodon avidus A (Diptera, Syrphidae). Zbornik Matice Srpske Za Prirodne Nauke, 2004, , 33-44.	0.1	3
96	Merodon chalybeus Subgroup: An Additional Piece of the M. aureus Group (Diptera, Syrphidae) Puzzle. Annales Zoologici Fennici, 2022, 59, .	0.6	3
97	Riverine woodland-pasture responds to grazing decline. Ecological Research, 2018, 33, 213-223.	1.5	2
98	Protected areas and prime hoverfly areas: Safe haven for hoverflies or not?. Entomological Science, 2020, 23, 173-182.	0.6	2
99	Functional groups of hoverflies in Southeast Europe across different vegetation types. Entomological Science, 2021, 24, 235-246.	0.6	2
100	UAV-Based Land Cover Classification for Hoverfly (Diptera: Syrphidae) Habitat Condition Assessment: A Case Study on Mt. Stara Planina (Serbia). Remote Sensing, 2021, 13, 3272.	4.0	2
101	Contribution to the knowledge of the bee fauna (Hymenoptera, Apoidea, Anthophila) in Serbia. ZooKeys, 2021, 1053, 43-105.	1.1	2
102	Strictly protected species of hoverflies (Diptera: Syrphidae) in Serbia in the face of climate change. Zbornik Matice Srpske Za Prirodne Nauke, 2018, , 53-62.	0.1	2
103	A new species of Eumerus from Montenegro, belonging to newly established torsicus species group (Diptera: Syrphidae). Zoologischer Anzeiger, 2022, , .	0.9	2
104	A new species of the genus <i>Chrysotoxum</i> Meigen, 1803 (Diptera: Syrphidae) from Turkey. Zoology in the Middle East, 2018, 64, 244-252.	0.6	1
105	Linkage disequilibrium in populations of Merodon avidus A. (Diptera, Syrphidae). Zbornik Matice Srpske Za Prirodne Nauke, 2004, , 45-53.	0.1	1
106	Taxonomic study of the genus Paragus latreille, 1804 (Diptera: Syrphidae) in the collections of the Department of Biology and Ecology at the University of Novi Sad (FSUNS), Serbia. Zbornik Matice Srpske Za Prirodne Nauke, 2018, , 119-127.	0.1	1
107	New findings on protected and strictly protected species confirm the value of the prime hoverfly area network. Zbornik Matice Srpske Za Prirodne Nauke, 2018, , 63-71.	0.1	1
108	Quality assessment of habitats using phytophagous hoverflies (Diptera: Syrphidae). Zbornik Matice Srpske Za Prirodne Nauke, 2018, , 83-92.	0.1	1

#	ARTICLE	IF	CITATIONS
109	New information about the pre-imaginal morphology of genus <i>Graptomyza</i> (Diptera, Syrphidae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	1
110	Contribution to the knowledge on distribution, abundance, and species richness of hoverflies (Diptera: Syrphidae) in Turkey. International Journal of Tropical Insect Science, 0, , 1.	1.0	1
111	Genetic equilibrium in <i>Cheilosia vernalis</i> populations (Diptera: Syrphidae). Zbornik Matice Srpske Za Prirodne Nauke, 2005, , 21-27.	0.1	0
112	Prediction of current species distribution of <i>Cheilosia proxima</i> group (Diptera: Syrphidae) on the Balkan peninsula. Zbornik Matice Srpske Za Prirodne Nauke, 2013, , 69-79.	0.1	0
113	Environmental analysis of conservationally significant <i>Eumerus</i> and <i>Platycheirus</i> species (Diptera:) Tj ETQq1 1 0.784314 rgBT 0 /Overlock	0.1	0
114	Hoverflies (Diptera: Syrphidae) in protected areas of Greece. Zbornik Matice Srpske Za Prirodne Nauke, 2018, , 73-81.	0.1	0
115	Hoverfly diversity assesment in grassland and forest habitats in Autonomous Province of Vojvodina based on a recent monitoring study. Zbornik Matice Srpske Za Prirodne Nauke, 2018, , 93-102.	0.1	0
116	Protected area networks are insufficient for the conservation of threatened farmland species: A case study on corncrake (<i>Crex crex</i>) and lesser grey shrike (<i>Lanius minor</i>) in Serbia. Archives of Biological Sciences, 2019, 71, 111-121.	0.5	0