

Ante Vujić

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6616026/publications.pdf>

Version: 2024-02-01

116
papers

2,191
citations

236925
25
h-index

302126
39
g-index

119
all docs

119
docs citations

119
times ranked

2409
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Merodon chalybeus Subgroup: An Additional Piece of the <i>M. aureus</i> Group (Diptera, Syrphidae) Puzzle. <i>Annales Zoologici Fennici</i> , 2022, 59, . | 0.6 | 3 |
| 2 | A new species of <i>Eumerus</i> from Montenegro, belonging to newly established <i>torsicus</i> species group (Diptera: Syrphidae). <i>Zoologischer Anzeiger</i> , 2022, , . | 0.9 | 2 |
| 3 | Characterization of preimaginal developmental stages of two cryptic South African species of the <i>Merodon planifacies</i> complex (Diptera: Syrphidae: Eristalinae: Merodontini), with differentiation through morphometry analysis. <i>Arthropod Structure and Development</i> , 2022, 70, 101187. | 1.4 | 6 |
| 4 | Taxonomic complexity in the genus <i>Merodon</i> Meigen, 1803 (Diptera, Syrphidae). <i>ZooKeys</i> , 2021, 1031, 85-124. | 1.1 | 16 |
| 5 | Functional groups of hoverflies in Southeast Europe across different vegetation types. <i>Entomological Science</i> , 2021, 24, 235-246. | 0.6 | 2 |
| 6 | Revision of the <i>Merodon aurifer</i> group (Diptera: Syrphidae) with new synonyms of <i>M. testaceus</i> Sack, 1913. <i>Journal of Asia-Pacific Entomology</i> , 2021, 24, 1301-1312. | 0.9 | 4 |
| 7 | UAV-Based Land Cover Classification for Hoverfly (Diptera: Syrphidae) Habitat Condition Assessment: A Case Study on Mt. Stara Planina (Serbia). <i>Remote Sensing</i> , 2021, 13, 3272. | 4.0 | 2 |
| 8 | Contribution to the knowledge of the bee fauna (Hymenoptera, Apoidea, Anthophila) in Serbia. <i>ZooKeys</i> , 2021, 1053, 43-105. | 1.1 | 2 |
| 9 | Come to the dark side! The role of functional traits in shaping dark diversity patterns of south-eastern European hoverflies. <i>Ecological Entomology</i> , 2020, 45, 232-242. | 2.2 | 8 |
| 10 | International scientists formulate a roadmap for insect conservation and recovery. <i>Nature Ecology and Evolution</i> , 2020, 4, 174-176. | 7.8 | 176 |
| 11 | Resolving the taxonomy of the <i>Merodon dobrogensis</i> species subgroup (Diptera: Syrphidae), with the description of a new species. <i>Canadian Entomologist</i> , 2020, 152, 36-59. | 0.8 | 6 |
| 12 | Three new hoverfly species from Greece (Diptera: Syrphidae). <i>Zootaxa</i> , 2020, 4830, zootaxa.4830.1.4. | 0.5 | 3 |
| 13 | Integrative taxonomy confirms two new West-Palaearctic species allied with <i>Chrysotoxum verna</i> Loew, 1841 (Diptera: Syrphidae). <i>Organisms Diversity and Evolution</i> , 2020, 20, 821-833. | 1.6 | 7 |
| 14 | The <i>Merodon planifacies</i> subgroup (Diptera, Syrphidae): Congruence of molecular and morphometric evidences reveal new taxa in Drakensberg mountains valleys (Republic of South Africa). <i>Zoologischer Anzeiger</i> , 2020, 287, 105-120. | 0.9 | 8 |
| 15 | Conflict and congruence between morphological and molecular data: revision of the <i>Merodon constans</i> group (Diptera : Syrphidae). <i>Invertebrate Systematics</i> , 2020, , . | 1.3 | 8 |
| 16 | Hide-and-seek with hoverflies: <i>Merodon aureus</i> â€“ a species, a complex or a subgroup?. <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 974-1001. | 2.3 | 12 |
| 17 | Protected areas and prime hoverfly areas: Safe haven for hoverflies or not?. <i>Entomological Science</i> , 2020, 23, 173-182. | 0.6 | 2 |
| 18 | Sky island diversification in the <i>Merodon rufus</i> group (Diptera, Syrphidae)â€”recent vicariance in south-east Europe. <i>Organisms Diversity and Evolution</i> , 2020, 20, 345-368. | 1.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Revision of the <i>Merodon serrulatus</i> group (Diptera, Syrphidae). <i>ZooKeys</i> , 2020, 909, 79-158. | 1.1 | 13 |
| 20 | Connecting the dots: Bridging genetic and spatial differentiation of the genus <i>Eumerus</i> (Diptera) Tj ETQq0 0 0 rgBT /Overlock 10 Evolutionary Research, 2019, 57, 822-839. | 1.4 | 4 |
| 21 | Landscape heterogeneity effects on keystone rodent species: agro-ecological zoning for conservation of open grasslands. <i>Biodiversity and Conservation</i> , 2019, 28, 3139-3158. | 2.6 | 4 |
| 22 | Two new enigmatic species of the genus <i>Merodon</i> Meigen (Diptera: Syrphidae) from the north-eastern Middle East. <i>Zootaxa</i> , 2019, 4555, 187-208. | 0.5 | 13 |
| 23 | Moderate fire severity is best for the diversity of most of the pollinator guilds in Mediterranean pine forests. <i>Ecology</i> , 2019, 100, e02615. | 3.2 | 40 |
| 24 | Systematic position and composition of <i>Merodon nigrifrons</i> and <i>M. avidus</i> groups (Diptera, Syrphidae) with a description of four new hoverfly species. <i>Contributions To Zoology</i> , 2019, 89, 74-125. | 0.5 | 11 |
| 25 | Stability and changes in the distribution of <i>Pipiza</i> hoverflies (Diptera, Syrphidae) in Europe under projected future climate conditions. <i>PLoS ONE</i> , 2019, 14, e0221934. | 2.5 | 11 |
| 26 | Hidden European diversity: a new monotypic hoverfly genus (Diptera: Syrphidae: Eristalinae: Rhingiini). <i>Zoological Journal of the Linnean Society</i> , 2019, 185, 1188-1211. | 2.3 | 9 |
| 27 | The importance of hidden diversity for insect conservation: a case study in hoverflies (the <i>Merodon</i>) Tj ETQq1 1 0.784314 rgBT /Overlock | 1.4 | 0 |
| 28 | Two new European long-legged hoverfly species of the <i>Eumerus binominatus</i> species subgroup (Diptera, Syrphidae). <i>ZooKeys</i> , 2019, 858, 91-108. | 1.1 | 7 |
| 29 | Protected area networks are insufficient for the conservation of threatened farmland species: A case study on corncrake (<i>Crex crex</i>) and lesser grey shrike (<i>Lanius minor</i>) in Serbia. <i>Archives of Biological Sciences</i> , 2019, 71, 111-121. | 0.5 | 0 |
| 30 | New information about the pre-imaginal morphology of genus <i>Graptomyza</i> (Diptera, Syrphidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 | 0.5 | 1 |
| 31 | Plantâ€“pollinator networks in semiâ€“natural grasslands are resistant to the loss of pollinators during blooming of massâ€“flowering crops. <i>Ecography</i> , 2018, 41, 62-74. | 4.5 | 29 |
| 32 | Cryptic speciation in the <i>Merodon luteomaculatus</i> complex (Diptera: Syrphidae) from the eastern Mediterranean. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018, 56, 170-191. | 1.4 | 25 |
| 33 | Riverine woodâ€“pasture responds to grazing decline. <i>Ecological Research</i> , 2018, 33, 213-223. | 1.5 | 2 |
| 34 | Effects of climate change on the distribution of hoverfly species (Diptera: Syrphidae) in Southeast Europe. <i>Biodiversity and Conservation</i> , 2018, 27, 1173-1187. | 2.6 | 15 |
| 35 | Disentangling a cryptic species complex and defining new species within the <i>Eumerus minotaurus</i> group (Diptera: Syrphidae), based on integrative taxonomy and Aegean palaeogeography. <i>Contributions To Zoology</i> , 2018, 87, 197-225. | 0.5 | 23 |
| 36 | An integrative approach in the assessment of species delimitation and structure of the <i>Merodon nanus</i> species group (Diptera: Syrphidae). <i>Organisms Diversity and Evolution</i> , 2018, 18, 479-497. | 1.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A new species of the genus <i>Chrysotoxum</i> Meigen, 1803 (Diptera: Syrphidae) from Turkey. <i>Zoology in the Middle East</i> , 2018, 64, 244-252. | 0.6 | 1 |
| 38 | Review of the Merodon albifasciatus Macquart species complex (Diptera: Syrphidae): the nomenclatural type located and its provenance discussed. <i>Zootaxa</i> , 2018, 4374, 25-48. | 0.5 | 14 |
| 39 | Pupal stages of three species of the phytophagous genus Merodon Meigen (Diptera: Syrphidae). <i>Zootaxa</i> , 2018, 4420, 229-242. | 0.5 | 21 |
| 40 | The Hoverflies of an Oak Dehesa from Spain, with a New Species and Other Insights into the Taxonomy of the <i>Eumerus tricolor</i> Group (Diptera: Syrphidae). <i>Annales Zoologici</i> , 2018, 68, 259-280. | 0.8 | 13 |
| 41 | Close relatives of Mediterranean endemo-relict hoverflies (Diptera, Syrphidae) in South Africa: Morphological and molecular evidence in the Merodon melanocerus subgroup. <i>PLoS ONE</i> , 2018, 13, e0200805. | 2.5 | 16 |
| 42 | The genus <i>Xanthogramma</i> Schiner, 1861 (Diptera: Syrphidae) in southeastern Europe, with descriptions of two new species. <i>Canadian Entomologist</i> , 2018, 150, 440-464. | 0.8 | 11 |
| 43 | A new check list of hoverflies (Diptera: Syrphidae) of the Republic of Serbia. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 7-51. | 0.1 | 4 |
| 44 | Strictly protected species of hoverflies (Diptera: Syrphidae) in Serbia in the face of climate change. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 53-62. | 0.1 | 2 |
| 45 | Integrative taxonomy of Merodon caerulescens complex (Diptera: Syrphidae) - evidence of cryptic speciation. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 103-118. | 0.1 | 8 |
| 46 | Revision of the Palaearctic species of the Merodon desuturinus group (Diptera, Syrphidae). <i>ZooKeys</i> , 2018, 771, 105-138. | 1.1 | 10 |
| 47 | Environmental analysis of conservationally significant Eumerus and Platycheirus species (Diptera: Syrphidae). <i>Taxon</i> , 2018, 67, 107-114. | 0.1 | 0 |
| 48 | Taxonomic study of the genus Paragus latreille, 1804 (Diptera: Syrphidae) in the collections of the Department of Biology and Ecology at the University of Novi Sad (FSUNS), Serbia. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 119-127. | 0.1 | 1 |
| 49 | New findings on protected and strictly protected species confirm the value of the prime hoverfly area network. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 63-71. | 0.1 | 1 |
| 50 | Quality assessment of habitats using phytophagous hoverflies (Diptera: Syrphidae). <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 83-92. | 0.1 | 1 |
| 51 | Hoverflies (Diptera: Syrphidae) in protected areas of Greece. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 73-81. | 0.1 | 0 |
| 52 | Hoverfly diversity assesment in grassland and forest habitats in Autonomous Province of Vojvodina based on a recent monitoring study. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2018, , 93-102. | 0.1 | 0 |
| 53 | Influence of landscape structure and land use on Merodon and Cheilosia (Diptera: Syrphidae): contrasting responses of two genera. <i>Journal of Insect Conservation</i> , 2017, 21, 53-64. | 1.4 | 14 |
| 54 | Three new Eastern-Mediterranean endemic species of the Merodon aureus group (Diptera: Syrphidae). <i>Zootaxa</i> , 2017, 4254, 401-434. | 0.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Designating conservation priorities for Southeast European hoverflies (Diptera: Syrphidae) based on species distribution models and species vulnerability. Insect Conservation and Diversity, 2017, 10, 354-366. | 3.0 | 14 |
| 56 | Taxonomy and systematics of three species of the genus <i>Eumerus</i> Meigen, 1822 (Diptera: Syrphidae) new to southeastern Europe. Zoologischer Anzeiger, 2017, 270, 176-192. | 0.9 | 20 |
| 57 | New data on the genus <i>Chrysotoxum</i> Meigen (Diptera: Syrphidae) from North-East Turkey, Armenia, Azerbaijan and Iran including descriptions of three new species. Zoology in the Middle East, 2017, 63, 250-268. | 0.6 | 8 |
| 58 | New data on the Syrphidae (Diptera) of Iran, with descriptions of two new species. Zootaxa, 2017, 4303, 27. | 0.5 | 3 |
| 59 | Environmental niche divergence of species from <i>Merodon ruficornis</i> group (Diptera: Syrphidae). Archives of Biological Sciences, 2017, 69, 247-259. | 0.5 | 7 |
| 60 | Assessment of genetic diversity within the <i>Merodon ruficornis</i> species group (Diptera: Syrphidae) by RAPD analysis. Archives of Biological Sciences, 2017, 69, 553-560. | 0.5 | 5 |
| 61 | Molecular and Morphological Inference of Three Cryptic Species within the <i>Merodon aureus</i> Species Group (Diptera: Syrphidae). PLoS ONE, 2016, 11, e0160001. | 2.5 | 33 |
| 62 | Ecological networks are more sensitive to plant than to animal extinction under climate change. Nature Communications, 2016, 7, 13965. | 12.8 | 180 |
| 63 | Phylogeographic patterns of <i>Merodon</i> hoverflies in the Eastern Mediterranean region: revealing connections and barriers. Ecology and Evolution, 2016, 6, 2226-2245. | 1.9 | 30 |
| 64 | Mass flowering crops dilute pollinator abundance in agricultural landscapes across Europe. Ecology Letters, 2016, 19, 1228-1236. | 6.4 | 195 |
| 65 | Bee (Hymenoptera: Apoidea) and hoverfly (Diptera: Syrphidae) pollinators in Pannonian habitats of Serbia, with a description of a new <i>Eumerus</i> Meigen species (Syrphidae). Zootaxa, 2016, 4154, 27-50. | 0.5 | 10 |
| 66 | Revision of the West-Palaearctic species of the tribe Ceriodini (Diptera, Syrphidae). Zootaxa, 2016, 4196, zootaxa.4196.2.1. | 0.5 | 15 |
| 67 | <i>Brachyopa minima</i> (Diptera: Syrphidae), a new species from Greece with notes on the biodiversity and conservation of the genus <i>Brachyopa</i> Meigen in the Northern Aegean Islands. Zootaxa, 2016, 4072, 217-34. | 0.5 | 4 |
| 68 | Biogeographical patterns of the genus <i>Merodon</i> Meigen, 1803 (Diptera: Syrphidae) in islands of the eastern Mediterranean and adjacent mainland. Insect Conservation and Diversity, 2016, 9, 181-191. | 3.0 | 19 |
| 69 | Defining species boundaries in the <i>Merodon avidus</i> complex (Diptera, Syrphidae) using integrative taxonomy, with the description of a new species. European Journal of Taxonomy, 2016, , . | 0.6 | 17 |
| 70 | Revision of the species of the <i>Merodon nanus</i> group (Diptera: Syrphidae) including three new species. Zootaxa, 2015, 4006, 439-62. | 0.5 | 30 |
| 71 | An integrated approach to delimiting species borders in the genus <i>Chrysotoxum</i> Meigen, 1803 (Diptera: Syrphidae). Tj ETQq1 1 0.784314 rgBT /Ov | 0.5 | 30 |
| 72 | Winners and losers of climate change for the genus <i>Merodon</i> (Diptera: Syrphidae) across the Balkan Peninsula. Ecological Modelling, 2015, 313, 201-211. | 2.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Sibling species delimitation and nomenclature of the <i>Merodon avidus</i> complex (Diptera: Syrphidae). European Journal of Entomology, 2015, 112, 790-809. | 1.2 | 28 |
| 74 | Image Processing Method for Automatic Discrimination of Hoverfly Species. Mathematical Problems in Engineering, 2014, 2014, 1-12. | 1.1 | 7 |
| 75 | Taxonomy of <i>Chrysotoxum festivum</i> Linnaeus, 1758 (Diptera: Syrphidae) - an integrative approach. Zoological Journal of the Linnean Society, 2013, 169, 84-102. | 2.3 | 32 |
| 76 | Systematics of Pipizini and taxonomy of European <i>Pipiza</i> Fallén: molecular and morphological evidence (Diptera, Syrphidae). Zoologica Scripta, 2013, 42, 288-305. | 1.7 | 29 |
| 77 | Key for European species of the <i>Cheilosia proxima</i> group (Diptera, Syrphidae) with a description of a new species. ZooKeys, 2013, 269, 33-50. | 1.1 | 9 |
| 78 | Genetic and phenotypic diversity patterns in <i>M. erodon albifrons</i> Meigen, 1822 (Diptera: Syrphidae). Linnean Society, 2013, 110, 257-280. | 1.6 | 24 |
| 79 | Investigating plant-pollinator relationships in the Aegean: the approaches of the project POL-AEGIS (The pollinators of the Aegean archipelago: diversity and threats). Journal of Apicultural Research, 2013, 52, 106-117. | 1.5 | 34 |
| 80 | Three new species of the <i>Merodon nigritarsis</i> group (Diptera: Syrphidae) from the Middle East. Zootaxa, 2013, 3640, 442-64. | 0.5 | 26 |
| 81 | Prediction of current species distribution of <i>Cheilosia proxima</i> group (Diptera: Syrphidae) on the Balkan peninsula. Zbornik Matice Srpske Za Prirodne Nauke, 2013, , 69-79. | 0.1 | 0 |
| 82 | Systematics and taxonomy of the <i>ruficornis</i> group of genus <i>Merodon</i> Meigen (Diptera: Syrphidae). Systematics and taxonomy of the <i>ruficornis</i> group of genus <i>Merodon</i> Meigen (Diptera: Syrphidae). Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 3.9 | 42 |
| 83 | Pollinator diversity (Hymenoptera and Diptera) in semi-natural habitats in Serbia during summer. Archives of Biological Sciences, 2012, 64, 777-786. | 0.5 | 23 |
| 84 | Hoverfly diversity (Diptera: Syrphidae) in a Mediterranean scrub community near Athens, Greece. Annales De La Societe Entomologique De France, 2011, 47, 168-175. | 0.9 | 35 |
| 85 | Three new cryptic species of the genus <i>Merodon</i> Meigen (Diptera: Syrphidae) from the island of Lesvos (Greece). Zootaxa, 2011, 2735, 35. | 0.5 | 44 |
| 86 | New data on the <i>Merodon</i> Meigen 1803 fauna (Diptera: Syrphidae) of Turkey including description of a new species and changes in the nomenclatural status of several taxa. Annales De La Societe Entomologique De France, 2011, 47, 78-88. | 0.9 | 32 |
| 87 | Phenotypic evidence for hidden biodiversity in the <i>Merodon aureus</i> group (Diptera, Syrphidae) on the Balkan Peninsula: conservation implication. Journal of Insect Conservation, 2011, 15, 379-388. | 1.4 | 30 |
| 88 | Developing European conservation and mitigation tools for pollination services: approaches of the STEP (Status and Trends of European Pollinators) project. Journal of Apicultural Research, 2011, 50, 152-164. | 1.5 | 64 |
| 89 | Towards an integrated taxonomy of the <i>Merodon equestris</i> species complex (Diptera: Syrphidae) including description of a new species, with additional data on Iberian <i>Merodon</i> . Canadian Entomologist, 2011, 143, 332-348. | 0.8 | 37 |
| 90 | Estimating genetic and phenotypic diversity in a northern hoverfly reveals lack of heterozygosity correlated with significant fluctuating asymmetry of wing traits. Journal of Insect Conservation, 2010, 14, 77-88. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Genetic structure and phenotypic diversity of two northern populations of <i>Cheilosia</i> aff. <i>longula</i> (Diptera: Syrphidae) has implications for evolution and conservation. European Journal of Entomology, 2010, 107, 305-315. | 1.2 | 12 |
| 92 | Species composition and seasonal dynamics of mosquitoes (Diptera: Culicidae) in flooded areas of Vojvodina, Serbia. Archives of Biological Sciences, 2010, 62, 1193-1206. | 0.5 | 4 |
| 93 | High molecular and phenotypic diversity in the <i>Merodon avidus</i> complex (Diptera, Syrphidae): cryptic speciation in a diverse insect taxon. Zoological Journal of the Linnean Society, 2009, 155, 819-833. | 2.3 | 46 |
| 94 | Wing Geometric Morphometric Inferences on Species Delimitation and Intraspecific Divergent Units in the <i>Merodon ruficornis</i> Group (Diptera, Syrphidae) from the Balkan Peninsula. Zoological Science, 2009, 26, 301-308. | 0.7 | 36 |
| 95 | The fauna of hoverflies (Diptera: Syrphidae) of Vojvodina province, Serbia. Archives of Biological Sciences, 2009, 61, 147-154. | 0.5 | 3 |
| 96 | Genetic diversity of populations of <i>Merodon aureus</i> and <i>M. cinereus</i> species complexes (Diptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5 Peninsula. Conservation Genetics, 2008, 9, 1125-1137. | 1.5 | 41 |
| 97 | Systematics and phylogeny of the tribe Paragini (Diptera: Syrphidae) based on molecular and morphological characters. Zoological Journal of the Linnean Society, 2008, 152, 507-536. | 2.3 | 15 |
| 98 | < i>Cheilosia vernalis</i> (Diptera, Syrphidae) Complex: Molecular and Morphological Variability. Annales Zoologici Fennici, 2008, 45, 149-159. | 0.6 | 20 |
| 99 | The <i>Cheilosia canicularis</i> group (Diptera: Syrphidae): species delimitation and evolutionary relationships based on wing geometric morphometrics. Zootaxa, 2008, 1825, 40. | 0.5 | 16 |
| 100 | A review of the luteitarsis group of the genus <i>Pipiza</i> Fallen (Diptera: Syrphidae) with description of a new species from the Balkan Peninsula. Zootaxa, 2008, 1845, 33. | 0.5 | 6 |
| 101 | Genetic characterization of the Balkan endemic species, <i>Merodon desuturinus</i> (Diptera: Syrphidae). European Journal of Entomology, 2008, 105, 197-204. | 1.2 | 7 |
| 102 | Two new species of the genus <i>Merodon</i> Meigen 1803 (Diptera: Syrphidae) from the island of Lesvos (Greece), in the eastern Mediterranean. Annales De La Societe Entomologique De France, 2007, 43, 319-326. | 0.9 | 33 |
| 103 | Revision of Iberian species of the genus <i>Merodon</i> (Diptera: Syrphidae). European Journal of Entomology, 2007, 104, 531-572. | 1.2 | 56 |
| 104 | Diagnostic molecular markers and the genetic relationships among three species of the <i>Cheilosia canicularis</i> group (Diptera: Syrphidae). European Journal of Entomology, 2005, 102, 125-131. | 1.2 | 13 |
| 105 | Genetic equilibrium in <i>Cheilosia vernalis</i> populations (Diptera: Syrphidae). Zbornik Matice Srpske Za Prirodne Nauke, 2005, , 21-27. | 0.1 | 0 |
| 106 | Phylogenetic relationships of the genus <i>Cheilosia</i> and the tribe Rhingiini (Diptera, Syrphidae) based on morphological and molecular characters. Cladistics, 2004, 20, 105-122. | 3.3 | 26 |
| 107 | New data on hoverfly diversity (Insecta: Diptera: Syrphidae) of the special nature reserve the Obedska bara marsh (ramsar site in Serbia). Zbornik Matice Srpske Za Prirodne Nauke, 2004, , 21-31. | 0.1 | 3 |
| 108 | Genetic differentiation between conspecific populations of <i>Merodon avidus</i> A (Diptera, Syrphidae). Zbornik Matice Srpske Za Prirodne Nauke, 2004, , 33-44. | 0.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Linkage disequilibrium in populations of <i>Merodon avidus</i> A. (Diptera, Syrphidae). <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2004, , 45-53. | 0.1 | 1 |
| 110 | New data about hoverflies diversity (Insecta: Diptera: Syrphidae) on the Fruska Gora mountain, Serbia. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2002, , 91-106. | 0.1 | 3 |
| 111 | TWO RELATED SPECIES OF PARAGUS (DIPTERA: SYRPHIDAE), ONE FROM THE NEARCTIC AND ONE FROM THE PALAEARCTIC. <i>Canadian Entomologist</i> , 1999, 131, 203-209. | 0.8 | 3 |
| 112 | On an application of fuzzy relations in biogeography. <i>Information Sciences</i> , 1996, 89, 77-93. | 6.9 | 9 |
| 113 | Revision of the <i>Merodon bombiformis</i> group (Diptera: Syrphidae) – rare and endemic African hoverflies. <i>European Journal of Taxonomy</i> , 0, 755, . | 0.6 | 3 |
| 114 | Review of the <i>Merodon natans</i> group with description of a new species, a key to the adults of known species of the <i>natans</i> lineage and first descriptions of some preimaginal stages. <i>Arthropod Systematics and Phylogeny</i> , 0, 79, 343-378. | 1.1 | 8 |
| 115 | Taxonomic revision of the highly threatened <i>Eumerus tricolor</i> species group (Diptera: Syrphidae) in Southeast Europe, with insights into the conservation of the genus <i>Eumerus</i> . <i>European Journal of Entomology</i> , 0, 118, 368-393. | 1.2 | 8 |
| 116 | Contribution to the knowledge on distribution, abundance, and species richness of hoverflies (Diptera: Syrphidae) in Turkey. <i>International Journal of Tropical Insect Science</i> , 0, , 1. | 1.0 | 1 |