

Sung Ho Jang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/661960/publications.pdf>

Version: 2024-02-01

573
papers

8,894
citations

57758

44
h-index

114465

63
g-index

576
all docs

576
docs citations

576
times ranked

6526
citing authors

#	ARTICLE	IF	CITATIONS
1	Prefronto-thalamic tract injury and cognitive outcome according to external ventricular drainage location in stroke patients. <i>International Journal of Neuroscience</i> , 2022, 132, 51-57.	1.6	0
2	Relationship of Recovery of Contralesional Ankle Weakness With the Corticospinal and Corticoreticular Tracts in Stroke Patients. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2022, 101, 659-665.	1.4	5
3	Relation Between the Corticospinal Tract State and Activities of Daily Living in Patients With Intracerebral Hemorrhage. <i>Stroke</i> , 2022, 53, 544-551.	2.0	4
4	Diffusion tensor tractography characteristics of axonal injury in concussion/mild traumatic brain injury. <i>Neural Regeneration Research</i> , 2022, 17, 978.	3.0	10
5	Diagnostic sensitivity of traumatic axonal injury of the spinothalamic tract in patients with mild traumatic brain injury. <i>Medicine (United States)</i> , 2022, 101, e28536.	1.0	4
6	Midbrain injury in patients with subarachnoid hemorrhage: a diffusion tensor imaging study. <i>Scientific Reports</i> , 2022, 12, 187.	3.3	1
7	Use of a Brain Navigator to Identify the Precentral Knob of the Precentral Gyrus in Normal Subjects. <i>Medical Science Monitor</i> , 2022, 28, e935181.	1.1	0
8	Delayed gait recovery by resolution of limb-kinetic apraxia in a chronic hemiparetic stroke patient. <i>Medicine (United States)</i> , 2022, 101, e28711.	1.0	2
9	Evaluation of Structural Neural Connectivity Between the Primary Auditory Cortex and Cognition-Related Brain Areas Using Diffusion Tensor Tractography in 43 Normal Adults. <i>Medical Science Monitor</i> , 2022, 28, e936131.	1.1	2
10	A Review of Studies on the Role of Diffusion Tensor Magnetic Resonance Imaging Tractography in the Evaluation of the Fronto-Subcortical Circuit in Patients with Akinetic Mutism. <i>Medical Science Monitor</i> , 2022, 28, e936251.	1.1	0
11	Differential Diagnosis of Akinetic Mutism and Disorder of Consciousness Using Diffusion Tensor Tractography: A Case Report. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 778347.	2.0	0
12	Comparative study of vestibular projection pathway connectivity in cerebellar injury patients and healthy adults. <i>BMC Neuroscience</i> , 2022, 23, 17.	1.9	1
13	Changes in subcortical white matter in the unaffected hemisphere following unilateral spontaneous intracerebral hemorrhage: a tract-based spatial statistics study. <i>Journal of Integrative Neuroscience</i> , 2022, 21, 063.	1.7	0
14	Delayed activation of leg somatotopic fibers of an injured corticospinal tract in a patient with cerebral infarction. <i>Neural Regeneration Research</i> , 2022, 17, 2551.	3.0	2
15	Relationship of the Nigrostriatal Tract with the Motor Function and the Corticospinal Tract in Chronic Hemiparetic Stroke Patients: A Diffusion Tensor Imaging Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 731.	2.0	1
16	Entropy Could Quantify Brain Activation Induced by Mechanical Impedance-Restrained Active Arm Motion: A Functional NIRS Study. <i>Entropy</i> , 2022, 24, 556.	2.2	0
17	Role of Diffusion Tensor Tractography in Diagnosis of Limb-Kinetic Apraxia in Stroke Patients: A Mini-Narrative Review. <i>Medical Science Monitor</i> , 2022, 28, e936417.	1.1	1
18	Traumatic trigeminal neuropathy after whiplash injury. <i>Medicine (United States)</i> , 2022, 101, e29012.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Hidden Truth in Cerebral Concussion—Traumatic Axonal Injury: A Narrative Mini-Review. <i>Healthcare (Switzerland)</i> , 2022, 10, 931.	2.0	3
20	Role of Diffusion Tensor Imaging in Diagnosis and Estimation of Shunt Effect for Hydrocephalus in Stroke Patients: A Narrative Review. <i>Diagnostics</i> , 2022, 12, 1314.	2.6	0
21	Role of the Contra-Lesional Corticoreticular Tract in Motor Recovery of the Paretic Leg in Stroke: A Mini-Narrative Review. <i>Frontiers in Human Neuroscience</i> , 2022, 16, .	2.0	4
22	Prognosis of the Ipsilesional Corticospinal Tracts with Preserved Integrities at the Early Stage of Cerebral Infarction: Follow Up Diffusion Tensor Tractography Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 1096.	2.0	1
23	Role of Diffusion Tensor Imaging in the Diagnosis of Traumatic Axonal Injury in Individual Patients with a Concussion or Mild Traumatic Brain Injury: A Mini-Review. <i>Diagnostics</i> , 2022, 12, 1580.	2.6	0
24	Incidence and characteristics of physical disabilities in patients with postconcussion syndrome following mTBI. <i>Medicine (United States)</i> , 2022, 101, e29784.	1.0	1
25	Dysphagia prognosis prediction via corticobulbar tract assessment in lateral medullary infarction: a diffusion tensor tractography study. <i>Dysphagia</i> , 2021, 36, 680-688.	1.8	7
26	Dysphagia in Lateral Medullary Syndrome: A Narrative Review. <i>Dysphagia</i> , 2021, 36, 329-338.	1.8	12
27	Hypothalamic injury in spontaneous subarachnoid hemorrhage: a diffusion tensor imaging study. <i>Clinical Autonomic Research</i> , 2021, 31, 321-322.	2.5	4
28	Delayed Onset of Central Pain due to Traumatic Axonal Injury of the Spinothalamic Tract in a Patient with Mild Traumatic Brain Injury. <i>Pain Medicine</i> , 2021, 22, 221-223.	1.9	1
29	Relationships among language ability, the arcuate fasciculus and lesion volume in patients with putaminal hemorrhage: a diffusion tensor imaging study. <i>Journal of Integrative Neuroscience</i> , 2021, 20, 677.	1.7	2
30	Central post-stroke pain due to injury of the medial lemniscus in a patient with medullary infarction. <i>Neural Regeneration Research</i> , 2021, 16, 1351.	3.0	1
31	Recovery of gait and injured corticoreticulospinal tracts in a patient with diffuse axonal injury. <i>Neural Regeneration Research</i> , 2021, 16, 924.	3.0	1
32	Anatomical Location of the Vestibulocerebellar Tract in the Healthy Human Brain: A Diffusion Tensor Imaging Study. <i>Brain Sciences</i> , 2021, 11, 199.	2.3	5
33	Long-term recovery from a minimally responsive state with recovery of an injured ascending reticular activating system. <i>Medicine (United States)</i> , 2021, 100, e23933.	1.0	4
34	Restoration of injured arcuate fasciculus in the dominant hemisphere following cranioplasty in a stroke patient. <i>Journal of Neuroradiology</i> , 2021, 48, 468-470.	1.1	1
35	Relationship between post-traumatic amnesia and white matter integrity in traumatic brain injury using tract-based spatial statistics. <i>Scientific Reports</i> , 2021, 11, 6898.	3.3	10
36	Anatomical location of the spinothalamic tract in the subcortical white matter in the human brain: A diffusion tensor imaging study. <i>Clinical Anatomy</i> , 2021, 34, 736-741.	2.7	5

#	ARTICLE	IF	CITATIONS
37	Papez circuit change following ventriculoperitoneal shunt for hydrocephalus: a case report. <i>Acta Neurologica Belgica</i> , 2021, , 1.	1.1	1
38	Delayed development of aphasia related to degeneration of the arcuate fasciculus in the dominant hemisphere nine years after the onset in a patient with intracerebral hemorrhage: a case report. <i>BMC Neurology</i> , 2021, 21, 166.	1.8	1
39	Changes in the prefronto-thalamic tract following cranioplasty. <i>Medicine (United States)</i> , 2021, 100, e25350.	1.0	1
40	Neurogenic fever due to injury of the hypothalamus in a stroke patient. <i>Medicine (United States)</i> , 2021, 100, e24053.	1.0	5
41	Recovery of the ascending reticular activating system and consciousness following comprehensive management in a patient with traumatic brain injury. <i>Yeungnam University Journal of Medicine</i> , 2021, , .	1.4	0
42	Reconstruction of the corticorubral tract in the human brain using diffusion tensor tractography. <i>Clinical Anatomy</i> , 2021, 34, 1196-1200.	2.7	0
43	Recovery of an injured arcuate fasciculus via transcallosal fiber in a stroke patient. <i>Medicine (United States)</i> 100:1078-1082 (2021) DOI: 10.784314/med.100.1078	1.0	2
44	White Matter Abnormalities in Traumatic Subarachnoid Hemorrhage: A Tract-Based Spatial Statistics Study. <i>Medical Science Monitor</i> , 2021, 27, e933959.	1.1	0
45	Process of Obtaining Social Consensus and 3-Year Functional Outcomes of the First Hand Allotransplantation in Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e6.	2.5	5
46	Degeneration of core neural tracts for emotional regulation in a patient with traumatic brain injury. <i>Medicine (United States)</i> , 2021, 100, e24319.	1.0	1
47	Peri-infarct reorganization of an injured corticospinal tract in a patient with cerebral infarction. <i>Neural Regeneration Research</i> , 2021, 16, 1671.	3.0	3
48	Associations Between Injury of the Parieto-Insular Vestibular Cortex and Changes in Motor Function According to the Recovery Process: Use of Diffusion Tensor Imaging. <i>Frontiers in Neurology</i> , 2021, 12, 740711.	2.4	1
49	Relationship between Dizziness and the Core Vestibular Projection Injury in Patients with Mild Traumatic Brain Injury. <i>Diagnostics</i> , 2021, 11, 2070.	2.6	3
50	Prognosis prediction of motor outcome in hemiparetic patients with anterior choroidal artery infarction. <i>Medicine (United States)</i> , 2021, 100, e28397.	1.0	0
51	Ataxia due to injury of the cortico-ponto-cerebellar tract in patients with mild traumatic brain injury. <i>Medicine (United States)</i> , 2021, 100, e28024.	1.0	0
52	Injury of the ipsilateral vestibulothalamic tract in a patient with pontine hemorrhage. <i>Acta Neurologica Belgica</i> , 2020, 120, 951-954.	1.1	2
53	Difference between injuries of the corticospinal tract and corticoreticulospinal tract in patients with diffuse axonal injury: a diffusion tensor tractography study. <i>International Journal of Neuroscience</i> , 2020, 130, 124-129.	1.6	2
54	Tachycardia in a patient with mild traumatic brain injury. <i>Clinical Autonomic Research</i> , 2020, 30, 87-89.	2.5	4

#	ARTICLE	IF	CITATIONS
55	Reorganization of Hand Motor Function to the Primary Somatosensory Cortex in a Patient With Primary Motor Cortex Infarct: Functional Magnetic Resonance Imaging and Diffusion Tensor Tractography Assessments. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, e68-e69.	1.4	0
56	The relationship between consciousness and the ascending reticular activating system in patients with traumatic brain injury. <i>BMC Neurology</i> , 2020, 20, 375.	1.8	10
57	Recovery of Injured Optic Radiations in a Patient with Hypoxic-Ischaemic Brain Injury. <i>Neuro-Ophthalmology</i> , 2020, 44, 270-273.	1.0	3
58	Complete monoplegia due to limb-kinetic apraxia in a patient with traumatic brain injury. <i>Medicine (United States)</i> , 2020, 99, e22452.	1.0	5
59	Relationship between depression and dorsolateral prefronto-thalamic tract injury in patients with mild traumatic brain injury. <i>Scientific Reports</i> , 2020, 10, 19728.	3.3	7
60	Contrecoup injury of the prefronto-thalamic tract in a patient with mild traumatic brain injury. <i>Medicine (United States)</i> , 2020, 99, e21601.	1.0	1
61	Injury of the lateral vestibulospinal tract in a patient with the lateral medullary syndrome. <i>Medicine (United States)</i> , 2020, 99, e22117.	1.0	2
62	White Matter Abnormalities in Spontaneous Subarachnoid Hemorrhage. <i>Stroke</i> , 2020, 51, e246-e249.	2.0	7
63	Title: Injury characteristics of the Papez circuit in patients with diffuse axonal injury: a diffusion tensor tractography study. <i>Acta Neurologica Belgica</i> , 2020, 121, 941-947.	1.1	1
64	Increased thalamocortical connectivity to the medial prefrontal cortex with recovery of impaired consciousness in a stroke patient. <i>Medicine (United States)</i> , 2020, 99, e19937.	1.0	4
65	Motor recovery of hemiparetic leg by improvement of limb-kinetic apraxia in a chronic patient with traumatic brain injury. <i>Medicine (United States)</i> , 2020, 99, e20144.	1.0	5
66	Three-Dimensional Identification of the Medial Longitudinal Fasciculus in the Human Brain: A Diffusion Tensor Imaging Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1340.	2.4	5
67	Effects of injuries to descending motor pathways on restoration of gait in patients with pontine hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104857.	1.6	17
68	Letter by Jang Regarding Article, "Gait-Synchronized Rhythmic Brain Stimulation Improves Poststroke Gait Disturbance: A Pilot Study" • <i>Stroke</i> , 2020, 51, e26.	2.0	0
69	Motor recovery by the aberrant pyramidal pathway in a patient with cerebral infarct. <i>Medicine (United States)</i> , 2020, 99, e20144.	1.0	0
70	Diffusion Tensor Imaging Studies on Recovery of Injured Optic Radiation: A Minireview. <i>Neural Plasticity</i> , 2020, 2020, 1-9.	2.2	1
71	Diagnostic Problems in Diffuse Axonal Injury. <i>Diagnostics</i> , 2020, 10, 117.	2.6	13
72	Relationship between ataxia and inferior cerebellar peduncle injury in patients with cerebral infarct. <i>Medicine (United States)</i> , 2020, 99, e19344.	1.0	3

#	ARTICLE	IF	CITATIONS
73	Prognostic Prediction of Dysphagia by Analyzing the Corticobulbar Tract in the Early Stage of Intracerebral Hemorrhage. <i>Dysphagia</i> , 2020, 35, 985-992.	1.8	8
74	Letter to the Editor Re: "The Effects of a Robot-Assisted Arm Training Plus Hand Functional Electrical Stimulation on Recovery After Stroke: A Randomized Clinical Trial". <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 924-925.	0.9	0
75	Diagnosis of Complex Regional Pain Syndrome I Following Traumatic Axonal Injury of the Corticospinal Tract in a Patient with Mild Traumatic Brain Injury. <i>Diagnostics</i> , 2020, 10, 95.	2.6	6
76	Diagnosis of Tinnitus Due to Auditory Radiation Injury Following Whiplash Injury: A Case Study. <i>Diagnostics</i> , 2020, 10, 19.	2.6	3
77	Diffusion Tensor Imaging Studies on Spontaneous Subarachnoid Hemorrhage-Related Brain Injury: A Mini-Review. <i>Frontiers in Neurology</i> , 2020, 11, 283.	2.4	9
78	Abdominal pain due to the spinothalamic tract injury in patients with mild traumatic brain injury: a case report. <i>BMC Neurology</i> , 2020, 20, 117.	1.8	3
79	Diagnosis of Dizziness Due to a Core Vestibular Projection Injury in a Patient with Intracerebral Hemorrhage. <i>Diagnostics</i> , 2020, 10, 220.	2.6	4
80	Role of diffusion tensor imaging in analyzing the neural connectivity of the parieto-insular vestibular cortex in pusher syndrome. <i>Medicine (United States)</i> , 2020, 99, e19835.	1.0	5
81	Effect of repetitive transcranial magnetic stimulation on the ascending reticular activating system in a patient with disorder of consciousness: a case report. <i>BMC Neurology</i> , 2020, 20, 37.	1.8	13
82	Diagnosis of the Trigeminal Nerve Injury in a Patient with Pontine Hemorrhage. <i>Diagnostics</i> , 2020, 10, 74.	2.6	1
83	Recovery of injured corticoreticulospinal tract following cranioplasty in an ischemic stroke patient: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2020, 15, 1368.	3.0	5
84	Increased thalamocortical connectivity from the affected thalamus to the unaffected hemisphere in a stroke patient. <i>Neural Regeneration Research</i> , 2020, 15, 1568.	3.0	3
85	Injury of the dentatorubrothalamic tract in patients with post-traumatic tremor following mild traumatic brain injury: a case-control study. <i>Neural Regeneration Research</i> , 2020, 15, 2063.	3.0	2
86	Recovery of an injured ascending reticular activating system with recovery from a minimally conscious state to normal consciousness in a stroke patient: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2020, 15, 1767.	3.0	5
87	Injury of the optic radiation in patients with mild TBI: A DTT study. <i>Translational Neuroscience</i> , 2020, 11, 335-340.	1.4	3
88	Lateral Medullary Syndrome Following Injury of Lateral Vestibulospinal Tract: Diffusion Tensor Imaging Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105252.	1.6	0
89	Change of Ascending Reticular Activating System Following Shunt Operation for Hydrocephalus in a Subarachnoid Hemorrhage Patient. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2019, 80, 062-066.	0.8	2
90	Relationship between consciousness and injury of ascending reticular activating system in patients with hypoxic ischaemic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 493-494.	1.9	8

#	ARTICLE	IF	CITATIONS
91	Effects of Diabetes on Motor Recovery After Cerebral Infarct: A Diffusion Tensor Imaging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 3851-3858.	3.6	10
92	Severe apathy due to injury of prefronto-caudate tract. <i>Translational Neuroscience</i> , 2019, 10, 157-159.	1.4	3
93	Central Pain Due to Injury of the Spinothalamic Tract Misdiagnosed as Complex Regional Pain Syndrome: A Case Report. <i>Diagnostics</i> , 2019, 9, 145.	2.6	3
94	Diagnosis of Conversion Disorder Using Diffusion Tensor Tractography and Transcranial Magnetic Stimulation in a Patient with Mild Traumatic Brain Injury. <i>Diagnostics</i> , 2019, 9, 155.	2.6	7
95	Diffusion Tensor Tractography Studies of Central Post-stroke Pain Due to the Spinothalamic Tract Injury: A Mini-Review. <i>Frontiers in Neurology</i> , 2019, 10, 787.	2.4	16
96	Response by Ho Jang and Kwon to Letter Regarding Article, "Relationship Between Impaired Consciousness and Injury of Ascending Reticular Activating System in Patients With Intracerebral Hemorrhage". <i>Stroke</i> , 2019, 50, e300.	2.0	0
97	Late recovery of walking ability in a person with chronic stroke after an individualized rehabilitation program. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 386-388.	2.3	1
98	Relationship Between Impaired Consciousness and Injury of Ascending Reticular Activating System in Patients With Intracerebral Hemorrhage. <i>Stroke</i> , 2019, 50, 2234-2237.	2.0	16
99	Difference in the ascending reticular activating system injury between mild traumatic brain injury and cerebral concussion. <i>Translational Neuroscience</i> , 2019, 10, 99-103.	1.4	1
100	Recovery of an injured corticospinal tract via an unusual pathway in a stroke patient. <i>Medicine (United States)</i> , 2019, 98, e14307.	1.0	3
101	Diagnostic Approach to Traumatic Axonal Injury of the Optic Radiation in Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, e92-e96.	1.4	5
102	Mini-Review of Studies Reporting the Repeatability and Reproducibility of Diffusion Tensor Imaging. <i>Investigative Magnetic Resonance Imaging</i> , 2019, 23, 26.	0.4	10
103	Diagnostic Approach to Traumatic Axonal Injury of the Spinothalamic Tract in Individual Patients with Mild Traumatic Brain Injury. <i>Diagnostics</i> , 2019, 9, 199.	2.6	9
104	Headache due to spinothalamic tract injury in patients with mild traumatic brain injury. <i>Medicine (United States)</i> , 2019, 98, e14306.	1.0	5
105	Diffuse Traumatic Axonal Injuries of the Neural Tracts After a Head Trauma by a Golf Ball: A Case Report. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, e147-e148.	1.4	0
106	Differences in Corticoreticulospinal Tract Injuries According to Whiplash in Mild Traumatic Brain Injury Patients. <i>Frontiers in Neurology</i> , 2019, 10, 1199.	2.4	1
107	Differences in corpus callosum injury between cerebral concussion and diffuse axonal injury. <i>Medicine (United States)</i> , 2019, 98, e17467.	1.0	13
108	The Relation Between Loss of Consciousness, Severity of Traumatic Brain Injury, and Injury of Ascending Reticular Activating System in Patients With Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 1067-1071.	1.4	14

#	ARTICLE	IF	CITATIONS
109	Corticoreticular Tract in the Human Brain: A Mini Review. <i>Frontiers in Neurology</i> , 2019, 10, 1188.	2.4	44
110	Injury of the prefronto-caudate tract in a patient with apathy following intracerebral hemorrhage in the caudate nucleus. <i>Acta Neurologica Belgica</i> , 2019, 119, 143-145.	1.1	3
111	Injury of auditory radiation and sensorineural hearing loss from mild traumatic brain injury. <i>Brain Injury</i> , 2019, 33, 249-252.	1.2	10
112	The Neural Tract Between the Hypothalamus and Basal Forebrain in the Ascending Reticular Activating System: A Diffusion Tensor Tractography Study. <i>Current Medical Imaging</i> , 2019, 15, 369-372.	0.8	1
113	Neuroimaging characterization of recovery of impaired consciousness in patients with disorders of consciousness. <i>Neural Regeneration Research</i> , 2019, 14, 1202.	3.0	12
114	Improvement of ataxia in a patient with cerebellar infarction by recovery of injured cortico-ponto-cerebellar tract and dentato-rubro-thalamic tract: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2019, 14, 1470.	3.0	1
115	Traumatic axonal injury of the cingulum in patients with mild traumatic brain injury: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2019, 14, 1556.	3.0	15
116	The effect of walnut rolling training on hand function and corticospinal tract. <i>Annals of Translational Medicine</i> , 2019, 7, 131-131.	1.7	3
117	Ipsilateral Hemiparesis Following Epidural Hematoma in a Patient With Traumatic Brain Injury. <i>Annals of Rehabilitation Medicine</i> , 2019, 43, 352-354.	1.6	1
118	Difference in Injury of the Corticospinal Tract and Spinothalamic Tract in Patients with Putaminal Hemorrhage. <i>The Journal of Korean Physical Therapy</i> , 2019, 31, 358-362.	0.3	0
119	The allocentric neglect due to injury of the inferior fronto-occipital fasciculus in a stroke patient. <i>Medicine (United States)</i> , 2018, 97, e9295.	1.0	5
120	Injury of leg somatotopy of corticospinal tract at corona radiata by ventriculoperitoneal shunt. <i>Medicine (United States)</i> , 2018, 97, e9983.	1.0	2
121	Recovery of an injured corticofugal tract from the supplementary motor area in a patient with traumatic brain injury. <i>Medicine (United States)</i> , 2018, 97, e9063.	1.0	9
122	Akinetic mutism following prefrontal injury by an electrical grinder a case report. <i>Medicine (United States)</i> , 2018, 97, e9063.	1.0	9
123	Abulia Due to Injury of the Prefrontocaudate Tract in a Stroke Patient. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, e76-e77.	1.4	2
124	Injury of the Precommissural Fornix in a Patient with Subarachnoid Hemorrhage: A Case Report. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, e98-e101.	1.6	7
125	The ipsilateral vestibulothalamic tract in the human brain. <i>Translational Neuroscience</i> , 2018, 9, 22-25.	1.4	1
126	Injury of the Hypothalamus in Patients With Hypoxic-Ischemic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, 160-163.	1.4	9

#	ARTICLE	IF	CITATIONS
127	Lateral medullary syndrome following injury of the vestibular pathway to the core vestibular cortex: Diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2018, 665, 147-151.	2.1	9
128	Recovery of an injured cingulum concurrent with improvement of short-term memory in a patient with mild traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 144-146.	1.2	5
129	Change of an Injured Corticospinal Tract During 3 Weeks' Rehabilitation After Putaminal Hemorrhage. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, e29-e30.	1.4	3
130	Diffusion Tensor Tractography for Decompressive Operation Decisions in Patients With Intracerebral Hemorrhage. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, e48-e49.	1.4	2
131	The different association of allocentric and egocentric neglect with dorsal and ventral pathways. <i>Medicine (United States)</i> , 2018, 97, e12394.	1.0	2
132	Impaired consciousness due to injury of ascending reticular activating system. <i>Translational Neuroscience</i> , 2018, 9, 209-210.	1.4	3
133	Relation Between Memory Impairment and the Fornix Injury in Patients With Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, 892-896.	1.4	7
134	Extensive traumatic axonal injury of brain due to violence. <i>Medicine (United States)</i> , 2018, 97, e13315.	1.0	5
135	Central Pain Due to Traumatic Axonal Injury of the Spinothalamic Tract in Patients with Mild Traumatic Brain Injury. <i>Brain & Neurorehabilitation</i> , 2018, 11, .	1.0	2
136	Traumatic Axonal Injury in Patients with Mild Traumatic Brain Injury. , 2018, , .		6
137	Delayed-onset central poststroke pain due to degeneration of the spinothalamic tract following thalamic hemorrhage. <i>Medicine (United States)</i> , 2018, 97, e13533.	1.0	10
138	Diffusion Tensor Tractography Studies on Injured Anterior Cingulum Recovery Mechanisms: A Mini-Review. <i>Frontiers in Neurology</i> , 2018, 9, 1073.	2.4	11
139	Effect of Neuromuscular Electrical Stimulation Training on the Finger Extensor Muscles for the Contralateral Corticospinal Tract in Normal Subjects: A Diffusion Tensor Tractography Study. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 432.	2.0	5
140	A Review of Traumatic Axonal Injury following Whiplash Injury As Demonstrated by Diffusion Tensor Tractography. <i>Frontiers in Neurology</i> , 2018, 9, 57.	2.4	21
141	Recovery of an injured medial lemniscus with concurrent recovery of pusher syndrome in a stroke patient. <i>Medicine (United States)</i> , 2018, 97, e10963.	1.0	7
142	Hypersomnia due to injury of the lower ventral ascending reticular activating system in a patient with intraventricular hemorrhage. <i>Sleep Medicine</i> , 2018, 50, 21-23.	1.6	0
143	Injury of the Papez circuit in a patient with traumatic spinal cord injury and concomitant mild traumatic brain injury. <i>Neural Regeneration Research</i> , 2018, 13, 161.	3.0	5
144	Optic radiation injury in patients with aneurismal subarachnoid hemorrhage: A preliminary diffusion tensor imaging report. <i>Neural Regeneration Research</i> , 2018, 13, 563.	3.0	9

#	ARTICLE	IF	CITATIONS
145	Structural neural connectivity of the vestibular nuclei in the human brain: a diffusion tensor imagingS study. <i>Neural Regeneration Research</i> , 2018, 13, 727.	3.0	8
146	Weak phonation due to unknown injury of the corticobulbar tract in a patient with mild traumatic brain injury: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2018, 13, 936.	3.0	3
147	Injury of thalamocortical connection between the mediodorsal nucleus of the thalamus and the orbitofrontal cortex in a patient with traumatic brain injury. <i>Neural Regeneration Research</i> , 2018, 13, 1118.	3.0	3
148	Reorganization of injured anterior cingulums in a hemorrhagic stroke patient. <i>Neural Regeneration Research</i> , 2018, 13, 1486.	3.0	2
149	Injury of the superior longitudinal fasciculus by ventriculoperitoneal shunt: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2018, 13, 1288.	3.0	1
150	Restoration of an injured lower dorsal ascending reticular activating system in a patient with intraventricular hemorrhage. <i>Neural Regeneration Research</i> , 2018, 13, 2022.	3.0	0
151	Perilesional Reorganization in a Patient With Brain Tumor. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, e31-e32.	1.4	1
152	Differences in Connectivity Between the Anterior and Mediodorsal Nuclei of Thalamus in the Human Brain: Diffusion Tensor Tractography Study. <i>Current Medical Imaging</i> , 2018, 14, 646-650.	0.8	1
153	Injury of the Prefrontocaudate Tract in a Patient with a Bilateral Caudate Infarct. <i>Balkan Medical Journal</i> , 2018, 35, 344-345.	0.8	1
154	Injury of the Lower Ascending Reticular Activating System by Subfalcine Herniation in a Patient With a Cerebral Infarct. <i>Annals of Rehabilitation Medicine</i> , 2018, 42, 639-641.	1.6	1
155	Severe and extensive traumatic axonal injury following minor and indirect head trauma. <i>Brain Injury</i> , 2017, 31, 416-419.	1.2	21
156	Akinetic mutism in a patient with mild traumatic brain injury: A diffusion tensor tractography study. <i>Brain Injury</i> , 2017, 31, 1159-1163.	1.2	12
157	Diffusion Tensor Tractography for Detection of Concomitant Traumatic Brain Injury in Patients With Traumatic Spinal Cord Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017, 32, E44-E49.	1.7	4
158	Locked-in Syndrome Due to Transtentorial Herniation and Kernohan Notch Phenomenon. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e77.	1.4	4
159	Demonstration of Injury of the Corticospinal Tract in a Patient with Suspected Motor Conversion Disorder. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e53-e54.	1.4	1
160	Apathy Due to Injury of the Prefrontocaudate Tract Following Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e130-e133.	1.4	10
161	Difference of recovery course of motor weakness according to state of corticospinal tract in putaminal hemorrhage. <i>Neuroscience Letters</i> , 2017, 653, 163-167.	2.1	12
162	The differences of the precommissural and postcommissural fornix in the hippocampal location: a diffusion tensor tractography study. <i>Neuroradiology</i> , 2017, 59, 397-401.	2.2	1

#	ARTICLE	IF	CITATIONS
163	Aggravation of an injured dentato-rubro-thalamic tract in a patient with mild traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e8253.	1.0	5
164	Traumatic axonal injury despite clinical phenotype of mild traumatic brain injury: a case report. <i>Brain Injury</i> , 2017, 31, 1534-1537.	1.2	3
165	Recovery of an injured prefronto-caudate tract in a patient with traumatic brain injury: A diffusion tensor tractography study. <i>Brain Injury</i> , 2017, 31, 1548-1551.	1.2	4
166	Abundant unusual neural branches from the fornix in patients with mild traumatic brain injury: A diffusion tensor tractography study. <i>Brain Injury</i> , 2017, 31, 1530-1533.	1.2	7
167	Recovery of an injured corticobulbar tract in a patient with stroke. <i>Medicine (United States)</i> , 2017, 96, e7636.	1.0	7
168	Injury of the dentato-rubro-thalamic tract in patients with cerebellar infarct. <i>Medicine (United States)</i> , 2017, 96, e7636.	1.0	4
169	Injury of optic radiation and visual field defect in a patient with aneurysmal subarachnoid hemorrhage. <i>Medicine (United States)</i> , 2017, 96, e7356.	1.0	4
170	Hypersomnia due to injury of the ventral ascending reticular activating system following cerebellar herniation. <i>Medicine (United States)</i> , 2017, 96, e5678.	1.0	7
171	Aggravation of excessive daytime sleepiness concurrent with aggravation of an injured ascending reticular activating system in a patient with mild traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e5958.	1.0	12
172	Quadriplegia Due to Injury of Corticofugal Tracts from Secondary Motor Area in a Patient With Severe Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e75-e76.	1.4	1
173	Motor Execution Problem Due to Injured Corticofugal Tracts from the Supplementary Motor Area in a Patient with Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e193.	1.4	6
174	Independent Walking Despite Almost Whole Cerebral Injury of One Hemisphere. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e194-e195.	1.4	0
175	Image of the month: Dysphagia due to injury of the corticobulbar tract following traumatic brain injury. <i>Clinical Medicine</i> , 2017, 17, 584-585.	1.9	3
176	Delayed recovery of the affected finger extensors at chronic stage in a stroke patient. <i>Medicine (United States)</i> , 2017, 96, e8023.	1.0	1
177	Delayed-Onset Central Pain due to Degeneration of Ischemic Transcallosal Fibers After Corpus Callosum Hemorrhage. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e177-e180.	1.4	5
178	The relation between the motor evoked potential and diffusion tensor tractography for the corticospinal tract in chronic hemiparetic patients with cerebral infarct. <i>Somatosensory & Motor Research</i> , 2017, 34, 134-138.	0.9	9
179	Diffuse injury of the Papez circuit by focal head trauma: a diffusion tensor tractography study. <i>Acta Neurologica Belgica</i> , 2017, 117, 389-391.	1.1	5
180	Restoration of the ascending reticular activating system compressed by hematoma in a stroke patient. <i>Medicine (United States)</i> , 2017, 96, e6103.	1.0	4

#	ARTICLE	IF	CITATIONS
181	Lasting effect of an oral hygiene care program for patients with stroke during in-hospital rehabilitation: a randomized single-center clinical trial. <i>Disability and Rehabilitation</i> , 2017, 39, 2324-2329.	1.8	9
182	Gait recovery by activation of the unaffected corticoreticulospinal tract in a stroke patient. <i>Medicine (United States)</i> , 2017, 96, e9123.	1.0	7
183	Severe disinhibition due to injuries of neural tracts related to emotion circuit in a patient with traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e9493.	1.0	4
184	Delayed degeneration of the left fornical crus with verbal memory impairment in a patient with mild traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e9219.	1.0	4
185	Absent-mindedness and injury of the ascending reticular activating system in a patient with mild traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e9289.	1.0	2
186	Injury of the cortico-ponto-cerebellar tract in a patient with mild traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e8749.	1.0	14
187	Recovery of akinetic mutism and injured prefronto-caudate tract following shunt operation for hydrocephalus and rehabilitation. <i>Medicine (United States)</i> , 2017, 96, e9117.	1.0	5
188	Recovery of aphasia and change of injured arcuate fasciculus in the dominant hemisphere in stroke patients. <i>NeuroRehabilitation</i> , 2017, 41, 759-764.	1.3	14
189	Recovery of injured Broca's portion of arcuate fasciculus in the dominant hemisphere in a patient with traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e9183.	1.0	10
190	Limb-kinetic apraxia in a patient with mild traumatic brain injury. <i>Medicine (United States)</i> , 2017, 96, e9008.	1.0	7
191	Central vestibular disorder due to ischemic injury on the parieto-insular vestibular cortex in patients with middle cerebral artery territory infarction. <i>Medicine (United States)</i> , 2017, 96, e9349.	1.0	16
192	Aberrant Pyramidal Tract in Comparison with Pyramidal Tract on Diffusion Tensor Tractography: A Mini-Review. <i>Frontiers in Neurology</i> , 2017, 8, 314.	2.4	0
193	Injury of ascending reticular activating system associated with delayed post-hypoxic leukoencephalopathy: a case report. <i>BMC Neurology</i> , 2017, 17, 139.	1.8	6
194	Neural reorganization between injured cingula and the brainstem cholinergic nuclei in a patient with cerebral concussion. <i>Medicine (United States)</i> , 2017, 96, e8436.	1.0	2
195	The Upper Ascending Reticular Activating System between Intralaminar Thalamic Nuclei and Cerebral Cortex in the Human Brain. <i>The Journal of Korean Physical Therapy</i> , 2017, 29, 109-114.	0.3	9
196	Multiple injuries of the ascending reticular activating system in a stroke patient: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2017, 12, 151.	3.0	2
197	The cortical activation pattern during bilateral arm raising movements. <i>Neural Regeneration Research</i> , 2017, 12, 317.	3.0	5
198	Recovery of multiply injured ascending reticular activating systems in a stroke patient. <i>Neural Regeneration Research</i> , 2017, 12, 671.	3.0	5

#	ARTICLE	IF	CITATIONS
199	The brain activation pattern of the medial temporal lobe during chewing gum: a functional MRI study. <i>Neural Regeneration Research</i> , 2017, 12, 812.	3.0	9
200	Effects of visual information regarding tactile stimulation on the somatosensory cortical activation: a functional MRI study. <i>Neural Regeneration Research</i> , 2017, 12, 1119.	3.0	16
201	Delayed degeneration of an injured spinothalamic tract in a patient with diffuse axonal injury. <i>Neural Regeneration Research</i> , 2017, 12, 1927.	3.0	1
202	Central post-stroke pain due to injury of the spinothalamic tract in patients with cerebral infarction: a diffusion tensor tractography imaging study. <i>Neural Regeneration Research</i> , 2017, 12, 2021.	3.0	23
203	Diffusion tensor tractography studies on mechanisms of recovery of injured fornix. <i>Neural Regeneration Research</i> , 2017, 12, 1742.	3.0	2
204	Recovery of an Injured Corticoreticulospinal Tract in a Patient With Cerebral Infarct. <i>Annals of Rehabilitation Medicine</i> , 2017, 41, 516.	1.6	0
205	Cortical activation pattern during shoulder simple versus vibration exercises: a functional near infrared spectroscopy study. <i>Neural Regeneration Research</i> , 2017, 12, 1294.	3.0	0
206	Diffusion Tensor Tractography for Determining Injury to the Oculomotor Nerve in a Patient With Cerebral Infarct. <i>Annals of Rehabilitation Medicine</i> , 2017, 41, 720.	1.6	1
207	Diagnostic History of Traumatic Axonal Injury in Patients with Cerebral Concussion and Mild Traumatic Brain Injury. <i>Brain & Neurorehabilitation</i> , 2016, 9, .	1.0	15
208	Change of cingulum following shunt operation for hydrocephalus in a patient with a haemorrhagic stroke. <i>Clinical Neurology and Neurosurgery</i> , 2016, 148, 49-51.	1.4	1
209	Injury of the Thalamocingulate Tract in the Papez Circuit in Patients with Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e34-e38.	1.4	18
210	A New Neural Tract Between Injured Fornix and Brainstem Cholinergic Nucleus in a Stroke Patient. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e94-e95.	1.4	2
211	Ideomotor Apraxia Due to Injury of the Superior Longitudinal Fasciculus. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e117-e120.	1.4	7
212	Reorganization of the Corticobulbar Tract in a Patient with Bilateral Middle Cerebral Artery Territory Infarct. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e58-e59.	1.4	9
213	Recovery of an Injured Corticospinal Tract during Early Rehabilitation in a Patient with a Cerebral Infarct. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e148.	1.4	2
214	Spinothalamic Tract Injury Due to Primary Brainstem Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e42-e43.	1.4	6
215	Severe Spastic Dysarthria Due to Bilateral Injury of the Corticobulbar Tract in a Patient with Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e167-e168.	1.4	1
216	Compensatory Neural Tract from Contralesional Fornical Body to Ipsilesional Medial Temporal Lobe in a Patient with Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e14-e17.	1.4	10

#	ARTICLE	IF	CITATIONS
217	Postural Instability in Patients With Injury of Corticoreticular Pathway Following Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 580-587.	1.4	10
218	Dysarthria Due to Injury of the Corticobulbar Tract in a Patient With Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e187-e188.	1.4	6
219	Recovery of an Injured Cingulum via the Lateral Cholinergic Pathway in a Patient with Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e18-e21.	1.4	5
220	Recovery of the Corticoreticulospinal Tract Injured by a Subfalcine Herniation in a Patient with Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e60-e61.	1.4	6
221	The usefulness of diffusion tensor tractography for estimating the state of corticobulbar tract in stroke patients. <i>Clinical Neurophysiology</i> , 2016, 127, 2708-2709.	1.5	4
222	Injury of the Ascending Reticular Activating System in Patients With Fatigue and Hypersomnia Following Mild Traumatic Brain Injury. <i>Medicine (United States)</i> , 2016, 95, e2628.	1.0	29
223	Limb-Kinetic Apraxia Due to Injury of the Corticofugal Tract from the Secondary Motor Area in a Stroke Patient. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e115-e116.	1.4	11
224	A New Sacroiliac Joint Injection Technique and Its Short-Term Effect on Chronic Sacroiliac Region Pain. <i>Pain Medicine</i> , 2016, 17, 1809-1813.	1.9	15
225	Degeneration of an injured spinothalamic tract in a patient with mild traumatic brain injury. <i>Brain Injury</i> , 2016, 30, 1026-1028.	1.2	18
226	Change of the Corticospinal Tract in the Unaffected Hemisphere by Change of the Dominant Hand Following Stroke. <i>Medicine (United States)</i> , 2016, 95, e2620.	1.0	11
227	Differences of Cortical Activation Pattern during the Use of Fork, Wooden Chopsticks and Metallic Chopsticks: A Functional near Infrared Spectroscopy Study. <i>Journal of Near Infrared Spectroscopy</i> , 2016, 24, 399-403.	1.5	0
228	Bilateral injury of the superior longitudinal fasciculus in a patient with Balint syndrome. <i>Neurology</i> , 2016, 87, 1519-1520.	1.1	2
229	Prediction of motor outcome using remaining corticospinal tract in patients with pontine infarct: Diffusion tensor imaging study. <i>Somatosensory & Motor Research</i> , 2016, 33, 99-103.	0.9	9
230	Central pain due to spinothalamic tract injury caused by indirect head trauma following a pratfall. <i>Brain Injury</i> , 2016, 30, 933-936.	1.2	15
231	Focal Cingulum Injury by Minor and Direct Head Trauma. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e26-e27.	1.4	3
232	Delayed gait recovery with recovery of an injured corticoreticulospinal tract in a chronic hemiparetic patient. <i>Medicine (United States)</i> , 2016, 95, e5277.	1.0	7
233	Recovery of consciousness and an injured ascending reticular activating system in a patient who survived cardiac arrest. <i>Medicine (United States)</i> , 2016, 95, e4041.	1.0	15
234	Neural injury of the Papez circuit following hypoxic-ischemic brain injury. <i>Medicine (United States)</i> , 2016, 95, e5173.	1.0	6

#	ARTICLE	IF	CITATIONS
235	Severe ataxia due to injuries of neural tract detected by diffusion tensor tractography in a patient with pontine hemorrhage. <i>Medicine (United States)</i> , 2016, 95, e5590.	1.0	9
236	Injury of the lower ascending reticular activating system in patients with pontine hemorrhage. <i>Medicine (United States)</i> , 2016, 95, e5527.	1.0	7
237	Relation between injury of the periaqueductal gray and central pain in patients with mild traumatic brain injury. <i>Medicine (United States)</i> , 2016, 95, e4017.	1.0	30
238	Prediction of motor outcome by shoulder subluxation at early stage of stroke. <i>Medicine (United States)</i> , 2016, 95, e4898.	1.0	7
239	Recovery of an injured cingulum via an aberrant neural tract in a patient with traumatic brain injury. <i>Medicine (United States)</i> , 2016, 95, e4686.	1.0	3
240	Delayed regaining of gait ability in a patient with brain injury. <i>Medicine (United States)</i> , 2016, 95, e4898.	1.0	4
241	Injury of the dorsolateral prefronto-thalamic tract in a patient with depression following mild traumatic brain injury. <i>Medicine (United States)</i> , 2016, 95, e5009.	1.0	14
242	Change of ascending reticular activating system with recovery from vegetative state to minimally conscious state in a stroke patient. <i>Medicine (United States)</i> , 2016, 95, e5234.	1.0	16
243	Recovery From Vegetative State to Minimally Conscious State. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e63-e66.	1.4	16
244	Relation between injury of the hypothalamus and subjective excessive daytime sleepiness in patients with mild traumatic brain injury: A diffusion tensor tractography study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1260-1261.	1.9	12
245	Ascending Reticular Activating System in a Patient with Persistent Vegetative State. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e46-e47.	1.4	1
246	Injury of the Ascending Reticular Activating System by Subfalcine Herniation After Subdural Hematoma. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e129-e130.	1.4	2
247	Injury of the inferior cerebellar peduncle in patients with mild traumatic brain injury: A diffusion tensor tractography study. <i>Brain Injury</i> , 2016, 30, 1271-1275.	1.2	22
248	Diffusion tensor tractography in a patient with memory impairment following encephalitis. <i>Acta Neurologica Belgica</i> , 2016, 116, 629-631.	1.1	7
249	Injury of the Papez circuit in a patient with provoked confabulation following subarachnoid hemorrhage: a diffusion tensor tractography study. <i>Acta Neurologica Belgica</i> , 2016, 116, 655-658.	1.1	12
250	Diffusion tensor tractography measurement of the distance between corticospinal tracts in patients with spontaneous intraventricular haemorrhage. <i>Journal of International Medical Research</i> , 2016, 44, 164-169.	1.0	2
251	Injury of the thalamocingulate tract in the Papez circuit by ventriculoperitoneal shunt: A case report. <i>International Journal of Stroke</i> , 2016, 11, NP20-NP21.	5.9	3
252	Injury of the Corticospinal Tract in Patients with Mild Traumatic Brain Injury: A Diffusion Tensor Tractography Study. <i>Journal of Neurotrauma</i> , 2016, 33, 1790-1795.	3.4	22

#	ARTICLE	IF	CITATIONS
253	Delayed leg weakness due to peri-lesional neural degeneration in a patient with intracerebral haemorrhage: case report. <i>Acta Neurologica Belgica</i> , 2016, 116, 91-93.	1.1	5
254	Post-traumatic narcolepsy and injury of the ascending reticular activating system. <i>Sleep Medicine</i> , 2016, 17, 124-125.	1.6	22
255	New Neural Tracts from Bilateral Fornical Columns to Compensate Bilateral Injury of Fornical Crura. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, e75-e76.	1.4	4
256	Changes of the corticospinal tract in the unaffected hemisphere in stroke patients: A diffusion tensor imaging study. <i>Somatosensory & Motor Research</i> , 2016, 33, 1-7.	0.9	8
257	Limb-kinetic apraxia due to injury of corticofugal tracts from secondary motor area in patients with corona radiata infarct. <i>Acta Neurologica Belgica</i> , 2016, 116, 467-472.	1.1	14
258	Post-stroke hypersomnia. <i>International Journal of Stroke</i> , 2016, 11, NP5-NP6.	5.9	7
259	Recovery of an injured corticoreticulospinal tract in a patient with pontine hemorrhage. <i>International Journal of Stroke</i> , 2016, 11, NP18-NP19.	5.9	7
260	Injury of the Arcuate Fasciculus in the Dominant Hemisphere in Patients With Mild Traumatic Brain Injury. <i>Medicine (United States)</i> , 2016, 95, e3007.	1.0	15
261	Recovery process of corticospinal tract injured by intracerebral hemorrhage from onset to chronic stage. <i>International Journal of Stroke</i> , 2016, 11, NP44-NP45.	5.9	2
262	Recovery of Hypersomnia Concurrent With Recovery of an Injured Ascending Reticular Activating System in a Stroke Patient. <i>Medicine (United States)</i> , 2016, 95, e2484.	1.0	11
263	Difference of injury of the corticospinal tract according to surgical or conservative treatment in patients with putaminal hemorrhage. <i>International Journal of Neuroscience</i> , 2016, 126, 429-435.	1.6	4
264	Aging of the cingulum in the human brain: Preliminary study of a diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2016, 610, 213-217.	2.1	17
265	Injury of the corticobulbar tract in patients with dysarthria following cerebral infarct: diffusion tensor tractography study. <i>International Journal of Neuroscience</i> , 2016, 126, 361-365.	1.6	14
266	The effect of a finger training application using a tablet PC in chronic hemiparetic stroke patients. <i>Somatosensory & Motor Research</i> , 2016, 33, 124-129.	0.9	15
267	Injury of the Arcuate Fasciculus in the Nondominant Hemisphere by Subfalcine Herniation in Patients with Intracerebral Hemorrhage : Two Case Reports and Literature Review. <i>Journal of Korean Neurosurgical Society</i> , 2016, 59, 306.	1.2	5
268	Traumatic axonal injury of the medial lemniscus pathway in a patient with traumatic brain injury: validation by diffusion tensor tractography. <i>Neural Regeneration Research</i> , 2016, 11, 130.	3.0	3
269	Impaired consciousness caused by injury of the lower ascending reticular activating system: evaluation by diffusion tensor tractography. <i>Neural Regeneration Research</i> , 2016, 11, 352.	3.0	4
270	Recovery of an injured corticospinal tract during the early stage of rehabilitation following pontine infarction. <i>Neural Regeneration Research</i> , 2016, 11, 519.	3.0	7

#	ARTICLE	IF	CITATIONS
271	Gait deterioration due to neural degeneration of the corticoreticular pathway: a case report. <i>Neural Regeneration Research</i> , 2016, 11, 687.	3.0	6
272	Recovery of corticospinal tract injured by traumatic axonal injury at the subcortical white matter: a case report. <i>Neural Regeneration Research</i> , 2016, 11, 1527.	3.0	5
273	Recovery of an injured anterior cingulum to the basal forebrain in a patient with brain injury: a 4-year follow-up study of cognitive function. <i>Neural Regeneration Research</i> , 2016, 11, 1695.	3.0	2
274	Central Pain Due to Spinothalamic Tract Injury by Head Trauma Caused by Falling Object. <i>Annals of Rehabilitation Medicine</i> , 2016, 40, 1149.	1.6	5
275	Optic radiation injury in a patient with intraventricular hemorrhage: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2016, 11, 1013.	3.0	1
276	Injury of the arcuate fasciculus in a patient with progressive bulbar palsy. <i>Neural Regeneration Research</i> , 2016, 11, 2031.	3.0	0
277	Recovery of an injured corticospinal tract by subcortical peri-lesional reorganization in a patient with intracerebral hemorrhage. <i>Neural Regeneration Research</i> , 2016, 11, 1191.	3.0	1
278	Difference in cortical activation during use of volar and dorsal hand splints: a functional magnetic resonance imaging study. <i>Neural Regeneration Research</i> , 2016, 11, 1274.	3.0	1
279	Recovery of injured fornical crura following neurosurgical operation of a brain tumor: a case report. <i>Neural Regeneration Research</i> , 2016, 11, 854.	3.0	1
280	Injury of the Oculomotor Nerve After Aneurysmal Subarachnoid Hemorrhage. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015, 94, e51-e52.	1.4	3
281	Development of Alien Hand Syndrome with Degeneration of Transcallosal Fibers to the Supplementary Motor Area: A Case Report. <i>International Journal of Stroke</i> , 2015, 10, E40-E41.	5.9	1
282	Reorganization of the Corticospinal Tract to Anterior Area of Corona Radiata Infarct. <i>International Journal of Stroke</i> , 2015, 10, E76-E77.	5.9	1
283	Injury of the lower portion of the ascending reticular activating system in a patient with intraventricular hemorrhage. <i>International Journal of Stroke</i> , 2015, 10, 162-163.	5.9	9
284	Pseudobulbar Palsy Due to Bilateral Injuries of Corticobulbar Tracts in a Stroke Patient. <i>International Journal of Stroke</i> , 2015, 10, E53-E54.	5.9	2
285	Injury of the Lower Ascending Reticular Activating System in a Patient with Cerebral Infarct. <i>International Journal of Stroke</i> , 2015, 10, E72-E73.	5.9	4
286	Difference in Cortical Activation According to the Speed of Passive Movements by a Rehabilitation Robotic Hand. <i>Journal of Near Infrared Spectroscopy</i> , 2015, 23, 67-73.	1.5	4
287	Effectiveness of Intra-Articular Steroid Injection for Atlanto-Occipital Joint Pain. <i>Pain Medicine</i> , 2015, 16, 1077-1082.	1.9	11
288	Injuries of neural tracts in a patient with CADASIL: a diffusion tensor imaging study. <i>BMC Neurology</i> , 2015, 15, 176.	1.8	5

#	ARTICLE	IF	CITATIONS
289	The Ascending Reticular Activating System in a Patient With Severe Injury of the Cerebral Cortex. <i>Medicine (United States)</i> , 2015, 94, e1838.	1.0	10
290	Bilateral Homonymous Quadrantanopsia due to Optic Radiation Injury in a Patient with Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015, 94, e116.	1.4	3
291	The Relation Between Injury of the Spinothalamocortical Tract and Central Pain in Chronic Patients With Mild Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2015, 30, E40-E46.	1.7	48
292	Selective Injury of Fornical Column in a Patient with Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015, 94, e86.	1.4	7
293	Peri-Infarct Reorganization of an Injured Corticoreticulospinal Tract in a Patient with Cerebral Infarct. <i>International Journal of Stroke</i> , 2015, 10, E62-E63.	5.9	7
294	Thalamic Reorganization in Chronic Patients With Intracerebral Hemorrhage. <i>Medicine (United States)</i> , 2015, 94, e116.	1.0	3
295	Damage to the Optic Radiation in Patients With Mild Traumatic Brain Injury. <i>Journal of Neuro-Ophthalmology</i> , 2015, 35, 270-273.	0.8	22
296	Injury of the corticoreticular pathway in subarachnoid haemorrhage after rupture of a cerebral artery aneurysm. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 133-137.	1.1	18
297	Serotonin syndrome in stroke patients. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 282-285.	1.1	7
298	Change of Neural Connectivity of the Red Nucleus in Patients with Striatocapsular Hemorrhage: A Diffusion Tensor Tractography Study. <i>Neural Plasticity</i> , 2015, 2015, 1-7.	2.2	13
299	Traumatic axonal injury of the corticospinal tract in the subcortical white matter in patients with mild traumatic brain injury. <i>Brain Injury</i> , 2015, 29, 110-114.	1.2	29
300	Differences of the medial lemniscus and spinothalamic tract according to the cortical termination areas: A diffusion tensor tractography study. <i>Somatosensory & Motor Research</i> , 2015, 32, 67-71.	0.9	17
301	The anatomical location of the corticobulbar tract at the corona radiata in the human brain: Diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2015, 590, 80-83.	2.1	20
302	The ascending reticular activating system from pontine reticular formation to the hypothalamus in the human brain: A diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2015, 590, 58-61.	2.1	43
303	Degenerative changes of the corticospinal tract in pediatric patients showing deteriorated motor function: A diffusion tensor tractography study. <i>Developmental Neurorehabilitation</i> , 2015, 18, 290-295.	1.1	2
304	Change of the anterior corticospinal tract on the normal side of the brain in chronic stroke patients: Diffusion tensor imaging study. <i>Somatosensory & Motor Research</i> , 2015, 32, 25-30.	0.9	6
305	Ascending reticular activating system recovery in a patient with brain injury. <i>Neurology</i> , 2015, 84, 1997-1999.	1.1	24
306	The Safe Area in the Parieto-Occipital Lobe in the Human Brain: Diffusion Tensor Tractography. <i>World Neurosurgery</i> , 2015, 83, 982-986.	1.3	6

#	ARTICLE	IF	CITATIONS
307	Recovery of Visual Field Defect via Corpus Callosum in a Patient with Cerebral Infarct. <i>Neuro-Ophthalmology</i> , 2015, 39, 88-91.	1.0	4
308	Recovery of Injured Lower Portion of the Ascending Reticular Activating System in a Patient with Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015, 94, 250-253.	1.4	32
309	Injury of the ascending reticular activating system by transtentorial herniation in a patient with intracerebral haemorrhage: a diffusion tensor tractography study: Figure A1. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 1164-1166.	1.9	15
310	Injury of the dentato-rubro-thalamic tract in a patient with mild traumatic brain injury. <i>Brain Injury</i> , 2015, 29, 1725-1728.	1.2	27
311	Neural injury by frontal approach of external ventricular drainage in stroke patients. <i>International Journal of Neuroscience</i> , 2015, 125, 742-746.	1.6	5
312	The direct pathway from the brainstem reticular formation to the cerebral cortex in the ascending reticular activating system: A diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2015, 606, 200-203.	2.1	24
313	The anatomical location of the corticoreticular pathway at the subcortical white matter in the human brain: A diffusion tensor imaging study. <i>Somatosensory & Motor Research</i> , 2015, 32, 106-109.	0.9	8
314	Aging of corticospinal tract fibers according to the cerebral origin in the human brain: A diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2015, 585, 77-81.	2.1	24
315	Injury of the corticoreticular pathway in patients with mild traumatic brain injury: A diffusion tensor tractography study. <i>Brain Injury</i> , 2015, 29, 1219-1222.	1.2	17
316	Is thalamocortical tract injury responsible for memory impairment in a patient with putaminal hemorrhage?. <i>Neural Regeneration Research</i> , 2015, 10, 321.	3.0	3
317	Appearance of a neural bypass between injured cingulum and brainstem cholinergic nuclei of a patient with traumatic brain injury on follow-up diffusion tensor tractography images. <i>Neural Regeneration Research</i> , 2015, 10, 498.	3.0	1
318	Recovery of a degenerated corticospinal tract after injury in a patient with intracerebral hemorrhage: confirmed by diffusion tensor tractography imaging. <i>Neural Regeneration Research</i> , 2015, 10, 829.	3.0	3
319	Injury of corticoreticular pathway and corticospinal tract caused by ventriculoperitoneal shunting. <i>Neural Regeneration Research</i> , 2015, 10, 1874.	3.0	3
320	Severe bilateral anterior cingulum injury in patients with mild traumatic brain injury. <i>Neural Regeneration Research</i> , 2015, 10, 1876.	3.0	13
321	Recovery of injured cingulum in a patient with traumatic brain injury. <i>Neural Regeneration Research</i> , 2015, 10, 323.	3.0	3
322	Predictability of Motor Outcome According to the Time of Motor Evoked Potentials From the Onset of Stroke in Patients With Putaminal Hemorrhage. <i>Annals of Rehabilitation Medicine</i> , 2015, 39, 553.	1.6	3
323	Neglected corticospinal tract injury for 10 months in a stroke patient. <i>Neural Regeneration Research</i> , 2015, 10, 2060.	3.0	2
324	The cortical effect of chewing gum during hand movements: A functional MRI study. <i>Somatosensory & Motor Research</i> , 2015, 32, 110-3.	0.9	0

#	ARTICLE	IF	CITATIONS
325	Injury of the spinothalamic tract in a patient with mild traumatic brain injury: Diffusion tensor tractography study. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 374-377.	1.1	25
326	Differences in neural connectivity between the substantia nigra and ventral tegmental area in the human brain. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 41.	2.0	44
327	Development of the transcallosal motor fiber from the corticospinal tract in the human brain: diffusion tensor imaging study. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 153.	2.0	11
328	Injury of the Mammillothalamic Tract in Patients with Thalamic Hemorrhage. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 259.	2.0	11
329	Injury of the cingulum in patients with putaminal hemorrhage: a diffusion tensor tractography study. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 366.	2.0	11
330	The different maturation of the corticospinal tract and corticoreticular pathway in normal brain development: diffusion tensor imaging study. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 573.	2.0	48
331	Effect of an Oral Hygienic Care Program for Stroke Patients in the Intensive Care Unit. <i>Yonsei Medical Journal</i> , 2014, 55, 240.	2.2	31
332	Thalamocortical Connections between the Mediodorsal Nucleus of the Thalamus and Prefrontal Cortex in the Human Brain: A Diffusion Tensor Tractographic Study. <i>Yonsei Medical Journal</i> , 2014, 55, 709.	2.2	39
333	Diffusion tensor tractography for the dorsal spinocerebellar tract in the human brain. <i>Somatosensory & Motor Research</i> , 2014, 31, 7-10.	0.9	9
334	The distribution of the cortical origin of the corticoreticular pathway in the human brain: A diffusion tensor imaging study. <i>Somatosensory & Motor Research</i> , 2014, 31, 204-208.	0.9	22
335	Relative anterior safe area for invasive procedures in the human brain: Diffusion tensor tractography. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2014, 23, 247-251.	1.2	4
336	Relation between cognition and neural connection from injured cingulum to brainstem cholinergic nuclei in chronic patients with traumatic brain injury. <i>Brain Injury</i> , 2014, 28, 1257-1261.	1.2	12
337	Changes of an injured fornix in a patient with mild traumatic brain injury: Diffusion tensor tractography follow-up study. <i>Brain Injury</i> , 2014, 28, 1485-1488.	1.2	16
338	Delayed gait disturbance due to injury of the corticoreticular pathway in a patient with mild traumatic brain injury. <i>Brain Injury</i> , 2014, 28, 511-514.	1.2	37
339	Injury of the mammillothalamic tract in patients with subarachnoid haemorrhage: a retrospective diffusion tensor imaging study. <i>BMJ Open</i> , 2014, 4, e005613-e005613.	1.9	28
340	The difference of gait pattern according to the state of the corticospinal tract in chronic hemiparetic stroke patients. <i>NeuroRehabilitation</i> , 2014, 34, 259-266.	1.3	14
341	Characteristics of injury of the corticospinal tract and corticoreticular pathway in hemiparetic patients with putaminal hemorrhage. <i>BMC Neurology</i> , 2014, 14, 121.	1.8	21
342	Motor Recovery Via Transcallosal and Transpontine Fibers in a Patient with Intracerebral Hemorrhage. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2014, 93, 708-713.	1.4	9

#	ARTICLE	IF	CITATIONS
343	Recovery of Injured Arcuate Fasciculus in the Dominant Hemisphere in a Patient with an Intracerebral Hemorrhage. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2014, 93, e15-e18.	1.4	9
344	Mystery Case: Injuries of neural tracts in the Papez circuit following anterior thalamic infarction. <i>Neurology</i> , 2014, 82, e178-9.	1.1	4
345	Recovery of Injured Oculomotor Nerve in a Patient with Intracerebral Hemorrhage. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2014, 93, 1107-1108.	1.4	3
346	The relation between motor function of stroke patients and diffusion tensor imaging findings for the corticospinal tract. <i>Neuroscience Letters</i> , 2014, 572, 1-6.	2.1	49
347	Neural connectivity of the anterior body of the fornix in the human brain: Diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2014, 559, 72-75.	2.1	13
348	Injury of the lower ascending reticular activating system in patients with hypoxic-ischemic brain injury: diffusion tensor imaging study. <i>Neuroradiology</i> , 2014, 56, 965-970.	2.2	29
349	Neural connectivity of the lateral geniculate body in the human brain: Diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2014, 578, 66-70.	2.1	7
350	The neural connectivity of the intralaminar thalamic nuclei in the human brain: A diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2014, 579, 140-144.	2.1	61
351	Recovery of an injured corticoreticular pathway via transcallosal fibers in a patient with intracerebral hemorrhage. <i>BMC Neurology</i> , 2014, 14, 108.	1.8	11
352	Relation between aphasia and arcuate fasciculus in chronic stroke patients. <i>BMC Neurology</i> , 2014, 14, 46.	1.8	34
353	The cortical activation pattern by a rehabilitation robotic hand: a functional NIRS study. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 49.	2.0	39
354	Anatomical location of the frontopontine fibers in the internal capsule in the human brain. <i>NeuroReport</i> , 2014, 25, 117-121.	1.2	6
355	The corticospinal tract from the viewpoint of brain rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 193-199.	1.1	91
356	Visual recovery demonstrated by functional MRI and diffusion tensor tractography in bilateral occipital lobe infarction. <i>Yeungnam University Journal of Medicine</i> , 2014, 31, 152.	0.1	1
357	Preservation of Facial Nerve Function Repaired by Using Fibrin Glue-Coated Collagen Fleece for a Totally Transected Facial Nerve during Vestibular Schwannoma Surgery. <i>Journal of Korean Neurosurgical Society</i> , 2014, 55, 208.	1.2	4
358	Preoperative Identification of Facial Nerve in Vestibular Schwannomas Surgery Using Diffusion Tensor Tractography. <i>Journal of Korean Neurosurgical Society</i> , 2014, 56, 11.	1.2	20
359	Unusual neural connection between injured cingulum and brainstem in a patient with subarachnoid hemorrhage. <i>Neural Regeneration Research</i> , 2014, 9, 498.	3.0	8
360	Age-related changes of lateral ventricular width and periventricular white matter in the human brain: a diffusion tensor imaging study. <i>Neural Regeneration Research</i> , 2014, 9, 986.	3.0	13

#	ARTICLE	IF	CITATIONS
361	Recovery of the corticospinal tracts injured by subfalcine herniation: a diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2014, 9, 1231.	3.0	2
362	Selective verbal memory impairment due to left fornical crus injury in a patient with intraventricular hemorrhage. <i>Neural Regeneration Research</i> , 2014, 9, 1313.	3.0	1
363	Perspectives on the neural connectivity of the fornix in the human brain. <i>Neural Regeneration Research</i> , 2014, 9, 1434.	3.0	14
364	Disappearance of unaffected motor cortex activation by repetitive transcranial magnetic stimulation in a patient with cerebral infarct. <i>Neural Regeneration Research</i> , 2014, 9, 761.	3.0	1
365	The Therapeutic Effect of Tibia Counter Rotator With Toe-Out Gait Plate in the Treatment of Tibial Internal Torsion in Children. <i>Annals of Rehabilitation Medicine</i> , 2014, 38, 218.	1.6	1
366	Recovery of an injured corticospinal tract and an injured corticoreticular pathway in a patient with intracerebral hemorrhage. <i>NeuroRehabilitation</i> , 2013, 32, 305-309.	1.3	23
367	Deterioration of pre-existing hemiparesis due to injury of the ipsilateral anterior corticospinal tract. <i>BMC Neurology</i> , 2013, 13, 53.	1.8	3
368	Recovery mechanisms of somatosensory function in stroke patients: implications of brain imaging studies. <i>Neuroscience Bulletin</i> , 2013, 29, 366-372.	2.9	16
369	Thalamocortical tract between anterior thalamic nuclei and cingulate gyrus in the human brain: diffusion tensor tractography study. <i>Brain Imaging and Behavior</i> , 2013, 7, 236-241.	2.1	32
370	Cingulum injury in patients with diffuse axonal injury: A diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2013, 543, 47-51.	2.1	21
371	Callosal Disconnection Syndrome after Corpus Callosum Infarct: A Diffusion Tensor Tractography Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, e240-e244.	1.6	19
372	CST recovery in pediatric hemiplegic patients: Diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2013, 557, 79-83.	2.1	17
373	Injury of the oculomotor nerve in a patient with traumatic brain injury: diffusion tensor tractography study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 1073-1074.	1.9	11
374	Prediction of motor outcome based on diffusion tensor tractography findings in thalamic hemorrhage. <i>International Journal of Neuroscience</i> , 2013, 123, 233-239.	1.6	28
375	Correlation between somatosensory function and cortical activation induced by touch stimulation in patients with intracerebral hemorrhage. <i>International Journal of Neuroscience</i> , 2013, 123, 248-252.	1.6	4
376	Traumatic thalamic injury demonstrated by diffusion tensor tractography of the spinothalamic pathway. <i>Brain Injury</i> , 2013, 27, 749-753.	1.2	16
377	Bilateral fornix injury due to cerebral infarct and traumatic intraventricular hemorrhage: A case study. <i>Clinical Neurology and Neurosurgery</i> , 2013, 115, 99-101.	1.4	4
378	Differences of the frontal activation patterns by finger and toe movements: A functional MRI study. <i>Neuroscience Letters</i> , 2013, 533, 7-10.	2.1	10

#	ARTICLE	IF	CITATIONS
379	Anatomical location of the medial lemniscus and spinothalamic tract at the pons in the human brain: A diffusion tensor tractography study. <i>Somatosensory & Motor Research</i> , 2013, 30, 206-209.	0.9	16
380	Injury of the corticoreticular pathway in patients with proximal weakness following cerebral infarct: Diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2013, 546, 21-25.	2.1	18
381	Neural connectivity of the posterior body of the fornix in the human brain: Diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2013, 549, 116-119.	2.1	13
382	Improvements in spasticity and motor function using a static stretching device for people with chronic hemiparesis following stroke. <i>NeuroRehabilitation</i> , 2013, 32, 369-375.	1.3	15
383	Functional Role of the Corticoreticular Pathway in Chronic Stroke Patients. <i>Stroke</i> , 2013, 44, 1099-1104.	2.0	148
384	Comparison of cortical activation patterns by somatosensory stimulation on the palm and dorsum of the hand. <i>Somatosensory & Motor Research</i> , 2013, 30, 109-113.	0.9	9
385	Proximal weakness due to injury of the corticoreticular pathway in a patient with traumatic brain injury. <i>NeuroRehabilitation</i> , 2013, 32, 665-669.	1.3	16
386	The effects of hydrocephalus on the periventricular white matter in intracerebral hemorrhage: a diffuser tensor imaging study. <i>International Journal of Neuroscience</i> , 2013, 123, 420-424.	1.6	23
387	Unusual compensatory neural connections following disruption of corpus callosum fibers in a patient with corpus callosum hemorrhage. <i>International Journal of Neuroscience</i> , 2013, 123, 892-895.	1.6	6
388	Recovery of injured cingulum in a patient with brain injury: Diffusion tensor tractography study. <i>NeuroRehabilitation</i> , 2013, 33, 257-261.	1.3	9
389	Motor recovery by improvement of limb-kinetic apraxia in a chronic stroke patient. <i>NeuroRehabilitation</i> , 2013, 33, 195-200.	1.3	19
390	The cortical activation differences between proximal and distal joint movements of the upper extremities: A functional NIRS study. <i>NeuroRehabilitation</i> , 2013, 32, 861-866.	1.3	19
391	Motor outcome prediction using diffusion tensor tractography of the corticospinal tract in large middle cerebral artery territory infarct. <i>NeuroRehabilitation</i> , 2013, 32, 583-590.	1.3	22
392	Recovery of an injured fornix in a stroke patient. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 1078-1080.	1.1	15
393	Diffusion Tensor Imaging Findings of Optic Radiation in Patients with Putaminal Hemorrhage. <i>European Neurology</i> , 2013, 69, 236-241.	1.4	11
394	Relationship between somatosensory function and the spinothalamocortical pathway in chronic stroke patients. <i>Somatosensory & Motor Research</i> , 2013, 30, 197-200.	0.9	6
395	Diffusion Tensor Imaging Studies on Arcuate Fasciculus in Stroke Patients: A Review. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 749.	2.0	53
396	The Ascending Reticular Activating System from Pontine Reticular Formation to the Thalamus in the Human Brain. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 416.	2.0	120

#	ARTICLE	IF	CITATIONS
397	Motor function-related maladaptive plasticity in stroke: A review. <i>NeuroRehabilitation</i> , 2013, 32, 311-316.	1.3	31
398	Recovery of an injured corticospinal tract during a critical period in a patient with intracerebral hemorrhage. <i>NeuroRehabilitation</i> , 2013, 32, 27-32.	1.3	12
399	The Effect of a Memory Training Application for a Patient with Traumatic Brain Injury. <i>Journal of Physical Therapy Science</i> , 2013, 25, 143-146.	0.6	4
400	Precommissural Fornix in the Human Brain: A Diffusion Tensor Tractography Study. <i>Yonsei Medical Journal</i> , 2013, 54, 315.	2.2	25
401	The Effect of a Hand-Stretching Device During the Management of Spasticity in Chronic Hemiparetic Stroke Patients. <i>Annals of Rehabilitation Medicine</i> , 2013, 37, 235.	1.6	23
402	Characteristics of Corticospinal Tract Area According to Pontine Level. <i>Yonsei Medical Journal</i> , 2013, 54, 785.	2.2	19
403	Neural reorganization following bilateral injury of the fornix crus in a patient with traumatic brain injury. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 595-598.	1.1	30
404	Motor recovery via aberrant pyramidal tract in a patient with traumatic brain injury: A diffusion tensor tractography study. <i>Neural Regeneration Research</i> , 2013, 8, 90-4.	3.0	4
405	Delayed gait recovery in a stroke patient. <i>Neural Regeneration Research</i> , 2013, 8, 1514-8.	3.0	7
406	Motor outcomes of patients with a complete middle cerebral artery territory infarct. <i>Neural Regeneration Research</i> , 2013, 8, 1892-7.	3.0	15
407	Therapeutic benefit of repetitive transcranial magnetic stimulation for severe mirror movements: A case report. <i>Neural Regeneration Research</i> , 2013, 8, 569-74.	3.0	2
408	Changes in a cerebellar peduncle lesion in a patient with Dandy-Walker malformation: A diffusion tensor imaging study. <i>Neural Regeneration Research</i> , 2013, 8, 474-8.	3.0	2
409	Corticospinal tract recovery in a patient with traumatic transtentorial herniation. <i>Neural Regeneration Research</i> , 2013, 8, 469-73.	3.0	4
410	Injury of Fornix in Patients With Intracerebral Hemorrhage. <i>International Journal of Neuroscience</i> , 2012, 122, 195-199.	1.6	8
411	Cingulum Injury by Ventriculoperitoneal Shunt. <i>European Neurology</i> , 2012, 67, 63-64.	1.4	9
412	Medial Lemniscus Lesion in Pediatric Hemiplegic Patients without Corticospinal Tract and Posterior Thalamic Radiation Lesion. <i>European Neurology</i> , 2012, 67, 211-216.	1.4	7
413	The Prevalence of Central Poststroke Pain according to the Integrity of the Spino-Thalamo-Cortical Pathway. <i>European Neurology</i> , 2012, 67, 12-17.	1.4	40
414	Neural Connectivity of the Pedunculopontine Nucleus in Relation to Walking Ability in Chronic Patients with Intracerebral Hemorrhage. <i>European Neurology</i> , 2012, 67, 226-231.	1.4	5

#	ARTICLE	IF	CITATIONS
415	Neuronal Loss in the Medial Cholinergic Pathway From the Nucleus Basalis of Meynert in Patients With Traumatic Axonal Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2012, 27, 172-176.	1.7	12
416	Evidence of Corticospinal Tract Injury at Midbrain in Patients With Subarachnoid Hemorrhage. <i>Stroke</i> , 2012, 43, 2239-2241.	2.0	48
417	Delayed neural degeneration following gamma knife radiosurgery in a patient with an arteriovenous malformation: A diffusion tensor imaging study. <i>NeuroRehabilitation</i> , 2012, 31, 131-135.	1.3	8
418	Limb apraxia in a patient with cerebral infarct: Diffusion tensor tractography study. <i>NeuroRehabilitation</i> , 2012, 30, 255-259.	1.3	22
419	Differences between the somatotopic corticospinal tract for the fingers and toes in the human brain. <i>NeuroRehabilitation</i> , 2012, 31, 395-399.	1.3	6
420	Injuries of the Cingulum and Fornix After Rupture of an Anterior Communicating Artery Aneurysm. <i>Neurosurgery</i> , 2012, 70, 819-823.	1.1	28
421	Neural injury of uncinate fasciculus in patients with diffuse axonal injury. <i>NeuroRehabilitation</i> , 2012, 30, 323-328.	1.3	19
422	The clinical characteristics of motor function in chronic hemiparetic stroke patients with complete corticospinal tract injury. <i>NeuroRehabilitation</i> , 2012, 31, 207-213.	1.3	52
423	Classification of Cause of Motor Weakness in Traumatic Brain Injury Using Diffusion Tensor Imaging. <i>Archives of Neurology</i> , 2012, 69, 363.	4.5	37
424	Neural tracts injuries in patients with hypoxic ischemic brain injury: Diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2012, 528, 16-21.	2.1	31
425	Difference of neural connectivity for motor function in chronic hemiparetic stroke patients with intracerebral hemorrhage. <i>Neuroscience Letters</i> , 2012, 531, 80-85.	2.1	10
426	Motor Recovery Mechanisms in Patients with Middle Cerebral Artery Infarct: A Mini-Review. <i>European Neurology</i> , 2012, 68, 234-239.	1.4	12
427	Optic radiation injury in a patient with traumatic brain injury. <i>Brain Injury</i> , 2012, 26, 891-895.	1.2	12
428	The anatomical characteristics of superior longitudinal fasciculus I in human brain: Diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2012, 506, 146-148.	2.1	34
429	Corticoreticular pathway in the human brain: Diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2012, 508, 9-12.	2.1	97
430	Termination differences in the primary sensorimotor cortex between the medial lemniscus and spinothalamic pathways in the human brain. <i>Neuroscience Letters</i> , 2012, 516, 50-53.	2.1	8
431	Usefulness of diffusion tensor imaging in patients who showed sustained unexplainable clinical symptom of torticollis. <i>Neuroscience Letters</i> , 2012, 522, 25-29.	2.1	1
432	The neural connectivity of the inferior olivary nucleus in the human brain: A diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2012, 523, 67-70.	2.1	10

#	ARTICLE	IF	CITATIONS
433	Anatomical location of the corticospinal tract according to somatotopies in the centrum semiovale. <i>Neuroscience Letters</i> , 2012, 523, 111-114.	2.1	19
434	Significance of rehabilitative management during the critical period for motor recovery in intracerebral hemorrhage: A case report. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 280-284.	1.1	12
435	Ipsilateral motor pathway without contralateral motor pathway in a stroke patient. <i>NeuroRehabilitation</i> , 2012, 30, 303-306.	1.3	10
436	Delayed recovery of gait function in a patient with intracerebral haemorrhage. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 378-380.	1.1	17
437	Ultrasound guided alcohol neurolysis of musculocutaneous nerve to relieve elbow spasticity in hemiparetic stroke patients. <i>NeuroRehabilitation</i> , 2012, 31, 373-377.	1.3	12
438	Predictability of motor outcome according to the time of diffusion tensor imaging in patients with cerebral infarct. <i>Neuroradiology</i> , 2012, 54, 691-697.	2.2	20
439	The usefulness of diffusion tensor imaging in detection of diffuse axonal injury in a patient with head trauma. <i>Neural Regeneration Research</i> , 2012, 7, 475-8.	3.0	8
440	A change in injured corticospinal tract originating from the premotor cortex to the primary motor cortex in a patient with intracerebral hemorrhage. <i>Neural Regeneration Research</i> , 2012, 7, 939-42.	3.0	5
441	Onsite-effects of dual-hemisphere versus conventional single-hemisphere transcranial direct current stimulation: A functional MRI study. <i>Neural Regeneration Research</i> , 2012, 7, 1889-94.	3.0	12
442	Medullary Decussation of the Lateral Corticospinal Tract. <i>European Neurology</i> , 2011, 66, 296-297.	1.4	2
443	The enhanced cortical activation induced by transcranial direct current stimulation during hand movements. <i>Neuroscience Letters</i> , 2011, 492, 105-108.	2.1	51
444	The anatomical characteristics of the stria terminalis in the human brain: A diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2011, 500, 99-102.	2.1	21
445	The rubrospinal tract in the human brain: Diffusion tensor imaging study. <i>Neuroscience Letters</i> , 2011, 504, 45-48.	2.1	38
446	Identification of the anterior corticospinal tract in the human brain using diffusion tensor imaging. <i>Neuroscience Letters</i> , 2011, 505, 238-241.	2.1	12
447	Recovery of the corticospinal tract after injury by transtentorial herniation: A case report. <i>NeuroRehabilitation</i> , 2011, 29, 243-246.	1.3	5
448	Cortical reorganization of hand motor function to face somatotopy in a patient with brain injury: A functional MRI study. <i>NeuroRehabilitation</i> , 2011, 29, 271-274.	1.3	0
449	Prognostic factors for motor outcome in patients with compressed corticospinal tract by intracerebral hematoma. <i>NeuroRehabilitation</i> , 2011, 29, 85-90.	1.3	5
450	Somatotopic Arrangement and Location of the Corticospinal Tract in the Brainstem of the Human Brain. <i>Yonsei Medical Journal</i> , 2011, 52, 553.	2.2	72

#	ARTICLE	IF	CITATIONS
451	Diffusion tensor imaging findings in neurologically asymptomatic patients with end stage renal disease. <i>NeuroRehabilitation</i> , 2011, 29, 111-116.	1.3	42
452	Contra-lesional somatosensory cortex activity and somatosensory recovery in two stroke patients. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 268-270.	1.1	14
453	Combined study of transcranial magnetic stimulation and diffusion tensor tractography for prediction of motor outcome in patients with corona radiata infarct.. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 430-434.	1.1	40
454	The Temporal Change of Cortical Activation Induced by the Ongoing Effects of Transcranial Direct Current Stimulation. <i>Journal of Physical Therapy Science</i> , 2011, 23, 65-69.	0.6	4
455	The clinical application of the arcuate fasciculus for stroke patients with aphasia: A diffusion tensor tractography study. <i>NeuroRehabilitation</i> , 2011, 29, 305-310.	1.3	42
456	Diffusion tensor imaging studies on corticospinal tract injury following traumatic brain injury: A review. <i>NeuroRehabilitation</i> , 2011, 29, 339-345.	1.3	14
457	Excellent recovery of aphasia in a patient with complete injury of the arcuate fasciculus in the dominant hemisphere. <i>NeuroRehabilitation</i> , 2011, 29, 401-404.	1.3	18
458	Ipsilateral motor cortex activation by unaffected hand movements in patients with cerebral infarct. <i>NeuroRehabilitation</i> , 2011, 29, 359-364.	1.3	3
459	Presence of Ideomotor Apraxia in Stroke Patients with Pusher Syndrome. <i>Journal of Physical Therapy Science</i> , 2011, 23, 635-638.	0.6	1
460	Neural Network Related to Hand Movement: A Combined Study of Diffusion Tensor Tractography and Functional MRI. <i>Journal of Physical Therapy Science</i> , 2011, 23, 97-101.	0.6	6
461	Diffusion Tensor Imaging Following Shunt in a Patient with Hydrocephalus. , 2011, 21, 69-72.		18
462	Mammillothegmental tract in the human brain: diffusion tensor tractography study. <i>Neuroradiology</i> , 2011, 53, 623-626.	2.2	10
463	Dentatorubrothalamic tract in human brain: diffusion tensor tractography study. <i>Neuroradiology</i> , 2011, 53, 787-791.	2.2	100
464	Characteristics of the aberrant pyramidal tract in comparison with the pyramidal tract in the human brain. <i>BMC Neuroscience</i> , 2011, 12, 108.	1.9	9
465	Clinical usefulness of diffusion tensor imaging in patients with transtentorial herniation following traumatic brain injury. <i>Brain Injury</i> , 2011, 25, 1005-1009.	1.2	7
466	Optic radiation injury following traumatic epidural hematoma: Diffusion tensor imaging study. <i>NeuroRehabilitation</i> , 2011, 28, 383-387.	1.3	10
467	Somatotopic Arrangement of the Corticospinal Tract at the Medullary Pyramid in the Human Brain. <i>European Neurology</i> , 2011, 65, 46-49.	1.4	14
468	Periventricular White Matter Injury by Primary Intraventricular Hemorrhage: A Diffusion Tensor Imaging Study. <i>European Neurology</i> , 2011, 66, 235-241.	1.4	32

#	ARTICLE	IF	CITATIONS
469	Contribution of the Pedunculopontine Nucleus on Walking in Stroke Patients. <i>European Neurology</i> , 2011, 65, 332-337.	1.4	19
470	The cortical effect of clapping in the human brain: A functional MRI study. <i>NeuroRehabilitation</i> , 2011, 28, 75-79.	1.3	16
471	The Effect of Thalamic Hemorrhage on the Fornix. <i>International Journal of Neuroscience</i> , 2011, 121, 379-383.	1.6	4
472	The effect of a stretching device on hand spasticity in chronic hemiparetic stroke patients. <i>NeuroRehabilitation</i> , 2011, 29, 53-59.	1.3	16
473	Age-Related Degeneration of the Fornix in the Human Brain: A Diffusion Tensor Imaging Study. <i>International Journal of Neuroscience</i> , 2011, 121, 94-100.	1.6	26
474	Cortical Activation Changes Associated with Motor Recovery in Mild Hemiparetic Patients with Corona Radiata Infarct. <i>Journal of Physical Therapy Science</i> , 2010, 22, 141-147.	0.6	1
475	Change in C-Reactive Protein Level according to Amounts of Exercise in Chronic Hemiparetic Patients with Cerebral Infarct. <i>Journal of Physical Therapy Science</i> , 2010, 22, 279-284.	0.6	3
476	Evidence of Neuromuscular Adaptation According to Motor Sequential Learning in the Serial Reaction Time Task. <i>Journal of Physical Therapy Science</i> , 2010, 22, 117-121.	0.6	6
477	Location of the corticospinal tract at the corona radiata in human brain. <i>Brain Research</i> , 2010, 1326, 75-80.	2.2	50
478	Neural pathway from nucleus basalis of Meynert passing through the cingulum in the human brain. <i>Brain Research</i> , 2010, 1346, 190-194.	2.2	32
479	Changes in red nucleus after pyramidal tract injury in patients with cerebral infarct. <i>NeuroRehabilitation</i> , 2010, 27, 373-377.	1.3	33
480	Degeneration of Cingulum and Fornix in a Patient with Traumatic Brain Injury: Diffuse Tensor Tractography Study. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 979-981.	1.1	32
481	Functional MRI finding by proprioceptive input in patients with thalamic hemorrhage. <i>NeuroRehabilitation</i> , 2010, 30, 131-136.	1.3	16
482	The recovery of walking in stroke patients: a review. <i>International Journal of Rehabilitation Research</i> , 2010, 33, 285-289.	1.3	87
483	Transpontine Connection Fibers between Corticospinal Tracts in Hemiparetic Patients with Intracerebral Hemorrhage. <i>European Neurology</i> , 2010, 63, 154-158.	1.4	19
484	Clinical Characteristics and Brain Activation Patterns of Mirror Movements in Patients with Corona Radiata Infarct. <i>European Neurology</i> , 2010, 64, 15-20.	1.4	12
485	Injury of the Spino-Thalamo-Cortical Pathway Is Necessary for Central Post-Stroke Pain. <i>European Neurology</i> , 2010, 64, 163-168.	1.4	71
486	Left Fornical Crus Injury and Verbal Memory Impairment in a Patient with Head Trauma. <i>European Neurology</i> , 2010, 63, 252-252.	1.4	15

#	ARTICLE	IF	CITATIONS
487	Corticospinal Tract Change in the Unaffected Hemisphere at the Early Stage of Intracerebral Hemorrhage: A Diffusion Tensor Tractography Study. <i>European Neurology</i> , 2010, 63, 149-153.	1.4	61
488	Cortical Activation Pattern in Hemiparetic Patients with Pontine Infarct. <i>European Neurology</i> , 2010, 64, 9-14.	1.4	6
489	Prediction of motor outcome for hemiparetic stroke patients using diffusion tensor imaging: A review. <i>NeuroRehabilitation</i> , 2010, 27, 367-372.	1.3	66
490	Motor outcome and motor recovery mechanisms in pontine infarct: A review. <i>NeuroRehabilitation</i> , 2010, 30, 147-152.	1.3	19
491	Cortical reorganization of sensori-motor function in a patient with cortical infarct. <i>NeuroRehabilitation</i> , 2010, 26, 163-166.	1.3	18
492	The cortical activation effect of phonation on a motor task: A functional MRI study. <i>NeuroRehabilitation</i> , 2010, 26, 325-329.	1.3	3
493	Motor function reorganization lateral to congenital brain lesion: A functional MRI study. <i>NeuroRehabilitation</i> , 2010, 26, 173-176.	1.3	3
494	The usefulness of DTI for estimating the state of cerebellar peduncles in cerebral infarct. <i>NeuroRehabilitation</i> , 2010, 26, 299-305.	1.3	8
495	The relation between fornix injury and memory impairment in patients with diffuse axonal injury: A diffusion tensor imaging study. <i>NeuroRehabilitation</i> , 2010, 26, 347-353.	1.3	42
496	Motor function reorganization in a patient with a brainstem lesion: DTT, fMRI and TMS study. <i>NeuroRehabilitation</i> , 2010, 26, 167-171.	1.3	11
497	Comparison of TMS and DTT for predicting motor outcome in intracerebral hemorrhage. <i>Journal of the Neurological Sciences</i> , 2010, 290, 107-111.	0.6	65
498	Somatotopic location of corticospinal tract at pons in human brain: A diffusion tensor tractography study. <i>NeuroImage</i> , 2010, 51, 952-955.	4.2	60
499	Identification of spinothalamic tract and its related thalamocortical fibers in human brain. <i>Neuroscience Letters</i> , 2010, 468, 102-105.	2.1	56
500	Mammillothalamic tract in human brain: Diffusion tensor tractography study. <i>Neuroscience Letters</i> , 2010, 481, 51-53.	2.1	35
501	Connection of Left Corticospinal Tract and Broca's Area in a Patient With Intracerebral Hemorrhage. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 627-628.	2.9	1
502	Cortical activation pattern of compensatory movement in stroke patients. <i>NeuroRehabilitation</i> , 2009, 25, 255-260.	1.3	18
503	The comparison of cortical activation patterns by active exercise, proprioceptive input, and touch stimulation in the human brain: A functional MRI study. <i>NeuroRehabilitation</i> , 2009, 25, 87-92.	1.3	21
504	Transcallosal fibers from corticospinal tract in patients with cerebral infarct. <i>NeuroRehabilitation</i> , 2009, 24, 159-164.	1.3	27

#	ARTICLE	IF	CITATIONS
505	Corticospinal tract injury in patients with diffuse axonal injury: A diffusion tensor imaging study. <i>NeuroRehabilitation</i> , 2009, 25, 229-233.	1.3	23
506	The role of the corticospinal tract in motor recovery in patients with a stroke: A review. <i>NeuroRehabilitation</i> , 2009, 24, 285-290.	1.3	95
507	A review of the ipsilateral motor pathway as a recovery mechanism in patients with stroke. <i>NeuroRehabilitation</i> , 2009, 24, 315-320.	1.3	41
508	A review of corticospinal tract location at corona radiata and posterior limb of the internal capsule in human brain. <i>NeuroRehabilitation</i> , 2009, 24, 279-283.	1.3	53
509	Clinical application of diffusion tensor tractography for elucidation of the causes of motor weakness in patients with traumatic brain injury. <i>NeuroRehabilitation</i> , 2009, 24, 273-278.	1.3	14
510	Fornix Injury in a Patient With Diffuse Axonal Injury. <i>Archives of Neurology</i> , 2009, 66, 1424-5.	4.5	14
511	Cerebellar peduncle injury in patients with ataxia following diffuse axonal injury. <i>Brain Research Bulletin</i> , 2009, 80, 30-35.	3.0	36
512	Diffusion tensor tractography can predict hemiparesis in infants with high risk factors. <i>Neuroscience Letters</i> , 2009, 451, 94-97.	2.1	40
513	Identification of the medial lemniscus in the human brain: Combined study of functional MRI and diffusion tensor tractography. <i>Neuroscience Letters</i> , 2009, 459, 19-24.	2.1	43
514	The effect of transcranial direct current stimulation on the cortical activation by motor task in the human brain: An fMRI study. <i>Neuroscience Letters</i> , 2009, 460, 117-120.	2.1	88
515	Review of motor recovery in patients with traumatic brain injury. <i>NeuroRehabilitation</i> , 2009, 24, 349-353.	1.3	46
516	Aberrant pyramidal tract in medial lemniscus of brainstem in the human brain. <i>NeuroReport</i> , 2009, 20, 695-697.	1.2	11
517	Preservation of the Integrity of the Corticospinal Tract in a Patient with Medulla Infarct. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009, 88, 256-258.	1.4	3
518	Motor outcome prediction using diffusion tensor tractography in pontine infarct. <i>Annals of Neurology</i> , 2008, 64, 460-465.	5.3	65
519	Primary motor cortex activation by transcranial direct current stimulation in the human brain. <i>Neuroscience Letters</i> , 2008, 435, 56-59.	2.1	142
520	Cortical effect and functional recovery by the electromyography-triggered neuromuscular stimulation in chronic stroke patients. <i>Neuroscience Letters</i> , 2008, 442, 174-179.	2.1	98
521	Corticospinal tract location in internal capsule of human brain: diffusion tensor tractography and functional MRI study. <i>NeuroReport</i> , 2008, 19, 817-820.	1.2	44
522	Demonstration of Recovery of a Severely Damaged Corticospinal Tract. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 418-420.	0.9	16

#	ARTICLE	IF	CITATIONS
523	Brain activation pattern according to exercise complexity: A functional MRI study. <i>NeuroRehabilitation</i> , 2008, 23, 283-288.	1.3	22
524	Cortical reorganization demonstrated by diffusion tensor tractography analyzed using functional MRI activation. <i>NeuroRehabilitation</i> , 2008, 23, 171-174.	1.3	8
525	Cystoperitoneal Shunting after Fenestration of an Enlarging Arachnoid Cyst. <i>Yeungnam University Journal of Medicine</i> , 2008, 25, 160.	0.1	0
526	Corticospinal Tract Restoration. <i>Journal of Computer Assisted Tomography</i> , 2007, 31, 901-904.	0.9	10
527	Response to Letter by Hotermans et al. <i>Stroke</i> , 2007, 38, 254-254.	2.0	0
528	Differences of cortical activation pattern between cortical and corona radiata infarct. <i>Neuroscience Letters</i> , 2007, 417, 138-142.	2.1	29
529	Motor outcome according to diffusion tensor tractography findings in the early stage of intracerebral hemorrhage. <i>Neuroscience Letters</i> , 2007, 421, 142-146.	2.1	91
530	Diffusion tensor imaging demonstrates focal lesions of the corticospinal tract in hemiparetic patients with cerebral palsy. <i>Neuroscience Letters</i> , 2007, 420, 34-38.	2.1	57
531	Motor outcome according to the integrity of the corticospinal tract determined by diffusion tensor tractography in the early stage of corona radiata infarct. <i>Neuroscience Letters</i> , 2007, 426, 123-127.	2.1	121
532	Ipsi-lesional motor deficits in hemiparetic patients with stroke. <i>NeuroRehabilitation</i> , 2007, 22, 279-286.	1.3	29
533	Cortical activation changes induced by visual biofeedback tracking training in chronic stroke patients. <i>NeuroRehabilitation</i> , 2007, 22, 77-84.	1.3	29
534	Motor recovery via the peri-infarct area in patients with corona radiata infarct. <i>NeuroRehabilitation</i> , 2007, 22, 105-108.	1.3	17
535	Demonstration of motor recovery process in a patient with intracerebral hemorrhage. <i>NeuroRehabilitation</i> , 2007, 22, 141-145.	1.3	26
536	Recovery of corticospinal tract with diffuse axonal injury: A diffusion tensor image study. <i>NeuroRehabilitation</i> , 2007, 22, 151-155.	1.3	36
537	A review of motor recovery mechanisms in patients with stroke. <i>NeuroRehabilitation</i> , 2007, 22, 253-259.	1.3	50
538	Degeneration speed of corticospinal tract in patients with cerebral infarct. <i>NeuroRehabilitation</i> , 2007, 22, 273-277.	1.3	25
539	Neurorehabilitation-induced cortical reorganization in brain injury: a 14-month longitudinal follow-up study. <i>NeuroRehabilitation</i> , 2007, 22, 117-22.	1.3	0
540	Demonstration of motor recovery process in a patient with intracerebral hemorrhage. <i>NeuroRehabilitation</i> , 2007, 22, 141-5.	1.3	13

#	ARTICLE	IF	CITATIONS
541	A review of motor recovery mechanisms in patients with stroke. <i>NeuroRehabilitation</i> , 2007, 22, 253-9.	1.3	11
542	Degeneration speed of corticospinal tract in patients with cerebral infarct. <i>NeuroRehabilitation</i> , 2007, 22, 273-7.	1.3	6
543	Peri-infarct reorganization of motor function in patients with pontine infarct. <i>NeuroRehabilitation</i> , 2006, 21, 233-237.	1.3	18
544	Focal lesions of the corticospinal tract demonstrated by diffusion tensor imaging in patients with diffuse axonal injury. <i>NeuroRehabilitation</i> , 2006, 21, 239-243.	1.3	36
545	Can stroke patients walk after complete lateral corticospinal tract injury of the affected hemisphere?. <i>NeuroReport</i> , 2006, 17, 987-990.	1.2	74
546	Restoration of the Corticospinal Tract Compressed by Hematoma. <i>Archives of Neurology</i> , 2006, 63, 140.	4.5	16
547	Corticospinal Tract Compression by Hematoma in a Patient with Intracerebral Hemorrhage: A Diffusion Tensor Tractography and Functional MRI Study. <i>Yonsei Medical Journal</i> , 2006, 47, 135.	2.2	8
548	Recovery of a partially damaged corticospinal tract in a patient with intracerebral hemorrhage: a diffusion tensor image study. <i>Restorative Neurology and Neuroscience</i> , 2006, 24, 25-9.	0.7	32
549	Peri-infarct reorganization in a patient with corona radiata infarct: a combined study of functional MRI and diffusion tensor image tractography. <i>Restorative Neurology and Neuroscience</i> , 2006, 24, 65-8.	0.7	14
550	Cortical reorganization induced by virtual reality therapy in a child with hemiparetic cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2005, 47, 628-635.	2.1	108
551	Cortical Reorganization of Hand Motor Function to Primary Sensory Cortex in Hemiparetic Patients With a Primary Motor Cortex Infarct. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1706-1708.	0.9	49
552	Cortical Reorganization and Associated Functional Motor Recovery After Virtual Reality in Patients With Chronic Stroke: An Experimenter-Blind Preliminary Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2218-2223.	0.9	229
553	Diffusion anisotropy in the early stages of stroke can predict motor outcome. <i>Restorative Neurology and Neuroscience</i> , 2005, 23, 11-7.	0.7	37
554	Motor recovery mechanism of diffuse axonal injury: a combined study of transcranial magnetic stimulation and functional MRI. <i>Restorative Neurology and Neuroscience</i> , 2005, 23, 51-6.	0.7	18
555	Medial reorganization of motor function demonstrated by functional MRI and diffusion tensor tractography. <i>Restorative Neurology and Neuroscience</i> , 2005, 23, 265-9.	0.7	2
556	Cortical reorganization associated lower extremity motor recovery as evidenced by functional MRI and diffusion tensor tractography in a stroke patient. <i>Restorative Neurology and Neuroscience</i> , 2005, 23, 325-9.	0.7	43
557	The Effect of Selective Tibial Neurotomy and Rehabilitation in a Quadriplegic Patient with Ankle Spasticity Following Traumatic Brain Injury. <i>Yonsei Medical Journal</i> , 2004, 45, 743.	2.2	10
558	Ipsilateral motor pathway confirmed by combined brain mapping of a patient with hemiparetic stroke: A case report No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 1351-1353.	0.9	43

#	ARTICLE	IF	CITATIONS
559	Alcohol neurolysis of tibial nerve motor branches to the gastrocnemius muscle to treat ankle spasticity in patients with hemiplegic stroke. Archives of Physical Medicine and Rehabilitation, 2004, 85, 506-508.	0.9	47
560	Ipsilateral motor pathway confirmed by diffusion tensor tractography in a patient with schizencephaly. NeuroReport, 2004, 15, 1899-1902.	1.2	35
561	Cortical activation changes associated with motor recovery in patients with precentral knob infarct. NeuroReport, 2004, 15, 395-399.	1.2	50
562	The predictive value of cortical activation by passive movement for motor recovery in stroke patients. Restorative Neurology and Neuroscience, 2004, 22, 59-63.	0.7	19
563	Cortical reorganization induced by task-oriented training in chronic hemiplegic stroke patients. NeuroReport, 2003, 14, 137-141.	1.2	119
564	Cortical reorganization associated with motor recovery in hemiparetic stroke patients. NeuroReport, 2003, 14, 1305-1310.	1.2	24
565	Bilateral primary sensori-motor cortex activation of post-stroke mirror movements: an fMRI study. NeuroReport, 2003, 14, 1329-1332.	1.2	42
566	Functional Magnetic Resonance Image Finding of Cortical Activation by Neuromuscular Electrical Stimulation on Wrist Extensor Muscles. American Journal of Physical Medicine and Rehabilitation, 2003, 82, 17-20.	1.4	71
567	Cortical reorganization associated with motor recovery in hemiparetic stroke patients. NeuroReport, 2003, 14, 1305-1310.	1.2	47
568	Bilateral primary sensori-motor cortex activation of post-stroke mirror movements: an fMRI study. NeuroReport, 2003, 14, 1329-1332.	1.2	76
569	Functional MRI Evidence for Motor Cortex Reorganization Adjacent to a Lesion in a Primary Motor Cortex. American Journal of Physical Medicine and Rehabilitation, 2002, 81, 844-847.	1.4	22
570	Comparison of Clinical Outcomes and Natural Morphologic Changes between Sequestered and Large Central Extruded Disc Herniations. Yonsei Medical Journal, 2002, 43, 283.	2.2	40
571	Microsurgical DREZotomy for treatment of intractable central pain in patient with spinal cord injury. Yeungnam University Journal of Medicine, 2002, 19, 49.	0.1	0
572	Combined functional magnetic resonance imaging and transcranial magnetic stimulation evidence of ipsilateral motor pathway with congenital brain disorder: A case report. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1733-1736.	0.9	34
573	Radiation therapy for heterotopic ossification in a patient with traumatic brain injury. Yonsei Medical Journal, 2000, 41, 536.	2.2	15