

Elizabeth G Eakin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6623706/publications.pdf>

Version: 2024-02-01

185
papers

13,543
citations

17440

63
h-index

24258

110
g-index

190
all docs

190
docs citations

190
times ranked

13667
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary and Physical Activity Changes and Adherence to WCRF/AICR Cancer Prevention Recommendations following a Remotely Delivered Weight Loss Intervention for Female Breast Cancer Survivors: The Living Well after Breast Cancer Randomized Controlled Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2022, . . .	0.8	5
2	A Randomised, Comparative, Effectiveness Trial Evaluating Low- versus High-Level Supervision of an Exercise Intervention for Women with Breast Cancer: The SAFE Trial. <i>Cancers</i> , 2022, 14, 1528.	3.7	6
3	Data sources for precision public health of obesity: a scoping review, evidence map and use case in Queensland, Australia. <i>BMC Public Health</i> , 2022, 22, 584.	2.9	4
4	Precision Public Health for Non-communicable Diseases: An Emerging Strategic Roadmap and Multinational Use Cases. <i>Frontiers in Public Health</i> , 2022, 10, 854525.	2.7	13
5	Complexities and Context of Scaling Up: A Qualitative Study of Stakeholder Perspectives of Scaling Physical Activity and Nutrition Interventions in Australia. <i>Frontiers in Public Health</i> , 2022, 10, 771235.	2.7	4
6	Sitting less and moving more for improved metabolic and brain health in type 2 diabetes: â€œOPTIMISE your healthâ€™™ trial protocol. <i>BMC Public Health</i> , 2022, 22, 929.	2.9	4
7	Outcomes from a hybrid implementation-effectiveness study of the living well during pregnancy Tele-coaching program for women at high risk of excessive gestational weight gain. <i>BMC Health Services Research</i> , 2022, 22, 589.	2.2	3
8	What do cancer survivors and their health care providers want from a healthy living program? Results from the first round of a co-design project. <i>Supportive Care in Cancer</i> , 2021, 29, 4847-4858.	2.2	7
9	Implementation of the Living Well During Pregnancy Telecoaching Program for Women at High Risk of Excessive Gestational Weight Gain: Protocol for an Effectiveness-Implementation Hybrid Study. <i>JMIR Research Protocols</i> , 2021, 10, e27196.	1.0	3
10	Dose and engagement during an extended contact physical activity and dietary behavior change intervention delivered via tailored text messaging: exploring relationships with behavioral outcomes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 119.	4.6	1
11	Evaluation of the Healthy Living after Cancer text message-delivered, extended contact intervention using the RE-AIM framework. <i>BMC Cancer</i> , 2021, 21, 1081.	2.6	3
12	Effect of a Remotely Delivered Weight Loss Intervention in Early-Stage Breast Cancer: Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 4091.	4.1	16
13	Sedentary Behavior and Public Health: Integrating the Evidence and Identifying Potential Solutions. <i>Annual Review of Public Health</i> , 2020, 41, 265-287.	17.4	103
14	Cost-Effectiveness Analysis from a Randomized Controlled Trial of Tailored Exercise Prescription for Women with Breast Cancer with 8-Year Follow-Up. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8608.	2.6	6
15	Translating research into practice: outcomes from the Healthy Living after Cancer partnership project. <i>BMC Cancer</i> , 2020, 20, 963.	2.6	10
16	Supporting Workers to Sit Less and Move More Through the Web-Based BeUpstanding Program: Protocol for a Single-Arm, Repeated Measures Implementation Study. <i>JMIR Research Protocols</i> , 2020, 9, e15756.	1.0	15
17	Feasibility, acceptability and efficacy of a text message-enhanced clinical exercise rehabilitation intervention for increasing â€œwhole-of-dayâ€™™ activity in people living with and beyond cancer. <i>BMC Public Health</i> , 2019, 19, 542.	2.9	32
18	Evaluation of the efficacy of 3D total-body photography with sequential digital dermoscopy in a high-risk melanoma cohort: protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032969.	1.9	27

#	ARTICLE	IF	CITATIONS
19	Temporal features of sitting, standing and stepping changes in a cluster-randomised controlled trial of a workplace sitting-reduction intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 111.	4.6	12
20	Get Healthy, Stay Healthy: Evaluation of the Maintenance of Lifestyle Changes Six Months After an Extended Contact Intervention. <i>JMIR MHealth and UHealth</i> , 2019, 7, e11070.	3.7	8
21	A cluster randomized controlled trial to reduce office workers's sitting time: effect on productivity outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 483-492.	3.4	17
22	Weight management and physical activity throughout the cancer care continuum. <i>Ca-A Cancer Journal for Clinicians</i> , 2018, 68, 64-89.	329.8	109
23	Cardiometabolic Impact of Changing Sitting, Standing, and Stepping in the Workplace. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 516-524.	0.4	60
24	Implementation and scale up of population physical activity interventions for clinical and community settings: the PRACTIS guide. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 51.	4.6	177
25	What strategies do desk-based workers choose to reduce sitting time and how well do they work? Findings from a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 98.	4.6	16
26	Exercise as part of routine cancer care. <i>Lancet Oncology</i> , The, 2018, 19, e432.	10.7	8
27	Clinical Oncology Society of Australia position statement on exercise in cancer care. <i>Medical Journal of Australia</i> , 2018, 209, 184-187.	1.7	254
28	Assessing the Feasibility and Pre-Post Impact Evaluation of the Beta (Test) Version of the BeUpstanding Champion Toolkit in Reducing Workplace Sitting: Pilot Study. <i>JMIR Formative Research</i> , 2018, 2, e17.	1.4	11
29	Economic evaluation of a randomized controlled trial of an intervention to reduce office workers's sitting time: the "Stand Up Victoria" trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 503-511.	3.4	30
30	Telephone-delivered weight management services in the hospital outpatient setting: Decision-makers' perceptions of their use in routine practice. <i>Nutrition and Dietetics</i> , 2017, 74, 261-267.	1.8	4
31	Cost-effectiveness of a pragmatic exercise intervention for women with breast cancer: results from a randomized controlled trial. <i>Psycho-Oncology</i> , 2017, 26, 649-655.	2.3	31
32	Breast cancer survivors' experience of making weight, dietary and physical activity changes during participation in a weight loss intervention. <i>Supportive Care in Cancer</i> , 2017, 25, 1455-1463.	2.2	21
33	Twelve-Year Television Viewing Time Trajectories and Physical Function in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1359-1365.	0.4	16
34	Reducing occupational sitting: Workers' perspectives on participation in a multi-component intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 73.	4.6	48
35	Relative validity of a brief Fat and Fibre Behaviour Questionnaire in a population of overweight and obese breast cancer survivors: A note of caution. <i>Nutrition and Dietetics</i> , 2017, 74, 18-28.	1.8	2
36	Intervening to reduce workplace sitting: mediating role of social-cognitive constructs during a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 27.	4.6	29

#	ARTICLE	IF	CITATIONS
37	A Cluster RCT to Reduce Workers' Sitting Time. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2032-2039.	0.4	101
38	Common mental disorders and recent physical activity status: findings from a National Community Survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 795-802.	3.1	8
39	The Living Well after Breast Cancer ² Pilot Trial: a weight loss intervention for women following treatment for breast cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, 125-136.	1.1	39
40	Translating Research into Community Practice: The Healthy Living after Cancer Partnership Project. <i>Obesity</i> , 2017, 25, S31-S31.	3.0	2
41	Women's Perceptions of Participation in an Extended Contact Text Message-Based Weight Loss Intervention: An Explorative Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e21.	3.7	22
42	Associations of Monitor-Assessed Activity with Performance-Based Physical Function. <i>PLoS ONE</i> , 2016, 11, e0153398.	2.5	28
43	A Cluster Randomized Controlled Trial to Reduce Office Workers' Sitting Time. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1787-1797.	0.4	219
44	Living well after breast cancer randomized controlled trial protocol: evaluating a telephone-delivered weight loss intervention versus usual care in women following treatment for breast cancer. <i>BMC Cancer</i> , 2016, 16, 830.	2.6	19
45	Office workers' objectively assessed total and prolonged sitting time: Individual-level correlates and worksite variations. <i>Preventive Medicine Reports</i> , 2016, 4, 184-191.	1.8	84
46	Feasibility, effectiveness and cost-effectiveness of a telephone-based weight loss program delivered via a hospital outpatient setting. <i>Translational Behavioral Medicine</i> , 2016, 6, 386-395.	2.4	14
47	Evaluating the Maintenance of Lifestyle Changes in a Randomized Controlled Trial of the "Get Healthy, Stay Healthy" Program. <i>JMIR MHealth and UHealth</i> , 2016, 4, e42.	3.7	36
48	The BeUpstanding Program TM : Scaling up the "Stand Up Australia" Workplace Intervention for Translation into Practice. <i>AIMS Public Health</i> , 2016, 3, 341-347.	2.6	24
49	Responsiveness to Change of Self-Report and Device-Based Physical Activity Measures in the Living Well With Diabetes Trial. <i>Journal of Physical Activity and Health</i> , 2015, 12, 1082-1087.	2.0	16
50	Healthy Living after Cancer: a dissemination and implementation study evaluating a telephone-delivered healthy lifestyle program for cancer survivors. <i>BMC Cancer</i> , 2015, 15, 992.	2.6	39
51	Accelerometer-Derived Sedentary and Physical Activity Time in Overweight/Obese Adults with Type 2 Diabetes: Cross-Sectional Associations with Cardiometabolic Biomarkers. <i>PLoS ONE</i> , 2015, 10, e0119140.	2.5	94
52	Fat and fibre behaviour questionnaire: Reliability, relative validity and responsiveness to change in Australian adults with type 2 diabetes and/or hypertension. <i>Nutrition and Dietetics</i> , 2015, 72, 368-376.	1.8	23
53	Adaptation of a Counseling Intervention to Address Multiple Cancer Risk Factors Among Overweight/Obese Latino Smokers. <i>Health Education and Behavior</i> , 2015, 42, 65-72.	2.5	6
54	Telephone, print, and Web-based interventions for physical activity, diet, and weight control among cancer survivors: a systematic review. <i>Journal of Cancer Survivorship</i> , 2015, 9, 660-682.	2.9	143

#	ARTICLE	IF	CITATIONS
55	Sensitivity to Change of Objectively-Derived Measures of Sedentary Behavior. Measurement in Physical Education and Exercise Science, 2015, 19, 138-147.	1.8	56
56	Relationship between Intervention Dose and Outcomes in Living Well with Diabetes—A Randomized Trial of a Telephone-Delivered Lifestyle-Based Weight Loss Intervention. American Journal of Health Promotion, 2015, 30, 120-129.	1.7	23
57	Effectiveness of lifestyle-based weight loss interventions for adults with type 2 diabetes: a systematic review and meta-analysis. Diabetes, Obesity and Metabolism, 2015, 17, 371-378.	4.4	64
58	Efficacy of a Text Message-Delivered Extended Contact Intervention on Maintenance of Weight Loss, Physical Activity, and Dietary Behavior Change. JMIR MHealth and UHealth, 2015, 3, e88.	3.7	73
59	Living Well With Diabetes: 24-Month Outcomes From a Randomized Trial of Telephone-Delivered Weight Loss and Physical Activity Intervention to Improve Glycemic Control. Diabetes Care, 2014, 37, 2177-2185.	8.6	67
60	Translating research into practice: The healthy living after cancer partnership project. Journal of Science and Medicine in Sport, 2014, 18, e13.	1.3	2
61	Reducing occupational sedentary time: a systematic review and meta-analysis of evidence on activity-permissive workstations. Obesity Reviews, 2014, 15, 822-838.	6.5	254
62	Addressing physical inactivity in Omani adults: perceptions of public health managers. Public Health Nutrition, 2014, 17, 674-681.	2.2	26
63	Moderators of health behavior initiation and maintenance in a randomized telephone counseling trial. Preventive Medicine, 2014, 61, 34-41.	3.4	13
64	Iterative development of Stand Up Australia: a multi-component intervention to reduce workplace sitting. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 21.	4.6	87
65	“Get Healthy, Stay Healthy”™: protocol for evaluation of a lifestyle intervention delivered by text-message following the Get Healthy Information and Coaching Service®. BMC Public Health, 2014, 14, 112.	2.9	10
66	Weight loss intervention trials in women with breast cancer: a systematic review. Obesity Reviews, 2014, 15, 749-768.	6.5	131
67	Intervening to reduce workplace sitting time: how and when do changes to sitting time occur?. British Journal of Sports Medicine, 2014, 48, 1037-1042.	6.7	41
68	Workplace Sitting and Height-Adjustable Workstations. American Journal of Preventive Medicine, 2014, 46, 30-40.	3.0	187
69	A National Strategy for Promoting Physical Activity in Oman: A call for action. Sultan Qaboos University Medical Journal, 2014, 14, e170-5.	1.0	9
70	Dissemination of an evidence-based telephone-delivered lifestyle intervention: factors associated with successful implementation and evaluation. Translational Behavioral Medicine, 2013, 3, 351-356.	2.4	9
71	Results from the dissemination of an evidence-based telephone-delivered intervention for healthy lifestyle and weight loss: the Optimal Health Program. Translational Behavioral Medicine, 2013, 3, 340-350.	2.4	13
72	Design of a randomized controlled trial for multiple cancer risk behaviors among Spanish-speaking Mexican-origin smokers. BMC Public Health, 2013, 13, 237.	2.9	8

#	ARTICLE	IF	CITATIONS
73	Effectiveness of Australia's Get Healthy Information and Coaching Service [®] : maintenance of self-reported anthropometric and behavioural changes after program completion. <i>BMC Public Health</i> , 2013, 13, 175.	2.9	32
74	Six-Month Outcomes from Living Well with Diabetes: A Randomized Trial of a Telephone-Delivered Weight Loss and Physical Activity Intervention to Improve Glycemic Control. <i>Annals of Behavioral Medicine</i> , 2013, 46, 193-203.	2.9	37
75	Physical activity and/or dietary interventions in breast cancer survivors: a systematic review of the maintenance of outcomes. <i>Journal of Cancer Survivorship</i> , 2013, 7, 74-82.	2.9	123
76	Reducing sitting time in office workers: Short-term efficacy of a multicomponent intervention. <i>Preventive Medicine</i> , 2013, 57, 43-48.	3.4	286
77	Reducing office workers's [™] sitting time: rationale and study design for the Stand Up Victoria cluster randomized trial. <i>BMC Public Health</i> , 2013, 13, 1057.	2.9	111
78	Exercise for health: a randomized, controlled trial evaluating the impact of a pragmatic, translational exercise intervention on the quality of life, function and treatment-related side effects following breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 175-186.	2.5	150
79	Evaluation Framework for Translational Research. <i>Health Promotion Practice</i> , 2013, 14, 380-389.	1.6	30
80	Correlates of Omani adults's [™] physical inactivity and sitting time. <i>Public Health Nutrition</i> , 2013, 16, 65-72.	2.2	30
81	Is Measurement Error Altered by Participation in a Physical Activity Intervention?. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1004-1011.	0.4	10
82	Active adults recall their physical activity differently to less active adults: test's [™] retest reliability and validity of a physical activity survey. <i>Health Promotion Journal of Australia</i> , 2013, 24, 26-31.	1.2	41
83	Objectively Measured Activity Patterns among Adults in Residential Aged Care. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 6783-6798.	2.6	65
84	Exercise Behavior, Motivation, and Maintenance Among Cancer Survivors. , 2013, , 215-231.		3
85	Translation from Research to Practice: Community Dissemination of a Telephone-Delivered Physical Activity and Dietary Behavior Change Intervention. <i>American Journal of Health Promotion</i> , 2012, 26, 253-259.	1.7	15
86	Correlates of Omani adults's [™] physical inactivity and sitting time 's [™] Corrigendum. <i>Public Health Nutrition</i> , 2012, 15, 2164-2164.	2.2	2
87	Control Group Improvements in Physical Activity Intervention Trials and Possible Explanatory Factors: A Systematic Review. <i>Journal of Physical Activity and Health</i> , 2012, 9, 884-895.	2.0	64
88	Depressive symptoms and obesity: Assessing and addressing the black dog in the room. <i>Nutrition and Dietetics</i> , 2012, 69, 234-235.	1.8	1
89	Effectiveness of Australia's Get Healthy Information and Coaching Service [®] : Translational research with population wide impact. <i>Preventive Medicine</i> , 2012, 55, 292-298.	3.4	76
90	Telephone-Delivered Interventions for Physical Activity and Dietary Behavior Change. <i>American Journal of Preventive Medicine</i> , 2012, 42, 81-88.	3.0	225

#	ARTICLE	IF	CITATIONS
91	Associations of Physical Activity and Sitting Time With the Metabolic Syndrome Among Omani Adults. <i>Obesity</i> , 2012, 20, 2290-2295.	3.0	32
92	Sitâ€“Stand Workstations. <i>American Journal of Preventive Medicine</i> , 2012, 43, 298-303.	3.0	318
93	Relationships of Sun-Protection Habit Strength with Sunscreen Use During Outdoor Sport and Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 916-923.	2.6	11
94	A Randomized Trial of a Telephone-Delivered Exercise Intervention for Non-urban Dwelling Women Newly Diagnosed with Breast Cancer: Exercise for Health. <i>Annals of Behavioral Medicine</i> , 2012, 43, 229-238.	2.9	84
95	Designing for the Dissemination of Environmental and Policy Initiatives and Programs for High-Risk Groups. , 2012, , 114-127.		5
96	The impact of behavioural screening on intervention outcomes in a randomised, controlled multiple behaviour intervention trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 24.	4.6	6
97	Systematic review of maintenance of behavior change following physical activity and dietary interventions.. <i>Health Psychology</i> , 2011, 30, 99-109.	1.6	332
98	Feasibility of Reducing Older Adults' Sedentary Time. <i>American Journal of Preventive Medicine</i> , 2011, 41, 174-177.	3.0	213
99	Adults' Sedentary Behavior. <i>American Journal of Preventive Medicine</i> , 2011, 41, 189-196.	3.0	691
100	Design and implementation of the Exercise for Health trial â€” A pragmatic exercise intervention for women with breast cancer. <i>Contemporary Clinical Trials</i> , 2011, 32, 577-585.	1.8	32
101	Who Participates in Physical Activity Intervention Trials?. <i>Journal of Physical Activity and Health</i> , 2011, 8, 85-103.	2.0	88
102	Objectively assessed physical activity, sedentary time and waist circumference among prostate cancer survivors: findings from the National Health and Nutrition Examination Survey (2003-2006). <i>European Journal of Cancer Care</i> , 2011, 20, 514-519.	1.5	67
103	Associations Between Television Viewing Time and Overall Sitting Time with the Metabolic Syndrome in Older Men and Women: The Australian Diabetes Obesity and Lifestyle Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 788-796.	2.6	142
104	Associations of objectively assessed physical activity and sedentary time with biomarkers of breast cancer risk in postmenopausal women: findings from NHANES (2003â€“2006). <i>Breast Cancer Research and Treatment</i> , 2011, 130, 183-194.	2.5	103
105	Follow-up care after breast cancer treatment: experiences and perceptions of service provision and provider interactions in rural Australian women. <i>Supportive Care in Cancer</i> , 2011, 19, 1975-1982.	2.2	45
106	Safety, feasibility and effects of an individualised walking intervention for women undergoing chemotherapy for ovarian cancer: a pilot study. <i>BMC Cancer</i> , 2011, 11, 389.	2.6	53
107	Characteristics of control group participants who increased their physical activity in a cluster-randomized lifestyle intervention trial. <i>BMC Public Health</i> , 2011, 11, 27.	2.9	10
108	A Telephone-Delivered Physical Activity and Dietary Intervention for Type 2 Diabetes and Hypertension: Does Intervention Dose Influence Outcomes?. <i>American Journal of Health Promotion</i> , 2011, 25, 257-263.	1.7	26

#	ARTICLE	IF	CITATIONS
109	Measuring Older Adults' Sedentary Time. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 2127-2133.	0.4	143
110	Evidence of physical activity participation among men and women in the countries of the Gulf Cooperation Council: a review. <i>Obesity Reviews</i> , 2010, 11, 457-464.	6.5	104
111	Measuring Physical Activity Change in Broad-Reach Intervention Trials. <i>Journal of Physical Activity and Health</i> , 2010, 7, 194-202.	2.0	46
112	Multiple Health Behavior Changes and Co-variation in a Telephone Counseling Trial. <i>Annals of Behavioral Medicine</i> , 2010, 39, 250-257.	2.9	21
113	Objectively measured physical activity and sedentary time of breast cancer survivors, and associations with adiposity: findings from NHANES (2003-2006). <i>Cancer Causes and Control</i> , 2010, 21, 283-288.	1.8	192
114	Living Well with Diabetes: a randomized controlled trial of a telephone-delivered intervention for maintenance of weight loss, physical activity and glycaemic control in adults with type 2 diabetes. <i>BMC Public Health</i> , 2010, 10, 452.	2.9	46
115	Gynecological cancer survivors and community support services: referral, awareness, utilization and satisfaction. <i>Psycho-Oncology</i> , 2010, 19, 54-61.	2.3	23
116	Gender differences in prevalence of the metabolic syndrome in Gulf Cooperation Council Countries: a systematic review. <i>Diabetic Medicine</i> , 2010, 27, 593-597.	2.3	115
117	Maintenance of physical activity and dietary change following a telephone-delivered intervention.. <i>Health Psychology</i> , 2010, 29, 566-573.	1.6	34
118	Measuring physical activity change in broad-reach intervention trials. <i>Journal of Physical Activity and Health</i> , 2010, 7, 194-202.	2.0	24
119	Prevalence and determinants of sunburn in Queensland. <i>Health Promotion Journal of Australia</i> , 2009, 20, 102-106.	1.2	6
120	Cost-Effectiveness of a Telephone-Delivered Intervention for Physical Activity and Diet. <i>PLoS ONE</i> , 2009, 4, e7135.	2.5	72
121	Randomized trial of a neighborhood environment-focused physical activity website intervention. <i>Preventive Medicine</i> , 2009, 48, 144-150.	3.4	71
122	Telephone Counseling for Physical Activity and Diet in Primary Care Patients. <i>American Journal of Preventive Medicine</i> , 2009, 36, 142-149.	3.0	119
123	Gynecological cancer survivors' health behaviors and their associations with quality of life. <i>Cancer Causes and Control</i> , 2008, 19, 775-782.	1.8	64
124	Prevalence and correlates of multiple cancer risk behaviors in an Australian population-based survey: results from the Queensland Cancer Risk Study. <i>Cancer Causes and Control</i> , 2008, 19, 1339-1347.	1.8	33
125	Unmet needs of gynaecological cancer survivors: implications for developing community support services. <i>Psycho-Oncology</i> , 2008, 17, 392-400.	2.3	139
126	Unmet supportive care needs and interest in services among patients with a brain tumour and their carers. <i>Patient Education and Counseling</i> , 2008, 71, 251-258.	2.2	167

#	ARTICLE	IF	CITATIONS
127	The Logan Healthy Living Program: A cluster randomized trial of a telephone-delivered physical activity and dietary behavior intervention for primary care patients with type 2 diabetes or hypertension from a socially disadvantaged community â€” Rationale, design and recruitment. <i>Contemporary Clinical Trials</i> , 2008, 29, 439-454.	1.8	56
128	Older Personsâ€™ Perception of Risk of Falling: Implications for Fall-Prevention Campaigns. <i>American Journal of Public Health</i> , 2008, 98, 351-357.	2.7	116
129	General Practitioner Advice on Physical Activityâ€”Who Gets it?. <i>American Journal of Health Promotion</i> , 2007, 21, 225-228.	1.7	41
130	Resources for health: A primary-care-based diet and physical activity intervention targeting urban Latinos with multiple chronic conditions.. <i>Health Psychology</i> , 2007, 26, 392-400.	1.6	60
131	Website-Delivered Physical Activity Interventions. <i>American Journal of Preventive Medicine</i> , 2007, 33, 54-64.	3.0	434
132	Telephone Interventions for Physical Activity and Dietary Behavior Change. <i>American Journal of Preventive Medicine</i> , 2007, 32, 419-434.	3.0	309
133	Quality of life among patients with a brain tumor and their carers. <i>Journal of Psychosomatic Research</i> , 2007, 63, 617-623.	2.6	153
134	Correlates of pedometer use: Results from a community-based physical activity intervention trial (10,000 Steps Rockhampton). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 31.	4.6	18
135	Lymphedema after gynecological cancer treatment. <i>Cancer</i> , 2007, 109, 2607-2614.	4.1	303
136	Sun exposure and sun protection behaviours among young adult sport competitors. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 230-234.	1.8	46
137	Randomised controlled trial of a supervised exercise rehabilitation program for colorectal cancer survivors immediately after chemotherapy: study protocol. <i>BMC Cancer</i> , 2007, 7, 154.	2.6	12
138	Validation of the spanish-language version of the chronic illness resources survey. <i>International Journal of Behavioral Medicine</i> , 2007, 14, 76-85.	1.7	19
139	Health behaviors of cancer survivors: data from an Australian population-based survey. <i>Cancer Causes and Control</i> , 2007, 18, 881-894.	1.8	164
140	10,000 Steps Rockhampton: Evaluation of a Whole Community Approach to Improving Population Levels of Physical Activity. <i>Journal of Physical Activity and Health</i> , 2006, 3, 1-14.	2.0	104
141	Solaria use in Queensland, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 479-482.	1.8	29
142	The Queensland Cancer Risk Study: behavioural risk factor results. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 375-382.	1.8	37
143	Multi-level support for physical activity and healthy eating. <i>Journal of Advanced Nursing</i> , 2006, 54, 585-593.	3.3	25
144	Non-Cancer Mortality among People Diagnosed with Cancer (Australia). <i>Cancer Causes and Control</i> , 2006, 17, 287-297.	1.8	94

#	ARTICLE	IF	CITATIONS
145	Supportive care needs of people with brain tumours and their carers. <i>Supportive Care in Cancer</i> , 2006, 14, 1094-1103.	2.2	131
146	Recruitment and retention of Latinos in a primary care-based physical activity and diet trial: The Resources for Health study. <i>Health Education Research</i> , 2006, 22, 361-371.	1.9	85
147	Cost-effectiveness analyses and modelling the lifetime costs and benefits of health-behaviour interventions. <i>Chronic Illness</i> , 2006, 2, 97-107.	1.5	15
148	Health Status of Long-term Cancer Survivors: Results from an Australian Population-Based Sample. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1969-1976.	2.5	77
149	Cost-effectiveness analyses and modelling the lifetime costs and benefits of health-behaviour interventions. <i>Chronic Illness</i> , 2006, 2, 97-107.	1.5	3
150	Evaluating the Population Health Impact of Physical Activity Interventions in Primary Care—Are We Asking the Right Questions?. <i>Journal of Physical Activity and Health</i> , 2005, 2, 197-215.	2.0	55
151	Exploring the feasibility and acceptability of using Internet technology to promote physical activity within a defined community. <i>Health Promotion Journal of Australia</i> , 2005, 16, 82-84.	1.2	21
152	Population-based interventions for the prevention of fall-related injuries in older people. <i>The Cochrane Library</i> , 2005, , CD004441.	2.8	154
153	Occupational Sitting Time and Overweight and Obesity in Australian Workers. <i>American Journal of Preventive Medicine</i> , 2005, 29, 91-97.	3.0	193
154	Program sustainability of a community-based intervention to prevent falls among older Australians. <i>Health Promotion International</i> , 2004, 19, 281-288.	1.8	28
155	Physical activity promotion in primary care. <i>American Journal of Preventive Medicine</i> , 2004, 27, 297-303.	3.0	47
156	Falls prevention in rural general practice: what stands the test of time and where to from here?. <i>Australian and New Zealand Journal of Public Health</i> , 2003, 27, 481-485.	1.8	9
157	Preventing Falls Among Older People—Current Practice and Attitudes Among Community Pharmacists. <i>Journal of Pharmacy Practice and Research</i> , 2003, 33, 51-54.	0.8	4
158	Using pedometers to increase physical activity in a family planning clinic: a feasibility study. <i>Health Promotion Journal of Australia</i> , 2003, 14, 165-170.	1.2	6
159	Physical activity is important, but can it be promoted in general practice?. <i>Medical Journal of Australia</i> , 2003, 179, 70-71.	1.7	7
160	10,000 Steps Rockhampton: Establishing a multi-strategy physical activity promotion project in a community. <i>Health Promotion Journal of Australia</i> , 2003, 14, 95-100.	1.2	48
161	Reaching those most in need: a review of diabetes self-management interventions in disadvantaged populations. <i>Diabetes/Metabolism Research and Reviews</i> , 2002, 18, 26-35.	4.0	112
162	Physician advice and support for physical activity. <i>American Journal of Preventive Medicine</i> , 2001, 21, 189-196.	3.0	233

#	ARTICLE	IF	CITATIONS
163	Promoting Physical Activity among Middle-Aged and Older Adults in Health Care Settings. <i>Journal of Aging and Physical Activity</i> , 2001, 9, S29-S37.	1.0	18
164	Awareness and barriers to use of cancer support and information resources by HMO patients with breast, prostate, or colon cancer: patient and provider perspectives. <i>Psycho-Oncology</i> , 2001, 10, 103-113.	2.3	198
165	The Diabetes Network Internet-Based Physical Activity Intervention: A randomized pilot study. <i>Diabetes Care</i> , 2001, 24, 1328-1334.	8.6	311
166	Resources for Health: A Social-Ecological Intervention for Supporting Self-management of Chronic Conditions. <i>Journal of Health Psychology</i> , 2001, 6, 693-705.	2.3	30
167	A social-ecologic approach to assessing support for disease self-management: the Chronic Illness Resources Survey. <i>Journal of Behavioral Medicine</i> , 2000, 23, 559-583.	2.1	181
168	Health behavior changes after a cancer diagnosis: What do we know and where do we go from here?. <i>Annals of Behavioral Medicine</i> , 2000, 22, 38-52.	2.9	141
169	Concern about weight gain associated with quitting smoking: Prevalence and association with outcome in a sample of young female smokers.. <i>Journal of Consulting and Clinical Psychology</i> , 1999, 67, 1009-1011.	2.0	39
170	Reaching those most in need: Participation in a Planned Parenthood smoking cessation program. <i>Annals of Behavioral Medicine</i> , 1998, 20, 216-220.	2.9	9
171	Use of tailored videos in primary care smoking cessation interventions. <i>Health Education Research</i> , 1998, 13, 519-527.	1.9	18
172	Validation of a New Dyspnea Measure. <i>Chest</i> , 1998, 113, 619-624.	0.8	367
173	The Patients' Perspective on the Self-management of Chronic Obstructive Pulmonary Disease. <i>Journal of Health Psychology</i> , 1997, 2, 245-253.	2.3	20
174	Quality of Life and Associated Characteristics in a Large National Sample of Adults With Diabetes. <i>Diabetes Care</i> , 1997, 20, 562-567.	8.6	377
175	Recruitment of Managed Care Medicare Patients for a Physical Activity Study. <i>American Journal of Health Promotion</i> , 1997, 12, 98-101.	1.7	11
176	Physicians' Role in Diabetes Self-Management. , 1996, 6, 186-195.		12
177	Patients' self-reports of dyspnea: An important and independent outcome in chronic obstructive pulmonary disease. <i>Annals of Behavioral Medicine</i> , 1996, 18, 87-90.	2.9	12
178	How Generalizable are the Results of Diabetes Self-Management Research? The Impact of Participation and Attrition. <i>The Diabetes Educator</i> , 1996, 22, 573-585.	2.5	40
179	Is Not the Treatment Program of Dyspnea Management Strategies Effective for COPD?-To the Editor. <i>Chest</i> , 1995, 108, 1774.	0.8	0
180	Treatment of Dyspnea in COPD. <i>Chest</i> , 1995, 107, 724-729.	0.8	140

#	ARTICLE	IF	CITATIONS
181	Reliability and validity of dyspnea measures in patients with obstructive lung disease. <i>International Journal of Behavioral Medicine</i> , 1995, 2, 118-134.	1.7	74
182	Self-efficacy expectations predict survival for patients with chronic obstructive pulmonary disease.. <i>Health Psychology</i> , 1994, 13, 366-368.	1.6	90
183	Measurement of dyspnoea in chronic obstructive pulmonary disease. <i>Quality of Life Research</i> , 1993, 2, 181-191.	3.1	48
184	The inside scoop on the stuff called snuff: An interview study of 94 adult male smokeless tobacco users. <i>Journal of Substance Abuse</i> , 1990, 2, 77-85.	1.1	36
185	Medical Office-based Interventions. , 0, , 141-168.		38