

# Benjamin T. Kile

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6624144/publications.pdf>

Version: 2024-02-01

138  
papers

10,783  
citations

34105  
52  
h-index

33894  
99  
g-index

141  
all docs

141  
docs citations

141  
times ranked

16006  
citing authors

#	ARTICLE	IF	CITATIONS
1	Protein kinase R is an innate immune sensor of proteotoxic stress via accumulation of cytoplasmic IL-24. <i>Science Immunology</i> , 2022, 7, eabi6763.	11.9	22
2	Discordance in STING-Induced Activation and Cell Death Between Mouse and Human Dendritic Cell Populations. <i>Frontiers in Immunology</i> , 2022, 13, 794776.	4.8	10
3	Epigenetic Activation of Plasmacytoid DCs Drives IFNAR-Dependent Therapeutic Differentiation of AML. <i>Cancer Discovery</i> , 2022, 12, 1560-1579.	9.4	13
4	Apoptotic Ablation of Platelets Reduces Atherosclerosis in Mice With Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1167-1178.	2.4	10
5	Generation of Murine Bone Marrow and Fetal Liver Chimeras. <i>Current Protocols</i> , 2021, 1, e79.	2.9	1
6	Homeostatic apoptosis prevents competition-induced atrophy in follicular B cells. <i>Cell Reports</i> , 2021, 36, 109430.	6.4	3
7	Acute myeloid leukemia maturation lineage influences residual disease and relapse following differentiation therapy. <i>Nature Communications</i> , 2021, 12, 6546.	12.8	7
8	Apoptotic mitochondria prime anti-tumour immunity. <i>Cell Death Discovery</i> , 2020, 6, 98.	4.7	10
9	COVID-19 patients exhibit reduced procoagulant platelet responses. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 3067-3073.	3.8	55
10	Mitochondrial dysfunction caused by outer membrane vesicles from Gram-negative bacteria activates intrinsic apoptosis and inflammation. <i>Nature Microbiology</i> , 2020, 5, 1418-1427.	13.3	105
11	The EMT modulator SNAI1 contributes to AML pathogenesis via its interaction with LSD1. <i>Blood</i> , 2020, 136, 957-973.	1.4	35
12	A missense mutation in the MLKL brace region promotes lethal neonatal inflammation and hematopoietic dysfunction. <i>Nature Communications</i> , 2020, 11, 3150.	12.8	75
13	Connexin-Dependent Transfer of cGAMP to Phagocytes Modulates Antiviral Responses. <i>MBio</i> , 2020, 11, .	4.1	44
14	TBK1 and IKK $\mu$ Act Redundantly to Mediate STING-Induced NF- $\kappa$ B Responses in Myeloid Cells. <i>Cell Reports</i> , 2020, 31, 107492.	6.4	223
15	Platelet necrosis mediates ischemic stroke outcome in mice. <i>Blood</i> , 2020, 135, 429-440.	1.4	61
16	Germline heterozygous mutations in Nxf1 perturb RNA metabolism and trigger thrombocytopenia and lymphopenia in mice. <i>Blood Advances</i> , 2020, 4, 1270-1283.	5.2	5
17	Shared roles for Scl and Lyl1 in murine platelet production and function. <i>Blood</i> , 2019, 134, 826-835.	1.4	15
18	A small molecule interacts with VDAC2 to block mouse BAK-driven apoptosis. <i>Nature Chemical Biology</i> , 2019, 15, 1057-1066.	8.0	30

#	ARTICLE	IF	CITATIONS
19	Acknowledgements: the Levin/Kile rule. Platelets, 2019, 30, 280-280.	2.3	0
20	Cell death following the loss of ADAR1 mediated A-to-I RNA editing is not effected by the intrinsic apoptosis pathway. Cell Death and Disease, 2019, 10, 913.	6.3	13
21	Recipient BCL2 inhibition and NK cell ablation form part of a reduced intensity conditioning regime that improves allo-bone marrow transplantation outcomes. Cell Death and Differentiation, 2019, 26, 1516-1530.	11.2	10
22	BAK/BAX macropores facilitate mitochondrial herniation and mtDNA efflux during apoptosis. Science, 2018, 359, .	12.6	581
23	Apoptosis in megakaryocytes and platelets: the life and death of a lineage. Blood, 2018, 131, 605-610.	1.4	84
24	Apoptotic Caspases: Multiple or Mistaken Identities?. Trends in Cell Biology, 2018, 28, 475-493.	7.9	111
25	Autophagy induced during apoptosis degrades mitochondria and inhibits type I interferon secretion. Cell Death and Differentiation, 2018, 25, 784-796.	11.2	49
26	The Mitochondrial Apoptotic Effectors BAX/BAK Activate Caspase-3 and -7 to Trigger NLRP3 Inflammasome and Caspase-8 Driven IL-1 $\beta$ Activation. Cell Reports, 2018, 25, 2339-2353.e4.	6.4	164
27	NLRP1 restricts butyrate producing commensals to exacerbate inflammatory bowel disease. Nature Communications, 2018, 9, 3728.	12.8	81
28	Characterization of Tfrc-mutant mice with microcytic phenotypes. Blood Advances, 2018, 2, 1914-1922.	5.2	5
29	Intrinsic apoptosis circumvents the functional decline of circulating platelets but does not cause the storage lesion. Blood, 2018, 132, 197-209.	1.4	19
30	Cell cycle progression dictates the requirement for BCL2 in natural killer cell survival. Journal of Experimental Medicine, 2017, 214, 491-510.	8.5	66
31	Loss of Dynamin 2 <sc>GTP</sc>ase function results in microcytic anaemia. British Journal of Haematology, 2017, 178, 616-628.	2.5	7
32	A mouse model of hereditary coproporphria identified in an ENU mutagenesis screen. DMM Disease Models and Mechanisms, 2017, 10, 1005-1013.	2.4	7
33	ETO2-GLIS2 Hijacks Transcriptional Complexes to Drive Cellular Identity and Self-Renewal in Pediatric Acute Megakaryoblastic Leukemia. Cancer Cell, 2017, 31, 452-465.	16.8	60
34	Neutrophil macroaggregates promote widespread pulmonary thrombosis after gut ischemia. Science Translational Medicine, 2017, 9, .	12.4	56
35	Altered B-lymphopoiesis in mice with deregulated thrombopoietin signaling. Scientific Reports, 2017, 7, 14953.	3.3	4
36	Developmental Stage-Specific Manifestations of Absent TPO/c-MPL Signalling in Newborn Mice. Thrombosis and Haemostasis, 2017, 117, 2322-2333.	3.4	14

#	ARTICLE	IF	CITATIONS
37	Mutations in tropomyosin 4 underlie a rare form of human macrothrombocytopenia. Journal of Clinical Investigation, 2017, 127, 814-829.	8.2	57
38	Physiological restraint of Bak by Bcl-x <sub>L</sub> is essential for cell survival. Genes and Development, 2016, 30, 1240-1250.	5.9	40
39	Regulation of platelet lifespan in the presence and absence of thrombopoietin signaling. Journal of Thrombosis and Haemostasis, 2016, 14, 1882-1887.	3.8	19
40	Dicer1-mediated miRNA processing shapes the mRNA profile and function of murine platelets. Blood, 2016, 127, 1743-1751.	1.4	79
41	Loss of PUMA (BBC <sup>3</sup> ) does not prevent thrombocytopenia caused by the loss of BCL <sub>2</sub> (BCL <sub>2</sub> XL) (BCL <sub>2</sub> L1). British Journal of Haematology, 2016, 174, 962-969.	2.5	7
42	Setdb1-mediated H3K9 methylation is enriched on the inactive X and plays a role in its epigenetic silencing. Epigenetics and Chromatin, 2016, 9, 16.	3.9	63
43	IL-18 Production from the NLRP1 Inflammasome Prevents Obesity and Metabolic Syndrome. Cell Metabolism, 2016, 23, 155-164.	16.2	133
44	Ablation of Type-1 IFN Signaling in Hematopoietic Cells Confers Protection Following Traumatic Brain Injury. ENeuro, 2016, 3, ENEURO.0128-15.2016.	1.9	48
45	Activation of the erythroid K-Cl cotransporter Kcc1 enhances sickle cell disease pathology in a humanized mouse model. Blood, 2015, 126, 2863-2870.	1.4	21
46	Conserved piRNA Expression from a Distinct Set of piRNA Cluster Loci in Eutherian Mammals. PLoS Genetics, 2015, 11, e1005652.	3.5	73
47	Aberrant actin depolymerization triggers the pyrin inflammasome and autoinflammatory disease that is dependent on IL-18, not IL-1 $\beta$ . Journal of Experimental Medicine, 2015, 212, 927-938.	8.5	120
48	Regulation of cell proliferation by ERK and signal-dependent nuclear translocation of ERK is dependent on Tm5NM1-containing actin filaments. Molecular Biology of the Cell, 2015, 26, 2475-2490.	2.1	52
49	Aging platelets stimulate TPO production. Nature Medicine, 2015, 21, 11-12.	30.7	8
50	Mice Haploinsufficient for Ets1 and Fli1 Display Middle Ear Abnormalities and Model Aspects of Jacobsen Syndrome. American Journal of Pathology, 2015, 185, 1867-1876.	3.8	15
51	SOCS4 is dispensable for an efficient recall response to influenza despite being required for primary immunity. Immunology and Cell Biology, 2015, 93, 909-913.	2.3	9
52	Stressed mitochondria sound the alarm. Immunology and Cell Biology, 2015, 93, 427-428.	2.3	4
53	Fetal inhibition of inflammation improves disease phenotypes in harlequin ichthyosis. Human Molecular Genetics, 2015, 24, 436-449.	2.9	17
54	BCL-2 is dispensable for thrombopoiesis and platelet survival. Cell Death and Disease, 2015, 6, e1721-e1721.	6.3	68

#	ARTICLE	IF	CITATIONS
55	Aberrant actin depolymerization triggers the pyrin inflammasome and autoinflammatory disease that is dependent on IL-18, not IL-1 $\beta$ . <i>Journal of Cell Biology</i> , 2015, 209, 209501A104.	5.2	0
56	CHD7 Deficiency in "Looper", a New Mouse Model of CHARGE Syndrome, Results in Ossicle Malformation, Otosclerosis and Hearing Impairment. <i>PLoS ONE</i> , 2014, 9, e97559.	2.5	20
57	Loss of Bak enhances lymphocytosis but does not ameliorate thrombocytopenia in BCL-2 transgenic mice. <i>Cell Death and Differentiation</i> , 2014, 21, 676-684.	11.2	16
58	Platelet production proceeds independently of the intrinsic and extrinsic apoptosis pathways. <i>Nature Communications</i> , 2014, 5, 3455.	12.8	63
59	Suppressor of Cytokine Signaling 4 (SOCS4) Protects against Severe Cytokine Storm and Enhances Viral Clearance during Influenza Infection. <i>PLoS Pathogens</i> , 2014, 10, e1004134.	4.7	50
60	A new mouse model of Canavan leukodystrophy displays hearing impairment due to central nervous system dysmyelination. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 649-57.	2.4	12
61	Effect of thrombopoietin receptor agonists on the apoptotic profile of platelets in patients with chronic immune thrombocytopenia. <i>American Journal of Hematology</i> , 2014, 89, E228-34.	4.1	31
62	Apoptotic Caspases Suppress mtDNA-Induced STING-Mediated Type I IFN Production. <i>Cell</i> , 2014, 159, 1549-1562.	28.9	698
63	Mitochondrial apoptosis is dispensable for <sc>NLRP</sc>3 inflammasome activation but nonâ€œapoptotic caspaseâ€œ8 is required for inflammasome priming. <i>EMBO Reports</i> , 2014, 15, 982-990.	4.5	189
64	The role of apoptosis in megakaryocytes and platelets. <i>British Journal of Haematology</i> , 2014, 165, 217-226.	2.5	97
65	NLRP1a Expression in Srebp-1a-Deficient Mice. <i>Cell Metabolism</i> , 2014, 19, 345-346.	16.2	6
66	Expansion of the neonatal platelet mass is achieved via an extension of platelet lifespan. <i>Blood</i> , 2014, 123, 3381-3389.	1.4	58
67	A lineage of diploid platelet-forming cells precedes polyploid megakaryocyte formation in the mouse embryo. <i>Blood</i> , 2014, 124, 2725-2729.	1.4	52
68	ENU mutagenesis identifies the first mouse mutants reproducing human $\beta^0$ -thalassemia at the genomic level. <i>Blood Cells, Molecules, and Diseases</i> , 2013, 50, 86-92.	1.4	15
69	Interleukin-11 Is the Dominant IL-6 Family Cytokine during Gastrointestinal Tumorigenesis and Can Be Targeted Therapeutically. <i>Cancer Cell</i> , 2013, 24, 257-271.	16.8	341
70	ABCA12 Regulates ABCA1-Dependent Cholesterol Efflux from Macrophages and the Development of Atherosclerosis. <i>Cell Metabolism</i> , 2013, 18, 225-238.	16.2	46
71	The Regulation of Platelet Life Span. , 2013, , 51-65.		10
72	MCMV-mediated Inhibition of the Pro-apoptotic Bak Protein Is Required for Optimal In Vivo Replication. <i>PLoS Pathogens</i> , 2013, 9, e1003192.	4.7	21

#	ARTICLE	IF	CITATIONS
73	Proapoptotic Bak and Bax guard against fatal systemic and organ-specific autoimmune disease. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 2599-2604.	7.1	43
74	Transposon mutagenesis reveals cooperation of ETS family transcription factors with signaling pathways in erythro-megakaryocytic leukemia. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 6091-6096.	7.1	19
75	Low adhesion receptor levels on circulating platelets in patients with lymphoproliferative diseases before receiving Navitoclax (ABT-263). Blood, 2013, 121, 1479-1481.	1.4	20
76	Variability of Inducible Expression across the Hematopoietic System of Tetracycline Transactivator Transgenic Mice. PLoS ONE, 2013, 8, e54009.	2.5	26
77	A Model for Studying the Hemostatic Consumption or Destruction of Platelets. PLoS ONE, 2013, 8, e57783.	2.5	6
78	Two ENU-Induced Alleles of Atp2b2 Cause Deafness in Mice. PLoS ONE, 2013, 8, e67479.	2.5	11
79	MyD88 Is a Critical Regulator of Hematopoietic Cell-Mediated Neuroprotection Seen after Stroke. PLoS ONE, 2013, 8, e57948.	2.5	18
80	Translation inhibitors induce cell death by multiple mechanisms and Mcl-1 reduction is only a minor contributor. Cell Death and Disease, 2012, 3, e409-e409.	6.3	42
81	Hematopoietic overexpression of the transcription factor Erg induces lymphoid and erythro-megakaryocytic leukemia. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 15437-15442.	7.1	47
82	Reduced Lymphocyte Longevity and Homeostatic Proliferation in Lamin B Receptor-Deficient Mice Results in Profound and Progressive Lymphopenia. Journal of Immunology, 2012, 188, 122-134.	0.8	11
83	Thrombocytopenia and erythrocytosis in mice with a mutation in the gene encoding the hemoglobin $\alpha$ minor chain. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 576-581.	7.1	5
84	Caspase-9 mediates the apoptotic death of megakaryocytes and platelets, but is dispensable for their generation and function. Blood, 2012, 119, 4283-4290.	1.4	70
85	Mcl-1 and Bcl-xL coordinately regulate megakaryocyte survival. Blood, 2012, 119, 5850-5858.	1.4	76
86	Bacteria differentially induce degradation of Bcl-xL, a survival protein, by human platelets. Blood, 2012, 120, 5014-5020.	1.4	53
87	NLRP1 Inflammasome Activation Induces Pyroptosis of Hematopoietic Progenitor Cells. Immunity, 2012, 37, 1009-1023.	14.3	257
88	The Dendritic Cell Receptor Clec9A Binds Damaged Cells via Exposed Actin Filaments. Immunity, 2012, 36, 646-657.	14.3	272
89	Platelet Life Span and Apoptosis. Methods in Molecular Biology, 2012, 788, 59-71.	0.9	32
90	Genetic Modifier Screens in Mice. Current Protocols in Mouse Biology, 2012, 2, 75-87.	1.2	2

#	ARTICLE	IF	CITATIONS
91	Megakaryocytes possess a functional intrinsic apoptosis pathway that must be restrained to survive and produce platelets. <i>Journal of Experimental Medicine</i> , 2011, 208, 2017-2031.	8.5	162
92	ERG dependence distinguishes developmental control of hematopoietic stem cell maintenance from hematopoietic specification. <i>Genes and Development</i> , 2011, 25, 251-262.	5.9	99
93	Mutation discovery in mice by whole exome sequencing. <i>Genome Biology</i> , 2011, 12, R86.	9.6	102
94	Deciphering the molecular and biologic processes that mediate histone deacetylase inhibitorâ€“induced thrombocytopenia. <i>Blood</i> , 2011, 117, 3658-3668.	1.4	128
95	An ENU-induced mouse mutant of SHIP1 reveals a critical role of the stem cell isoform for suppression of macrophage activation. <i>Blood</i> , 2011, 117, 5362-5371.	1.4	20
96	Erg is required for self-renewal of hematopoietic stem cells during stress hematopoiesis in mice. <i>Blood</i> , 2011, 118, 2454-2461.	1.4	51
97	Bcl-xLâ€“inhibitory BH3 mimetics can induce a transient thrombocytopathy that undermines the hemostatic function of platelets. <i>Blood</i> , 2011, 118, 1663-1674.	1.4	262
98	Megakaryocytes possess a functional intrinsic apoptosis pathway that must be restrained to survive and produce platelets. <i>Journal of Cell Biology</i> , 2011, 194, i12-i12.	5.2	0
99	Association of coagulation factor XIII-A with Golgi proteins within monocyte-macrophages: implications for subcellular trafficking and secretion. <i>Blood</i> , 2010, 115, 2674-2681.	1.4	49
100	Critical roles for c-Myb in lymphoid priming and early B-cell development. <i>Blood</i> , 2010, 115, 2796-2805.	1.4	62
101	Trisomy of Erg is required for myeloproliferation in a mouse model of Down syndrome. <i>Blood</i> , 2010, 115, 3966-3969.	1.4	65
102	Platelet senescence is regulated by an internal timer, not damage inflicted by hits. <i>Blood</i> , 2010, 116, 1776-1778.	1.4	52
103	Transgenic, inducible RNAi in megakaryocytes and platelets in mice. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 2751-2756.	3.8	11
104	Individual and overlapping roles of BH3-only proteins Bim and Bad in apoptosis of lymphocytes and platelets and in suppression of thymic lymphoma development. <i>Cell Death and Differentiation</i> , 2010, 17, 1655-1664.	11.2	56
105	Apoptotic Processes in Megakaryocytes and Platelets. <i>Seminars in Hematology</i> , 2010, 47, 227-234.	3.4	39
106	A Kinase-Dead Allele of Lyn Attenuates Autoimmune Disease Normally Associated with Lyn Deficiency. <i>Journal of Immunology</i> , 2009, 182, 2020-2029.	0.8	15
107	Dual requirement for the ETS transcription factors Fli-1 and Erg in hematopoietic stem cells and the megakaryocyte lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13814-13819.	7.1	89
108	The role of the intrinsic apoptosis pathway in platelet life and death. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 214-217.	3.8	59

#	ARTICLE	IF	CITATIONS
109	Cell Death in the Hematopoietic System. , 2009, , 443-459.		3
110	The role of the ETS factor erg in zebrafish vasculogenesis. Mechanisms of Development, 2009, 126, 220-229.	1.7	28
111	Novel roles for erythroid Ankyrin-1 revealed through an ENU-induced null mouse mutant. Blood, 2009, 113, 3352-3362.	1.4	44
112	Mutational inhibition of c-Myb or p300 ameliorates treatment-induced thrombocytopenia. Blood, 2009, 113, 5599-5604.	1.4	9
113	Two distinct pathways regulate platelet phosphatidylserine exposure and procoagulant function. Blood, 2009, 114, 663-666.	1.4	274
114	The transcription factor Erg is essential for definitive hematopoiesis and the function of adult hematopoietic stem cells. Nature Immunology, 2008, 9, 810-819.	14.5	232
115	Description of a novel mutation leading to MYH9-related disease. Thrombosis Research, 2008, 122, 861-863.	1.7	16
116	A Mouse Model of Harlequin Ichthyosis Delineates a Key Role for Abca12 in Lipid Homeostasis. PLoS Genetics, 2008, 4, e1000192.	3.5	70
117	Point mutation in the gene encoding p300 suppresses thrombocytopenia in Mpl <sup>Δ</sup> mice. Blood, 2008, 112, 3148-3153.	1.4	32
118	A Novel Mutation in the <i>Nfkb2</i> Gene Generates an NF- $\kappa$ B2 "Super Repressor". Journal of Immunology, 2007, 179, 7514-7522.	0.8	77
119	Agm1/Pgm3-Mediated Sugar Nucleotide Synthesis Is Essential for Hematopoiesis and Development. Molecular and Cellular Biology, 2007, 27, 5849-5859.	2.3	73
120	Ankyrin Repeat and Suppressors of Cytokine Signaling Box Protein Asb-9 Targets Creatine Kinase B for Degradation. Journal of Biological Chemistry, 2007, 282, 4728-4737.	3.4	42
121	Mutations in the cofilin partner Aip1/Wdr1 cause autoinflammatory disease and macrothrombocytopenia. Blood, 2007, 110, 2371-2380.	1.4	98
122	Programmed Anuclear Cell Death Delimits Platelet Life Span. Cell, 2007, 128, 1173-1186.	28.9	910
123	Probabilistic analysis of recessive mutagenesis screen strategies. Mammalian Genome, 2007, 18, 5-22.	2.2	6
124	Thrombocytopenia and kidney disease in mice with a mutation in the C1galt1 gene. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 16442-16447.	7.1	76
125	The art and design of genetic screens: mouse. Nature Reviews Genetics, 2005, 6, 557-567.	16.3	87
126	Inflammatory Disease and Abortive Platelet Shedding Caused by a Mutation in a Pivotal Regulator of Actin Dynamics in the redears Mouse.. Blood, 2004, 104, 1606-1606.	1.4	35



#	ARTICLE	IF	CITATIONS
127	Sex and strain-related differences in the peripheral blood cell values of inbred mouse strains. <i>Mammalian Genome</i> , 2003, 14, 81-85.	2.2	43
128	Functional genetic analysis of mouse chromosome 11. <i>Nature</i> , 2003, 425, 81-86.	27.8	194
129	The SOCS box: a tale of destruction and degradation. <i>Trends in Biochemical Sciences</i> , 2002, 27, 235-241.	7.5	394
130	The suppressors of cytokine signalling (SOCS). <i>Cellular and Molecular Life Sciences</i> , 2001, 58, 1627-1635.	5.4	141
131	Negative Regulators of Cytokine Signaling. <i>International Journal of Hematology</i> , 2001, 73, 292-298.	1.6	76
132	Functional Analysis of Asb-1 Using Genetic Modification in Mice. <i>Molecular and Cellular Biology</i> , 2001, 21, 6189-6197.	2.3	50
133	Cloning and characterization of the genes encoding the ankyrin repeat and SOCS box-containing proteins Asb-1, Asb-2, Asb-3 and Asb-4. <i>Gene</i> , 2000, 258, 31-41.	2.2	42
134	Defective chromosome segregation, microtubule bundling and nuclear bridging in inner centromere protein gene ( <i>Incenp</i> )-disrupted mice. <i>Human Molecular Genetics</i> , 1999, 8, 1145-1155.	2.9	85
135	The conserved SOCS box motif in suppressors of cytokine signaling binds to elongins B and C and may couple bound proteins to proteasomal degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 2071-2076.	7.1	581
136	Cloning, expression, and promoter structure of a mammalian Inner Centromere Protein ( <i>INCENP</i> ). <i>Mammalian Genome</i> , 1999, 10, 415-418.	2.2	8
137	Suppressors of cytokine signaling (SOCS): negative regulators of signal transduction. <i>Journal of Leukocyte Biology</i> , 1999, 66, 588-592.	3.3	100
138	Genetic mapping of mouse centromere protein ( <i>Incenp</i> ) and <i>Cenpe</i> genes. <i>Cytogenetic and Genome Research</i> , 1998, 82, 67-70.	1.1	6