

Benjamin T. Kile

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6624144/publications.pdf>

Version: 2024-02-01

138
papers

10,783
citations

39113

52
h-index

38517

99
g-index

141
all docs

141
docs citations

141
times ranked

17501
citing authors

#	ARTICLE	IF	CITATIONS
1	Protein kinase R is an innate immune sensor of proteotoxic stress via accumulation of cytoplasmic IL-24. <i>Science Immunology</i> , 2022, 7, eabi6763.	5.6	22
2	Discordance in STING-Induced Activation and Cell Death Between Mouse and Human Dendritic Cell Populations. <i>Frontiers in Immunology</i> , 2022, 13, 794776.	2.2	10
3	Epigenetic Activation of Plasmacytoid DCs Drives IFNAR-Dependent Therapeutic Differentiation of AML. <i>Cancer Discovery</i> , 2022, 12, 1560-1579.	7.7	13
4	Apoptotic Ablation of Platelets Reduces Atherosclerosis in Mice With Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1167-1178.	1.1	10
5	Generation of Murine Bone Marrow and Fetal Liver Chimeras. <i>Current Protocols</i> , 2021, 1, e79.	1.3	1
6	Homeostatic apoptosis prevents competition-induced atrophy in follicular B cells. <i>Cell Reports</i> , 2021, 36, 109430.	2.9	3
7	Acute myeloid leukemia maturation lineage influences residual disease and relapse following differentiation therapy. <i>Nature Communications</i> , 2021, 12, 6546.	5.8	7
8	Apoptotic mitochondria prime anti-tumour immunity. <i>Cell Death Discovery</i> , 2020, 6, 98.	2.0	10
9	COVID-19 patients exhibit reduced procoagulant platelet responses. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 3067-3073.	1.9	55
10	Mitochondrial dysfunction caused by outer membrane vesicles from Gram-negative bacteria activates intrinsic apoptosis and inflammation. <i>Nature Microbiology</i> , 2020, 5, 1418-1427.	5.9	105
11	The EMT modulator SNAI1 contributes to AML pathogenesis via its interaction with LSD1. <i>Blood</i> , 2020, 136, 957-973.	0.6	35
12	A missense mutation in the MLKL brace region promotes lethal neonatal inflammation and hematopoietic dysfunction. <i>Nature Communications</i> , 2020, 11, 3150.	5.8	75
13	Connexin-Dependent Transfer of cGAMP to Phagocytes Modulates Antiviral Responses. <i>MBio</i> , 2020, 11, .	1.8	44
14	TBK1 and IKK μ Act Redundantly to Mediate STING-Induced NF- κ B Responses in Myeloid Cells. <i>Cell Reports</i> , 2020, 31, 107492.	2.9	223
15	Platelet necrosis mediates ischemic stroke outcome in mice. <i>Blood</i> , 2020, 135, 429-440.	0.6	61
16	Germline heterozygous mutations in Nxf1 perturb RNA metabolism and trigger thrombocytopenia and lymphopenia in mice. <i>Blood Advances</i> , 2020, 4, 1270-1283.	2.5	5
17	Shared roles for Scl and Lyl1 in murine platelet production and function. <i>Blood</i> , 2019, 134, 826-835.	0.6	15
18	A small molecule interacts with VDAC2 to block mouse BAK-driven apoptosis. <i>Nature Chemical Biology</i> , 2019, 15, 1057-1066.	3.9	30

#	ARTICLE	IF	CITATIONS
19	Acknowledgements: the Levin/Kile rule. <i>Platelets</i> , 2019, 30, 280-280.	1.1	0
20	Cell death following the loss of ADAR1 mediated A-to-I RNA editing is not effected by the intrinsic apoptosis pathway. <i>Cell Death and Disease</i> , 2019, 10, 913.	2.7	13
21	Recipient BCL2 inhibition and NK cell ablation form part of a reduced intensity conditioning regime that improves allo-bone marrow transplantation outcomes. <i>Cell Death and Differentiation</i> , 2019, 26, 1516-1530.	5.0	10
22	BAK/BAX macropores facilitate mitochondrial herniation and mtDNA efflux during apoptosis. <i>Science</i> , 2018, 359, .	6.0	581
23	Apoptosis in megakaryocytes and platelets: the life and death of a lineage. <i>Blood</i> , 2018, 131, 605-610.	0.6	84
24	Apoptotic Caspases: Multiple or Mistaken Identities?. <i>Trends in Cell Biology</i> , 2018, 28, 475-493.	3.6	111
25	Autophagy induced during apoptosis degrades mitochondria and inhibits type I interferon secretion. <i>Cell Death and Differentiation</i> , 2018, 25, 784-796.	5.0	49
26	The Mitochondrial Apoptotic Effectors BAX/BAK Activate Caspase-3 and -7 to Trigger NLRP3 Inflammasome and Caspase-8 Driven IL-1 β Activation. <i>Cell Reports</i> , 2018, 25, 2339-2353.e4.	2.9	164
27	NLRP1 restricts butyrate producing commensals to exacerbate inflammatory bowel disease. <i>Nature Communications</i> , 2018, 9, 3728.	5.8	81
28	Characterization of Tfrc-mutant mice with microcytic phenotypes. <i>Blood Advances</i> , 2018, 2, 1914-1922.	2.5	5
29	Intrinsic apoptosis circumvents the functional decline of circulating platelets but does not cause the storage lesion. <i>Blood</i> , 2018, 132, 197-209.	0.6	19
30	Cell cycle progression dictates the requirement for BCL2 in natural killer cell survival. <i>Journal of Experimental Medicine</i> , 2017, 214, 491-510.	4.2	66
31	Loss of Dynamin 2 GTPase function results in microcytic anaemia. <i>British Journal of Haematology</i> , 2017, 178, 616-628.	1.2	7
32	A mouse model of hereditary coproporphyrinemia identified in an ENU mutagenesis screen. <i>DMM Disease Models and Mechanisms</i> , 2017, 10, 1005-1013.	1.2	7
33	ETO2-GLIS2 Hijacks Transcriptional Complexes to Drive Cellular Identity and Self-Renewal in Pediatric Acute Megakaryoblastic Leukemia. <i>Cancer Cell</i> , 2017, 31, 452-465.	7.7	60
34	Neutrophil macroaggregates promote widespread pulmonary thrombosis after gut ischemia. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	56
35	Altered B-lymphopoiesis in mice with deregulated thrombopoietin signaling. <i>Scientific Reports</i> , 2017, 7, 14953.	1.6	4
36	Developmental Stage-Specific Manifestations of Absent TPO/c-MPL Signalling in Newborn Mice. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2322-2333.	1.8	14

#	ARTICLE	IF	CITATIONS
37	Mutations in tropomyosin 4 underlie a rare form of human macrothrombocytopenia. <i>Journal of Clinical Investigation</i> , 2017, 127, 814-829.	3.9	57
38	Physiological restraint of Bak by Bcl-x _L is essential for cell survival. <i>Genes and Development</i> , 2016, 30, 1240-1250.	2.7	40
39	Regulation of platelet lifespan in the presence and absence of thrombopoietin signaling. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 1882-1887.	1.9	19
40	Dicer1-mediated miRNA processing shapes the mRNA profile and function of murine platelets. <i>Blood</i> , 2016, 127, 1743-1751.	0.6	79
41	Loss of PUMA (BBC ³) does not prevent thrombocytopenia caused by the loss of BCL ₂ (BCL _{2L1}). <i>British Journal of Haematology</i> , 2016, 174, 962-969.	1.2	7
42	Setdb1-mediated H3K9 methylation is enriched on the inactive X and plays a role in its epigenetic silencing. <i>Epigenetics and Chromatin</i> , 2016, 9, 16.	1.8	63
43	IL-18 Production from the NLRP1 Inflammasome Prevents Obesity and Metabolic Syndrome. <i>Cell Metabolism</i> , 2016, 23, 155-164.	7.2	133
44	Ablation of Type-1 IFN Signaling in Hematopoietic Cells Confers Protection Following Traumatic Brain Injury. <i>ENeuro</i> , 2016, 3, ENEURO.0128-15.2016.	0.9	48
45	Activation of the erythroid K-Cl cotransporter Kcc1 enhances sickle cell disease pathology in a humanized mouse model. <i>Blood</i> , 2015, 126, 2863-2870.	0.6	21
46	Conserved piRNA Expression from a Distinct Set of piRNA Cluster Loci in Eutherian Mammals. <i>PLoS Genetics</i> , 2015, 11, e1005652.	1.5	73
47	Aberrant actin depolymerization triggers the pyrin inflammasome and autoinflammatory disease that is dependent on IL-18, not IL-1 β . <i>Journal of Experimental Medicine</i> , 2015, 212, 927-938.	4.2	120
48	Regulation of cell proliferation by ERK and signal-dependent nuclear translocation of ERK is dependent on Tm5NM1-containing actin filaments. <i>Molecular Biology of the Cell</i> , 2015, 26, 2475-2490.	0.9	52
49	Aging platelets stimulate TPO production. <i>Nature Medicine</i> , 2015, 21, 11-12.	15.2	8
50	Mice Haploinsufficient for Ets1 and Fli1 Display Middle Ear Abnormalities and Model Aspects of Jacobsen Syndrome. <i>American Journal of Pathology</i> , 2015, 185, 1867-1876.	1.9	15
51	SOCS4 is dispensable for an efficient recall response to influenza despite being required for primary immunity. <i>Immunology and Cell Biology</i> , 2015, 93, 909-913.	1.0	9
52	Stressed mitochondria sound the alarm. <i>Immunology and Cell Biology</i> , 2015, 93, 427-428.	1.0	4
53	Fetal inhibition of inflammation improves disease phenotypes in harlequin ichthyosis. <i>Human Molecular Genetics</i> , 2015, 24, 436-449.	1.4	17
54	BCL-2 is dispensable for thrombopoiesis and platelet survival. <i>Cell Death and Disease</i> , 2015, 6, e1721-e1721.	2.7	68

#	ARTICLE	IF	CITATIONS
55	Aberrant actin depolymerization triggers the pyrin inflammasome and autoinflammatory disease that is dependent on IL-18, not IL-1 β . <i>Journal of Cell Biology</i> , 2015, 209, 209501A104.	2.3	0
56	CHD7 Deficiency in <i>Looper</i> , a New Mouse Model of CHARGE Syndrome, Results in Ossicle Malformation, Otosclerosis and Hearing Impairment. <i>PLoS ONE</i> , 2014, 9, e97559.	1.1	20
57	Loss of Bak enhances lymphocytosis but does not ameliorate thrombocytopenia in BCL-2 transgenic mice. <i>Cell Death and Differentiation</i> , 2014, 21, 676-684.	5.0	16
58	Platelet production proceeds independently of the intrinsic and extrinsic apoptosis pathways. <i>Nature Communications</i> , 2014, 5, 3455.	5.8	63
59	Suppressor of Cytokine Signaling 4 (SOCS4) Protects against Severe Cytokine Storm and Enhances Viral Clearance during Influenza Infection. <i>PLoS Pathogens</i> , 2014, 10, e1004134.	2.1	50
60	A new mouse model of Canavan leukodystrophy displays hearing impairment due to central nervous system dysmyelination. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 649-57.	1.2	12
61	Effect of thrombopoietin receptor agonists on the apoptotic profile of platelets in patients with chronic immune thrombocytopenia. <i>American Journal of Hematology</i> , 2014, 89, E228-34.	2.0	31
62	Apoptotic Caspases Suppress mtDNA-Induced STING-Mediated Type I IFN Production. <i>Cell</i> , 2014, 159, 1549-1562.	13.5	698
63	Mitochondrial apoptosis is dispensable for NLRP3 inflammasome activation but non-apoptotic caspase-8 is required for inflammasome priming. <i>EMBO Reports</i> , 2014, 15, 982-990.	2.0	189
64	The role of apoptosis in megakaryocytes and platelets. <i>British Journal of Haematology</i> , 2014, 165, 217-226.	1.2	97
65	NLRP1a Expression in Srebp-1a-Deficient Mice. <i>Cell Metabolism</i> , 2014, 19, 345-346.	7.2	6
66	Expansion of the neonatal platelet mass is achieved via an extension of platelet lifespan. <i>Blood</i> , 2014, 123, 3381-3389.	0.6	58
67	A lineage of diploid platelet-forming cells precedes polyploid megakaryocyte formation in the mouse embryo. <i>Blood</i> , 2014, 124, 2725-2729.	0.6	52
68	ENU mutagenesis identifies the first mouse mutants reproducing human β -thalassemia at the genomic level. <i>Blood Cells, Molecules, and Diseases</i> , 2013, 50, 86-92.	0.6	15
69	Interleukin-11 Is the Dominant IL-6 Family Cytokine during Gastrointestinal Tumorigenesis and Can Be Targeted Therapeutically. <i>Cancer Cell</i> , 2013, 24, 257-271.	7.7	341
70	ABCA12 Regulates ABCA1-Dependent Cholesterol Efflux from Macrophages and the Development of Atherosclerosis. <i>Cell Metabolism</i> , 2013, 18, 225-238.	7.2	46
71	The Regulation of Platelet Life Span. , 2013, , 51-65.		10
72	MCMV-mediated Inhibition of the Pro-apoptotic Bak Protein Is Required for Optimal In Vivo Replication. <i>PLoS Pathogens</i> , 2013, 9, e1003192.	2.1	21

#	ARTICLE	IF	CITATIONS
73	Proapoptotic Bak and Bax guard against fatal systemic and organ-specific autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 2599-2604.	3.3	43
74	Transposon mutagenesis reveals cooperation of ETS family transcription factors with signaling pathways in erythro-megakaryocytic leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6091-6096.	3.3	19
75	Low adhesion receptor levels on circulating platelets in patients with lymphoproliferative diseases before receiving Navitoclax (ABT-263). <i>Blood</i> , 2013, 121, 1479-1481.	0.6	20
76	Variability of Inducible Expression across the Hematopoietic System of Tetracycline Transactivator Transgenic Mice. <i>PLoS ONE</i> , 2013, 8, e54009.	1.1	26
77	A Model for Studying the Hemostatic Consumption or Destruction of Platelets. <i>PLoS ONE</i> , 2013, 8, e57783.	1.1	6
78	Two ENU-Induced Alleles of <i>Atp2b2</i> Cause Deafness in Mice. <i>PLoS ONE</i> , 2013, 8, e67479.	1.1	11
79	MyD88 Is a Critical Regulator of Hematopoietic Cell-Mediated Neuroprotection Seen after Stroke. <i>PLoS ONE</i> , 2013, 8, e57948.	1.1	18
80	Translation inhibitors induce cell death by multiple mechanisms and Mcl-1 reduction is only a minor contributor. <i>Cell Death and Disease</i> , 2012, 3, e409-e409.	2.7	42
81	Hematopoietic overexpression of the transcription factor <i>Erg</i> induces lymphoid and erythro-megakaryocytic leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 15437-15442.	3.3	47
82	Reduced Lymphocyte Longevity and Homeostatic Proliferation in Lamin B Receptor-Deficient Mice Results in Profound and Progressive Lymphopenia. <i>Journal of Immunology</i> , 2012, 188, 122-134.	0.4	11
83	Thrombocytopenia and erythrocytosis in mice with a mutation in the gene encoding the hemoglobin \hat{A} minor chain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 576-581.	3.3	5
84	Caspase-9 mediates the apoptotic death of megakaryocytes and platelets, but is dispensable for their generation and function. <i>Blood</i> , 2012, 119, 4283-4290.	0.6	70
85	Mcl-1 and Bcl-xL coordinately regulate megakaryocyte survival. <i>Blood</i> , 2012, 119, 5850-5858.	0.6	76
86	Bacteria differentially induce degradation of Bcl-xL, a survival protein, by human platelets. <i>Blood</i> , 2012, 120, 5014-5020.	0.6	53
87	NLRP1 Inflammasome Activation Induces Pyroptosis of Hematopoietic Progenitor Cells. <i>Immunity</i> , 2012, 37, 1009-1023.	6.6	257
88	The Dendritic Cell Receptor Clec9A Binds Damaged Cells via Exposed Actin Filaments. <i>Immunity</i> , 2012, 36, 646-657.	6.6	272
89	Platelet Life Span and Apoptosis. <i>Methods in Molecular Biology</i> , 2012, 788, 59-71.	0.4	32
90	Genetic Modifier Screens in Mice. <i>Current Protocols in Mouse Biology</i> , 2012, 2, 75-87.	1.2	2

#	ARTICLE	IF	CITATIONS
91	Megakaryocytes possess a functional intrinsic apoptosis pathway that must be restrained to survive and produce platelets. <i>Journal of Experimental Medicine</i> , 2011, 208, 2017-2031.	4.2	162
92	ERG dependence distinguishes developmental control of hematopoietic stem cell maintenance from hematopoietic specification. <i>Genes and Development</i> , 2011, 25, 251-262.	2.7	99
93	Mutation discovery in mice by whole exome sequencing. <i>Genome Biology</i> , 2011, 12, R86.	13.9	102
94	Deciphering the molecular and biologic processes that mediate histone deacetylase inhibitor-induced thrombocytopenia. <i>Blood</i> , 2011, 117, 3658-3668.	0.6	128
95	An ENU-induced mouse mutant of SHIP1 reveals a critical role of the stem cell isoform for suppression of macrophage activation. <i>Blood</i> , 2011, 117, 5362-5371.	0.6	20
96	Erg is required for self-renewal of hematopoietic stem cells during stress hematopoiesis in mice. <i>Blood</i> , 2011, 118, 2454-2461.	0.6	51
97	Bcl-xL inhibitory BH3 mimetics can induce a transient thrombocytopeny that undermines the hemostatic function of platelets. <i>Blood</i> , 2011, 118, 1663-1674.	0.6	262
98	Megakaryocytes possess a functional intrinsic apoptosis pathway that must be restrained to survive and produce platelets. <i>Journal of Cell Biology</i> , 2011, 194, i12-i12.	2.3	0
99	Association of coagulation factor XIII-A with Golgi proteins within monocyte-macrophages: implications for subcellular trafficking and secretion. <i>Blood</i> , 2010, 115, 2674-2681.	0.6	49
100	Critical roles for c-Myb in lymphoid priming and early B-cell development. <i>Blood</i> , 2010, 115, 2796-2805.	0.6	62
101	Trisomy of Erg is required for myeloproliferation in a mouse model of Down syndrome. <i>Blood</i> , 2010, 115, 3966-3969.	0.6	65
102	Platelet senescence is regulated by an internal timer, not damage inflicted by hits. <i>Blood</i> , 2010, 116, 1776-1778.	0.6	52
103	Transgenic, inducible RNAi in megakaryocytes and platelets in mice. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 2751-2756.	1.9	11
104	Individual and overlapping roles of BH3-only proteins Bim and Bad in apoptosis of lymphocytes and platelets and in suppression of thymic lymphoma development. <i>Cell Death and Differentiation</i> , 2010, 17, 1655-1664.	5.0	56
105	Apoptotic Processes in Megakaryocytes and Platelets. <i>Seminars in Hematology</i> , 2010, 47, 227-234.	1.8	39
106	A Kinase-Dead Allele of Lyn Attenuates Autoimmune Disease Normally Associated with Lyn Deficiency. <i>Journal of Immunology</i> , 2009, 182, 2020-2029.	0.4	15
107	Dual requirement for the ETS transcription factors Fli-1 and Erg in hematopoietic stem cells and the megakaryocyte lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13814-13819.	3.3	89
108	The role of the intrinsic apoptosis pathway in platelet life and death. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 214-217.	1.9	59

#	ARTICLE	IF	CITATIONS
109	Cell Death in the Hematopoietic System. , 2009, , 443-459.		3
110	The role of the ETS factor <i>erg</i> in zebrafish vasculogenesis. <i>Mechanisms of Development</i> , 2009, 126, 220-229.	1.7	28
111	Novel roles for erythroid Ankyrin-1 revealed through an ENU-induced null mouse mutant. <i>Blood</i> , 2009, 113, 3352-3362.	0.6	44
112	Mutational inhibition of c-Myb or p300 ameliorates treatment-induced thrombocytopenia. <i>Blood</i> , 2009, 113, 5599-5604.	0.6	9
113	Two distinct pathways regulate platelet phosphatidylserine exposure and procoagulant function. <i>Blood</i> , 2009, 114, 663-666.	0.6	274
114	The transcription factor <i>Erg</i> is essential for definitive hematopoiesis and the function of adult hematopoietic stem cells. <i>Nature Immunology</i> , 2008, 9, 810-819.	7.0	232
115	Description of a novel mutation leading to MYH9-related disease. <i>Thrombosis Research</i> , 2008, 122, 861-863.	0.8	16
116	A Mouse Model of Harlequin Ichthyosis Delineates a Key Role for <i>Abca12</i> in Lipid Homeostasis. <i>PLoS Genetics</i> , 2008, 4, e1000192.	1.5	70
117	Point mutation in the gene encoding p300 suppresses thrombocytopenia in <i>Mpl^Δ/Δ</i> mice. <i>Blood</i> , 2008, 112, 3148-3153.	0.6	32
118	A Novel Mutation in the <i>Nfkb2</i> Gene Generates an NF- κ B "Super Repressor". <i>Journal of Immunology</i> , 2007, 179, 7514-7522.	0.4	77
119	<i>Agm1/Pgm3</i> -Mediated Sugar Nucleotide Synthesis Is Essential for Hematopoiesis and Development. <i>Molecular and Cellular Biology</i> , 2007, 27, 5849-5859.	1.1	73
120	Ankyrin Repeat and Suppressors of Cytokine Signaling Box Protein <i>Asb-9</i> Targets Creatine Kinase B for Degradation. <i>Journal of Biological Chemistry</i> , 2007, 282, 4728-4737.	1.6	42
121	Mutations in the cofilin partner <i>Aip1/Wdr1</i> cause autoinflammatory disease and macrothrombocytopenia. <i>Blood</i> , 2007, 110, 2371-2380.	0.6	98
122	Programmed Anuclear Cell Death Delimits Platelet Life Span. <i>Cell</i> , 2007, 128, 1173-1186.	13.5	910
123	Probabilistic analysis of recessive mutagenesis screen strategies. <i>Mammalian Genome</i> , 2007, 18, 5-22.	1.0	6
124	Thrombocytopenia and kidney disease in mice with a mutation in the <i>C1galt1</i> gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16442-16447.	3.3	76
125	The art and design of genetic screens: mouse. <i>Nature Reviews Genetics</i> , 2005, 6, 557-567.	7.7	87
126	Inflammatory Disease and Abortive Platelet Shedding Caused by a Mutation in a Pivotal Regulator of Actin Dynamics in the redears Mouse.. <i>Blood</i> , 2004, 104, 1606-1606.	0.6	35

#	ARTICLE	IF	CITATIONS
127	Sex and strain-related differences in the peripheral blood cell values of inbred mouse strains. <i>Mammalian Genome</i> , 2003, 14, 81-85.	1.0	43
128	Functional genetic analysis of mouse chromosome 11. <i>Nature</i> , 2003, 425, 81-86.	13.7	194
129	The SOCS box: a tale of destruction and degradation. <i>Trends in Biochemical Sciences</i> , 2002, 27, 235-241.	3.7	394
130	The suppressors of cytokine signalling (SOCS). <i>Cellular and Molecular Life Sciences</i> , 2001, 58, 1627-1635.	2.4	141
131	Negative Regulators of Cytokine Signaling. <i>International Journal of Hematology</i> , 2001, 73, 292-298.	0.7	76
132	Functional Analysis of Asb-1 Using Genetic Modification in Mice. <i>Molecular and Cellular Biology</i> , 2001, 21, 6189-6197.	1.1	50
133	Cloning and characterization of the genes encoding the ankyrin repeat and SOCS box-containing proteins Asb-1, Asb-2, Asb-3 and Asb-4. <i>Gene</i> , 2000, 258, 31-41.	1.0	42
134	Defective chromosome segregation, microtubule bundling and nuclear bridging in inner centromere protein gene (<i>Incenp</i>)-disrupted mice. <i>Human Molecular Genetics</i> , 1999, 8, 1145-1155.	1.4	85
135	The conserved SOCS box motif in suppressors of cytokine signaling binds to elongins B and C and may couple bound proteins to proteasomal degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 2071-2076.	3.3	581
136	Cloning, expression, and promoter structure of a mammalian Inner Centromere Protein (<i>INCENP</i>). <i>Mammalian Genome</i> , 1999, 10, 415-418.	1.0	8
137	Suppressors of cytokine signaling (SOCS): negative regulators of signal transduction. <i>Journal of Leukocyte Biology</i> , 1999, 66, 588-592.	1.5	100
138	Genetic mapping of mouse centromere protein (<i>Incenp</i>) and <i>Cenpe</i> genes. <i>Cytogenetic and Genome Research</i> , 1998, 82, 67-70.	0.6	6