
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6630434/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-term effects of continuing adjuvant tamoxifen to 10 years versus stopping at 5 years after diagnosis of oestrogen receptor-positive breast cancer: ATLAS, a randomised trial. Lancet, The, 2013, 381, 805-816.	13.7	1,664
2	Myocardial Injury after Noncardiac Surgery. Anesthesiology, 2014, 120, 564-578.	2.5	740
3	Stopping Randomized Trials Early for Benefit and Estimation of Treatment Effects <subtitle>Systematic Review and Meta-regression Analysis</subtitle> . JAMA - Journal of the American Medical Association, 2010, 303, 1180.	7.4	524
4	Immunonutrition in the intensive care unit. A systematic review and consensus statement. Clinical Nutrition, 2003, 22, 221-233.	5.0	267
5	Surgery Versus Conservative Treatment for Symptomatic Lumbar Spinal Stenosis. Spine, 2011, 36, E1335-E1351.	2.0	221
6	Active body surface warming systems for preventing complications caused by inadvertent perioperative hypothermia in adults. The Cochrane Library, 2016, 2016, CD009016.	2.8	115
7	Revisiones sistemáticas y metaanálisis: bases conceptuales e interpretación. Revista Espanola De Cardiologia, 2011, 64, 688-696.	1.2	110
8	Serotonin and noradrenaline reuptake inhibitors (SNRIs) for fibromyalgia syndrome. The Cochrane Library, 2013, , CD010292.	2.8	96
9	Social capital interventions targeting older people and their impact on health: a systematic review. Journal of Epidemiology and Community Health, 2017, 71, 663-672.	3.7	92
10	A nursing qualitative systematic review required MEDLINE and CINAHL for study identification. Journal of Clinical Epidemiology, 2005, 58, 20-25.	5.0	82
11	Opioids for acute pancreatitis pain. The Cochrane Library, 2013, , CD009179.	2.8	72
12	High-Sensitivity Troponin I after Cardiac Surgery and 30-Day Mortality. New England Journal of Medicine, 2022, 386, 827-836.	27.0	69
13	Myocardial Injury After Noncardiac Surgery (MINS) in Vascular Surgical Patients. Annals of Surgery, 2018, 268, 357-363.	4.2	65
14	The efficacy, safety, effectiveness, and cost-effectiveness of ultrasound and shock wave therapies for low back pain: a systematic review. Spine Journal, 2011, 11, 966-977.	1.3	57
15	Selective serotonin reuptake inhibitors for fibromyalgia syndrome. The Cochrane Library, 2018, 2018, CD011735.	2.8	52
16	Clinical Research. Spine, 2009, 34, 423-430.	2.0	51
17	Percutaneous Thermocoagulation Intradiscal Techniques for Discogenic Low Back Pain. Spine, 2007, 32, 1146-1154.	2.0	49
18	Evidence-informed recommendations to reduce dissemination bias in clinical research: conclusions from the OPEN (Overcome failure to Publish nEgative fiNdings) project based on an international consensus meeting. BMJ Open, 2015, 5, e006666-e006666.	1.9	49

#	Article	IF	CITATIONS
19	Graphical Representation of Overlap for <scp>OVErviews</scp> : <scp>GROOVE</scp> tool. Research Synthesis Methods, 2022, 13, 381-388.	8.7	49
20	A Randomized, Double-Blind Multicentre Clinical Trial Comparing the Efficacy of Calcium Dobesilate with Placebo in the Treatment of Chronic Venous Disease. European Journal of Vascular and Endovascular Surgery, 2008, 35, 358-365.	1.5	48
21	The Efficacy of the proprioceptive neuromuscular facilitation (PNF) approach in stroke rehabilitation to improve basic activities of daily living and quality of life: a systematic review and meta-analysis protocol. BMJ Open, 2017, 7, e016739.	1.9	47
22	Troponin T monitoring to detect myocardial injury after noncardiac surgery: a cost–consequence analysis. Canadian Journal of Surgery, 2018, 61, 185-194.	1.2	44
23	Monoamine oxidase inhibitors (MAOIs) for fibromyalgia syndrome. The Cochrane Library, 2012, , CD009807.	2.8	32
24	Using the template for intervention description and replication (TIDieR) as a tool for improving the design and reporting of manual therapy interventions. Manual Therapy, 2016, 24, 85-89.	1.6	29
25	Stopping randomized trials early for benefit: a protocol of the Study Of Trial Policy Of Interim Truncation-2 (STOPIT-2). Trials, 2009, 10, 49.	1.6	28
26	Efficacy and safety of tiotropium and olodaterol in COPD: a systematic review and meta-analysis. Respiratory Research, 2017, 18, 196.	3.6	26
27	Efficacy of autologous platelet-rich plasma for the treatment of muscle rupture with haematoma: a multicentre, randomised, double-blind, placebo-controlled clinical trial. Blood Transfusion, 2016, 14, 245-54.	0.4	26
28	Early enteral nutrition (within 48 hours) versus delayed enteral nutrition (after 48 hours) with or without supplemental parenteral nutrition in critically ill adults. The Cochrane Library, 2019, 2019, .	2.8	25
29	Rationale and design of the Steroids in Cardiac Surgery trial. American Heart Journal, 2014, 167, 660-665.	2.7	24
30	Evidence mapping and quality assessment of systematic reviews on therapeutic interventions for oral cancer. Cancer Management and Research, 2019, Volume 11, 117-130.	1.9	24
31	Fentanyl as pre-emptive treatment of pain associated with turning mechanically ventilated patients: a randomized controlled feasibility study. Intensive Care Medicine, 2016, 42, 183-191.	8.2	21
32	Long-term follow-up of a randomized controlled trial on additional core stability exercises training for improving dynamic sitting balance and trunk control in stroke patients. Clinical Rehabilitation, 2017, 31, 1492-1499.	2.2	21
33	Elevation of the head during intensive care management in people with severe traumatic brain injury. The Cochrane Library, 2017, 2017, CD009986.	2.8	21
34	Neuroreflexotherapy for non-specific low-back pain. The Cochrane Library, 2004, , CD003009.	2.8	19
35	Efecto placebo y contexto terapéutico: un reto en investigación clÃnica. Medicina ClÃnica, 2017, 149, 26-31.	0.6	19
36	Evidence mapping based on systematic reviews of therapeutic interventions for gastrointestinal stromal tumors (GIST). BMC Medical Research Methodology, 2017, 17, 135.	3.1	18

#	Article	IF	CITATIONS
37	Association Between Myocardial Injury and Cardiovascular Outcomes of Orthopaedic Surgery. Journal of Bone and Joint Surgery - Series A, 2020, 102, 880-888.	3.0	18
38	Efficacy and Safety of Oral or Nasal Fentanyl for Treatment of Breakthrough Pain in Cancer Patients: A Systematic Review. Journal of Pain and Palliative Care Pharmacotherapy, 2015, 29, 228-246.	0.8	16
39	A methodological review revealed that reporting of trials in manual therapy has not improved over time. Journal of Clinical Epidemiology, 2020, 121, 32-44.	5.0	16
40	Validation of the Spanish version of the Trunk Impairment Scale Version 2.0 (TIS 2.0) to assess dynamic sitting balance and coordination in post-stroke adult patients. Topics in Stroke Rehabilitation, 2016, 23, 225-232.	1.9	15
41	Influence of Core-Stability Exercises Guided by a Telerehabilitation App on Trunk Performance, Balance and Gait Performance in Chronic Stroke Survivors: A Preliminary Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 5689.	2.6	13
42	Vasodilators for women undergoing fertility treatment. The Cochrane Library, 2014, , CD010001.	2.8	12
43	A randomized controlled trial of fentanyl in the preâ€emptive treatment of pain associated with turning in patients under mechanical ventilation: research protocol. Journal of Advanced Nursing, 2015, 71, 441-450.	3.3	12
44	Neuroreflexotherapy for Nonspecific Low Back Pain. Spine, 2005, 30, E148-E153.	2.0	11
45	The Ninth International Forum for Primary Care Research on Low Back Pain. Spine, 2009, 34, 304-307.	2.0	11
46	Preoperative clinical model to predict myocardial injury after non-cardiac surgery: a retrospective analysis from the MANAGE cohort in a Spanish hospital. BMJ Open, 2021, 11, e045052.	1.9	10
47	Early versus delayed erythropoietin for the anaemia of end-stage kidney disease. The Cochrane Library, 2017, 2017, CD011122.	2.8	8
48	Evaluation of the role of sex as a prognostic factor in critically ill adults with sepsis: systematic review protocol. BMJ Open, 2020, 10, e035927.	1.9	8
49	Available apps for stroke telerehabilitation during corona virus disease 2019 confinement in Spain. Disability and Rehabilitation: Assistive Technology, 2023, 18, 538-543.	2.2	8
50	European clinical practice guidelines on the use of chemotherapy for advanced oesophageal and gastric cancers: a critical review using the AGREE II and the AGREE-REX instruments. Clinical and Translational Oncology, 2022, 24, 1588-1604.	2.4	8
51	Selective serotonin reuptake inhibitors for fibromyalgia syndrome. Sao Paulo Medical Journal, 2015, 133, 454-454.	0.9	7
52	Anti-depressants and centrally active agents for fibromyalgia syndrome. The Cochrane Library, 2006, , .	2.8	6
53	Low- vs. high-pressure suction drainage after total knee arthroplasty: a double-blind randomized controlled trial. Journal of Advanced Nursing, 2012, 68, 758-766.	3.3	6
54	Validation and reliability of the Spanish version of the Function in Sitting Test (S-FIST) to assess sitting balance in subacute post-stroke adult patients. Topics in Stroke Rehabilitation, 2017, 24, 472-478.	1.9	6

#	Article	IF	CITATIONS
55	BADERI: an online database to coordinate handsearching activities of controlled clinical trials for their potential inclusion in systematic reviews. Trials, 2017, 18, 273.	1.6	6
56	The Effectiveness of Additional Core Stability Exercises in Improving Dynamic Sitting Balance, Gait and Functional Rehabilitation for Subacute Stroke Patients (CORE-Trial): Study Protocol for a Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2021, 18, 6615.	2.6	6
57	Advocating for Cost-Effective Placebos. Spine, 2011, 36, 1615.	2.0	5
58	¹⁸ F PET ligands for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). The Cochrane Library, 0, , .	2.8	5
59	Implementing living evidence to inform health decisions: A strategy for building capacity in health sector (Protocol). Open Research Europe, 0, 1, 114.	2.0	5
60	Description of the Protocols for Randomized Controlled Trials on Cancer Drugs Conducted in Spain (1999–2003). PLoS ONE, 2013, 8, e79684.	2.5	5
61	DianaHealth.com, an On-Line Database Containing Appraisals of the Clinical Value and Appropriateness of Healthcare Interventions: Database Development and Retrospective Analysis. PLoS ONE, 2016, 11, e0147943.	2.5	5
62	Telerehabilitation for balance rehabilitation in the subacute stage of stroke: A pilot controlled trial. NeuroRehabilitation, 2022, 51, 91-99.	1.3	5
63	Initiation and continuation of randomized trials after the publication of a trial stopped early for benefit asking the same study question: STOPIT-3 study design. Trials, 2013, 14, 335.	1.6	4
64	Cancer randomized trials showed that dissemination bias is still a problem to be solved. Journal of Clinical Epidemiology, 2016, 77, 84-90.	5.0	4
65	Metaanálisis: ¿efectos fijos o aleatorios?. FMC Formacion Medica Continuada En Atencion Primaria, 2009, 16, 305-306.	0.0	3
66	Autologous platelet-rich plasma for treating surgical wounds. The Cochrane Library, 2013, , .	2.8	3
67	Early versus delayed enteral nutrition support for critically ill adults. The Cochrane Library, 0, , .	2.8	3
68	Latin American Clinical Epidemiology Network Series – Paper 3: Cochrane develops widely in Latin America and strengthens ties with LatinCLEN. Journal of Clinical Epidemiology, 2017, 86, 84-90.	5.0	3
69	Completeness of reporting acupuncture interventions for chronic obstructive pulmonary disease: Review of adherence to the STRICTA statement. F1000Research, 0, 9, 226.	1.6	3
70	Letters. Spine, 2007, 32, 2036.	2.0	2
71	"Overviews―should meet the methodological standards of systematic reviews. European Spine Journal, 2014, 23, 480-480.	2.2	2
72	Registered trials address questions already answered with high-certainty evidence: A sample of current redundant research. Journal of Clinical Epidemiology, 2021, 134, 89-94.	5.0	2

#	Article	IF	CITATIONS
73	Recommendations on ultrasound for low back pain: profit-driven or evidence-based?. Spine Journal, 2012, 12, 360.	1.3	1
74	Letters. Spine, 2013, 38, 1901.	2.0	1
75	HESTAT: Study protocol for a phase II/III, randomized, placebo-controlled, single blind study to evaluate the new hemostatic agent TT-173 in total knee arthroplasty. Contemporary Clinical Trials, 2017, 61, 16-22.	1.8	1
76	Opinions and potential solutions regarding dissemination bias from funding agencies of biomedical research in Europe. Journal of Evaluation in Clinical Practice, 2018, 24, 72-79.	1.8	1
77	Reporting results in manual therapy clinical trials: A need for improvement. International Journal of Osteopathic Medicine, 2021, , .	1.0	1
78	Methods for living evidence synthesis: a systematic review protocol. Open Research Europe, 0, 1, 113.	2.0	1
79	Implementing living evidence to inform health decisions: A strategy for building capacity in health sector (Protocol). Open Research Europe, 0, 1, 114.	2.0	1
80	El interés de la Red Española de Investigadores en Dolencias de la Espalda para el médico rehabilitador. Rehabilitacion, 2005, 39, 185-191.	0.4	0
81	NSAIDs, analgesics and opioids agents for fibromyalgia syndrome. The Cochrane Library, 2007, , .	2.8	0
82	Ensayos interrumpidos precozmente por beneficio. ¿Es oro todo lo que reluce?. FMC Formacion Medica Continuada En Atencion Primaria, 2009, 16, 446-448.	0.0	0
83	Las virtudes y limitaciones del número necesario a tratar. FMC Formacion Medica Continuada En Atencion Primaria, 2010, 17, 348-350.	0.0	Ο
84	Yet another reason for improving approval and surveillance processes for health technologies. Spine Journal, 2011, 11, 800-801.	1.3	0
85	Improving methodology when analyzing shockwave evidence: evidence holds the key. Spine Journal, 2015, 15, 1703.	1.3	0
86	Taxanes for advanced non-small cell lung cancer. The Cochrane Library, 0, , .	2.8	0
87	Quality of reporting acupuncture interventions for chronic obstructive pulmonary disease: Review of adherence to the STRICTA statement. F1000Research, 2020, 9, 226.	1.6	0
88	Quality of reporting acupuncture interventions for chronic obstructive pulmonary disease: Review of adherence to the STRICTA statement. F1000Research, 0, 9, 226.	1.6	0
89	Methodological approaches for developing and reporting living evidence synthesis: a study protocol. Open Research Europe, 0, 1, 113.	2.0	Ο