Jon Deeks

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6630477/publications.pdf Version: 2024-02-01

| | | 1799 | 98 |
|----------|----------------|--------------|----------------|
| 387 | 174,705 | 103 | 354 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 420 | 420 | 420 | 166733 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

ION DEEKS

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Rapid, point-of-care antigen tests for diagnosis of SARS-CoV-2 infection. The Cochrane Library, 2022, 2022, CD013705. | 2.8 | 482 |
| 2 | Systematic review of imaging tests to predict the development of rheumatoid arthritis in people with unclassified arthritis. Seminars in Arthritis and Rheumatism, 2022, 52, 151919. | 3.4 | 1 |
| 3 | Broadening symptom criteria improves early case identification in SARS-CoV-2 contacts. European Respiratory Journal, 2022, 60, 2102308. | 6.7 | 7 |
| 4 | Rapid intrapartum test for maternal group B streptococcal colonisation and its effect on antibiotic use in labouring women with risk factors for early-onset neonatal infection (GBS2): cluster randomised trial with nested test accuracy study. BMC Medicine, 2022, 20, 9. | 5.5 | 3 |
| 5 | A rapid intrapartum test for group B Streptococcus to reduce antibiotic usage in mothers with risk factors: the CBS2 cluster RCT. Health Technology Assessment, 2022, 26, 1-82. | 2.8 | 1 |
| 6 | SARS-CoV-2 antigen lateral flow tests for detecting infectious people: linked data analysis. BMJ, The, 2022, 376, e066871. | 6.0 | 14 |
| 7 | Point-of-care viral load tests to detect high HIV viral load in people living with HIV/AIDS attending health facilities. The Cochrane Library, 2022, 2022, CD013208. | 2.8 | 6 |
| 8 | Thoracic imaging tests for the diagnosis of COVID-19. The Cochrane Library, 2022, 2022, CD013639. | 2.8 | 13 |
| 9 | Signs and symptoms to determine if a patient presenting in primary care or hospital outpatient settings has COVID-19. The Cochrane Library, 2022, 2022, CD013665. | 2.8 | 56 |
| 10 | Long term impact of prophylactic antibiotic use before incision versus after cord clamping on children born by caesarean section: longitudinal study of UK electronic health records. BMJ, The, 2022, 377, e069704. | 6.0 | 4 |
| 11 | Guaiac-based faecal occult blood tests versus faecal immunochemical tests for colorectal cancer screening in average-risk individuals. The Cochrane Library, 2022, 2022, . | 2.8 | 13 |
| 12 | Long-term impact of pre-incision antibiotics on children born by caesarean section: a longitudinal study based on UK electronic health records. Health Technology Assessment, 2022, 26, 1-160. | 2.8 | 1 |
| 13 | Signs and symptoms to determine if a patient presenting in primary care or hospital outpatient settings has COVID-19. The Cochrane Library, 2021, 2021, CD013665. | 2.8 | 112 |
| 14 | Comparative effect of physical exercise versus statins on improving arterial stiffness in patients with high cardiometabolic risk: A network meta-analysis. PLoS Medicine, 2021, 18, e1003543. | 8.4 | 10 |
| 15 | Comment on "A Modern Assessment of Cancer Risk in Adrenal Incidentalomas: Analysis of 2219 Patients―by Kahramangil B et al Annals of Surgery, 2021, 274, e887-e888. | 4.2 | 0 |
| 16 | Transcriptomic signatures for diagnosing tuberculosis in clinical practice: a prospective, multicentre cohort study. Lancet Infectious Diseases, The, 2021, 21, 366-375. | 9.1 | 26 |
| 17 | Guidance for the design and reporting of studies evaluating the clinical performance of tests for present or past SARS-CoV-2 infection. BMJ, The, 2021, 372, n568. | 6.0 | 18 |
| 18 | Preferred reporting items for journal and conference abstracts of systematic reviews and meta-analyses of diagnostic test accuracy studies (PRISMA-DTA for Abstracts): checklist, explanation, and elaboration. BMJ, The, 2021, 372, n265. | 6.0 | 30 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Thoracic imaging tests for the diagnosis of COVID-19. The Cochrane Library, 2021, 2021, CD013639. | 2.8 | 132 |
| 20 | New technologies for diagnosing active TB: the VANTDET diagnostic accuracy study. Efficacy and Mechanism Evaluation, 2021, 8, 1-160. | 0.7 | 2 |
| 21 | Validation testing to determine the sensitivity of lateral flow testing for asymptomatic SARS-CoV-2 detection in low prevalence settings: Testing frequency and public health messaging is key. PLoS Biology, 2021, 19, e3001216. | 5.6 | 54 |
| 22 | Electronic and animal noses for detecting SARS-CoV-2 infection. The Cochrane Library, 2021, 2021, . | 2.8 | 3 |
| 23 | Defining the Role of Cellular Immune Signatures in Diagnostic Evaluation of Suspected Tuberculosis. Journal of Infectious Diseases, 2021, , . | 4.0 | 2 |
| 24 | Letter to the Editor regarding Peto T; UK COVID-19 Lateral Flow Oversight Team: COVID-19: Rapid antigen detection for SARS-CoV-2 by lateral flow assay. EClinicalMedicine, 2021, 38, 101037. | 7.1 | 5 |
| 25 | Point-of-care tests detecting HIV nucleic acids for diagnosis of HIV-1 or HIV-2 infection in infants and children aged 18 months or less. The Cochrane Library, 2021, 2021, CD013207. | 2.8 | 5 |
| 26 | Accuracy of routine laboratory tests to predict mortality and deterioration to severe or critical COVID-19 in people with SARS-CoV-2. The Cochrane Library, 2021, 2021, . | 2.8 | 1 |
| 27 | The IDENTIFY study: the investigation and detection of urological neoplasia in patients referred with suspected urinary tract cancer – a multicentre observational study. BJU International, 2021, 128, 440-450. | 2.5 | 30 |
| 28 | Letter to the Editor regarding Leber W, Lammel O, Siebenhofer A, Redlberger-Fritz M, Panovska-Griffiths J, Czypionka T. Comparing the diagnostic accuracy of point-of-care lateral flow antigen testing for SARS-CoV-2 with RT-PCR in primary care (REAP-2). EClinicalMedicine, 2021, 40, 101106. | 7.1 | 2 |
| 29 | Enhanced neoplasia detection in chronic ulcerative colitis: the ENDCaP-C diagnostic accuracy study. Efficacy and Mechanism Evaluation, 2021, 8, 1-88. | 0.7 | 0 |
| 30 | A quality assessment tool for artificial intelligence-centered diagnostic test accuracy studies: QUADAS-AI. Nature Medicine, 2021, 27, 1663-1665. | 30.7 | 76 |
| 31 | QUADAS-C: A Tool for Assessing Risk of Bias in Comparative Diagnostic Accuracy Studies. Annals of Internal Medicine, 2021, 174, 1592-1599. | 3.9 | 88 |
| 32 | Serum HE4 and diagnosis of ovarian cancer in postmenopausal women with adnexal masses. American Journal of Obstetrics and Gynecology, 2020, 222, 56.e1-56.e17. | 1.3 | 25 |
| 33 | Urine Steroid Metabolomics as a Novel Tool for Detection of Recurrent Adrenocortical Carcinoma. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e307-e318. | 3.6 | 45 |
| 34 | Adaptive trial designs in diagnostic accuracy research. Statistics in Medicine, 2020, 39, 591-601. | 1.6 | 11 |
| 35 | Methods and reporting of systematic reviews of comparative accuracy were deficient: a methodological survey and proposed guidance. Journal of Clinical Epidemiology, 2020, 121, 1-14. | 5.0 | 18 |
| 36 | Quantitative IFN-γ Release Assay and Tuberculin Skin Test Results to Predict Incident Tuberculosis. A Prospective Cohort Study. American Journal of Respiratory and Critical Care Medicine, 2020, 201, 984-991. | 5.6 | 29 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Comparison of Outcomes Following Infrapopliteal Plain Balloon Angioplasty in the BASIL Trial (1999-2004) and in a Contemporary Series (2009-2013). Vascular and Endovascular Surgery, 2020, 54, 141-146. | 0.7 | 9 |
| 38 | Operation Moonshot proposals are scientifically unsound. BMJ, The, 2020, 370, m3699. | 6.0 | 20 |
| 39 | Thoracic imaging tests for the diagnosis of COVID-19. The Cochrane Library, 2020, 9, CD013639. | 2.8 | 52 |
| 40 | Urine metabolomic phenotyping for detection of adrenocortical carcinoma: still a long way to go – Authors' reply. Lancet Diabetes and Endocrinology,the, 2020, 8, 877-878. | 11.4 | 2 |
| 41 | Routine laboratory testing to determine if a patient has COVID-19. The Cochrane Library, 2020, 11, CD013787. | 2.8 | 49 |
| 42 | Thoracic imaging tests for the diagnosis of COVID-19. The Cochrane Library, 2020, 11, CD013639. | 2.8 | 51 |
| 43 | Urine steroid metabolomics for the differential diagnosis of adrenal incidentalomas in the EURINE-ACT study: a prospective test validation study. Lancet Diabetes and Endocrinology,the, 2020, 8, 773-781. | 11.4 | 129 |
| 44 | Rapid, point-of-care antigen and molecular-based tests for diagnosis of SARS-CoV-2 infection. The Cochrane Library, 2020, 8, CD013705. | 2.8 | 770 |
| 45 | Reporting guidelines for clinical trial reports for interventions involving artificial intelligence: the CONSORT-AI Extension. BMJ, The, 2020, 370, m3164. | 6.0 | 201 |
| 46 | Testing for SARS-CoV-2 antibodies. BMJ, The, 2020, 370, m3325. | 6.0 | 70 |
| 47 | Guidelines for clinical trial protocols for interventions involving artificial intelligence: the SPIRIT-AI Extension. BMJ, The, 2020, 370, m3210. | 6.0 | 157 |
| 48 | Spironolactone in Atrial Fibrillation With Preserved Cardiac Fraction: TheÂIMPRESSâ€AF Trial. Journal of the American Heart Association, 2020, 9, e016239. | 3.7 | 20 |
| 49 | Preferred reporting items for systematic review and meta-analysis of diagnostic test accuracy studies (PRISMA-DTA): explanation, elaboration, and checklist. BMJ, The, 2020, 370, m2632. | 6.0 | 262 |
| 50 | Information given by websites selling home self-sampling COVID-19 tests: an analysis of accuracy and completeness. BMJ Open, 2020, 10, e042453. | 1.9 | 6 |
| 51 | Lateral flow tests cannot rule out SARS- CoV-2 infection. BMJ, The, 2020, 371, m4787. | 6.0 | 65 |
| 52 | Test evaluation trials present different challenges for trial managers compared to intervention trials. Trials, 2020, 21, 987. | 1.6 | 0 |
| 53 | Sensitivity and specificity of SkinVision are likely to have been overestimated. Journal of the European Academy of Dermatology and Venereology, 2020, 34, e582-e583. | 2.4 | 8 |
| 54 | Imaging tests for the diagnosis of COVID-19. The Cochrane Library, 2020, , . | 2.8 | 19 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | IDENTIFY: The investigation and detection of urological neoplasia in patients referred with suspected urinary tract cancer: A multicentre cohort study. International Journal of Surgery Protocols, 2020, 21, 8-12. | 1.1 | 6 |
| 56 | PRImary care Management of lower Urinary tract Symptoms in men: protocol for development and validation of a diagnostic and clinical decision support tool (the PriMUS study). BMJ Open, 2020, 10, e037634. | 1.9 | 6 |
| 57 | Antibody tests for identification of current and past infection with SARS-CoV-2. The Cochrane Library, 2020, 2020, CD013652. | 2.8 | 664 |
| 58 | Signs and symptoms to determine if a patient presenting in primary care or hospital outpatient settings has COVID-19 disease. The Cochrane Library, 2020, 7, CD013665. | 2.8 | 387 |
| 59 | Biological variation of cardiac troponins in chronic kidney disease. Annals of Clinical Biochemistry, 2020, 57, 162-169. | 1.6 | 4 |
| 60 | The authors reply. Kidney International, 2020, 97, 214-215. | 5.2 | 0 |
| 61 | FibroScan-AST (FAST) score for the non-invasive identification of patients with non-alcoholic steatohepatitis with significant activity and fibrosis: a prospective derivation and global validation study. The Lancet Gastroenterology and Hepatology, 2020, 5, 362-373. | 8.1 | 411 |
| 62 | Diagnosis of SARS-CoV-2 infection and COVID-19: accuracy of signs and symptoms; molecular, antigen, and antibody tests; and routine laboratory markers. The Cochrane Library, 2020, , . | 2.8 | 19 |
| 63 | Predicting recurrent atrial fibrillation after catheter ablation: a systematic review of prognostic models. Europace, 2020, 22, 748-760. | 1.7 | 72 |
| 64 | Algorithm based smartphone apps to assess risk of skin cancer in adults: systematic review of diagnostic accuracy studies. BMJ, The, 2020, 368, m127. | 6.0 | 140 |
| 65 | Effect of Digoxin vs Bisoprolol for Heart Rate Control in Atrial Fibrillation on Patient-Reported Quality of Life. JAMA - Journal of the American Medical Association, 2020, 324, 2497. | 7.4 | 118 |
| 66 | Spironolactone to improve exercise tolerance in people with permanent atrial fibrillation and preserved ejection fraction: the IMPRESS-AF RCT. Efficacy and Mechanism Evaluation, 2020, 7, 1-42. | 0.7 | 2 |
| 67 | Vaccines for preventing cholera: killed whole cell or other subunit vaccines (injected). The Cochrane Library, 2019, 2019, CD000974. | 2.8 | 23 |
| 68 | Diabetes mellitus and latent tuberculosis infection: baseline analysis of a large UK cohort. Thorax, 2019, 74, 91-94. | 5.6 | 17 |
| 69 | Development of practical recommendations for diagnostic accuracy studies in low-prevalence situations. Journal of Clinical Epidemiology, 2019, 114, 38-48. | 5.0 | 25 |
| 70 | Economic evaluation of a childhood obesity prevention programme for children: Results from the WAVES cluster randomised controlled trial conducted in schools. PLoS ONE, 2019, 14, e0219500. | 2.5 | 15 |
| 71 | Ultrasound, CT, MRI, or PET-CT for staging and re-staging of adults with cutaneous melanoma. The Cochrane Library, 2019, 7, CD012806. | 2.8 | 22 |
| 72 | Prognostic models for predicting incident or recurrent atrial fibrillation: protocol for a systematic review. Systematic Reviews, 2019, 8, 221. | 5.3 | 2 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Reporting guidelines for clinical trials evaluating artificial intelligence interventions are needed. Nature Medicine, 2019, 25, 1467-1468. | 30.7 | 96 |
| 74 | Development and external validation of predictive models for prevalent and recurrent atrial fibrillation: a protocol for the analysis of the CATCH ME combined dataset. BMC Cardiovascular Disorders, 2019, 19, 120. | 1.7 | 10 |
| 75 | Magnetic Resonance Imaging-targeted Biopsy Versus Systematic Biopsy in the Detection of Prostate Cancer: A Systematic Review and Meta-analysis. European Urology, 2019, 76, 284-303. | 1.9 | 153 |
| 76 | Development and Validation of a Combined Hypoxia and Immune Prognostic Classifier for Head and Neck Cancer. Clinical Cancer Research, 2019, 25, 5315-5328. | 7.0 | 81 |
| 77 | Long term tapering versus standard prednisolone treatment for first episode of childhood nephrotic syndrome: phase III randomised controlled trial and economic evaluation. BMJ: British Medical Journal, 2019, 365, I1800. | 2.3 | 48 |
| 78 | Empirical comparison of univariate and multivariate metaâ€analyses in Cochrane Pregnancy and Childbirth reviews with multiple binary outcomes. Research Synthesis Methods, 2019, 10, 440-451. | 8.7 | 9 |
| 79 | Comparative reviews of diagnostic test accuracy in imaging research: evaluation of current practices. European Radiology, 2019, 29, 5386-5394. | 4.5 | 19 |
| 80 | GRADE guidelines: 22. The GRADE approach for tests and strategies—from test accuracy to patient-important outcomes and recommendations. Journal of Clinical Epidemiology, 2019, 111, 69-82. | 5.0 | 76 |
| 81 | Model-based economic evaluations of diagnostic point of care tests were rarely fit for purpose. Journal of Clinical Epidemiology, 2019, 109, 1-11. | 5.0 | 3 |
| 82 | Biological variation of measured and estimated glomerular filtration rate in patients with chronicÂkidney disease. Kidney International, 2019, 96, 429-435. | 5.2 | 63 |
| 83 | Accuracy of FibroScan Controlled Attenuation Parameter and Liver Stiffness Measurement in Assessing Steatosis and Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. Gastroenterology, 2019, 156, 1717-1730. | 1.3 | 777 |
| 84 | Long-term impact of giving antibiotics before skin incision versus after cord clamping on children born by caesarean section: protocol for a longitudinal study based on UK electronic health records. BMJ Open, 2019, 9, e033013. | 1.9 | 3 |
| 85 | PROBAST: A Tool to Assess the Risk of Bias and Applicability of Prediction Model Studies. Annals of Internal Medicine, 2019, 170, 51. | 3.9 | 1,066 |
| 86 | Clinical utility of existing and second-generation interferon-Î ³ release assays for diagnostic evaluation of tuberculosis: an observational cohort study. Lancet Infectious Diseases, The, 2019, 19, 193-202. | 9.1 | 47 |
| 87 | Validation of epigenetic markers to identify colitis associated cancer: Results of module 1 of the ENDCAP-C study. EBioMedicine, 2019, 39, 265-271. | 6.1 | 8 |
| 88 | Variation in the observed effect of Xpert MTB/RIF testing for tuberculosis on mortality: A systematic review and analysis of trial design considerations. Wellcome Open Research, 2019, 4, 173. | 1.8 | 2 |
| 89 | Uterotonic drugs to prevent postpartum haemorrhage: a network meta-analysis. Health Technology Assessment, 2019, 23, 1-356. | 2.8 | 26 |
| 90 | Interferon gamma release assays for Diagnostic Evaluation of Active tuberculosis (IDEA): test accuracy study and economic evaluation. Health Technology Assessment, 2019, 23, 1-152. | 2.8 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Do higher quantitative interferon gamma release assay or tuberculin skin test results help to predict incident tuberculosis? Data from the UK PREDICT study. , 2019, , . | | 0 |
| 92 | Improving the design of studies evaluating the impact of diagnostic tests for tuberculosis on health outcomes: a qualitative study of perspectives of diverse stakeholders. Wellcome Open Research, 2019, 4, 183. | 1.8 | 3 |
| 93 | Variation in the observed effect of Xpert MTB/RIF testing for tuberculosis on mortality: A systematic review and analysis of trial design considerations. Wellcome Open Research, 2019, 4, 173. | 1.8 | 2 |
| 94 | The impact of urodynamics on treatment and outcomes in women with an overactive bladder: a longitudinal prospective follow-up study. International Urogynecology Journal, 2018, 29, 513-519. | 1.4 | 10 |
| 95 | Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies. JAMA - Journal of the American Medical Association, 2018, 319, 388. | 7.4 | 1,783 |
| 96 | Effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6 and 7 year olds: cluster randomised controlled trial (WAVES study). BMJ: British Medical Journal, 2018, 360, k211. | 2.3 | 106 |
| 97 | Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. The Cochrane Library, 2018, 4, CD011689. | 2.8 | 64 |
| 98 | Authors' reply re: Ultrasound bladder wall thickness and detrusor overactivity: a multicentre test accuracy study. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 395-396. | 2.3 | 1 |
| 99 | MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. New England Journal of Medicine, 2018, 378, 1767-1777. | 27.0 | 2,036 |
| 100 | Metaâ€analysis of test accuracy studies using imputation for partial reporting of multiple thresholds. Research Synthesis Methods, 2018, 9, 100-115. | 8.7 | 12 |
| 101 | Below the surface: Parents' views on the factors that influence treatment adherence in paediatric burn scar management — A qualitative study. Burns, 2018, 44, 626-635. | 1.9 | 12 |
| 102 | Reproducibility of the transvaginal sonographic assessment of bladder wall thickness. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 220, 88-95. | 1.1 | 3 |
| 103 | Exfoliative cytology for diagnosing basal cell carcinoma and other skin cancers in adults. The Cochrane Library, 2018, 2018, CD013187. | 2.8 | 10 |
| 104 | Optical coherence tomography for diagnosing skin cancer in adults. The Cochrane Library, 2018, 12, CD013189. | 2.8 | 59 |
| 105 | Smartphone applications for triaging adults with skin lesions that are suspicious for melanoma. The Cochrane Library, 2018, 2018, CD013192. | 2.8 | 76 |
| 106 | Visual inspection for diagnosing cutaneous melanoma in adults. The Cochrane Library, 2018, 2018, CD013194. | 2.8 | 32 |
| 107 | Point-of-care viral load tests to detect high HIV viral load levels in HIV-positive people on antiretroviral therapy. The Cochrane Library, 2018, , . | 2.8 | 1 |
| 108 | High-frequency ultrasound for diagnosing skin cancer in adults. The Cochrane Library, 2018, 2018, CD013188. | 2.8 | 45 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Reflectance confocal microscopy for diagnosing cutaneous melanoma in adults. The Cochrane Library, 2018, 12, CD013190. | 2.8 | 41 |
| 110 | Teledermatology for diagnosing skin cancer in adults. The Cochrane Library, 2018, 2018, CD013193. | 2.8 | 74 |
| 111 | Eustachian tube dysfunction: A diagnostic accuracy study and proposed diagnostic pathway. PLoS ONE, 2018, 13, e0206946. | 2.5 | 50 |
| 112 | Visual inspection and dermoscopy, alone or in combination, for diagnosing keratinocyte skin cancers in adults. The Cochrane Library, 2018, 2018, CD011901. | 2.8 | 32 |
| 113 | Dermoscopy, with and without visual inspection, for diagnosing melanoma in adults. The Cochrane Library, 2018, 2018, CD011902. | 2.8 | 89 |
| 114 | An exploration of the longitudinal relation between parental feeding practices and child anthropometric adiposity measures from the West Midlands Active Lifestyle and Healthy Eating in Schoolchildren (WAVES) Study. American Journal of Clinical Nutrition, 2018, 108, 1316-1323. | 4.7 | 4 |
| 115 | Prognostic value of interferon-Î ³ release assays and tuberculin skin test in predicting the development of active tuberculosis (UK PREDICT TB): a prospective cohort study. Lancet Infectious Diseases, The, 2018, 18, 1077-1087. | 9.1 | 135 |
| 116 | Computer-assisted diagnosis techniques (dermoscopy and spectroscopy-based) for diagnosing skin cancer in adults. The Cochrane Library, 2018, 2018, CD013186. | 2.8 | 65 |
| 117 | Reflectance confocal microscopy for diagnosing keratinocyte skin cancers in adults. The Cochrane Library, 2018, 2018, CD013191. | 2.8 | 36 |
| 118 | Association between use of systematic reviews and national policy recommendations on screening newborn babies for rare diseases: systematic review and meta-analysis. BMJ: British Medical Journal, 2018, 361, k1612. | 2.3 | 13 |
| 119 | PET-PANC: multicentre prospective diagnostic accuracy and health economic analysis study of the impact of combined modality 18fluorine-2-fluoro-2-deoxy-d-glucose positron emission tomography with computed tomography scanning in the diagnosis and management of pancreatic cancer. Health Technology Assessment, 2018, 22, 1-114. | 2.8 | 82 |
| 120 | The West Midlands ActiVe lifestyle and healthy Eating in School children (WAVES) study: a cluster randomised controlled trial testing the clinical effectiveness and cost-effectiveness of a multifaceted obesity prevention intervention programme targeted at children aged 6–7 years. Health Technology Assessment, 2018, 22, 1-608. | 2.8 | 18 |
| 121 | Pressure garment to prevent abnormal scarring after burn injury in adults and children: the PECASUS feasibility RCT and mixed-methods study. Health Technology Assessment, 2018, 22, 1-162. | 2.8 | 16 |
| 122 | MRI versus laparoscopy to diagnose the main causes of chronic pelvic pain in women: a test-accuracy study and economic evaluation. Health Technology Assessment, 2018, 22, 1-92. | 2.8 | 16 |
| 123 | Two interferon gamma release assays for predicting active tuberculosis: the UK PREDICT TB prognostic test study. Health Technology Assessment, 2018, 22, 1-96. | 2.8 | 24 |
| 124 | Methods for the evaluation of biomarkers in patients with kidney and liver diseases: multicentre research programme including ELUCIDATE RCT. Programme Grants for Applied Research, 2018, 6, 1-528. | 1.0 | 3 |
| 125 | Doug Altman's legacy to Cochrane and evidence synthesis. The Cochrane Library, 2018, 8, ED000127. | 2.8 | 3 |
| 126 | Performance of methods for meta-analysis of diagnostic test accuracy with few studies or sparse data. Statistical Methods in Medical Research, 2017, 26, 1896-1911. | 1.5 | 164 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Ultrasound bladder wall thickness and detrusor overactivity: a multicentre test accuracy study. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1422-1429. | 2.3 | 19 |
| 128 | A Comparison of Outcomes in Patients with Infrapopliteal Disease Randomised to Vein Bypass or Plain Balloon Angioplasty in the Bypass vs. Angioplasty in Severe Ischaemia of the Leg (BASIL) Trial. European Journal of Vascular and Endovascular Surgery, 2017, 54, 195-201. | 1.5 | 43 |
| 129 | MICE or NICE? An economic evaluation of clinical decision rules in the diagnosis of heart failure in primary care. International Journal of Cardiology, 2017, 241, 255-261. | 1.7 | 11 |
| 130 | First and second trimester serum tests with and without first trimester ultrasound tests for Down's syndrome screening. The Cochrane Library, 2017, 2017, CD012599. | 2.8 | 19 |
| 131 | First trimester ultrasound tests alone or in combination with first trimester serum tests for Down's syndrome screening. The Cochrane Library, 2017, 2017, CD012600. | 2.8 | 40 |
| 132 | Primary care REFerral for EchocaRdiogram (REFER) in heart failure: a diagnostic accuracy study. British Journal of General Practice, 2017, 67, e94-e102. | 1.4 | 32 |
| 133 | Tests to assist in the staging of cutaneous squamous cell carcinoma: a generic protocol. The Cochrane Library, 2017, , . | 2.8 | 2 |
| 134 | Tests to assist in the staging of cutaneous melanoma: a generic protocol. The Cochrane Library, 2017, , | 2.8 | 1 |
| 135 | Outcomes important to burns patients during scar management and how they compare to the concepts captured in burn-specific patient reported outcome measures. Burns, 2017, 43, 1682-1692. | 1.9 | 31 |
| 136 | A review of rate control in atrial fibrillation, and the rationale and protocol for the RATE-AF trial. BMJ Open, 2017, 7, e015099. | 1.9 | 37 |
| 137 | Raising the Bar: Further Improvement is Required to Make More Test Accuracy Research Fit for Decision-making. Clinical Chemistry, 2017, 63, 1315-1317. | 3.2 | 2 |
| 138 | S31â€Prognostic value of interferon gamma release assays and tuberculin skin test in predicting the development of active tuberculosis: the uk predict tb cohort study. , 2017, , . | | 2 |
| 139 | Research waste in diagnostic trials: a methods review evaluating the reporting of test-treatment interventions. BMC Medical Research Methodology, 2017, 17, 32. | 3.1 | 20 |
| 140 | Test-treatment RCTs are susceptible to bias: a review of the methodological quality of randomized trials that evaluate diagnostic tests. BMC Medical Research Methodology, 2017, 17, 35. | 3.1 | 25 |
| 141 | BAlloon versus Stenting in severe Ischaemia of the Leg-3 (BASIL-3): study protocol for a randomised controlled trial. Trials, 2017, 18, 224. | 1.6 | 59 |
| 142 | Dexamethasone versus standard treatment for postoperative nausea and vomiting in gastrointestinal surgery: randomised controlled trial (DREAMS Trial). BMJ: British Medical Journal, 2017, 357, j1455. | 2.3 | 74 |
| 143 | STARD for Abstracts: essential items for reporting diagnostic accuracy studies in journal or conference abstracts. BMJ: British Medical Journal, 2017, 358, j3751. | 2.3 | 50 |
| 144 | Process evaluation results of a cluster randomised controlled childhood obesity prevention trial: the WAVES study. BMC Public Health, 2017, 17, 681. | 2.9 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|------------|---------------|
| 145 | Core competencies for scientific editors of biomedical journals: consensus statement. BMC Medicine, 2017, 15, 167. | 5.5 | 43 |
| 146 | Steroid metabolome analysis reveals prevalent glucocorticoid excess in primary aldosteronism. JCI Insight, 2017, 2, . | 5.0 | 187 |
| 147 | An international survey and modified Delphi process revealed editors' perceptions, training needs, and ratings of competency-related statements for the development of core competencies for scientific editors of biomedical journals. F1000Research, 2017, 6, 1634. | 1.6 | 20 |
| 148 | Development and validation of Prediction models for Risks of complications in Early-onset Pre-eclampsia (PREP): a prospective cohort study. Health Technology Assessment, 2017, 21, 1-100. | 2.8 | 30 |
| 149 | Testing and Treating Women after Unsuccessful Conservative Treatments for Overactive Bladder or Mixed Urinary Incontinence: A Model-Based Economic Evaluation Based on the BUS Study. PLoS ONE, 2016, 11, e0160351. | 2.5 | 6 |
| 150 | Refining Ovarian Cancer Test accuracy Scores (ROCkeTS): protocol for a prospective longitudinal test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer. BMJ Open, 2016, 6, e010333. | 1.9 | 16 |
| 151 | Reply: Models for predicting live birth before a first IVF cycle. Human Reproduction, 2016, 31, 1375.2-1376. | 0.9 | 0 |
| 152 | MANAGEMENT OF ENDOCRINE DISEASE: Imaging for the diagnosis of malignancy in incidentally discovered adrenal masses: a systematic review and meta-analysis. European Journal of Endocrinology, 2016, 175, R51-R64. | 3.7 | 171 |
| 153 | The Moses–Littenberg meta-analytical method generates systematic differences in test accuracy compared to hierarchical meta-analytical models. Journal of Clinical Epidemiology, 2016, 80, 77-87. | 5.0 | 17 |
| 154 | Impact of analysing continuous outcomes using final values, change scores and analysis of covariance on the performance of metaâ€analytic methods: a simulation study. Research Synthesis Methods, 2016, 7, 371-386. | 8.7 | 31 |
| 155 | ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. BMJ, The, 2016, 355, i4919. | 6.0 | 8,654 |
| 156 | Reporting studies on time to diagnosis: proposal of a guideline by an international panel (REST). BMC Medicine, 2016, 14, 146. | 5.5 | 13 |
| 157 | A scoping review of competencies for scientific editors of biomedical journals. BMC Medicine, 2016, 14, 16. | 5.5 | 31 |
| 158 | Bypass versus angio plasty in severe ischaemia of the leg - 2 (BASIL-2) trial: study protocol for a randomised controlled trial. Trials, 2016, 17, 11. | 1.6 | 134 |
| 159 | Problems of variable biomarker evaluation in stratified medicine research—A case study of ERCC1 in non-small-cell lung cancer. Lung Cancer, 2016, 92, 1-7. | 2.0 | 11 |
| 160 | Defining the major health modifiers causing atrial fibrillation: a roadmap to underpin personalized prevention and treatment. Nature Reviews Cardiology, 2016, 13, 230-237. | 13.7 | 122 |
| 161 | 782: Development and validation of a prediction model for the risk of adverse outcomes in women with early onset preeclampsia (PREP): prospective cohort study. American Journal of Obstetrics and Gynecology, 2016, 214, S409. | 1.3 | 0 |
| 162 | Test-treatment RCTs are sheep in wolves' clothing (Letter commenting on: J Clin Epidemiol.) Tj ETQq0 0 0 rgBT / | Overlock 1 | 10 Tf 50 62 T |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Predicting the chance of live birth for women undergoing IVF: a novel pretreatment counselling tool. Human Reproduction, 2016, 31, 84-92. | 0.9 | 101 |
| 164 | Monitoring ocular hypertension, how much and how often? A cost-effectiveness perspective. British Journal of Ophthalmology, 2016, 100, 1263-1268. | 3.9 | 14 |
| 165 | Bladder ultrasonography for diagnosing detrusor overactivity: test accuracy study and economic evaluation. Health Technology Assessment, 2016, 20, 1-150. | 2.8 | 25 |
| 166 | Barriers to blinding: an analysis of the feasibility of blinding in test-treatment RCTS. Trials, 2015, 16, . | 1.6 | 2 |
| 167 | Can we implement findings from RCTs of diagnostic tests? A review of reporting of test-treat interventions. Trials, 2015, 16, . | 1.6 | 0 |
| 168 | Urine tests for Down's syndrome screening. The Cochrane Library, 2015, , CD011984. | 2.8 | 5 |
| 169 | Outcome in fetal lower urinary tract obstruction: a prospective registry study. Ultrasound in Obstetrics and Gynecology, 2015, 46, 424-431. | 1.7 | 35 |
| 170 | First trimester serum tests for Down's syndrome screening. The Cochrane Library, 2015, 2015, CD011975. | 2.8 | 24 |
| 171 | Reviewing the evidence supporting predictive biomarkers in European medicines agency indications and contraindications using visual plots. Trials, 2015, 16, . | 1.6 | 1 |
| 172 | Methods Used in Economic Evaluations of Chronic Kidney Disease Testing — A Systematic Review. PLoS ONE, 2015, 10, e0140063. | 2.5 | 13 |
| 173 | Meta-analysis of test accuracy studies: an exploratory method for investigating the impact of missing thresholds. Systematic Reviews, 2015, 4, 12. | 5.3 | 19 |
| 174 | Summarising and validating test accuracy results across multiple studies for use in clinical practice. Statistics in Medicine, 2015, 34, 2081-2103. | 1.6 | 42 |
| 175 | Applicability and Feasibility of Systematic Review for Performing Evidence-Based Risk Assessment in Food and Feed Safety. Critical Reviews in Food Science and Nutrition, 2015, 55, 1026-1034. | 10.3 | 40 |
| 176 | What is the best glomerular filtration marker to identify people with chronic kidney disease most likely to have poor outcomes?. BMJ, The, 2015, 350, g7667-g7667. | 6.0 | 10 |
| 177 | The science of clinical practice: disease diagnosis or patient prognosis? Evidence about "what is likely to happen―should shape clinical practice. BMC Medicine, 2015, 13, 20. | 5.5 | 163 |
| 178 | Investigating the effect of ethnicity on IVF outcome. Reproductive BioMedicine Online, 2015, 31, 356-363. | 2.4 | 21 |
| 179 | STARD 2015: An Updated List of Essential Items for Reporting Diagnostic Accuracy Studies. Clinical Chemistry, 2015, 61, 1446-1452. | 3.2 | 449 |
| 180 | Meta-analysis of diagnostic accuracy studies in mental health. Evidence-Based Mental Health, 2015, 18, 103-109. | 4.5 | 75 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | A cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6–7 year old children: the WAVES study protocol. BMC Public Health, 2015, 15, 488. | 2.9 | 31 |
| 182 | Principais itens para relatar Revisões sistemáticas e Meta-análises: A recomendação PRISMA. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2015, 24, 335-342. | 1.0 | 426 |
| 183 | Rapid diagnostic tests for diagnosing uncomplicated non-falciparum or <i>Plasmodium vivax</i> malaria in endemic countries. The Cochrane Library, 2014, , CD011431. | 2.8 | 56 |
| 184 | Stratified medicine in European Medicines Agency licensing: a systematic review of predictive biomarkers. BMJ Open, 2014, 4, e004188. | 1.9 | 15 |
| 185 | Process evaluation design in a cluster randomised controlled childhood obesity prevention trial: the WAVES study. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 112. | 4.6 | 37 |
| 186 | The eGFR-C study: accuracy of glomerular filtration rate (GFR) estimation using creatinine and cystatin C and albuminuria for monitoring disease progression in patients with stage 3 chronic kidney disease - prospective longitudinal study in a multiethnic population. BMC Nephrology, 2014, 15, 13. | 1.8 | 34 |
| 187 | The challenges of interventional trials in fetal therapy. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F448-F450. | 2.8 | 4 |
| 188 | External validation of the OHTS-EGPS model for predicting the 5-year risk of open-angle glaucoma in ocular hypertensives. British Journal of Ophthalmology, 2014, 98, 309-314. | 3.9 | 12 |
| 189 | Preventing childhood obesity, phase II feasibility study focusing on South Asians: BEACHeS. BMJ Open, 2014, 4, e004579. | 1.9 | 22 |
| 190 | Increased Risk of Mycobacterium tuberculosis Infection in Household Child Contacts Exposed to Passive Tobacco Smoke. Pediatric Infectious Disease Journal, 2014, 33, 1303-1306. | 2.0 | 8 |
| 191 | Ãŧems de referencia para publicar Revisiones Sistemáticas y Metaanálisis: La Declaración PRISMA. Revista Espanola De Nutricion Humana Y Dietetica, 2014, 18, 172-181. | 0.3 | 117 |
| 192 | Empirical Evidence of the Importance of Comparative Studies of Diagnostic Test Accuracy. Annals of Internal Medicine, 2013, 158, 544. | 3.9 | 144 |
| 193 | Individual participant data meta-analyses should not ignore clustering. Journal of Clinical Epidemiology, 2013, 66, 865-873.e4. | 5.0 | 85 |
| 194 | Percutaneous vesicoamniotic shunting versus conservative management for fetal lower urinary tract obstruction (PLUTO): a randomised trial. Lancet, The, 2013, 382, 1496-1506. | 13.7 | 291 |
| 195 | Cochrane diagnostic test accuracy reviews. Systematic Reviews, 2013, 2, 82. | 5.3 | 216 |
| 196 | Cellular immune correlates of protection against symptomatic pandemic influenza. Nature Medicine, 2013, 19, 1305-1312. | 30.7 | 757 |
| 197 | Issues relating to study design and risk of bias when including nonâ€randomized studies in systematic reviews on the effects of interventions. Research Synthesis Methods, 2013, 4, 12-25. | 8.7 | 143 |
| 198 | S57â€Diabetes and latent tuberculosis infection: nested case-control study within the PREDICT cohort. Thorax, 2013, 68, A31.2-A32. | 5.6 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Metaâ€analysis of randomised trials with a continuous outcome according to baseline imbalance and availability of individual participant data. Statistics in Medicine, 2013, 32, 2747-2766. | 1.6 | 83 |
| 200 | The Percutaneous shunting in Lower Urinary Tract Obstruction (PLUTO) study and randomised controlled trial: evaluation of the effectiveness, cost-effectiveness and acceptability of percutaneous vesicoamniotic shunting for lower urinary tract obstruction. Health Technology Assessment, 2013, 17, 1-232. | 2.8 | 36 |
| 201 | Accuracy of single progesterone test to predict early pregnancy outcome in women with pain or bleeding: meta-analysis of cohort studies. BMJ, The, 2012, 345, e6077-e6077. | 6.0 | 106 |
| 202 | Health Promotion in Older Chinese. Medicine and Science in Sports and Exercise, 2012, 44, 1157-1166. | 0.4 | 43 |
| 203 | Cochrane Column * Rapid diagnostic tests can extend access of diagnostic services for uncomplicated Plasmodium falciparum malaria * Commentary: Rapid diagnostic tests for diagnosing uncomplicated Plasmodium falciparum malaria in endemic countries (Review) * Approach to conducting Cochrane Diagnostic Test Accuracy Reviews. International lournal of Epidemiology. 2012. 41. 607-610. | 1.9 | 2 |
| 204 | Maternal Exercise and Growth in Breastfed Infants: A Meta-analysis of Randomized Controlled Trials. Pediatrics, 2012, 130, 108-114. | 2.1 | 19 |
| 205 | Assessing the value of diagnostic tests: a framework for designing and evaluating trials. BMJ: British Medical Journal, 2012, 344, e686-e686. | 2.3 | 257 |
| 206 | Diagnostic accuracy of spot urinary protein and albumin to creatinine ratios for detection of significant proteinuria or adverse pregnancy outcome in patients with suspected pre-eclampsia: systematic review and meta-analysis. BMJ, The, 2012, 345, e4342-e4342. | 6.0 | 121 |
| 207 | Development and initial validation of a simple clinical decision tool to predict the presence of heart failure in primary care: the MICE (Male, Infarction, Crepitations, Edema, MICE) rule. European Journal of Heart Failure, 2012, 14, 1000-1008. | 7.1 | 25 |
| 208 | The basis for monitoring strategies in clinical guidelines: a case study of prostate-specific antigen for monitoring in prostate cancer. Cmaj, 2012, 184, 169-177. | 2.0 | 12 |
| 209 | Diagnostic Accuracy of Spot Urinary Protein and Albumin to Creatinine Ratios for Detection of Significant Proteinuria or Adverse Pregnancy Outcome in Patients With Suspected Pre-eclampsia. Obstetrical and Gynecological Survey, 2012, 67, 681-682. | 0.4 | 1 |
| 210 | Pulse Oximetry Screening for Congenital Heart Defects in Newborn Infants (Pulseox). Obstetrical and Gynecological Survey, 2012, 67, 10-12. | 0.4 | 4 |
| 211 | Influence of Reported Study Design Characteristics on Intervention Effect Estimates From Randomized, Controlled Trials. Annals of Internal Medicine, 2012, 157, 429. | 3.9 | 880 |
| 212 | Screening for congenital heart disease with newborn pulse oximetry – Authors' reply. Lancet, The, 2012, 379, 311. | 13.7 | 0 |
| 213 | Second trimester serum tests for Down's Syndrome screening. The Cochrane Library, 2012, , CD009925. | 2.8 | 42 |
| 214 | Systematic review of peer support for breastfeeding continuation: metaregression analysis of the effect of setting, intensity, and timing. BMJ: British Medical Journal, 2012, 344, d8287-d8287. | 2.3 | 132 |
| 215 | A capture-recapture analysis demonstrated that randomized controlled trials evaluating the impact of diagnostic tests on patient outcomes are rare. Journal of Clinical Epidemiology, 2012, 65, 282-287. | 5.0 | 53 |
| 216 | The REFER (REFer for EchocaRdiogram) protocol: a prospective validation of a clinical decision rule, NT-proBNP, or their combination, in the diagnosis of heart failure in primary care. Rationale and design. BMC Cardiovascular Disorders, 2012, 12, 97. | 1.7 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Bivariate meta-analysis of predictive values of diagnostic tests can be an alternative to bivariate meta-analysis of sensitivity and specificity. Journal of Clinical Epidemiology, 2012, 65, 1088-1097. | 5.0 | 75 |
| 218 | Hypoglycemia in Non-Diabetic In-Patients: Clinical or Criminal?. PLoS ONE, 2012, 7, e40384. | 2.5 | 53 |
| 219 | Heritability of body mass index in pre-adolescence, young adulthood and late adulthood. European Journal of Epidemiology, 2012, 27, 247-253. | 5.7 | 72 |
| 220 | Pulse oximetry as a screening test for congenital heart defects in newborn infants: a test accuracy study with evaluation of acceptability and cost-effectiveness Health Technology Assessment, 2012, 16, v-xiii, 1-184. | 2.8 | 113 |
| 221 | Surveillance for ocular hypertension: an evidence synthesis and economic evaluation Health Technology Assessment, 2012, 16, 1-271, iii-iv. | 2.8 | 55 |
| 222 | Influence of reported study design characteristics on intervention effect estimates from randomised controlled trials: combined analysis of meta-epidemiological studies Health Technology Assessment, 2012, 16, 1-82. | 2.8 | 542 |
| 223 | Relative effectiveness of clinic and home blood pressure monitoring compared with ambulatory blood pressure monitoring in diagnosis of hypertension: systematic review. BMJ: British Medical Journal, 2011, 342, d3621-d3621. | 2.3 | 297 |
| 224 | Rapid diagnostic tests for diagnosing uncomplicated <i>P. falciparum</i> malaria in endemic countries. The Cochrane Library, 2011, , CD008122. | 2.8 | 171 |
| 225 | Pharmacological interventions for non-ulcer dyspepsia. The Cochrane Library, 2011, 2011, CD001960. | 2.8 | 19 |
| 226 | Recommendations for examining and interpreting funnel plot asymmetry in meta-analyses of randomised controlled trials. BMJ: British Medical Journal, 2011, 343, d4002-d4002. | 2.3 | 4,743 |
| 227 | Pulse oximetry screening for congenital heart defects in newborn infants (PulseOx): a test accuracy study. Lancet, The, 2011, 378, 785-794. | 13.7 | 261 |
| 228 | Novel M tuberculosis Antigen-Specific T-Cells Are Early Markers of Infection and Disease Progression. PLoS ONE, 2011, 6, e28754. | 2.5 | 24 |
| 229 | Eradication of Helicobacter pylori for non-ulcer dyspepsia. The Cochrane Library, 2011, , CD002096. | 2.8 | 21 |
| 230 | Psychological interventions for non-ulcer dyspepsia. The Cochrane Library, 2011, 2011, CD002301. | 2.8 | 32 |
| 231 | QUADAS-2: A Revised Tool for the Quality Assessment of Diagnostic Accuracy Studies. Annals of Internal Medicine, 2011, 155, 529. | 3.9 | 9,012 |
| 232 | Interpretation of random effects meta-analyses. BMJ: British Medical Journal, 2011, 342, d549-d549. | 2.3 | 1,946 |
| 233 | Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: Lighten Up randomised controlled trial. BMJ: British Medical Journal, 2011, 343, d6500-d6500. | 2.3 | 308 |
| 234 | Inconsistency between direct and indirect comparisons of competing interventions: meta-epidemiological study. BMJ: British Medical Journal, 2011, 343, d4909-d4909. | 2.3 | 156 |

| # | Article | IF | CITATIONS |
|-----|---|-------------|-----------------------|
| 235 | MRI Versus CT for Detection of Acute Vascular Lesions in Patients Presenting With Stroke Symptoms. Stroke, 2010, 41, . | 2.0 | 10 |
| 236 | Band slippage and erosion after laparoscopic gastric banding: a meta-analysis. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 2980-2986. | 2.4 | 87 |
| 237 | Development of a combined database for metaâ€epidemiological research. Research Synthesis Methods, 2010, 1, 212-225. | 8.7 | 17 |
| 238 | Reporting on covariate adjustment in randomised controlled trials before and after revision of the 2001 CONSORT statement: a literature review. Trials, 2010, 11, 59. | 1.6 | 45 |
| 239 | Effect of antenatal peer support on breastfeeding initiation: a systematic review. Cmaj, 2010, 182, 1739-1746. | 2.0 | 26 |
| 240 | Cochrane Column. International Journal of Epidemiology, 2010, 39, 968-972. | 1.9 | 5 |
| 241 | A systematic review of positron emission tomography (PET) and positron emission tomography/computed tomography (PET/CT) for the diagnosis of breast cancer recurrence. Health Technology Assessment, 2010, 14, 1-103. | 2.8 | 99 |
| 242 | Magnetic resonance imaging versus computed tomography for detection of acute vascular lesions in patients presenting with stroke symptoms. The Cochrane Library, 2009, , CD007424. | 2.8 | 93 |
| 243 | Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Medicine, 2009, 6, e1000097. | 8.4 | 50,671 |
| 244 | Use of T Cell–Based Diagnosis of Tuberculosis Infection to Optimize Interpretation of Tuberculin Skin Testing for Child Tuberculosis Contacts. Clinical Infectious Diseases, 2009, 48, 302-312. | 5.8 | 25 |
| 245 | Systematic review of effect of community-level interventions to reduce maternal mortality. BMC Pregnancy and Childbirth, 2009, 9, 2. | 2.4 | 65 |
| 246 | No evidence of bias in the process of publication of diagnostic accuracy studies in stroke submitted as abstracts. Journal of Clinical Epidemiology, 2009, 62, 425-430. | 5.0 | 29 |
| 247 | Evidence of methodological bias in hospital standardised mortality ratios: retrospective database study of English hospitals. BMJ: British Medical Journal, 2009, 338, b780-b780. | 2.3 | 156 |
| 248 | Evaluation and stages of surgical innovations. Lancet, The, 2009, 374, 1089-1096. | 13.7 | 492 |
| 249 | No surgical innovation without evaluation: the IDEAL recommendations. Lancet, The, 2009, 374, 1105-1112. | 13.7 | 1,450 |
| 250 | Male circumcision for prevention of heterosexual acquisition of HIV in men. The Cochrane Library, 2009, , CD003362. | 2.8 | 273 |
| 251 | Systematic review and individual patient data meta-analysis of diagnosis of heart failure, with modelling of implications of different diagnostic strategies in primary care. Health Technology Assessment, 2009, 13, 1-207, iii. | 2.8 | 365 |
| 252 | Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement (Chinese) Tj ETQq0 | 0 0 rgBT /0 | Overlock 10 Ti 428 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Do Reference Standards Hold Back the Progress of Medicine?. Annals of Internal Medicine, 2009, 150, 735. | 3.9 | 0 |
| 254 | Improved diagnostic evaluation of suspected tuberculosis by use of t cell-based assay in routine practice. Journal of Infection, 2008, 56, 302. | 3.3 | 0 |
| 255 | Graphical presentation of diagnostic information. BMC Medical Research Methodology, 2008, 8, 20. | 3.1 | 42 |
| 256 | Three methods to construct predictive models using logistic regression and likelihood ratios to facilitate adjustment for pretest probability give similar results. Journal of Clinical Epidemiology, 2008, 61, 52-63. | 5.0 | 23 |
| 257 | An empirical comparison of methods for meta-analysis of diagnostic accuracy showed hierarchical models are necessary. Journal of Clinical Epidemiology, 2008, 61, 1095-1103. | 5.0 | 173 |
| 258 | Response to commentary: dealing with heterogeneity in meta-analyses of diagnostic test accuracy. Journal of Clinical Epidemiology, 2008, 61, 1083-1084. | 5.0 | 0 |
| 259 | In the Context of Performance Monitoring, the Caterpillar Plot Should Be Mothballed in Favor of the Funnel Plot. Annals of Thoracic Surgery, 2008, 86, 348. | 1.3 | 12 |
| 260 | Improved Diagnostic Evaluation of Suspected Tuberculosis. Annals of Internal Medicine, 2008, 148, 325. | 3.9 | 141 |
| 261 | Prognostic Value of a T-Cell–Based, Interferon-γ Biomarker in Children with Tuberculosis Contact. Annals of Internal Medicine, 2008, 149, 777. | 3.9 | 138 |
| 262 | Systematic Reviews of Diagnostic Test Accuracy. Annals of Internal Medicine, 2008, 149, 889. | 3.9 | 932 |
| 263 | When Should a New Test Become the Current Reference Standard?. Annals of Internal Medicine, 2008, 149, 816. | 3.9 | 83 |
| 264 | Metan: Fixed- and Random-Effects Meta-Analysis. The Stata Journal, 2008, 8, 3-28. | 2.2 | 855 |
| 265 | Screening Tests for Detecting Open-Angle Glaucoma: Systematic Review and Meta-analysis. , 2008, 49, 5373. | | 88 |
| 266 | A Simplified 4-Site Economical Intradermal Post-Exposure Rabies Vaccine Regimen: A Randomised Controlled Comparison with Standard Methods. PLoS Neglected Tropical Diseases, 2008, 2, e224. | 3.0 | 66 |
| 267 | A unification of models for meta-analysis of diagnostic accuracy studies. Biostatistics, 2007, 8, 239-251. | 1.5 | 593 |
| 268 | Dynamic Relationship between IFN-γ and IL-2 Profile of <i>Mycobacterium tuberculosis</i> -Specific T Cells and Antigen Load. Journal of Immunology, 2007, 178, 5217-5226. | 0.8 | 269 |
| 269 | Impact of Adjustment for Quality on Results of Metaanalyses of Diagnostic Accuracy. Clinical Chemistry, 2007, 53, 164-172. | 3.2 | 35 |
| 270 | A one-item question with a Likert or Visual Analog Scale adequately measured current anxiety. Journal of Clinical Epidemiology, 2007, 60, 356-360. | 5.0 | 262 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Heavier molecular weight ocular viscoelastic devices and timing of post-operative review following cataract surgery. BMC Ophthalmology, 2007, 7, 2. | 1.4 | 12 |
| 272 | Re sodium cromoglicate: an ineffective drug or meta-analysis misused?. Pharmaceutical Statistics, 2007, 6, 139-140. | 1.3 | 0 |
| 273 | Much ado about nothing: a comparison of the performance of meta-analytical methods with rare events. Statistics in Medicine, 2007, 26, 53-77. | 1.6 | 757 |
| 274 | A systematic review of rapid diagnostic tests for the detection of tuberculosis infection. Health Technology Assessment, 2007, 11, 1-196. | 2.8 | 520 |
| 275 | The clinical effectiveness and cost-effectiveness of screening for open angle glaucoma: a systematic review and economic evaluation. Health Technology Assessment, 2007, 11, iii-iv, ix-x, 1-190. | 2.8 | 277 |
| 276 | Pharmacological interventions for non-ulcer dyspepsia. , 2006, , CD001960. | | 189 |
| 277 | An Assessment of the Publicly Disseminated Evidence of Safety Used in Decisions to Withdraw Medicinal Products from the UK and US Markets. Drug Safety, 2006, 29, 175-181. | 3.2 | 54 |
| 278 | A critical appraisal of the Australian comparative trial of methadone and buprenorphine maintenance. Drug and Alcohol Review, 2006, 25, 157-160. | 2.1 | 7 |
| 279 | Word limits best explain failings of industry supported meta-analyses. BMJ: British Medical Journal, 2006, 333, 1021.2-1021. | 2.3 | 7 |
| 280 | Dynamic Antigen-specific T-Cell Responses after Point-Source Exposure toMycobacterium tuberculosis. American Journal of Respiratory and Critical Care Medicine, 2006, 174, 831-839. | 5.6 | 196 |
| 281 | Effect of needle size on immunogenicity and reactogenicity of vaccines in infants: randomised controlled trial. BMJ: British Medical Journal, 2006, 333, 571. | 2.3 | 62 |
| 282 | Accuracy of magnetic resonance imaging for the diagnosis of multiple sclerosis: systematic review. BMJ: British Medical Journal, 2006, 332, 875-884. | 2.3 | 58 |
| 283 | Eradication of Helicobacter pylori for non-ulcer dyspepsia. , 2006, , CD002096. | | 115 |
| 284 | Systematic reviews of diagnostic tests in cancer: review of methods and reporting. BMJ: British Medical Journal, 2006, 333, 413-0. | 2.3 | 64 |
| 285 | Acquisition of Streptococcus pneumoniae and Nonspecific Morbidity in Infants and Their Families. Pediatric Infectious Disease Journal, 2005, 24, 121-127. | 2.0 | 57 |
| 286 | Psychological interventions for non-ulcer dyspepsia. , 2005, , CD002301. | | 42 |
| 287 | Schizophrenia and Deliberate Self-Harm: A Systematic Review of Risk Factors. Suicide and Life-Threatening Behavior, 2005, 35, 50-62. | 1.9 | 100 |
| 288 | Systematic review and modeling of the investigation of acute and chronic chest pain presenting in primary care. International Journal of Technology Assessment in Health Care, 2005, 21, 148-149. | 0.5 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | CT Colonography in the Detection of Colorectal Polyps and Cancer: Systematic Review, Meta-Analysis, and Proposed Minimum Data Set for Study Level Reporting. Radiology, 2005, 237, 893-904. | 7.3 | 355 |
| 290 | Effect of BCG vaccination on risk of Mycobacterium tuberculosis infection in children with household tuberculosis contact: a prospective community-based study. Lancet, The, 2005, 366, 1443-1451. | 13.7 | 266 |
| 291 | Schizophrenia and suicide: Systematic review of risk factors. British Journal of Psychiatry, 2005, 187, 9-20. | 2.8 | 657 |
| 292 | The performance of tests of publication bias and other sample size effects in systematic reviews of diagnostic test accuracy was assessed. Journal of Clinical Epidemiology, 2005, 58, 882-893. | 5.0 | 2,258 |
| 293 | The Prevalence of Suicidal Phenomena in Adolescents: A Systematic Review of Populationâ€Based Studies. Suicide and Life-Threatening Behavior, 2005, 35, 239-250. | 1.9 | 436 |
| 294 | HIV and male circumcision—a systematic review with assessment of the quality of studies. Lancet Infectious Diseases, The, 2005, 5, 165-173. | 9.1 | 87 |
| 295 | HIV and male circumcision?a systematic review with assessment of the quality of studies. Lancet Infectious Diseases, The, 2005, 5, 165-173. | 9.1 | 109 |
| 296 | A methodological review of how heterogeneity has been examined in systematic reviews of diagnostic test accuracy. Health Technology Assessment, 2005, 9, 1-113, iii. | 2.8 | 314 |
| 297 | T Cell–Based Tracking of Multidrug Resistant Tuberculosis Infection after Brief Exposure. American Journal of Respiratory and Critical Care Medicine, 2004, 170, 288-295. | 5.6 | 131 |
| 298 | Diagnostic tests 4: likelihood ratios. BMJ: British Medical Journal, 2004, 329, 168-169. | 2.3 | 1,193 |
| 299 | Effects of angiotensin converting enzyme inhibitors and angiotensin II receptor antagonists on mortality and renal outcomes in diabetic nephropathy: systematic review. BMJ: British Medical Journal, 2004, 329, 828. | 2.3 | 318 |
| 300 | Gamma-aminobutyric acid agonists for neuroleptic-induced tardive dyskinesia. , 2004, , CD000203. | | 9 |
| 301 | UK legislation on analgesic packs: before and after study of long term effect on poisonings. BMJ: British Medical Journal, 2004, 329, 1076. | 2.3 | 199 |
| 302 | Concerning: 'The number needed to treat needs an associated odds estimation'. Journal of Public Health, 2004, 26, 400-400. | 1.8 | 1 |
| 303 | Diagnosis of tuberculosis in South African children with a T cell-based assay: a prospective cohort study. Lancet, The, 2004, 364, 2196-2203. | 13.7 | 353 |
| 304 | Systematic review and modelling of the investigation of acute and chronic chest pain presenting in primary care. Health Technology Assessment, 2004, 8, iii, 1-158. | 2.8 | 54 |
| 305 | Systematic review: antacids, H2 -receptor antagonists, prokinetics, bismuth and sucralfate therapy for non-ulcer dyspepsia. Alimentary Pharmacology and Therapeutics, 2003, 17, 1215-1227. | 3.7 | 67 |
| 306 | Measuring inconsistency in meta-analyses. BMJ: British Medical Journal, 2003, 327, 557-560. | 2.3 | 47,117 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | Comparison of T-cell-based assay with tuberculin skin test for diagnosis of Mycobacterium tuberculosis infection in a school tuberculosis outbreak. Lancet, The, 2003, 361, 1168-1173. | 13.7 | 578 |
| 308 | Validity of indirect comparison for estimating efficacy of competing interventions: empirical evidence from published meta-analyses. BMJ: British Medical Journal, 2003, 326, 472-472. | 2.3 | 840 |
| 309 | An Update of The Cochrane Systematic Review of Helicobacter Pylori Eradication Therapy in Nonulcer Dyspepsia: Resolving The Discrepancy Between Systematic Reviews. American Journal of Gastroenterology, 2003, 98, 2621-2626. | 0.4 | 166 |
| 310 | Co-proxamol and suicide: a study of national mortality statistics and local non-fatal self poisonings. BMJ: British Medical Journal, 2003, 326, 1006-1008. | 2.3 | 68 |
| 311 | Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis. BMJ: British Medical Journal, 2003, 326, 334-334. | 2.3 | 22 |
| 312 | Review: celecoxib is as effective as other NSAIDs and leads to fewer gastrointestinal adverse effects. Evidence-Based Medicine, 2003, 8, 51-51. | 0.6 | 0 |
| 313 | An update of the Cochrane systematic review of Helicobacter pylori eradication therapy in nonulcer dyspepsia: resolving the discrepancy between systematic reviews. American Journal of Gastroenterology, 2003, 98, 2621-2626. | 0.4 | 1 |
| 314 | Efficacy, tolerability, and upper gastrointestinal safety of celecoxib for treatment of osteoarthritis and rheumatoid arthritis: systematic review of randomised controlled trials. BMJ: British Medical Journal, 2002, 325, 619-619. | 2.3 | 303 |
| 315 | Amantadine and rimantadine for preventing and treating influenza A in adults. The Cochrane Library, 2002, , CD001169. | 2.8 | 40 |
| 316 | The Position Statement on Injection Technique. Archives of Disease in Childhood, 2002, 87, 452-453. | 1.9 | 0 |
| 317 | Suicide in female nurses in England and Wales. Psychological Medicine, 2002, 32, 239-250. | 4.5 | 94 |
| 318 | Statistical heterogeneity in systematic reviews of clinical trials: a critical appraisal of guidelines and practice. Journal of Health Services Research and Policy, 2002, 7, 51-61. | 1.7 | 568 |
| 319 | <i>Helicobacter pylori</i> Eradication Therapy for Nonulcer Dyspepsia. Annals of Internal Medicine, 2002, 136, 555. | 3.9 | 4 |
| 320 | Simpson's paradox and calculation of number needed to treat from meta-analysis. BMC Medical Research Methodology, 2002, 2, 1. | 3.1 | 152 |
| 321 | Meta-analysis, Simpson's paradox, and the number needed to treat. BMC Medical Research Methodology, 2002, 2, 3. | 3.1 | 128 |
| 322 | Accuracy of history, wheezing, and forced expiratory time in the diagnosis of chronic obstructive pulmonary disease. Journal of General Internal Medicine, 2002, 17, 684-688. | 2.6 | 70 |
| 323 | Issues in the selection of a summary statistic for metaâ€analysis of clinical trials with binary outcomes. Statistics in Medicine, 2002, 21, 1575-1600. | 1.6 | 560 |
| 324 | Enhanced contact tracing and spatial tracking of Mycobacterium tuberculosis infection by enumeration of antigen-specific T cells. Lancet, The, 2001, 357, 2017-2021. | 13.7 | 365 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Vaccines for preventing cholera. , 2001, , CD000974. | | 15 |
| 326 | Teaching critical appraisal skills in health care settings. , 2001, , CD001270. | | 96 |
| 327 | Systematic reviews in health care: Systematic reviews of evaluations of diagnostic and screening tests. BMJ: British Medical Journal, 2001, 323, 157-162. | 2.3 | 977 |
| 328 | Effects of legislation restricting pack sizes of paracetamol and salicylate on self poisoning in the United Kingdom: before and after study. BMJ: British Medical Journal, 2001, 322, 1203-1203. | 2.3 | 327 |
| 329 | Suicide in doctors: a study of risk according to gender, seniority and specialty in medical practitioners in England and Wales, 1979-1995. Journal of Epidemiology and Community Health, 2001, 55, 296-300. | 3.7 | 229 |
| 330 | Second-Trimester Ultrasound to Detect Fetuses With Down Syndrome. JAMA - Journal of the American Medical Association, 2001, 285, 1044. | 7.4 | 273 |
| 331 | Routine primary immunisation using a longer needle resulted in fewer local reactions in infants. Evidence-Based Medicine, 2001, 6, 117-117. | 0.6 | Ο |
| 332 | Immunologic Memory 5 Years after Meningococcal A/C Conjugate Vaccination in Infancy. Journal of Infectious Diseases, 2001, 183, 97-104. | 4.0 | 92 |
| 333 | Review: prokinetics and histamine-2 receptor antagonists improve symptom scores in non-ulcer dyspepsia. Evidence-Based Medicine, 2001, 6, 47-47. | 0.6 | Ο |
| 334 | The quality of systematic reviews. BMJ: British Medical Journal, 2000, 321, 297-297. | 2.3 | 10 |
| 335 | Suicide in psychiatric hospital in-patients. British Journal of Psychiatry, 2000, 176, 266-272. | 2.8 | 267 |
| 336 | Safety, Immunogenicity, and Induction of Immunologic Memory by a Serogroup C Meningococcal Conjugate Vaccine in Infants. JAMA - Journal of the American Medical Association, 2000, 283, 2795. | 7.4 | 172 |
| 337 | Effect of needle length on incidence of local reactions to routine immunisation in infants aged 4 months: randomised controlled trial. BMJ: British Medical Journal, 2000, 321, 931-933. | 2.3 | 59 |
| 338 | The Accuracy of Patient History, Wheezing, and Laryngeal Measurements in Diagnosing Obstructive Airway Disease. JAMA - Journal of the American Medical Association, 2000, 283, 1853. | 7.4 | 88 |
| 339 | Systematic review and economic evaluation of Helicobacter pylori eradication treatment for non-ulcer dyspepsia. BMJ: British Medical Journal, 2000, 321, 659-664. | 2.3 | 296 |
| 340 | Antibody Concentration and Clinical Protection After Hib Conjugate Vaccination in the United Kingdom. JAMA - Journal of the American Medical Association, 2000, 284, 2334. | 7.4 | 117 |
| 341 | A randomised, double-blind, controlled trial of the immunogenicity and tolerability of a meningococcal group C conjugate vaccine in young British infants. Vaccine, 2000, 19, 1232-1238. | 3.8 | 49 |
| 342 | Prevention and early treatment of influenza in healthy adults. Vaccine, 2000, 18, 957-1030. | 3.8 | 179 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 343 | A systematic review of pharmacological therapies in non-ulcer dyspepsia. Gastroenterology, 2000, 118, A440. | 1.3 | 2 |
| 344 | A systematic review and economic analysis of the cost-effectiveness of H pylori eradication therapy in non-ulcer dyspepsia (NUD). Castroenterology, 2000, 118, A471. | 1.3 | 1 |
| 345 | Managing dyspepsia in primary care: A systematic review. Gastroenterology, 2000, 118, A1249. | 1.3 | 0 |
| 346 | Effects of a drug overdose in a television drama on presentations to hospital for self poisoning: time series and questionnaire study. BMJ: British Medical Journal, 1999, 318, 972-977. | 2.3 | 145 |
| 347 | Beds, mattresses and cushions for pressure sore prevention and treatment. Journal of Tissue Viability, 1999, 9, 138. | 2.0 | 16 |
| 348 | Immune response to revaccination with meningococcal A and C polysaccharides in Gambian children following repeated immunisation during early childhood. Vaccine, 1999, 17, 3086-3093. | 3.8 | 105 |
| 349 | Effects of a drug overdose in a television drama on knowledge of specific dangers of self poisoning: population based surveys. BMJ: British Medical Journal, 1999, 318, 978-979. | 2.3 | 15 |
| 350 | Using evaluations of diagnostic tests: Understanding their limitations and making the most of available evidence. Annals of Oncology, 1999, 10, 761-768. | 1.2 | 37 |
| 351 | Sensitivity and specificity and their confidence intervals cannot exceed 100%. BMJ: British Medical Journal, 1999, 318, 193-193. | 2.3 | 33 |
| 352 | Numbers needed to treat derived from meta-analysis. BMJ: British Medical Journal, 1999, 319, 1199-1199. | 2.3 | 5 |
| 353 | Inadequate reporting of controlled trials as short reports. Lancet, The, 1998, 352, 1908. | 13.7 | 25 |
| 354 | The effectiveness and safety of vaccines against human anthrax: a systematic review. Vaccine, 1998, 16, 880-884. | 3.8 | 40 |
| 355 | Vaccines for preventing anthrax. The Cochrane Library, 1998, , CD000975. | 2.8 | 3 |
| 356 | Reviews on evidence-based cancer medicine. Annals of Oncology, 1998, 9, 375. | 1.2 | 0 |
| 357 | Systematic reviews of published evidence: Miracles or minefields?. Annals of Oncology, 1998, 9, 703-709. | 1.2 | 37 |
| 358 | Prospective Evaluation of Criteria for Microbiological Diagnosis of Prosthetic-Joint Infection at Revision Arthroplasty. Journal of Clinical Microbiology, 1998, 36, 2932-2939. | 3.9 | 677 |
| 359 | When can odds ratios mislead?. BMJ: British Medical Journal, 1998, 317, 1155-1155. | 2.3 | 123 |
| 360 | Odds ratios should be avoided when events are common. BMJ: British Medical Journal, 1998, 317, 1318. | 2.3 | 143 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 361 | Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. Lancet, The, 1997, 349, 398. | 13.7 | 129 |
| 362 | 6 Evaluating diagnostic tests. Bailliere's Clinical Obstetrics and Gynaecology, 1996, 10, 613-630. | 0.6 | 31 |
| 363 | Pressure sore prevention: using and evaluating risk assessment tools. British Journal of Nursing, 1996, 5, 313-320. | 0.7 | 34 |
| 364 | Multi-laboratory comparison of eight commercially availableHelicobacter pylori serology kits. European Journal of Clinical Microbiology and Infectious Diseases, 1995, 14, 428-433. | 2.9 | 118 |
| 365 | Effect of cisapride on distal colonic motility in the early postoperative period following left colonic anastomosis. Diseases of the Colon and Rectum, 1995, 38, 139-145. | 1.3 | 26 |
| 366 | Volume and outcome in coronary artery bypass graft surgery: true association or artefact?. BMJ: British Medical Journal, 1995, 311, 151-155. | 2.3 | 91 |
| 367 | Helicobacter Pylori: Populations And Cohorts. Journal of Infectious Diseases, 1994, 170, 1634-1635. | 4.0 | 5 |
| 368 | Characterization of distal colonic motility in early postoperative period and effect of colonic anastomosis. Digestive Diseases and Sciences, 1994, 39, 1961-1967. | 2.3 | 23 |
| 369 | Does research make better doctors?. Lancet, The, 1994, 343, 58-59. | 13.7 | 21 |
| 370 | Small bowel motility following major intra-abdominal surgery: The effects of opiates and rectal cisapride. Gastroenterology, 1994, 106, 924-936. | 1.3 | 63 |
| 371 | Oral [111In]DTPA scintigraphic assessment of colonic transit in constipated subjects. Digestive Diseases and Sciences, 1993, 38, 1032-1039. | 2.3 | 52 |
| 372 | The Cohort Effect and Helicobacter pylori. Journal of Infectious Diseases, 1993, 168, 219-221. | 4.0 | 491 |
| 373 | In-vitro synthesis of total protein and placental protein PP14 by the Fallopian tube mucosa: variation in relation to anatomical site, the ovarian cycle and the menopause. Human Reproduction, 1993, 8, 678-683. | 0.9 | 9 |
| 374 | Studies on the immediate and delayed leucocytosis elicited by brief (30-min) strenuous exercise. European Journal of Applied Physiology and Occupational Physiology, 1992, 64, 513-517. | 1.2 | 47 |
| 375 | Changes in the leucocyte count during and after brief intense exercise. European Journal of Applied Physiology and Occupational Physiology, 1992, 64, 518-522. | 1.2 | 3 |
| 376 | Assessment by prolonged ambulatory manometry of the effect of oral cisapride on proximal small bowel inter-digestive motility. Digestive Diseases and Sciences, 1992, 37, 1569-1575. | 2.3 | 24 |
| 377 | Risks of Delivery during the 20th to the 36th Week of Gestation. International Journal of Epidemiology, 1991, 20, 456-466. | 1.9 | 38 |
| 378 | Antenatal screening for Down's syndrome: generic protocol. The Cochrane Library, 0, , . | 2.8 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Tests to assist in the diagnosis of cutaneous melanoma in adults: a generic protocol. The Cochrane Library, 0, , . | 2.8 | 19 |
| 380 | Symptoms, ultrasound imaging and biochemical markers alone or in combination for the diagnosis of ovarian cancer in women with symptoms suspicious of ovarian cancer. The Cochrane Library, 0, , . | 2.8 | 5 |
| 381 | Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. The Cochrane Library, 0, , . | 2.8 | 4 |
| 382 | Tests to assist in the diagnosis of keratinocyte skin cancers in adults: a generic protocol. The Cochrane Library, 0, , . | 2.8 | 13 |
| 383 | Adjusted indirect comparison for estimating relative effects of competing healthcare interventions. The Cochrane Library, 0, , . | 2.8 | 0 |
| 384 | Controlled ovarian stimulation protocols for assisted reproduction: a network meta-analysis. The Cochrane Library, 0, , . | 2.8 | 13 |
| 385 | Point-of-care tests detecting HIV nucleic acids for diagnosis of HIV infection in infants and children aged 18 months or less. The Cochrane Library, 0, , . | 2.8 | 1 |
| 386 | Pressure-garment therapy for preventing hypertrophic scarring after burn injury. The Cochrane Library, 0, , . | 2.8 | 2 |
| 387 | Methods for managing miscarriage: a network meta-analysis. The Cochrane Library, 0, , . | 2.8 | 3 |