

Yong Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6638960/publications.pdf>

Version: 2024-02-01

400
papers

24,127
citations

5268

83
h-index

12946

131
g-index

413
all docs

413
docs citations

413
times ranked

18547
citing authors

#	ARTICLE	IF	CITATIONS
1	Modification of NASICON Electrolyte and Its Application in Real Na-Ion Cells. <i>Engineering</i> , 2022, 8, 170-180.	6.7	12
2	Series and parallel design of ether linkage and imidazolium cation synergistically regulated four-armed polymerized ionic liquid for all-solid-state polymer electrolyte. <i>Chinese Chemical Letters</i> , 2022, 33, 1407-1411.	9.0	10
3	The origins of kinetics hysteresis and irreversibility of monoclinic $\text{Li}_3\text{V}_2(\text{PO}_4)_3$. <i>Journal of Energy Chemistry</i> , 2022, 67, 593-603.	12.9	4
4	Insights into the local structure, microstructure and ionic conductivity of silicon doped NASICON-type solid electrolyte $\text{Li}_{1.3}\text{Al}_{0.3}\text{Ti}_{1.7}\text{P}_3\text{O}_{12}$. <i>Energy Storage Materials</i> , 2022, 44, 190-196.	18.0	30
5	Exploring hybrid $\text{Mg}^{2+}/\text{H}^+$ reactions of $\text{C}@\text{MgMnSiO}_4$ with boosted voltage in magnesium-ion batteries. <i>Electrochimica Acta</i> , 2022, 404, 139738.	5.2	10
6	Tuning interface stability of nickel-rich $\text{LiNi}_{0.9}\text{Co}_{0.05}\text{Mn}_{0.05}\text{O}_2$ cathode via a novel bis(vinylsulphonyl)methane additive. <i>Journal of Power Sources</i> , 2022, 521, 230917.	7.8	18
7	Regulating Interfacial Li^+ Ion Transport via an Integrated Corrugated 3D Skeleton in Solid Composite Electrolyte for All-Solid-State Lithium Metal Batteries. <i>Advanced Science</i> , 2022, 9, e2104506.	11.2	18
8	Enabling Fast Na^+ Transfer Kinetics in the Whole Voltage Region of Hard Carbon Anodes for Ultrahigh-Rate Sodium Storage. <i>Advanced Materials</i> , 2022, 34, e2109282.	21.0	108
9	Improving interfacial stability of high voltage LiCoO_2 -based cells with 4-methylmorpholine-2,6-dione additive. <i>Journal of Power Sources</i> , 2022, 524, 231049.	7.8	15
10	Highly stable operation of LiCoO_2 at cut-off $\approx 4.6\text{V}$ enabled by synergistic structural and interfacial manipulation. <i>Energy Storage Materials</i> , 2022, 46, 406-416.	18.0	48
11	Size-Dependent Chemomechanical Failure of Sulfide Solid Electrolyte Particles during Electrochemical Reaction with Lithium. <i>Nano Letters</i> , 2022, 22, 411-418.	9.1	20
12	Poly(ionic liquid)@PEGMA Block Polymer Initiated Microphase Separation Architecture in Poly(ethylene oxide)-Based Solid-State Polymer Electrolyte for Flexible and Self-Healing Lithium Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 4173-4185.	6.7	23
13	Synergistical Stabilization of Li Metal Anodes and LiCoO_2 Cathodes in High-Voltage $\text{Li}^+/\text{LiCoO}_2$ Batteries by Potassium Selenocyanate (KSeCN) Additive. <i>ACS Energy Letters</i> , 2022, 7, 1364-1373.	17.4	49
14	The Contrasting Impacts of the Al_2O_3 and Y_2O_3 Insertion Layers on the Crystallization of ZrO_2 Films for Dynamic Random Access Memory Capacitors. <i>Advanced Electronic Materials</i> , 2022, 8, .	5.1	4
15	Pushing Lithium Cobalt Oxides to 4.7V by Lattice-Matched Interfacial Engineering. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	77
16	Temperature-dependence of calcination processes of Ni-rich layered oxides. <i>Journal of Power Sources</i> , 2022, 529, 231258.	7.8	3
17	A Cubic Mg_2MnO_4 Cathode for non-aqueous Magnesium Batteries. <i>Energy Storage Materials</i> , 2022, 48, 12-19.	18.0	14
18	Boosting high voltage cycling of LiCoO_2 cathode via triisopropanolamine cyclic borate electrolyte additive. <i>Journal of Power Sources</i> , 2022, 532, 231372.	7.8	14

#	ARTICLE	IF	CITATIONS
19	Dictating the interfacial stability of nickel-rich LiNi _{0.90} Co _{0.05} Mn _{0.05} O ₂ via a diazacyclo electrolyte additive "2-Fluoropyrazine. <i>Journal of Colloid and Interface Science</i> , 2022, 618, 431-441.	9.4	10
20	Stable cycling and fast charging of high-voltage lithium metal batteries enabled by functional solvation chemistry. <i>Chemical Engineering Journal</i> , 2022, 442, 136351.	12.7	23
21	Substantially Promoted Energy Density of Li ⁺ CF _x Primary Battery Enabled by Li ⁺ -DMP Coordinated Structure. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 6217-6229.	6.7	9
22	Sieving carbons promise practical anodes with extensible low-potential plateaus for sodium batteries. <i>National Science Review</i> , 2022, 9, .	9.5	55
23	Guidelines for Air-Stable Lithium/Sodium Layered Oxide Cathodes. , 2022, 4, 1074-1086.		17
24	Combining NMR and molecular dynamics simulations for revealing the alkali-ion transport in solid-state battery materials. <i>Current Opinion in Electrochemistry</i> , 2022, 35, 101048.	4.8	1
25	Synthesis, Structure, Electrochemical Mechanisms, and Atmospheric Stability of Mn-Based Layered Oxide Cathodes for Sodium Ion Batteries. <i>Accounts of Materials Research</i> , 2022, 3, 709-720.	11.7	32
26	A machine learning protocol for revealing ion transport mechanisms from dynamic NMR shifts in paramagnetic battery materials. <i>Chemical Science</i> , 2022, 13, 7863-7872.	7.4	10
27	Mitigating the Surface Reconstruction of Ni-Rich Cathode <i>via</i> P2-Type Mn-Rich Oxide Coating for Durable Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 30398-30409.	8.0	7
28	In Situ Construction of a LiF-Enriched Interfacial Modification Layer for Stable All-Solid-State Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 29878-29885.	8.0	5
29	Promoting the performances of P2-type sodium layered cathode by inducing Na site rearrangement. <i>Nano Energy</i> , 2022, 100, 107482.	16.0	25
30	Highly reversible Li ₂ RuO ₃ cathodes in sulfide-based all solid-state lithium batteries. <i>Energy and Environmental Science</i> , 2022, 15, 3470-3482.	30.8	17
31	Enhanced Cyclability of Lithium Metal Anodes Enabled by Anti-aggregation of Lithiophilic Seeds. <i>Nano Letters</i> , 2022, 22, 5874-5882.	9.1	26
32	Revealing the correlation between structure evolution and electrochemical performance of high-voltage lithium cobalt oxide. <i>Journal of Energy Chemistry</i> , 2021, 54, 786-794.	12.9	36
33	Counterintuitive Structural Instability Aroused by Transition Metal Migration in Polyanionic Sodium Ion Host. <i>Advanced Energy Materials</i> , 2021, 11, 2003256.	19.5	35
34	Modifying an ultrathin insulating layer to suppress lithium dendrite formation within garnet solid electrolytes. <i>Journal of Materials Chemistry A</i> , 2021, 9, 3576-3583.	10.3	36
35	A Case Study of Stereoisomerism with [6]Cyclo[4]helicenylenes. <i>Chemistry Letters</i> , 2021, 50, 110-112.	1.3	4
36	Bulk boron doping and surface carbon coating enabling fast-charging and stable Si anodes: from thin film to thick Si electrodes. <i>Journal of Materials Chemistry A</i> , 2021, 9, 3628-3636.	10.3	23

#	ARTICLE	IF	CITATIONS
37	Quantifying the reaction mechanisms of a high-capacity CuP ₂ /C composite anode for potassium ion batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 6274-6283.	10.3	19
38	Modification and regulation of electrode/electrolyte interface for high specific energy and long life lithium ion batteries. <i>Chinese Science Bulletin</i> , 2021, 66, 1170-1186.	0.7	3
39	All solid thick oxide cathodes based on low temperature sintering for high energy solid batteries. <i>Energy and Environmental Science</i> , 2021, 14, 5044-5056.	30.8	41
40	Pillar-beam structures prevent layered cathode materials from destructive phase transitions. <i>Nature Communications</i> , 2021, 12, 13.	12.8	85
41	Electrochemo-Mechanical Effects on Structural Integrity of Ni-Rich Cathodes with Different Microstructures in All Solid-State Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2003583.	19.5	112
42	Reversible potassium storage in ultrafine CF: A superior cathode material for potassium batteries and its mechanism. <i>Journal of Energy Chemistry</i> , 2021, 53, 347-353.	12.9	16
43	Research progress of fluorine-containing electrolyte additives for lithium ion batteries. <i>Journal of Power Sources Advances</i> , 2021, 7, 100043.	5.1	55
44	Kinetics of lithium dendrite growth in garnet-type solid electrolyte. <i>Journal of Power Sources</i> , 2021, 487, 229421.	7.8	23
45	Enhanced Cycle Life and Rate Capability of Single-Crystal, Ni-Rich LiNi _{0.9} Co _{0.05} Mn _{0.05} O ₂ Enabled by 1,2,4-1 <i>H</i> -Triazole Additive. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 16427-16436.	8.0	53
46	Insight into Ion Diffusion Dynamics/Mechanisms and Electronic Structure of Highly Conductive Sodium-Rich Na ₃ LaZr ₂ Si ₂ PO ₁₂ (0.5). <i>Solid-State Electrolytes. ACS Applied Materials & Interfaces</i> , 2021, 13, 13132-13138.	8.0	27
47	Fluorinated graphite nanosheets for ultrahigh-capacity lithium primary batteries. <i>Rare Metals</i> , 2021, 40, 1708-1718.	7.1	35
48	Interfacial compatibility issues in rechargeable solid-state lithium metal batteries: a review. <i>Science China Chemistry</i> , 2021, 64, 879-898.	8.2	28
49	Solid-State NMR and MRI Spectroscopy for Li/Na Batteries: Materials, Interface, and In Situ Characterization. <i>Advanced Materials</i> , 2021, 33, e2005878.	21.0	35
50	Stabilizing Ni-Rich LiNi _{0.83} Co _{0.12} Mn _{0.05} O ₂ with Cyclopentyl Isocyanate as a Novel Electrolyte Additive. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 12069-12078.	8.0	43
51	Unravelling the Fast Alkali-Ion Dynamics in Paramagnetic Battery Materials Combined with NMR and Deep-Potential Molecular Dynamics Simulation. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12547-12553.	13.8	16
52	Initial Stages of Oxidation Reactions of Ethylene Carbonate and Fluoroethylene Carbonate on Li _x CoO ₂ Surfaces: A DFT Study. <i>Journal of the Electrochemical Society</i> , 2021, 168, 050505.	2.9	11
53	Uniformity of Flat Li-Ion Batteries Studied by Diffraction and Imaging of X-rays and Neutrons. <i>ACS Applied Energy Materials</i> , 2021, 4, 3110-3117.	5.1	8
54	Unravelling the Fast Alkali-Ion Dynamics in Paramagnetic Battery Materials Combined with NMR and Deep-Potential Molecular Dynamics Simulation. <i>Angewandte Chemie</i> , 2021, 133, 12655-12661.	2.0	0

#	ARTICLE	IF	CITATIONS
55	O3-Type NaCrO ₂ as a Superior Cathode Material for Sodium/Potassium-Ion Batteries Ensured by High Structural Reversibility. ACS Applied Materials & Interfaces, 2021, 13, 22635-22645.	8.0	20
56	Origin of High Ionic Conductivity of Sc ³⁺ -Doped Sodium-Rich NASICON Solid-State Electrolytes. Advanced Functional Materials, 2021, 31, 2102129.	14.9	49
57	State of health (SoH) estimation and degradation modes analysis of pouch NMC532/graphite Li-ion battery. Journal of Power Sources, 2021, 498, 229884.	7.8	24
58	Reversible Multi-Electron Storage Enabled by Na ₅ V(PO ₄) ₂ F ₂ for Rechargeable Magnesium Batteries. Energy Storage Materials, 2021, 38, 462-472.	18.0	21
59	Lithium Host:Advanced architecture components for lithium metal anode. Energy Storage Materials, 2021, 38, 276-298.	18.0	89
60	Insights of the Electrochemical Reversibility of P2-Type Sodium Manganese Oxide Cathodes via Modulation of Transition Metal Vacancies. ACS Applied Materials & Interfaces, 2021, 13, 38305-38314.	8.0	13
61	Engineering Na ⁺ -layer spacings to stabilize Mn-based layered cathodes for sodium-ion batteries. Nature Communications, 2021, 12, 4903.	12.8	109
62	Constructing a High-Energy and Durable Single-Crystal NCM811 Cathode for All-Solid-State Batteries by a Surface Engineering Strategy. ACS Applied Materials & Interfaces, 2021, 13, 41669-41679.	8.0	35
63	Interfacial Enhancement of Silicon-Based Anode by a Lactam-Type Electrolyte Additive. ACS Applied Energy Materials, 2021, 4, 10323-10332.	5.1	14
64	Understanding the effect of Nb substitution on Li-Mn-rich layered oxides. Electrochimica Acta, 2021, 390, 138801.	5.2	5
65	Enhanced Interfacial Stability of a LiNi _{0.9} Co _{0.05} Mn _{0.05} O ₂ Cathode by a Diboron Additive. ACS Applied Energy Materials, 2021, 4, 11051-11061.	5.1	18
66	In situ inorganic conductive network formation in high-voltage single-crystal Ni-rich cathodes. Nature Communications, 2021, 12, 5320.	12.8	197
67	Fluorinated cyclic siloxane additives for high energy density Li-ion batteries with high nickel cathodes and silicon-carbon anodes. Journal of Power Sources, 2021, 511, 230437.	7.8	18
68	Tailoring the redox-active transition metal content to enhance cycling stability in cation-disordered rock-salt oxides. Energy Storage Materials, 2021, 43, 275-283.	18.0	11
69	Research Progresses of Sodium Cobalt Oxide as Cathode in Sodium Ion Batteries. Acta Chimica Sinica, 2021, 79, 1232.	1.4	3
70	Stabilizing the LiCoO ₂ Interface at High Voltage with an Electrolyte Additive 2,4,6-Tris(4-fluorophenyl)boroxin. ACS Sustainable Chemistry and Engineering, 2021, 9, 15042-15052.	6.7	22
71	Mechanistic Probing of Encapsulation and Confined Growth of Lithium Crystals in Carbonaceous Nanotubes. Advanced Materials, 2021, 33, e2105228.	21.0	14
72	Electrolyte Additive <i>cis</i> -1,2,3,6-Tetrahydrophthalic Anhydride Enhanced the Cycle Life of Nickel-Rich LiNi _{0.9} Co _{0.05} Mn _{0.05} O ₂ . ACS Applied Energy Materials, 2021, 4, 12275-12284.	5.1	15

#	ARTICLE	IF	CITATIONS
73	Enhancing the Reduction Kinetics of Li ₆ SF ₆ Batteries by Dispersed Cobalt Phthalocyanines on Porous Carbon. <i>Small</i> , 2021, 17, e2103778.	10.0	3
74	Compatibility of Various Electrolytes with Cation Disordered Rocksalt Cathodes in Lithium Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 10909-10920.	5.1	9
75	Linking the Defects to the Formation and Growth of Li Dendrite in All-Solid-State Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2102148.	19.5	61
76	A novel trimethylsilyl 2-(fluorosulfonyl)difluoroacetate additive for stabilizing the Ni-rich LiNi _{0.9} Co _{0.05} Mn _{0.05} O ₂ /electrolyte interface. <i>Journal of Power Sources</i> , 2021, 515, 230618.	7.8	30
77	Formulating a New Electrolyte: Synergy between Low-Polar and Non-polar Solvents in Tailoring the Solid Electrolyte Interface for the Silicon Anode. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 55700-55711.	8.0	7
78	Quantitatively analyzing the failure processes of rechargeable Li metal batteries. <i>Science Advances</i> , 2021, 7, eabj3423.	10.3	84
79	Boosting the Energy Density of Li CF _x Primary Batteries Using a 1,3-Dimethyl-2-imidazolidinone-Based Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 57470-57480.	8.0	21
80	Exploring high-voltage fluorinated carbonate electrolytes for LiNi _{0.5} Mn _{1.5} O ₄ cathode in Li-ion batteries. <i>Journal of Energy Chemistry</i> , 2020, 42, 62-70.	12.9	51
81	Facile one-pot synthesis of low cost MnO ₂ nanosheet/Super P Li composites with high oxygen reduction reaction activity for Zn-air batteries. <i>Journal of Power Sources</i> , 2020, 448, 227385.	7.8	37
82	Unraveling (electro)-chemical stability and interfacial reactions of Li ₁₀ SnP ₂ S ₁₂ in all-solid-state Li batteries. <i>Nano Energy</i> , 2020, 67, 104252.	16.0	59
83	New Dimorphs of Na ₅ V(PO ₄) ₂ F ₂ as an Ultrastable Cathode Material for Sodium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 1181-1189.	5.1	16
84	Tailoring the interfaces of silicon/carbon nanotube for high rate lithium-ion battery anodes. <i>Journal of Power Sources</i> , 2020, 450, 227593.	7.8	45
85	Flexible free-standing sulfurized polyacrylonitrile electrode for stable Li/Na storage. <i>Electrochimica Acta</i> , 2020, 333, 135493.	5.2	29
86	Good practice guide for papers on supercapacitors and related hybrid capacitors for the Journal of Power Sources. <i>Journal of Power Sources</i> , 2020, 450, 227636.	7.8	41
87	Highly dispersed Ni ₂ P nanoparticles on N,P-codoped carbon for efficient cross-dehydrogenative coupling to access alkynyl thioethers. <i>Green Chemistry</i> , 2020, 22, 651-656.	9.0	16
88	Crack-free single-crystalline Ni-rich layered NCM cathode enable superior cycling performance of lithium-ion batteries. <i>Nano Energy</i> , 2020, 70, 104450.	16.0	397
89	Additives synergy for stable interface formation on rechargeable lithium metal anodes. <i>Energy Storage Materials</i> , 2020, 29, 377-385.	18.0	66
90	Highly-stable P ₂ Na _{0.67} MnO ₂ electrode enabled by lattice tailoring and surface engineering. <i>Energy Storage Materials</i> , 2020, 26, 503-512.	18.0	101

#	ARTICLE	IF	CITATIONS
91	SnSe ₂ nanocrystals coupled with hierarchical porous carbon microspheres for long-life sodium ion battery anode. <i>Science China Materials</i> , 2020, 63, 483-491.	6.3	30
92	Insights of the anionic redox in P2-Na _{0.67} Ni _{0.33} Mn _{0.67} O ₂ . <i>Nano Energy</i> , 2020, 78, 105285.	16.0	49
93	Li ₂ S@NC composite enable high active material loading and high Li ₂ S utilization for all-solid-state lithium sulfur batteries. <i>Journal of Power Sources</i> , 2020, 479, 228792.	7.8	21
94	Field-Induced Ferroelectric Hf _{1-x} Zr _x O ₂ Thin Films for High-Dynamic Random Access Memory. <i>Advanced Electronic Materials</i> , 2020, 6, 2000631.	5.1	19
95	The stability of P2-layered sodium transition metal oxides in ambient atmospheres. <i>Nature Communications</i> , 2020, 11, 3544.	12.8	204
96	Fluorination effect for stabilizing cationic and anionic redox activities in cation-disordered cathode materials. <i>Energy Storage Materials</i> , 2020, 32, 234-243.	18.0	42
97	Rh-catalyzed highly regioselective hydroformylation to linear aldehydes by employing porous organic polymer as a ligand. <i>RSC Advances</i> , 2020, 10, 29263-29267.	3.6	16
98	Mn ⁴⁺ -Substituted Li-Rich Li _{1.2} Mn _{0.4} ³⁺ Mn _x Ti _{0.4} Al _{0.2} O ₂ Materials with High Energy Density. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 40347-40354.	18.0	16
99	Suppression of voltage-decay in Li ₂ MnO ₃ cathode via reconstruction of layered-spinel coexisting phases. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18687-18697.	10.3	10
100	Visualizing the growth process of sodium microstructures in sodium batteries by in-situ ²³ Na MRI and NMR spectroscopy. <i>Nature Nanotechnology</i> , 2020, 15, 883-890.	31.5	95
101	Advances in soft X-ray RIXS for studying redox reaction states in batteries. <i>Dalton Transactions</i> , 2020, 49, 13519-13527.	3.3	19
102	Enabling Stable High-Voltage LiCoO ₂ Operation by Using Synergetic Interfacial Modification Strategy. <i>Advanced Functional Materials</i> , 2020, 30, 2004664.	14.9	119
103	Interfaces in Garnet-Based All-Solid-State Lithium Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 2001318.	19.5	85
104	Li-rich cathodes for rechargeable Li-based batteries: reaction mechanisms and advanced characterization techniques. <i>Energy and Environmental Science</i> , 2020, 13, 4450-4497.	30.8	219
105	On the Interface Design of Si and Multilayer Graphene for a High-Performance Li-Ion Battery Anode. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 44840-44849.	8.0	36
106	A facile synthesis of non-aqueous LiPO ₂ F ₂ solution as the electrolyte additive for high performance lithium ion batteries. <i>Chinese Chemical Letters</i> , 2020, 31, 3209-3212.	9.0	19
107	Chemomechanical Failure Mechanism Study in NASICON-Type Li _{1.3} Al _{0.3} Ti _{1.7} (PO ₄) ₃ Solid-State Lithium Batteries. <i>Chemistry of Materials</i> , 2020, 32, 4998-5008.	6.7	104
108	Synthesis and stereoisomerism of [n]cyclo-2,9-phenanthrylene congeners possessing alternating E/Z- and R/S-biaryl linkages. <i>Organic and Biomolecular Chemistry</i> , 2020, 18, 4949-4955.	2.8	3

#	ARTICLE	IF	CITATIONS
109	Al and Fe-containing Mn-based layered cathode with controlled vacancies for high-rate sodium ion batteries. <i>Nano Energy</i> , 2020, 76, 104997.	16.0	54
110	Optimized Al Doping Improves Both Interphase Stability and Bulk Structural Integrity of Ni-Rich NMC Cathode Materials. <i>ACS Applied Energy Materials</i> , 2020, 3, 3369-3377.	5.1	66
111	Highly-efficient conversion of SF ₆ via an eight-electron transfer process in lithium batteries. <i>Nano Energy</i> , 2020, 72, 104679.	16.0	10
112	Restraining the polarization increase of Ni-rich and low-Co cathodes upon cycling by Al-doping. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6893-6901.	10.3	100
113	Soft-Mode Parameter as an Indicator for the Activation Energy Spectra in Metallic Glass. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 2781-2787.	4.6	8
114	Revealing the correlation between structural evolution and Li ⁺ diffusion kinetics of nickel-rich cathode materials in Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 8540-8547.	10.3	132
115	Anionic Redox Processes in Maricite- and Triphylite-NaFePO ₄ of Sodium-Ion Batteries. <i>ACS Omega</i> , 2020, 5, 5192-5201.	3.5	16
116	Recognition of V ³⁺ /V ⁴⁺ /V ⁵⁺ Multielectron Reactions in Na ₃ V(PO ₄) ₂ : A Potential High Energy Density Cathode for Sodium-Ion Batteries. <i>Molecules</i> , 2020, 25, 1000.	3.8	7
117	Construction of a Stable LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ (NCM811) Cathode Interface by a Multifunctional Organosilicon Electrolyte Additive. <i>ACS Applied Energy Materials</i> , 2020, 3, 2837-2845.	5.1	80
118	Identifying the anionic redox activity in cation-disordered Li _{1.25} Nb _{0.25} Fe _{0.50} O ₂ /C oxide cathodes for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5115-5127.	10.3	32
119	Advanced characterization techniques for solid state lithium battery research. <i>Materials Today</i> , 2020, 36, 139-157.	14.2	86
120	Tuning Oxygen Redox Reaction through the Inductive Effect with Proton Insertion in Li-Rich Oxides. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 7277-7284.	8.0	33
121	Good practice guide for papers on batteries for the Journal of Power Sources. <i>Journal of Power Sources</i> , 2020, 452, 227824.	7.8	34
122	Recent advances and historical developments of high voltage lithium cobalt oxide materials for rechargeable Li-ion batteries. <i>Journal of Power Sources</i> , 2020, 460, 228062.	7.8	150
123	Ab initio calculations on the electronic structures and electrochemical properties of LiVO ₂ and NaVO ₂ . <i>Journal of Solid State Chemistry</i> , 2020, 288, 121383.	2.9	3
124	Low temperature growth of graphitic carbon on porous silicon for high-capacity lithium energy storage. <i>Journal of Power Sources</i> , 2020, 463, 228245.	7.8	13
125	Electrochemical investigation of multi-electron reactions in NaVOPO ₄ cathode for sodium-ion batteries. <i>Electrochimica Acta</i> , 2020, 351, 136454.	5.2	17
126	High-Efficiency Lithium Metal Anode Enabled by a Concentrated/Fluorinated Ester Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 27794-27802.	8.0	31

#	ARTICLE	IF	CITATIONS
127	Synthesis of Single Crystal $\text{LiNi}_{0.92}\text{Co}_{0.06}\text{Mn}_{0.01}\text{Al}_{0.01}\text{O}_2$ Cathode Materials with Superior Electrochemical Performance for Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2020, 167, 120514.	2.9	21
128	Insights into the lithiation mechanism of CF_x by a joint high-resolution ^{19}F NMR, <i>in situ</i> TEM and ^7Li NMR approach. <i>Journal of Materials Chemistry A</i> , 2019, 7, 19793-19799.	10.3	33
129	Scaling the Equivalent Oxide Thickness by Employing a TiO_2 Thin Film on a $\text{ZrO}_2 \cdot \text{Al}_2\text{O}_3$ -Based Dielectric for Further Scaling of Dynamic Random Access Memory. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019, 13, 1900282.	2.4	9
130	Exploring the high-voltage $\text{Mg}^{2+}/\text{Na}^{+}$ co-intercalation reaction of $\text{Na}_3\text{VCr}(\text{PO}_4)_3$ in Mg-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 18081-18091.	10.3	29
131	Double-shelled microscale porous Si anodes for stable lithium-ion batteries. <i>Journal of Power Sources</i> , 2019, 436, 226794.	7.8	24
132	Elucidating and Mitigating the Degradation of Cationic/Anionic Redox Processes in $\text{Li}_{1.2}\text{Mn}_{0.4}\text{Ti}_{0.4}\text{O}_2$ Cation-Disordered Cathode Materials. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 45674-45682.	8.0	31
133	$\text{P}_2\text{Na}_{0.67}\text{Al}_x\text{Mn}_{1-x}\text{O}_2$: Cost-Effective, Stable and High-Rate Sodium Electrodes by Suppressing Phase Transitions and Enhancing Sodium Cation Mobility. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18086-18095.	13.8	127
134	$\text{P}_2\text{Na}_{0.67}\text{Al}_x\text{Mn}_{1-x}\text{O}_2$: Cost-Effective, Stable and High-Rate Sodium Electrodes by Suppressing Phase Transitions and Enhancing Sodium Cation Mobility. <i>Angewandte Chemie</i> , 2019, 131, 18254-18263.	2.0	9
135	Superior Stability Secured by a Four-Phase Cathode Electrolyte Interface on a Ni-Rich Cathode for Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 36742-36750.	8.0	76
136	Cross-linked beta alumina nanowires with compact gel polymer electrolyte coating for ultra-stable sodium metal battery. <i>Nature Communications</i> , 2019, 10, 4244.	12.8	219
137	$\text{MXene}/\text{Si}@\text{SiO}_2/\text{C}$ Layer-by-Layer Superstructure with Autoadjustable Function for Superior Stable Lithium Storage. <i>ACS Nano</i> , 2019, 13, 2167-2175.	14.6	154
138	Reduction of the Hysteresis Voltage in Atomic-Layer-Deposited p^+ -Type SnO Thin-Film Transistors by Adopting an Al_2O_3 Interfacial Layer. <i>Advanced Electronic Materials</i> , 2019, 5, 1900371.	5.1	23
139	Toward a durable solid electrolyte film on the electrodes for Li-ion batteries with high performance. <i>Nano Energy</i> , 2019, 63, 103815.	16.0	60
140	Novel Ordered Rocksalt-Type Lithium-Rich $\text{Li}_2\text{Ru}_2\text{Ni}_2\text{O}_3$ (0.3 $\text{at}\%$ Ni $\text{at}\%$ 0.5) Cathode Material with Tunable Anionic Redox Potential. <i>ACS Applied Energy Materials</i> , 2019, 2, 5933-5944.	5.1	22
141	Structure-Performance Relationship of Zn^{2+} Substitution in $\text{P}_2\text{Na}_{0.66}\text{Ni}_{0.33}\text{Mn}_{0.67}\text{O}_2$ with Different Ni/Mn Ratios for High-Energy Sodium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2019, 2, 4914-4924.	5.1	39
142	Poly(ethylene oxide)- $\text{Li}_{10}\text{SnP}_2\text{S}_{12}$ Composite Polymer Electrolyte Enables High-Performance All-Solid-State Lithium Sulfur Battery. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 22745-22753.	8.0	108
143	Impact of Structural Transformation on Electrochemical Performances of Li-Rich Cathode Materials: The Case of Li_2RuO_3 . <i>Journal of Physical Chemistry C</i> , 2019, 123, 13491-13499.	3.1	29
144	In Situ Generated Li_2S - C Nanocomposite for High-Capacity and Long-Life All-Solid-State Lithium Sulfur Batteries with Ultrahigh Areal Mass Loading. <i>Nano Letters</i> , 2019, 19, 3280-3287.	9.1	98

#	ARTICLE	IF	CITATIONS
145	Stable Cycling Lithium-Sulfur Solid Batteries with Enhanced Li/Li ₁₀ GeP ₂ S ₁₂ Solid Electrolyte Interface Stability. ACS Applied Materials & Interfaces, 2019, 11, 18436-18447.	8.0	82
146	Intrinsic Role of Cationic Substitution in Tuning Li/Ni Mixing in High-Ni Layered Oxides. Chemistry of Materials, 2019, 31, 2731-2740.	6.7	85
147	Mixed-conducting interlayer boosting the electrochemical performance of Ni-rich layered oxide cathode materials for lithium ion batteries. Journal of Power Sources, 2019, 421, 91-99.	7.8	101
148	A novel NASICON-based glass-ceramic composite electrolyte with enhanced Na-ion conductivity. Energy Storage Materials, 2019, 23, 514-521.	18.0	97
149	Recent Progress in All-Solid-State Lithium-Sulfur Batteries Using High Li-Ion Conductive Solid Electrolytes. Electrochemical Energy Reviews, 2019, 2, 199-230.	25.5	179
150	Comprehensive Understanding of Reduction Mechanisms of Ethylene Sulfite in EC-Based Lithium-Ion Batteries. Journal of Physical Chemistry C, 2019, 123, 5871-5880.	3.1	14
151	Degradation mechanisms of C ₆ /LiNi _{0.5} Mn _{0.3} Co _{0.2} O ₂ Li-ion batteries unraveled by non-destructive and post-mortem methods. Journal of Power Sources, 2019, 416, 163-174.	7.8	40
152	Equilibrium crystal shape of GaAs and InAs considering surface vibration and new (111)B reconstruction: ab-initio thermodynamics. Scientific Reports, 2019, 9, 1127.	3.3	16
153	Identification of the Solid Electrolyte Interface on the Si/C Composite Anode with FEC as the Additive. ACS Applied Materials & Interfaces, 2019, 11, 14066-14075.	8.0	110
154	Comparative study on the electronic structures and redox reactions in LiCrX ₂ and NaCrX ₂ (X = O and S). RSC Advances, 2019, 9, 36867-36874.	3.6	2
155	Capacity fading induced by phase conversion hysteresis within alloying phosphorus anode. Nano Energy, 2019, 58, 560-567.	16.0	43
156	Research Progress in Multielectron Reactions in Polyanionic Materials for Sodium-Ion Batteries. Small Methods, 2019, 3, 1800221.	8.6	54
157	Scalable Engineering of Bulk Porous Si Anodes for High Initial Efficiency and High-Areal-Capacity Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2019, 11, 714-721.	8.0	30
158	Controlling the Electrical Characteristics of ZrO ₂ /Al ₂ O ₃ /ZrO ₂ Capacitors by Adopting a Ru Top Electrode Grown via Atomic Layer Deposition. Physica Status Solidi - Rapid Research Letters, 2019, 13, 1800454.	2.4	23
159	Correlation between long range and local structural changes in Ni-rich layered materials during charge and discharge process. Journal of Power Sources, 2019, 412, 336-343.	7.8	109
160	Quantitative Analysis of the Incorporation Behaviors of Sr and Ti Atoms During the Atomic Layer Deposition of SrTiO ₃ Thin Films. ACS Applied Materials & Interfaces, 2018, 10, 8836-8844.	8.0	15
161	Rational Design of MXene/1T-MoS ₂ Nanohybrids for High-Performance Lithium-Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1707578.	14.9	309
162	The application of synchrotron X-ray techniques to the study of rechargeable batteries. Journal of Energy Chemistry, 2018, 27, 1566-1583.	12.9	55

#	ARTICLE	IF	CITATIONS
163	Advanced Characterization Techniques for Sodium-Ion Battery Studies. <i>Advanced Energy Materials</i> , 2018, 8, 1702588.	19.5	122
164	Toward a stable solid-electrolyte-interfaces on nickel-rich cathodes: LiPO ₂ F ₂ salt-type additive and its working mechanism for LiNi _{0.5} Mn _{0.25} Co _{0.25} O ₂ cathodes. <i>Journal of Power Sources</i> , 2018, 380, 149-157.	7.8	116
165	Harnessing the concurrent reaction dynamics in active Si and Ge to achieve high performance lithium-ion batteries. <i>Energy and Environmental Science</i> , 2018, 11, 669-681.	30.8	329
166	Insights into the Electrochemical Reaction Mechanism of a Novel Cathode Material CuNi ₂ (PO ₄) ₂ /C for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 3522-3529.	8.0	7
167	Simultaneous Stabilization of LiNi _{0.76} Mn _{0.14} Co _{0.10} O ₂ Cathode and Lithium Metal Anode by Lithium Bis(oxalato)borate as Additive. <i>ChemSusChem</i> , 2018, 11, 2211-2220.	6.8	89
168	Drawing a Soft Interface: An Effective Interfacial Modification Strategy for Garnet-Type Solid-State Li Batteries. <i>ACS Energy Letters</i> , 2018, 3, 1212-1218.	17.4	321
169	High Voltage Operation of Ni-Rich NMC Cathodes Enabled by Stable Electrode/Electrolyte Interphases. <i>Advanced Energy Materials</i> , 2018, 8, 1800297.	19.5	298
170	Capitalization of interfacial AlON interactions to achieve stable binder-free porous silicon/carbon anodes. <i>Journal of Materials Chemistry A</i> , 2018, 6, 7449-7456.	10.3	15
171	A high-performance ternary Si composite anode material with crystal graphite core and amorphous carbon shell. <i>Journal of Power Sources</i> , 2018, 384, 328-333.	7.8	51
172	Exploring the design of eutectic or near-eutectic multicomponent alloys: From binary to high entropy alloys. <i>Science China Technological Sciences</i> , 2018, 61, 159-167.	4.0	39
173	Modeling the degradation mechanisms of C ₆ /LiFePO ₄ batteries. <i>Journal of Power Sources</i> , 2018, 375, 106-117.	7.8	30
174	Toward understanding of ion dynamics in highly conductive lithium ion conductors: Some perspectives by solid state NMR techniques. <i>Solid State Ionics</i> , 2018, 318, 19-26.	2.7	40
175	Solid-Liquid Interfacial Reaction Triggered Propagation of Phase Transition from Surface into Bulk Lattice of Ni-Rich Layered Cathode. <i>Chemistry of Materials</i> , 2018, 30, 7016-7026.	6.7	80
176	Revealing Cycling Rate-Dependent Structure Evolution in Ni-Rich Layered Cathode Materials. <i>ACS Energy Letters</i> , 2018, 3, 2433-2440.	17.4	92
177	The Roles of Sulfur-Containing Additives and Their Working Mechanism on the Temperature-Dependent Performances of Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A2792-A2800.	2.9	31
178	Structural elucidation of supported Rh complexes derived from RhCl(PPh ₃) ₃ immobilized on surface-functionalized SBA-15 and their catalytic performance for C-heteroatom (S, O) bond formation. <i>Journal of Catalysis</i> , 2018, 365, 43-54.	6.2	20
179	Enhanced Electrochemical Performance of High-Energy Lithium-Sulfur Batteries Using an Electrolyte with 1,1,2,2-Tetrafluoro-3-(1,1,2,2-tetrafluoroethoxy)propane. <i>Journal of the Electrochemical Society</i> , 2018, 165, A1915-A1919.	2.9	12
180	Novel 3.9 V Layered Na ₃ V ₃ (PO ₄) ₄ Cathode Material for Sodium Ion Batteries. <i>ACS Applied Energy Materials</i> , 2018, 1, 3603-3606.	5.1	23

#	ARTICLE	IF	CITATIONS
181	Identifying the Structural Evolution of the Sodium Ion Battery Na ₂ FePO ₄ F Cathode. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11918-11923.	13.8	79
182	Identifying the Structural Evolution of the Sodium Ion Battery Na ₂ FePO ₄ F Cathode. <i>Angewandte Chemie</i> , 2018, 130, 12094-12099.	2.0	22
183	Stabilizing Li ₁₀ SnP ₂ S ₁₂ /Li Interface via an in Situ Formed Solid Electrolyte Interphase Layer. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 25473-25482.	8.0	103
184	Observation of Solid-Liquid Interfacial Reactions Controlled Bulk Phase Transition of Ni-rich Layered Cathode. <i>Microscopy and Microanalysis</i> , 2018, 24, 1522-1523.	0.4	1
185	Controlling Surface Oxides in Si/C Nanocomposite Anodes for High-Performance Li-ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1801718.	19.5	190
186	Electrical Properties of ZrO ₂ /Al ₂ O ₃ /ZrO ₂ -Based Capacitors with TiN, Ru, and TiN/Ru Top Electrode Materials. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018, 12, 1800356.	2.4	16
187	Sodium storage behavior of Na _{0.66} Ni _{0.33} É—xZn _x Mn _{0.67} O ₂ (x = 0, 0.07 and 0.14) positive materials in diglyme-based electrolytes. <i>Journal of Power Sources</i> , 2018, 400, 317-324.	7.8	21
188	Configuration correlation governs slow dynamics of supercooled metallic liquids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 6375-6380.	7.1	43
189	Temperature-dependent cycling performance and ageing mechanisms of C ₆ /LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ batteries. <i>Journal of Power Sources</i> , 2018, 396, 444-452.	7.8	55
190	Pressure effects on structure and dynamics of metallic glass-forming liquid. <i>Journal of Chemical Physics</i> , 2017, 146, 024507.	3.0	49
191	Reversible multi-electron redox chemistry of Æ-conjugated N-containing heteroaromatic molecule-based organic cathodes. <i>Nature Energy</i> , 2017, 2, .	39.5	486
192	Toward a stable electrochemical interphase with enhanced safety on high-voltage LiCoO ₂ cathode: A case of phosphazene additives. <i>Journal of Power Sources</i> , 2017, 359, 391-399.	7.8	62
193	Novel insights into higher capacity from the Li-ion battery cathode material Li ₂ FeSiO ₄ . <i>Electrochimica Acta</i> , 2017, 223, 109-114.	5.2	16
194	Recent advances in the research of functional electrolyte additives for lithium-ion batteries. <i>Current Opinion in Electrochemistry</i> , 2017, 6, 84-91.	4.8	63
195	Synthetic Control of Kinetic Reaction Pathway and Cationic Ordering in High-Ni Layered Oxide Cathodes. <i>Advanced Materials</i> , 2017, 29, 1606715.	21.0	127
196	Surface reconstruction of InAs (001) depending on the pressure and temperature examined by density functional thermodynamics. <i>Scientific Reports</i> , 2017, 7, 10691.	3.3	14
197	Exploring Highly Reversible 1.5-Electron Reactions (V ³⁺ /V ⁴⁺ /V ⁵⁺) in Na ₃ VCr(PO ₄) ₃ Cathode for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 43632-43639.	8.0	134
198	In Situ Monitoring of Structural and Valence Evolution during Electrochemical Desodiation/Sodiation Process of Na ₂ Fe _{0.5} Mn _{0.5} PO ₄ F. <i>Journal of the Electrochemical Society</i> , 2017, 164, A3487-A3492.	2.9	17

#	ARTICLE	IF	CITATIONS
199	Nanoscale chemical imaging of the additive effects on the interfaces of high-voltage LiCoO ₂ composite electrodes. <i>Chemical Communications</i> , 2017, 53, 8581-8584.	4.1	24
200	Synthesis and Electrochemical Performance of Lithium Rich Cathode Materials xLi ₃ NbO ₄ ·(1-x)LiMO ₂ (M=Mn, Co; 0 < x < 1) for Li-ion Batteries. <i>Acta Chimica Sinica</i> , 2017, 75, 212.	1.4	1
201	Preparation of LiCoMnO ₄ ; Assisted by Hydrothermal Approach and its Electrochemical Performance. <i>American Journal of Engineering and Applied Sciences</i> , 2016, 9, 396-405.	0.6	3
202	High Sensitivity, Wearable, Piezoresistive Pressure Sensors Based on Irregular Microhump Structures and Its Applications in Body Motion Sensing. <i>Small</i> , 2016, 12, 3827-3836.	10.0	177
203	Graphene-Encapsulated Nanosheet-Assembled Zinc-Nickel-Cobalt Oxide Microspheres for Enhanced Lithium Storage. <i>ChemSusChem</i> , 2016, 9, 186-196.	6.8	35
204	Thermodynamic scaling of glassy dynamics and dynamic heterogeneities in metallic glass-forming liquid. <i>Journal of Chemical Physics</i> , 2016, 145, 104503.	3.0	18
205	Mechanistic Insights and Implications of Dearomative Rearrangement in Copper-Free Sonogashira Cross-Coupling Catalyzed by Pd-Cy*Phine. <i>Organometallics</i> , 2016, 35, 1036-1045.	2.3	19
206	Exploring the working mechanism of Li ⁺ in O ₃ -type NaLi _{0.1} Ni _{0.35} Mn _{0.55} O ₂ cathode materials for rechargeable Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 9054-9062.	10.3	92
207	Nanostructured Black Phosphorus/Ketjenblack-Multiwalled Carbon Nanotubes Composite as High Performance Anode Material for Sodium-Ion Batteries. <i>Nano Letters</i> , 2016, 16, 3955-3965.	9.1	246
208	Graphene-Encapsulated Nanosheet-Assembled Zinc-Nickel-Cobalt Oxide Microspheres for Enhanced Lithium Storage. <i>ChemSusChem</i> , 2016, 9, 128-128.	6.8	0
209	Robust diamond-like Fe-Si network in the zero-strain Na FeSiO ₄ cathode. <i>Electrochimica Acta</i> , 2016, 212, 934-940.	5.2	30
210	A Highly Efficient and Self-Stabilizing Metallic-Glass Catalyst for Electrochemical Hydrogen Generation. <i>Advanced Materials</i> , 2016, 28, 10293-10297.	21.0	195
211	Sol-gel synthesis of Na ₄ Fe ₃ (PO ₄) ₂ (P ₂ O ₇)/C nanocomposite for sodium ion batteries and new insights into microstructural evolution during sodium extraction. <i>Journal of Power Sources</i> , 2016, 327, 666-674.	7.8	99
212	Decarboxylative/Sonogashira-type cross-coupling using PdCl ₂ (Cy*Phine) ₂ . <i>RSC Advances</i> , 2016, 6, 72810-72814.	3.6	16
213	Amorphous Li ₂ O ₂ : Chemical Synthesis and Electrochemical Properties. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10717-10721.	13.8	135
214	N-doped carbon layer derived from polydopamine to improve the electrochemical performance of spray-dried Si/graphite composite anode material for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2016, 689, 130-137.	5.5	71
215	Degradation Mechanisms of C ₆ /LiFePO ₄ Batteries: Experimental Analyses of Cycling-induced Aging. <i>Electrochimica Acta</i> , 2016, 210, 445-455.	5.2	53
216	Insights into the Effects of Zinc Doping on Structural Phase Transition of P ₂ -Type Sodium Nickel Manganese Oxide Cathodes for High-Energy Sodium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 22227-22237.	8.0	177

#	ARTICLE	IF	CITATIONS
217	Cu ₃ (PO ₄) ₂ /C composite as a high-capacity cathode material for rechargeable Na-ion batteries. <i>Nano Energy</i> , 2016, 27, 420-429.	16.0	30
218	Amorphous Li ₂ O ₂ : Chemical Synthesis and Electrochemical Properties. <i>Angewandte Chemie</i> , 2016, 128, 10875-10879.	2.0	37
219	Approaching the ideal elastic strain limit in silicon nanowires. <i>Science Advances</i> , 2016, 2, e1501382.	10.3	169
220	Degradation Mechanisms of the Graphite Electrode in C ₆ /LiFePO ₄ Batteries Unraveled by a Non-Destructive Approach. <i>Journal of the Electrochemical Society</i> , 2016, 163, A3016-A3021.	2.9	35
221	Enhancing the energy density of safer Li-ion batteries by combining high-voltage lithium cobalt fluorophosphate cathodes and nanostructured titania anodes. <i>Scientific Reports</i> , 2016, 6, 20656.	3.3	22
222	Carbon-coated Si micrometer particles binding to reduced graphene oxide for a stable high-capacity lithium-ion battery anode. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17757-17763.	10.3	25
223	Zero-Strain Na ₂ FeSiO ₄ as Novel Cathode Material for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 17233-17238.	8.0	101
224	Synthesis and Reaction Mechanism of Novel Fluorinated Carbon Fiber as a High-Voltage Cathode Material for Rechargeable Na Batteries. <i>Chemistry of Materials</i> , 2016, 28, 1026-1033.	6.7	53
225	Degradation Mechanisms of C ₆ /LiFePO ₄ Batteries: Experimental Analyses of Calendar Aging. <i>Electrochimica Acta</i> , 2016, 190, 1124-1133.	5.2	65
226	Rate Dependence of Serrated Flow and Its Effect on Shear Stability of Bulk Metallic Glasses. <i>Journal of Iron and Steel Research International</i> , 2016, 23, 24-30.	2.8	11
227	Critical Shear Offset of Fracture in a Zr-based Metallic Glass. <i>Journal of Iron and Steel Research International</i> , 2016, 23, 53-56.	2.8	6
228	NiSi _x /a-Si Nanowires with Interfacial a-Ge as Anodes for High-Rate Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 673-679.	8.0	11
229	Exploring a Li-ion battery using surface modified titania nanotubes versus high voltage cathode nanowires. <i>Journal of Power Sources</i> , 2016, 303, 194-202.	7.8	16
230	Interfacial nitrogen stabilizes carbon-coated mesoporous silicon particle anodes. <i>Journal of Materials Chemistry A</i> , 2016, 4, 434-442.	10.3	37
231	Enhanced ionic conductivity of Li _{3.5} Si _{0.5} P _{0.5} O ₄ with addition of lithium borate. <i>Solid State Ionics</i> , 2015, 283, 109-114.	2.7	14
232	P2-type Na _{0.66} Ni _{0.33} Zn _x Mn _{0.67} O ₂ as new high-voltage cathode materials for sodium-ion batteries. <i>Journal of Power Sources</i> , 2015, 281, 18-26.	7.8	279
233	Synthesis and characterization of urchin-like Mn _{0.33} Co _{0.67} C ₂ O ₄ for Li-ion batteries: Role of SEI layers for enhanced electrochemical properties. <i>Electrochimica Acta</i> , 2015, 163, 93-101.	5.2	58
234	A Peanut Shell Inspired Scalable Synthesis of Three-Dimensional Carbon Coated Porous Silicon Particles as an Anode for Lithium-Ion Batteries. <i>Electrochimica Acta</i> , 2015, 156, 11-19.	5.2	54

#	ARTICLE	IF	CITATIONS
235	Modeling the SEI-Formation on Graphite Electrodes in LiFePO_4 Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A858-A869.	2.9	92
236	Structural heterogeneity and deformation rheology in metallic glasses. <i>Science China Technological Sciences</i> , 2015, 58, 47-55.	4.0	13
237	Palladium precatalysts containing meta-terarylphosphine ligands for expedient copper-free Sonogashira cross-coupling reactions. <i>Catalysis Science and Technology</i> , 2015, 5, 3501-3506.	4.1	20
238	Copper Phosphate as a Cathode Material for Rechargeable Li Batteries and Its Electrochemical Reaction Mechanism. <i>Chemistry of Materials</i> , 2015, 27, 5736-5744.	6.7	32
239	Mechanical Switching of Nanoscale Multiferroic Phase Boundaries. <i>Advanced Functional Materials</i> , 2015, 25, 3405-3413.	14.9	38
240	Toward a stabilized lattice framework and surface structure of layered lithium-rich cathode materials with Ti modification. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 10151-10159.	2.8	31
241	Electrochemical Behavior of Suberonitrile as a High-Potential Electrolyte Additive and Co-Solvent for $\text{Li}_{0.2}\text{Mn}_{0.56}\text{Ni}_{0.16}\text{Co}_{0.08}\text{O}_2$ Cathode Material. <i>Journal of the Electrochemical Society</i> , 2015, 162, A774-A780.	2.9	34
242	Ion diffusion mechanism in $\text{Pn Na}_x\text{Li}_{2-x}\text{MnSiO}_4$. <i>CrystEngComm</i> , 2015, 17, 2123-2128.	2.6	21
243	Spray-Drying Synthesis of Pure $\text{Na}_2\text{CoPO}_4\text{F}$ as Cathode Material for Sodium Ion Batteries. <i>ECS Electrochemistry Letters</i> , 2015, 4, A53-A55.	1.9	54
244	3D hierarchically porous zinc-nickel-cobalt oxide nanosheets grown on Ni foam as binder-free electrodes for electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2015, 3, 24022-24032.	10.3	67
245	Synergistic Effects of Suberonitrile-LiBOB Binary Additives on the Electrochemical Performance of High-Voltage LiCoO_2 Electrodes. <i>Journal of the Electrochemical Society</i> , 2015, 162, A7015-A7023.	2.9	40
246	Toward Understanding the Lithium Transport Mechanism in Garnet-type Solid Electrolytes: Li^+ Ion Exchanges and Their Mobility at Octahedral/Tetrahedral Sites. <i>Chemistry of Materials</i> , 2015, 27, 6650-6659.	6.7	107
247	The effects of crystallographic orientation and strain of thin $\text{Hf}_{0.5}\text{Zr}_{0.5}\text{O}_2$ film on its ferroelectricity. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	268
248	Increased Capacity of $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ Cathodes by MnO_x surface Modification for Lithium Ion Batteries. <i>Energy Technology</i> , 2014, 2, 188-193.	3.8	15
249	(Invited) Electron Tunneling Based SEI Formation Model. <i>ECS Transactions</i> , 2014, 62, 1-8.	0.5	6
250	The synergistic effects of Al and Te on the structure and Li^+ -mobility of garnet-type solid electrolytes. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20271-20279.	10.3	83
251	Hydrothermal synthesis, self-assembly and electrochemical performance of Fe_2O_3 microspheres for lithium ion batteries. <i>Ceramics International</i> , 2014, 40, 10283-10290.	4.8	46
252	Comparative investigation on the properties of carbon-supported cobalt-polypyrrole pyrolyzed at various conditions as electrocatalyst towards oxygen reduction reaction. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 15937-15947.	7.1	9

#	ARTICLE	IF	CITATIONS
253	Toward high capacity and stable manganese-spinel electrode materials: A case study of Ti-substituted system. <i>Journal of Power Sources</i> , 2014, 245, 570-578.	7.8	59
254	Improved lithium ion battery performance by mesoporous Co ₃ O ₄ nanosheets grown on self-standing NiSi _x nanowires on nickel foam. <i>Journal of Materials Chemistry A</i> , 2014, 2, 8483.	10.3	48
255	Facilitated Li ⁺ ion transfer across the water/1,2-dichloroethane interface by the solvation effect. <i>Chemical Communications</i> , 2014, 50, 1015-1017.	4.1	21
256	Promoting long-term cycling performance of high-voltage Li ₂ CoPO ₄ F by the stabilization of electrode/electrolyte interface. <i>Journal of Materials Chemistry A</i> , 2014, 2, 1006-1013.	10.3	38
257	A Versatile and Efficient Palladium-terarylphosphine Catalyst for the Copper-Free Sonogashira Coupling of (Hetero)Aryl Chlorides and Alkynes. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 7184-7192.	2.4	20
258	Synergistically reinforced lithium storage performance of in situ chemically grown silicon@silicon oxide core-shell nanowires on three-dimensional conductive graphitic scaffolds. <i>Journal of Materials Chemistry A</i> , 2014, 2, 13859.	10.3	18
259	Recent Progress in Research on High-Voltage Electrolytes for Lithium-Ion Batteries. <i>ChemPhysChem</i> , 2014, 15, 1956-1969.	2.1	219
260	Local Structure and Dynamics in the Na Ion Battery Positive Electrode Material Na ₃ V ₂ (PO ₄) ₂ F ₃ . <i>Chemistry of Materials</i> , 2014, 26, 2513-2521.	6.7	156
261	Mesoporous ZnCo ₂ O ₄ microspheres composed of ultrathin nanosheets cross-linked with metallic NiSi _x nanowires on Ni foam as anodes for lithium ion batteries. <i>Nano Energy</i> , 2014, 10, 245-258.	16.0	76
262	Exploiting Na ₂ MnPO ₄ F as a high-capacity and well-reversible cathode material for Na-ion batteries. <i>RSC Advances</i> , 2014, 4, 40985-40993.	3.6	57
263	Understanding the structural and electronic properties of the cathode material NaFeF ₃ in a Na-ion battery. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 2071-2075.	2.5	14
264	Highly stereoselective anti-Markovnikov hydrothiolation of alkynes and electron-deficient alkenes by a supported Cu-NHC complex. <i>Green Chemistry</i> , 2014, 16, 3916-3925.	9.0	68
265	Yolk-shell ZnO-C microspheres with enhanced electrochemical performance as anode material for lithium ion batteries. <i>Electrochimica Acta</i> , 2014, 125, 659-665.	5.2	137
266	Effects of composition on electrochemical properties of a non-precious metal catalyst towards oxygen reduction reaction. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 16006-16014.	7.1	7
267	Li[Li _{0.2} Mn _{0.54} Ni _{0.13} Co _{0.13}]O ₂ •LiMn _{1.5} Ti _{0.5} O ₄ composite cathodes with improved electrochemical performance for lithium ion batteries. <i>Electrochimica Acta</i> , 2014, 133, 100-106.	5.2	22
268	Growth of Hierarchical 3D Mesoporous NiSi _x /NiCo ₂ O ₄ Core/Shell Heterostructures on Nickel Foam for Lithium-Ion Batteries. <i>ChemSusChem</i> , 2014, 7, 2325-2334.	6.8	58
269	Composite Materials: Three-Dimensional Compressible and Stretchable Conductive Composites (Adv.) <i>Tj ETQq1</i> 1,0,784314 rgBT /Ove 21.0 1	21.0	1
270	Enhanced high temperature cycling performance of LiMn ₂ O ₄ /graphite cells with methylene methanedisulfonate (MMDS) as electrolyte additive and its acting mechanism. <i>Journal of Energy Chemistry</i> , 2014, 23, 383-390.	12.9	14

#	ARTICLE	IF	CITATIONS
271	Economical Synthesis and Promotion of the Electrochemical Performance of Silicon Nanowires as Anode Material in Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 1681-1687.	8.0	51
272	Addition of Sulfonic Acids to Terminal Alkynes Catalyzed by a Rhodium Complex: Ligand Concentration- Controlled Reaction Selectivity. <i>ChemCatChem</i> , 2013, 5, 3005-3013.	3.7	22
273	Cu(I)-catalyzed aerobic cross-dehydrogenative coupling of terminal alkynes with thiols for the construction of alkynyl sulfides. <i>Green Chemistry</i> , 2013, 15, 3170.	9.0	68
274	Enhanced electrochemical performance of fluorinated carbon nanotube as cathode for Li-O ₂ primary batteries. <i>Electrochimica Acta</i> , 2013, 90, 186-193.	5.2	25
275	Effects of cobalt precursor on pyrolyzed carbon-supported cobalt-polypyrrole as electrocatalyst toward oxygen reduction reaction. <i>Nanoscale Research Letters</i> , 2013, 8, 478.	5.7	48
276	A Strategy to Improve Cyclic Performance of LiNi _{0.5} Mn _{1.5} O ₄ in a Wide Voltage Region by Ti-Doping. <i>Journal of the Electrochemical Society</i> , 2013, 160, A3036-A3040.	2.9	48
277	The states of methanol within Nafion and sulfonated poly(phenylene ether ether sulfone) membranes. <i>Journal of Membrane Science</i> , 2013, 428, 212-217.	8.2	13
278	Improved electrochemical performance of Li[Li _{0.2} Mn _{0.54} Ni _{0.13} Co _{0.13}]O ₂ cathode material by fluorine incorporation. <i>Electrochimica Acta</i> , 2013, 105, 200-208.	5.2	137
279	An Approach to Probe Solid Electrolyte Interface on Si Anode by 31P MAS NMR. <i>ECS Electrochemistry Letters</i> , 2013, 2, A115-A117.	1.9	6
280	Structural Stability and Electronic and Magnetic Properties of Fluorinated Bilayer Graphene. <i>Journal of Physical Chemistry C</i> , 2013, 117, 3572-3579.	3.1	38
281	In Situ Electrochemical XAFS Studies on an Iron Fluoride High-Capacity Cathode Material for Rechargeable Lithium Batteries. <i>Journal of Physical Chemistry C</i> , 2013, 117, 11498-11505.	3.1	51
282	Understanding the High Capacity of Li ₂ FeSiO ₄ : In Situ XRD/XANES Study Combined with First-Principles Calculations. <i>Chemistry of Materials</i> , 2013, 25, 2014-2020.	6.7	82
283	Atomic Layer Deposition of SrTiO ₃ Films with Cyclopentadienyl-Based Precursors for Metal-Insulator-Metal Capacitors. <i>Chemistry of Materials</i> , 2013, 25, 953-961.	6.7	69
284	Novel Phosphamide Additive to Improve Thermal Stability of Solid Electrolyte Interphase on Graphite Anode in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 11494-11497.	8.0	42
285	First-Principles Investigations on the Na ₂ MnPO ₄ F as a Cathode Material for Na-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A927-A932.	2.9	34
286	Synthesis and characterization of fluorinated carbon nanotubes for lithium primary batteries with high power density. <i>Nanotechnology</i> , 2013, 24, 424003.	2.6	37
287	Tris(hexafluoro-iso-propyl)phosphate as an SEI-Forming Additive on Improving the Electrochemical Performance of the Li[Li _{0.2} Mn _{0.56} Ni _{0.16} Co _{0.08}]O ₂ Cathode Material. <i>Journal of the Electrochemical Society</i> , 2013, 160, A285-A292.	2.9	112
288	Non-Destructive Monitoring of Charge-Discharge Cycles on Lithium Ion Batteries using ⁷ Li Stray-Field Imaging. <i>Scientific Reports</i> , 2013, 3, 2596.	3.3	20

#	ARTICLE	IF	CITATIONS
289	Room Temperature Ionic Liquid as Electrolyte for Lithium-Ion Battery. ECS Transactions, 2013, 50, 57-68.	0.5	3
290	First-Principles Investigation on the Lithium Ion Insertion/Extraction in Trirutile Li_xFeF_3 . Electrochemistry, 2013, 81, 12-15.	1.4	8
291	Fluoroethylene Carbonate as an Electrolyte Additive for Improving the Performance of Mesocarbon Microbead Electrode. ECS Transactions, 2012, 41, 29-40.	0.5	32
292	Structural properties and energetics of $\text{Li}_2\text{FeSiO}_4$ polymorphs and their delithiated products from first-principles. Physical Chemistry Chemical Physics, 2012, 14, 7346.	2.8	47
293	Sulfoxidation on a SiO_2 -supported Ru complex using O_2 /aldehyde system. Dalton Transactions, 2012, 41, 4558.	3.3	8
294	Sol-gel synthesis of $\text{Li}_2\text{CoPO}_4/\text{C}$ nanocomposite as a high power cathode material for lithium ion batteries. Journal of Power Sources, 2012, 220, 122-129.	7.8	39
295	Solid-state STRAFI NMR probe for material imaging of quadrupolar nuclei. Journal of Magnetic Resonance, 2012, 225, 93-101.	2.1	14
296	Nanostructured $0.8\text{Li}_2\text{FeSiO}_4/0.4\text{Li}_2\text{SiO}_3/\text{C}$ composite cathode material with enhanced electrochemical performance for lithium-ion batteries. Journal of Materials Chemistry, 2012, 22, 12128.	6.7	64
297	Synthesis and characterization of in situ Fe_2O_3 -coated Fe_3 cathode materials for rechargeable lithium batteries. Journal of Materials Chemistry, 2012, 22, 24769.	6.7	40
298	Titanium phosphates as positive electrode in lithium-ion batteries: composition, phase purity and electrochemical performance. Journal of Solid State Electrochemistry, 2012, 16, 1461-1471.	2.5	11
299	The effects of N-methyl-N-butylpyrrolidinium bis(trifluoromethylsulfonyl)imide-based electrolyte on the electrochemical performance of high capacity cathode material $\text{Li}[\text{Li}_0.2\text{Mn}_0.54\text{Ni}_0.13\text{Co}_0.13]\text{O}_2$. Electrochimica Acta, 2012, 59, 14-22.	5.2	52
300	Synthesis of LiCoMnO_4 via a sol-gel method and its application in high power $\text{LiCoMnO}_4/\text{Li}_4\text{Ti}_5\text{O}_{12}$ lithium-ion batteries. Journal of Power Sources, 2012, 202, 352-356.	7.8	35
301	Preparation and Catalytic Performances of a Molecularly Imprinted Ru-Complex Catalyst with an NH_2 Binding Site on a SiO_2 Surface. Chemistry - A European Journal, 2012, 18, 1142-1153.	3.3	30
302	In situ XRD and solid state NMR characterization of $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ as cathode material for lithium-ion batteries. Scientia Sinica Chimica, 2012, 42, 38-46.	4.8	48
303	Recent progress in several cathode materials for Li-ion batteries. Chinese Science Bulletin, 2012, 57, 2570-2586.	0.7	3
304	Synthesis of micro-nano hierarchical structured LiFePO_4/C composite with both superior high-rate performance and high tap density. Nanoscale, 2011, 3, 4434.	5.6	58
305	Poly(2,5-dihydroxy-1,4-benzoquinonyl sulfide) (PDBS) as a cathode material for lithium ion batteries. Journal of Materials Chemistry, 2011, 21, 4125.	6.7	136
306	Highly regio- and stereoselective hydrothiolation of acetylenes with thiols catalyzed by a well-defined supported Rh complex. Chemical Communications, 2011, 47, 6557.	4.1	106

#	ARTICLE	IF	CITATIONS
307	Hydrothermal Synthesis of a Nanosized $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ Cathode Material for High Power Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2011, 158, A139.	2.9	36
308	A novel $\text{Li}_2\text{FeSiO}_4/\text{C}$ composite: Synthesis, characterization and high storage capacity. <i>Journal of Materials Chemistry</i> , 2011, 21, 9506.	6.7	150
309	Sol-gel synthesis and electrochemical properties of fluorophosphates $\text{Na}_2\text{Fe}_{1-x}\text{Mn}_x\text{PO}_4/\text{C}$ ($x = 0, 0.1$). <i>Journal of Materials Chemistry</i> , 2011, 21, 18630.	6.7	88
310	Recent advances in the research of polyanion-type cathode materials for Li-ion batteries. <i>Energy and Environmental Science</i> , 2011, 4, 3223.	30.8	463
311	Silicon nanowires coated with copper layer as anode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 6657-6662.	7.8	186
312	Highly Efficient Activation of Molecular Oxygen with Nanoporous Metalloporphyrin Frameworks in Heterogeneous Systems. <i>Advanced Materials</i> , 2011, 23, 3149-3154.	21.0	151
313	A comparison of preparation method on the electrochemical performance of cathode material $\text{Li}[\text{Li}_{0.2}\text{Mn}_{0.54}\text{Ni}_{0.13}\text{Co}_{0.13}]\text{O}_2$ for lithium ion battery. <i>Electrochimica Acta</i> , 2011, 56, 3071-3078.	5.2	289
314	CMPs as Scaffolds for Constructing Porous Catalytic Frameworks: A Built-in Heterogeneous Catalyst with High Activity and Selectivity Based on Nanoporous Metalloporphyrin Polymers. <i>Journal of the American Chemical Society</i> , 2010, 132, 9138-9143.	13.7	506
315	Synthesis and characterization of Nafion/cross-linked PVP semi-interpenetrating polymer network membrane for direct methanol fuel cell. <i>Journal of Membrane Science</i> , 2010, 354, 189-197.	8.2	58
316	Silicon nanowires with and without carbon coating as anode materials for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 1829-1834.	2.5	48
317	Electrochemical behavior of copper current collector in imidazolium-based ionic liquid electrolytes. <i>Journal of Applied Electrochemistry</i> , 2010, 40, 653-662.	2.9	19
318	The effects of quenching treatment and AlF_3 coating on $\text{LiNi}_{0.5}\text{Mn}_{0.5}\text{O}_2$ cathode materials for lithium-ion battery. <i>Materials Chemistry and Physics</i> , 2010, 119, 519-523.	4.0	43
319	Highly crystalline macroporous $\gamma\text{-MnO}_2$: Hydrothermal synthesis and application in lithium battery. <i>Electrochimica Acta</i> , 2010, 55, 4915-4920.	5.2	54
320	In-situ dilatometric study of Metal/Si multilayer film electrodes. <i>Thin Solid Films</i> , 2010, 519, 778-783.	1.8	23
321	Structural stability and electronic properties of LiNiN . <i>Solid State Communications</i> , 2010, 150, 669-674.	1.9	8
322	Spinel $\text{LiMn}_{2-x}\text{Ti}_x\text{O}_4$ ($x=0.5, 0.8$) with High Capacity and Enhanced Cycling Stability Synthesized by a Modified Sol-Gel Method. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, A19.	2.2	17
323	Structural and Electronic Properties of Li-Ion Battery Cathode Material FeF_3 . <i>Journal of Physical Chemistry C</i> , 2010, 114, 16813-16817.	3.1	59
324	Sodium-Ion-Assisted Hydrothermal Synthesis of $\beta\text{-MnO}_2$ and Its Electrochemical Performance. <i>Journal of the Electrochemical Society</i> , 2009, 156, A911.	2.9	14

#	ARTICLE	IF	CITATIONS
325	Preparation and electrochemical properties of Co ₃ O ₄ -coated layered manganese oxide by a novel coating method. <i>Journal of Solid State Electrochemistry</i> , 2009, 13, 697-703.	2.5	10
326	A novel inorganic/organic composite membrane tailored by various organic silane coupling agents for use in direct methanol fuel cells. <i>Journal of Power Sources</i> , 2009, 187, 332-340.	7.8	30
327	Hydrothermal synthesis of LiMn ₂ O ₄ /C composite as a cathode for rechargeable lithium-ion battery with excellent rate capability. <i>Electrochimica Acta</i> , 2009, 54, 5363-5367.	5.2	80
328	A comparison of electrochemical performance of natural graphite sulfurized by ball-milling and heat-treating as an anode for lithium ion batteries. <i>Electrochimica Acta</i> , 2009, 54, 6792-6796.	5.2	14
329	Effects of radio-frequency sputtering powers on the microstructures and electrochemical properties of LiCoO ₂ thin film electrodes. <i>Journal of Power Sources</i> , 2009, 189, 633-637.	7.8	33
330	Structural stabilities, electronic structures and lithium deintercalation in Li _x MSiO ₄ (M=Mn, Fe, Co.) <i>Tj ETQqO O O rgBT /Overlock 10 Tf 50</i>	8.0	106
331	Vinyl ethylene sulfite as a new additive in propylene carbonate-based electrolyte for lithium ion batteries. <i>Energy and Environmental Science</i> , 2009, 2, 1102.	30.8	109
332	Hydrothermal Synthesis of Nanosized LiMnO ₂ and Li ₂ MnO ₃ Compounds and Their Electrochemical Performances. <i>Journal of the Electrochemical Society</i> , 2009, 156, A162.	2.9	36
333	Effects of Na-substitution on structural and electronic properties of Li ₂ CoSiO ₄ cathode material. <i>Transactions of Nonferrous Metals Society of China</i> , 2009, 19, 182-186.	4.2	24
334	The study of Mg ₂ Si/carbon composites as anode materials for lithium ion batteries. <i>Journal of Power Sources</i> , 2008, 175, 547-552.	7.8	36
335	A comparison of solid electrolyte interphase (SEI) on the artificial graphite anode of the aged and cycled commercial lithium ion cells. <i>Electrochimica Acta</i> , 2008, 53, 3539-3546.	5.2	206
336	Ab initio study on the Li deintercalation in ternary lithium nitridocuprate Li _{2.5} Cu _{0.5} N. <i>Electrochimica Acta</i> , 2008, 53, 7915-7920.	5.2	4
337	Photoinduced Reversible Structural Transformation and Selective Oxidation Catalysis of Unsaturated Ruthenium Complexes Supported on SiO ₂ . <i>Angewandte Chemie - International Edition</i> , 2008, 47, 9252-9255.	13.8	24
338	Structural and electrochemical characterization of xLi _{1-3x} [Li _{1/3} Mn _{2/3}]O ₂ ·(1-x)Li _{1-3x} [Ni _{1/3} Mn _{1/3} Co _{1/3}]O ₂ (0 ≤ x ≤ 0.9) as cathode materials for lithium ion batteries. <i>Journal of Power Sources</i> , 2008, 184, 414-419.	7.8	121
339	Synthesis, characterization and electrochemical performance of mesoporous FePO ₄ as cathode material for rechargeable lithium batteries. <i>Electrochimica Acta</i> , 2008, 53, 2665-2673.	5.2	81
340	Investigation of the anodic behavior of Al current collector in room temperature ionic liquid electrolytes. <i>Electrochimica Acta</i> , 2008, 53, 4764-4772.	5.2	76
341	The effects of TiO ₂ coating on the electrochemical performance of Li _{0.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ cathode material for lithium-ion battery. <i>Solid State Ionics</i> , 2008, 179, 1794-1799.	2.7	231
342	Preparation and electrochemical performance of manganese oxide/carbon nanotubes composite as a cathode for rechargeable lithium battery with high power density. <i>Materials Letters</i> , 2008, 62, 3388-3390.	2.6	24

#	ARTICLE	IF	CITATIONS
343	Carbonate anions controlled morphological evolution of LiMnPO ₄ crystals. Chemical Communications, 2008, , 1118.	4.1	45
344	Electrochemical Characterization of Two Types of PEO-Based Polymer Electrolytes with Room-Temperature Ionic Liquids. Journal of the Electrochemical Society, 2008, 155, A569.	2.9	77
345	Hydrothermal Synthesis and Electrochemical Performance of Li _{1.59} H _{0.41} MnO ₃ as a Cathode Material for Lithium-Ion Battery. Electrochemical and Solid-State Letters, 2008, 11, A163.	2.2	11
346	Controllable synthesis of $\hat{1}\pm$ - and $\hat{1}^2<i>-</i>$ MnO ₂ : cationic effect on hydrothermal crystallization. Nanotechnology, 2008, 19, 225606.	2.6	99
347	Effects of Vinyl Ethylene Carbonate Additive on Elevated-Temperature Performance of Cathode Material in Lithium Ion Batteries. Journal of Physical Chemistry C, 2008, 112, 12550-12556.	3.1	56
348	Nanostructured Li ₂ FeSiO ₄ Electrode Material Synthesized through Hydrothermal-Assisted Sol-Gel Process. Electrochemical and Solid-State Letters, 2008, 11, A60.	2.2	164
349	The Effects of AlF ₃ Coating on the Performance of Li[Li _{0.2} Mn _{0.54} Ni _{0.13} Co _{0.13}]O ₂ Positive Electrode Material for Lithium-Ion Battery. Journal of the Electrochemical Society, 2008, 155, A775.	2.9	284
350	Atomic Layer Deposition of ZrO ₂ Thin Films with High Dielectric Constant on TiN Substrates. Electrochemical and Solid-State Letters, 2008, 11, G9.	2.2	65
351	The Catalyst-Assisted Synthesis of High Quality CdS Single-Crystal Nanowires Through an Epitaxy Mechanism. Journal of Nanoscience and Nanotechnology, 2007, 7, 3152-3156.	0.9	2
352	Synthesis and Storage Performance of the Doped LiMn ₂ O ₄ Spinel. Journal of the Electrochemical Society, 2007, 154, A656.	2.9	32
353	Studies on Storage Characteristics of LiNi _{0.4} Co _{0.2} Mn _{0.4} O ₂ as Cathode Materials in Lithium-Ion Batteries. Journal of the Electrochemical Society, 2007, 154, A427.	2.9	62
354	Preparation and Properties of Manganese Oxide/Carbon Composites by Reduction of Potassium Permanganate with Acetylene Black. Journal of the Electrochemical Society, 2007, 154, A26.	2.9	65
355	Structural and electronic properties of the Li-ion battery cathode material Li _x CoSiO ₄ . Current Applied Physics, 2007, 7, 611-616.	2.4	37
356	Spectroscopic and electrochemical characterization of the passive layer formed on lithium in gel polymer electrolytes containing propylene carbonate. Journal of Power Sources, 2007, 173, 531-537.	7.8	27
357	Anodic behavior of Al current collector in 1-alkyl-3-methylimidazolium bis[(trifluoromethyl)sulfonyl] amide ionic liquid electrolytes. Journal of Power Sources, 2007, 173, 510-517.	7.8	80
358	Recycle and recovery of rhodium complexes with water-soluble and amphiphilic phosphines in ionic liquids for hydroformylation of 1-hexene. Reaction Kinetics and Catalysis Letters, 2007, 90, 53-60.	0.6	8
359	Synthesis and electrochemical characterization of PEO-based polymer electrolytes with room temperature ionic liquids. Electrochimica Acta, 2007, 52, 5789-5794.	5.2	170
360	Reaction mechanism and kinetics of lithium ion battery cathode material LiNiO ₂ with CO ₂ . Journal of Power Sources, 2007, 173, 556-561.	7.8	106

#	ARTICLE	IF	CITATIONS
361	Synthesis and characterization of Li ₂ MnSiO ₄ /C nanocomposite cathode material for lithium ion batteries. <i>Journal of Power Sources</i> , 2007, 174, 528-532.	7.8	214
362	Synthesis and electrochemical performance of Li ₂ CoSiO ₄ as cathode material for lithium ion batteries. <i>Journal of Power Sources</i> , 2007, 174, 524-527.	7.8	101
363	Synthesis and Characterization of Li ₂ Mn _x Fe _{1-x} SiO ₄ as a Cathode Material for Lithium-Ion Batteries. <i>Electrochemical and Solid-State Letters</i> , 2006, 9, A542.	2.2	113
364	In situ photoelectrochemistry and Raman spectroscopic characterization on the surface oxide film of nickel electrode in 30wt.% KOH solution. <i>Electrochimica Acta</i> , 2006, 51, 4873-4879.	5.2	24
365	The effects of decomposition products of electrolytes on the thermal stability of bare and TiO ₂ -coated delithiated Li _{1-x} Ni _{0.8} Co _{0.2} O ₂ cathode materials. <i>Electrochimica Acta</i> , 2006, 52, 1442-1450.	5.2	15
366	Synthesis and characterization of mesoporous titanium pyrophosphate as lithium intercalation electrode materials. <i>Microporous and Mesoporous Materials</i> , 2006, 88, 232-237.	4.4	44
367	The studies on structural and thermal properties of delithiated Li _x Ni _{1/3} Co _{1/3} Mn _{1/3} O ₂ (0 < x ≤ 1) as a cathode material in lithium ion batteries. <i>Solid State Ionics</i> , 2006, 177, 1509-1516.	2.7	66
368	Investigation and improvement on the storage property of LiNi _{0.8} Co _{0.2} O ₂ as a cathode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2006, 162, 644-650.	7.8	197
369	Controllable Synthesis and Growth Model of Amorphous Silicon Nanotubes with Periodically Dome-Shaped Interiors. <i>Advanced Materials</i> , 2006, 18, 228-234.	21.0	33
370	The selective synthesis of single-crystalline CdS nanobelts and nanowires by thermal evaporation at lower temperature. <i>Nanotechnology</i> , 2006, 17, 1851-1857.	2.6	34
371	MCM-41 Supported Water-soluble TPPTS-Rh Complex in Ionic Liquids: A New Robust Catalyst for Olefin Hydroformylation. <i>Chemistry Letters</i> , 2005, 34, 220-221.	1.3	36
372	A study of novel anode material CoS ₂ for lithium ion battery. <i>Journal of Power Sources</i> , 2005, 146, 264-269.	7.8	153
373	Spectroscopic characterization of Au ³⁺ biosorption by waste biomass of <i>Saccharomyces cerevisiae</i> . <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2005, 61, 761-765.	3.9	186
374	Iron-catalytic growth of prism-shaped single-crystal silicon nanowires by chemical vapor deposition of silane. <i>Chemical Physics Letters</i> , 2005, 411, 198-202.	2.6	13
375	Mesoporous FePO ₄ with Enhanced Electrochemical Performance as Cathode Materials of Rechargeable Lithium Batteries. <i>Electrochemical and Solid-State Letters</i> , 2005, 8, A396.	2.2	43
376	Origin of Deterioration for LiNiO ₂ Cathode Material during Storage in Air. <i>Electrochemical and Solid-State Letters</i> , 2004, 7, A190.	2.2	257
377	Comparison of Electrochemical and Surface Properties of Bare and TiO ₂ -Coated LiNi _{0.8} Co _{0.2} O ₂ Electrodes. <i>Journal of the Electrochemical Society</i> , 2004, 151, A599.	2.9	31
378	Electrochemical Performance and Surface Properties of Bare and TiO ₂ -Coated Cathode Materials in Lithium-Ion Batteries. <i>Journal of Physical Chemistry B</i> , 2004, 108, 17546-17552.	2.6	78

#	ARTICLE	IF	CITATIONS
379	Immobilization of rhodium complexes ligated with triphenylphosphine analogs on amino-functionalized MCM-41 and MCM-48 for 1-hexene hydroformylation. <i>Journal of Molecular Catalysis A</i> , 2004, 219, 175-181.	4.8	50
380	Structural, electrochemical and thermal properties of $\text{LiNi}_{0.8}\text{Ti}_y\text{Co}_{0.2}\text{O}_2$ as cathode materials for lithium ion battery. <i>Electrochimica Acta</i> , 2004, 49, 1151-1159.	5.2	89
381	A comparative study of $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ cathode materials modified by lattice-doping and surface-coating. <i>Solid State Ionics</i> , 2004, 166, 317-325.	2.7	99
382	Electrochemical performance and spectroscopic characterization of TiO_2 -coated $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ cathode materials. <i>Journal of Power Sources</i> , 2004, 129, 101-106.	7.8	63
383	Effects of preparation methods of $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ cathode materials on their morphology and electrochemical performance. <i>Journal of Power Sources</i> , 2004, 136, 139-144.	7.8	64
384	Title is missing!. <i>Catalysis Letters</i> , 2003, 88, 219-225.	2.6	42
385	The effects of sintering temperature and time on the structure and electrochemical performance of $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ cathode materials derived from sol-gel method. <i>Journal of Solid State Electrochemistry</i> , 2003, 7, 456-462.	2.5	40
386	Formation energies of lithium intercalations in AlSb , GaSb and InSb . <i>PhysChemComm</i> , 2003, 6, 47.	0.8	1
387	Preparation of multi-walled carbon nanotube array electrodes and its electrochemical intercalation behavior of Li ions. <i>Chemical Physics Letters</i> , 2002, 358, 77-82.	2.6	38
388	The effects of surface treatment on metal hydride electrodes using a weak acid solution containing Ni(II). <i>Journal of Alloys and Compounds</i> , 2001, 316, 131-136.	5.5	13
389	Raman spectroscopic study on the surface oxide layer of AB5-type metal hydride electrodes. <i>Electrochimica Acta</i> , 2001, 46, 1767-1772.	5.2	15
390	Total Internal Reflection Sum-Frequency Spectroscopy: A Strategy for Studying Molecular Adsorption on Metal Surfaces. <i>Langmuir</i> , 2000, 16, 2343-2350.	3.5	51
391	Influence of surface pretreatment and charge/discharge mode on cycle performance of metal hydride electrodes. <i>Journal of Power Sources</i> , 1999, 79, 64-68.	7.8	12
392	Prospects for detecting metal-adsorbate vibrations by sum-frequency spectroscopy. <i>Catalysis Letters</i> , 1999, 61, 7-13.	2.6	17
393	Performance and characterization of metal hydride electrodes in nickel/metal hydride batteries. <i>Journal of Power Sources</i> , 1997, 65, 15-21.	7.8	9
394	Effects of surface oxide species on the electropolymerization of o-aminophenol on pretreated glassy carbon electrodes. <i>Synthetic Metals</i> , 1996, 78, 111-115.	3.9	20
395	Investigations of the pitting corrosion behavior of passive film on REBAR electrodes containing artificial pit in simulated cement solutions. <i>Applied Surface Science</i> , 1996, 103, 189-197.	6.1	8
396	In situ FTIR characterization of the electrooxidation of glassy carbon electrodes. <i>Journal of Applied Electrochemistry</i> , 1995, 25, 259.	2.9	50

#	ARTICLE	IF	CITATIONS
397	Scanned laser spot photocurrent response studies of surface modifications of CdSe thin film electrodes. <i>Applied Surface Science</i> , 1995, 90, 321-324.	6.1	0
398	In situ IR spectroscopic characterization of surface oxide species on glassy carbon electrodes. <i>Journal of Electroanalytical Chemistry</i> , 1994, 364, 23-30.	3.8	34
399	The photoelectrochemical behavior of polypyrrole films in non-aqueous solutions. <i>Synthetic Metals</i> , 1994, 64, 43-48.	3.9	18
400	Improved Capacity Retention for a Disordered Rocksalt Cathode via Solvate Ionic Liquid Electrolytes. <i>Batteries and Supercaps</i> , 0, , .	4.7	2