

Chawalit Lertbutsayanukul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6639321/publications.pdf>

Version: 2024-02-01

22
papers

235
citations

1040056
9
h-index

996975
15
g-index

22
all docs

22
docs citations

22
times ranked

403
citing authors

#	ARTICLE	IF	CITATIONS
1	Utility of diffusion-weighted magnetic resonance imaging in predicting the treatment response of nasopharyngeal carcinoma. <i>Neuroradiology Journal</i> , 2022, 35, 477-485.	1.2	3
2	Dosimetric evaluation of photons versus protons in postmastectomy planning for ultrahypofractionated breast radiotherapy. <i>Radiation Oncology</i> , 2022, 17, 20.	2.7	1
3	Tumor Prognostic Prediction of Nasopharyngeal Carcinoma Using CT-Based Radiomics in Non-Chinese Patients. <i>Frontiers in Oncology</i> , 2022, 12, 775248.	2.8	5
4	Comparison of intensity modulated proton therapy beam configurations for treating thoracic esophageal cancer. <i>Physics and Imaging in Radiation Oncology</i> , 2022, 22, 51-56.	2.9	2
5	Value of Diffusion-Weighted Imaging and Dynamic Contrast-Enhanced Magnetic Resonance Imaging for Prediction of Treatment Outcomes in Nasopharyngeal Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2022, Publish Ahead of Print, .	0.9	0
6	Long-term oncological outcomes of hypofractionated versus conventional fractionated whole breast irradiation with simultaneous integrated boost in early-stage breast cancer. <i>Radiation Oncology Journal</i> , 2022, 40, 141-150.	1.5	2
7	Value of dynamic contrast-enhanced magnetic resonance imaging for determining the plasma Epstein-Barr virus status and staging of nasopharyngeal carcinoma. <i>Clinical Imaging</i> , 2021, 72, 1-7.	1.5	5
8	Flattening filter free stereotactic body radiation therapy for lung tumors: outcomes and predictive factors. <i>Translational Cancer Research</i> , 2021, 10, 571-580.	1.0	2
9	Cranial neuropathies in advanced nasopharyngeal carcinoma: Neurological recovery after modern radiotherapy and systemic chemotherapy. <i>Radiotherapy and Oncology</i> , 2021, 163, 221-228.	0.6	3
10	Long-term patient-rated cosmetic and satisfactory outcomes of early breast cancer treated with conventional versus hypofractionated breast irradiation with simultaneous integrated boost technique. <i>Breast Journal</i> , 2020, 26, 1946-1952.	1.0	7
11	Comparison between the seventh and eighth edition of the AJCC/UICC staging system for nasopharyngeal cancer integrated with pretreatment plasma Epstein-Barr virus DNA level in a non-Chinese population: secondary analysis from a prospective randomized trial. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 1100-1113.	1.3	10
12	Validation of the Scored Patient-Generated Subjective Global Assessment (PG-SGA) in Thai Setting and Association with Nutritional Parameters in Cancer Patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 1249-1255.	1.2	25
13	A randomized phase III study between sequential versus simultaneous integrated boost intensity-modulated radiation therapy in nasopharyngeal carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 375-385.	2.0	30
14	Optimal plasma pretreatment EBV DNA cut-off point for nasopharyngeal cancer patients treated with intensity modulated radiation therapy. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 467-475.	1.3	15
15	Prognostic value of plasma EBV DNA for nasopharyngeal cancer patients during treatment with intensity-modulated radiation therapy and concurrent chemotherapy. <i>Radiology and Oncology</i> , 2018, 52, 195-203.	1.7	14
16	Validation of previously reported predictors for radiation-induced hypothyroidism in nasopharyngeal cancer patients treated with intensity-modulated radiation therapy, a post hoc analysis from a Phase III randomized trial. <i>Journal of Radiation Research</i> , 2018, 59, 446-455.	1.6	26
17	Prevalence and significance of plasma Epstein-Barr Virus DNA level in nasopharyngeal carcinoma. <i>Journal of Radiation Research</i> , 2017, 58, 509-516.	1.6	28
18	High dose radiation with chemotherapy followed by salvage esophagectomy among patients with locally advanced esophageal squamous cell carcinoma. <i>Thoracic Cancer</i> , 2017, 8, 219-228.	1.9	11

#	ARTICLE	IF	CITATIONS
19	Efficacy of intensity-modulated radiotherapy with concurrent carboplatin in nasopharyngeal carcinoma. Radiology and Oncology, 2015, 49, 155-162.	1.7	15
20	A randomized phase II/III study of adverse events between sequential (SEQ) versus simultaneous integrated boost (SIB) intensity modulated radiation therapy (IMRT) in nasopharyngeal carcinoma; preliminary result on acute adverse events. Radiation Oncology, 2015, 10, 166.	2.7	26
21	A two-year experience of implementing 3 dimensional radiation therapy and intensity-modulated radiation therapy for 925 patients in King Chulalongkorn Memorial Hospital. Journal of the Medical Association of Thailand = Chotmaiher Thangphaet, 2008, 91, 215-24.	0.1	1
22	Intensity-modulated radiation therapy in head-and-neck cancer, first report in Thailand. Journal of the Medical Association of Thailand = Chotmaiher Thangphaet, 2006, 89, 2068-76.	0.1	4