

Chawalit Lertbutsayanukul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6639321/publications.pdf>

Version: 2024-02-01

22
papers

235
citations

1039406

9
h-index

996533

15
g-index

22
all docs

22
docs citations

22
times ranked

403
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Utility of diffusion-weighted magnetic resonance imaging in predicting the treatment response of nasopharyngeal carcinoma. <i>Neuroradiology Journal</i> , 2022, 35, 477-485. | 0.6 | 3 |
| 2 | Dosimetric evaluation of photons versus protons in postmastectomy planning for ultrahypofractionated breast radiotherapy. <i>Radiation Oncology</i> , 2022, 17, 20. | 1.2 | 1 |
| 3 | Tumor Prognostic Prediction of Nasopharyngeal Carcinoma Using CT-Based Radiomics in Non-Chinese Patients. <i>Frontiers in Oncology</i> , 2022, 12, 775248. | 1.3 | 5 |
| 4 | Comparison of intensity modulated proton therapy beam configurations for treating thoracic esophageal cancer. <i>Physics and Imaging in Radiation Oncology</i> , 2022, 22, 51-56. | 1.2 | 2 |
| 5 | Value of Diffusion-Weighted Imaging and Dynamic Contrast-Enhanced Magnetic Resonance Imaging for Prediction of Treatment Outcomes in Nasopharyngeal Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2022, Publish Ahead of Print, . | 0.5 | 0 |
| 6 | Long-term oncological outcomes of hypofractionated versus conventional fractionated whole breast irradiation with simultaneous integrated boost in early-stage breast cancer. <i>Radiation Oncology Journal</i> , 2022, 40, 141-150. | 0.7 | 2 |
| 7 | Value of dynamic contrast-enhanced magnetic resonance imaging for determining the plasma Epstein-Barr virus status and staging of nasopharyngeal carcinoma. <i>Clinical Imaging</i> , 2021, 72, 1-7. | 0.8 | 5 |
| 8 | Flattening filter free stereotactic body radiation therapy for lung tumors: outcomes and predictive factors. <i>Translational Cancer Research</i> , 2021, 10, 571-580. | 0.4 | 2 |
| 9 | Cranial neuropathies in advanced nasopharyngeal carcinoma: Neurological recovery after modern radiotherapy and systemic chemotherapy. <i>Radiotherapy and Oncology</i> , 2021, 163, 221-228. | 0.3 | 3 |
| 10 | Long-term patient-rated cosmetic and satisfactory outcomes of early breast cancer treated with conventional versus hypofractionated breast irradiation with simultaneous integrated boost technique. <i>Breast Journal</i> , 2020, 26, 1946-1952. | 0.4 | 7 |
| 11 | Comparison between the seventh and eighth edition of the AJCC/UICC staging system for nasopharyngeal cancer integrated with pretreatment plasma Epstein-Barr virus DNA level in a non-Chinese population: secondary analysis from a prospective randomized trial. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 1100-1113. | 0.6 | 10 |
| 12 | Validation of the Scored Patient-Generated Subjective Global Assessment (PG-SGA) in Thai Setting and Association with Nutritional Parameters in Cancer Patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 1249-1255. | 0.5 | 25 |
| 13 | A randomized phase III study between sequential versus simultaneous integrated boost intensity-modulated radiation therapy in nasopharyngeal carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 375-385. | 1.0 | 30 |
| 14 | Optimal plasma pretreatment EBV DNA cut-off point for nasopharyngeal cancer patients treated with intensity modulated radiation therapy. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 467-475. | 0.6 | 15 |
| 15 | Prognostic value of plasma EBV DNA for nasopharyngeal cancer patients during treatment with intensity-modulated radiation therapy and concurrent chemotherapy. <i>Radiology and Oncology</i> , 2018, 52, 195-203. | 0.6 | 14 |
| 16 | Validation of previously reported predictors for radiation-induced hypothyroidism in nasopharyngeal cancer patients treated with intensity-modulated radiation therapy, a post hoc analysis from a Phase III randomized trial. <i>Journal of Radiation Research</i> , 2018, 59, 446-455. | 0.8 | 26 |
| 17 | Prevalence and significance of plasma Epstein-Barr Virus DNA level in nasopharyngeal carcinoma. <i>Journal of Radiation Research</i> , 2017, 58, 509-516. | 0.8 | 28 |
| 18 | High dose radiation with chemotherapy followed by salvage esophagectomy among patients with locally advanced esophageal squamous cell carcinoma. <i>Thoracic Cancer</i> , 2017, 8, 219-228. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Efficacy of intensity-modulated radiotherapy with concurrent carboplatin in nasopharyngeal carcinoma. <i>Radiology and Oncology</i> , 2015, 49, 155-162. | 0.6 | 15 |
| 20 | A randomized phase II/III study of adverse events between sequential (SEQ) versus simultaneous integrated boost (SIB) intensity modulated radiation therapy (IMRT) in nasopharyngeal carcinoma; preliminary result on acute adverse events. <i>Radiation Oncology</i> , 2015, 10, 166. | 1.2 | 26 |
| 21 | A two-year experience of implementing 3 dimensional radiation therapy and intensity-modulated radiation therapy for 925 patients in King Chulalongkorn Memorial Hospital. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2008, 91, 215-24. | 0.4 | 1 |
| 22 | Intensity-modulated radiation therapy in head-and-neck cancer, first report in Thailand. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2006, 89, 2068-76. | 0.4 | 4 |