Marcin Wojnar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/66470/publications.pdf

Version: 2024-02-01

135 papers 3,358 citations

33 h-index 51 g-index

147 all docs

147 docs citations

147 times ranked

4805 citing authors

#	Article	IF	Citations
1	Sleep problems and suicidality in the National Comorbidity Survey Replication. Journal of Psychiatric Research, 2009, 43, 526-531.	3.1	151
2	Evaluating Explicit and Implicit Stigma of Mental Illness in Mental Health Professionals and Medical Students. Community Mental Health Journal, 2015, 51, 628-634.	2.0	150
3	Vitamin D and the central nervous system. Pharmacological Reports, 2013, 65, 271-278.	3. 3	143
4	Alcohol Use Disorders in Primary Health Care: What Do We Know and Where Do We Go?. Alcohol and Alcoholism, 2016, 51, 422-427.	1.6	124
5	Association Between Val66Met Brainâ€Derived Neurotrophic Factor (BDNF) Gene Polymorphism and Postâ€Treatment Relapse in Alcohol Dependence. Alcoholism: Clinical and Experimental Research, 2009, 33, 693-702.	2.4	111
6	Impulsive and non-impulsive suicide attempts in patients treated for alcohol dependence. Journal of Affective Disorders, 2009, 115, 131-139.	4.1	94
7	Alcohol dependence and treatment utilization in Europe $\hat{a}\in$ a representative cross-sectional study in primary care. BMC Family Practice, 2015, 16, 90.	2.9	93
8	General Practitioners Recognizing Alcohol Dependence: A Large Cross-Sectional Study in 6 European Countries. Annals of Family Medicine, 2015, 13, 28-32.	1.9	80
9	Cognitive functions in abstinent alcohol-dependent patients. Alcohol, 2012, 46, 665-671.	1.7	76
10	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. Addiction, 2016, 111, 1935-1945.	3.3	73
11	Prescription Sleeping Pills, Insomnia, and Suicidality in the National Comorbidity Survey Replication. Journal of Clinical Psychiatry, 2011, 72, 515-521.	2.2	73
12	The association between impulsivity, emotion regulation, and symptoms of alcohol use disorder. Journal of Substance Abuse Treatment, 2018, 91, 49-56.	2.8	67
13	Managing Alcohol Problems in General Practice in Europe: Results from the European ODHIN Survey of General Practitioners. Alcohol and Alcoholism, 2014, 49, 531-539.	1.6	61
14	Prevalence and Correlates of Insomnia in a Polish Sample of Alcoholâ€Dependent Patients. Alcoholism: Clinical and Experimental Research, 2012, 36, 1600-1607.	2.4	60
15	PER3 Polymorphism and Insomnia Severity in Alcohol Dependence. Sleep, 2012, 35, 571-577.	1.1	60
16	Inverse association of the obesity predisposing <i>FTO</i> rs9939609 genotype with alcohol consumption and risk for alcohol dependence. Addiction, 2011, 106, 739-748.	3.3	59
17	Reductions in physical pain predict lower risk of relapse following alcohol treatment. Drug and Alcohol Dependence, 2016, 158, 167-171.	3.2	59
18	The gut microbiota in neuropsychiatric disorders. Acta Neurobiologiae Experimentalis, 2018, 78, 69-81.	0.7	55

#	Article	IF	CITATIONS
19	The CC genotype in HTR2A T102C polymorphism is associated with behavioral impulsivity in alcohol-dependent patients. Journal of Psychiatric Research, 2012, 46, 44-49.	3.1	50
20	Age-dependent symptomatology of depression in hospitalized patients and its implications for DSM-5. Journal of Affective Disorders, 2013, 150, 142-145.	4.1	47
21	TNF inhibitors – Mechanisms of action, approved and off-label indications. Pharmacological Reports, 2014, 66, 836-844.	3.3	47
22	People with Alcohol Use Disorders in Specialized Care in Eight Different European Countries. Alcohol and Alcoholism, 2015, 50, 310-318.	1.6	45
23	Alcohol and Pain: A Translational Review of Preclinical and Clinical Findings to Inform Future Treatment Strategies. Alcoholism: Clinical and Experimental Research, 2020, 44, 368-383.	2.4	45
24	Is (poly-) substance use associated with impaired inhibitory control? A mega-analysis controlling for confounders. Neuroscience and Biobehavioral Reviews, 2019, 105, 288-304.	6.1	42
25	Impulsive suicide attempts predict post-treatment relapse in alcohol-dependent patients. Drug and Alcohol Dependence, 2008, 97, 268-275.	3.2	41
26	Assessing and Treating Alcohol Relapse Risk in Liver Transplantation Candidates. Alcohol and Alcoholism, 2015, 50, 164-172.	1.6	40
27	Who receives treatment for alcohol use disorders in the European Union? A cross-sectional representative study in primary and specialized health care. European Psychiatry, 2015, 30, 885-893.	0.2	40
28	Assessment of the Role of Kindling in the Pathogenesis of Alcohol Withdrawal Seizures and Delirium Tremens. Alcoholism: Clinical and Experimental Research, 1999, 23, 204-206.	2.4	38
29	The Role of Somatic Disorders and Physical Injury in the Development and Course of Alcohol Withdrawal Delirium. Alcoholism: Clinical and Experimental Research, 1999, 23, 209-213.	2.4	36
30	Relationship Between Emotional Processing, Drinking Severity and Relapse in Adults Treated for Alcohol Dependence in Poland. Alcohol and Alcoholism, 2015, 50, 173-179.	1.6	36
31	Association of polymorphisms in HTR2A, HTR1A and TPH2 genes with suicide attempts in alcohol dependence: A preliminary report. Psychiatry Research, 2011, 190, 149-151.	3.3	35
32	Correlates of Intimate Partner Violence Among Men and Women in an Inner City Emergency Department. Journal of Addictive Diseases, 2009, 28, 366-381.	1.3	34
33	History of sexual abuse and suicide attempts in alcohol-dependent patients. Child Abuse and Neglect, 2014, 38, 1560-1568.	2.6	34
34	Prevalence of Past Year Assault Among Inner-City Emergency Department Patients. Annals of Emergency Medicine, 2009, 53, 814-823.e15.	0.6	33
35	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. Alcohol and Alcoholism, 2015, 50, 430-437.	1.6	32
36	Relationships of impulsiveness and depressive symptoms in alcohol dependence. Journal of Affective Disorders, 2012, 136, 841-847.	4.1	31

#	Article	IF	CITATIONS
37	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. Annals of Family Medicine, 2017, 15, 335-340.	1.9	31
38	Insomnia in Pregnancy Is Associated With Depressive Symptoms and Eating at Night. Journal of Clinical Sleep Medicine, 2017, 13, 1171-1176.	2.6	31
39	Psychosocial Predictors of Impulsivity in Alcohol-Dependent Patients. Journal of Nervous and Mental Disease, 2013, 201, 43-47.	1.0	30
40	The gut microbiota in neuropsychiatric disorders. Acta Neurobiologiae Experimentalis, 2018, 78, 69-81.	0.7	30
41	AGE-RELATED DIFFERENCES IN THE COURSE OF ALCOHOL WITHDRAWAL IN HOSPITALIZED PATIENTS. Alcohol and Alcoholism, 2001, 36, 577-583.	1.6	28
42	Suicide Attempts During Heavy Drinking Episodes Among Individuals Entering Alcohol Treatment in Warsaw, Poland. Alcohol and Alcoholism, 2012, 47, 571-576.	1.6	28
43	Association between <i>FKBP5</i> Functional Polymorphisms and Completed Suicide. Neuropsychobiology, 2015, 72, 126-131.	1.9	26
44	Attitudes and Learning through Practice Are Key to Delivering Brief Interventions for Heavy Drinking in Primary Health Care: Analyses from the ODHIN Five Country Cluster Randomized Factorial Trial. International Journal of Environmental Research and Public Health, 2017, 14, 121.	2.6	25
45	Clinical and Genetic Risk Factors for Suicide under the Influence of Alcohol in a Polish Sample. Alcohol and Alcoholism, 2009, 44, 437-442.	1.6	24
46	Alcohol use disorders in Europe: A comparison of general population and primary health care prevalence rates. Journal of Substance Use, 2016, 21, 478-484.	0.7	24
47	Towards new recommendations to reduce the burden of alcohol-induced hypertension in the European Union. BMC Medicine, 2017, 15, 173.	5.5	24
48	The association between insomnia and suicidal thoughts in adults treated for alcohol dependence in Poland. Drug and Alcohol Dependence, 2012, 122, 160-163.	3.2	23
49	Impulsivity, risky behaviors and accidents in alcohol-dependent patients. Accident Analysis and Prevention, 2013, 51, 150-155.	5.7	23
50	The association between partner and non-partner aggression and suicidal ideation in patients seeking substance use disorder treatment. Addictive Behaviors, 2009, 34, 180-186.	3.0	21
51	Serotonin 2A receptor gene (HTR2A) polymorphism in alcohol-dependent patients. Pharmacological Reports, 2012, 64, 449-453.	3.3	20
52	Association between Tryptophan Hydroxylase 2 Gene Polymorphism and Completed Suicide. Suicide and Life-Threatening Behavior, 2010, 40, 553-560.	1.9	19
53	The CC genotype in the T102C HTR2A polymorphism predicts relapse in individuals after alcohol treatment. Journal of Psychiatric Research, 2013, 47, 527-533.	3.1	18
54	Possible Association between Suicide Committed under Influence of Ethanol and a Variant in the AUTS2 Gene. PLoS ONE, 2013, 8, e57199.	2.5	18

#	Article	IF	CITATIONS
55	Prevalence of alcohol use disorder among individuals who binge eat: a systematic review and metaâ \in analysis. Addiction, 2021, 116, 18-31.	3.3	18
56	Angiotensin-Converting Enzyme Polymorphism and Completed Suicide: An Association in Caucasians and Evidence for a Link with a Method of Self-Injury. Neuropsychobiology, 2009, 59, 151-158.	1.9	17
57	Physical Pain in Alcohol-Dependent Patients Entering Treatment in Polandâ€"Prevalence and Correlates. Journal of Studies on Alcohol and Drugs, 2015, 76, 607-614.	1.0	17
58	Association Between Interoception and Emotion Regulation in Individuals With Alcohol Use Disorder. Frontiers in Psychiatry, 2020, 10, 1028.	2.6	17
59	Sleep and body mass index in depressed children and healthy controls. Sleep Medicine, 2010, 11, 295-301.	1.6	16
60	Interpersonal and intrapersonal emotional processes in individuals treated for alcohol use disorder and non-addicted healthy individuals. Addictive Behaviors, 2018, 79, 8-13.	3.0	16
61	Nonspecific eating disorders - a subjective review. Psychiatria Polska, 2016, 50, 497-507.	0.5	16
62	COMT and BDNF Gene Variants Help to Predict Alcohol Consumption in Alcohol-dependent Patients. Journal of Addiction Medicine, 2017, 11, 114-118.	2.6	15
63	Ionized magnesium in plasma and erythrocytes for the assessment of low magnesium status in alcohol dependent patients. Drug and Alcohol Dependence, 2017, 178, 271-276.	3.2	15
64	COVID-19 Pandemic Influence on Healthcare Professionals. Journal of Clinical Medicine, 2021, 10, 1280.	2.4	15
65	Differences in the Course of Alcohol Withdrawal in Women and Men: A Polish Sample. Alcoholism: Clinical and Experimental Research, 1997, 21, 1351-1355.	2.4	14
66	Somatic Comorbidity and Other Factors Related to Suicide Attempt Among Polish Methadone Maintenance Patients. Journal of Addiction Medicine, 2015, 9, 433-439.	2.6	14
67	Theory of Mind Among Young Adult Children From Alcoholic Families. Journal of Studies on Alcohol and Drugs, 2014, 75, 889-894.	1.0	13
68	Insomnia and depressive symptoms in relation to unhealthy eating behaviors in bariatric surgery candidates. BMC Psychiatry, 2018, 18, 153.	2.6	13
69	Gray Matter Volume Differences in Impulse Control and Addictive Disorders—An Evidence From a Sample of Heterosexual Males. Journal of Sexual Medicine, 2020, 17, 1761-1769.	0.6	13
70	Paraphilic Sexual Offenders Do Not Differ from Control Subjects with Respect to Dopamine- and Serotonin-Related Genetic Polymorphisms. Journal of Sexual Medicine, 2017, 14, 125-133.	0.6	12
71	Assessment and prevalence of depression in women 45?55 years of age visiting gynecological clinics in Poland. Archives of Women's Mental Health, 2003, 6, 193-201.	2.6	11
72	Manganese-Induced Parkinsonism Among Ephedrone Users and Drug Policy in Poland. Journal of Addiction Medicine, 2013, 7, 302-303.	2.6	11

#	Article	IF	CITATIONS
73	Adaptation and Validation of the Polish Version of the 10-Item Mobile Phone Problematic Use Scale. Frontiers in Psychiatry, 2020, 11, 427.	2.6	11
74	Spiritual Awakening Predicts Improved Drinking Outcomes in a Polish Treatment Sample. Journal of Addictions Nursing, 2013, 24, 209-216.	0.4	10
75	The synergistic effect between interoceptive accuracy and alcohol use disorder status on pain sensitivity. Addictive Behaviors, 2021, 112, 106607.	3.0	10
76	Impulsivity in sexual offenders. New ideas or back to basics?. Psychiatria Polska, 2013, 47, 727-740.	0.5	10
77	Analysis of Four Genes Involved in the Neurodevelopment Shows Association of rs4307059 Polymorphism in the Cadherin 9/10 Region with Completed Suicide. Neuropsychobiology, 2012, 66, 134-140.	1.9	9
78	No association between MTHFR C677T polymorphism and completed suicide. Gene, 2012, 511, 118-121.	2.2	9
79	Psychometric properties of the polish version of the Alcohol Use Disorders Identification Test (AUDIT). Drug and Alcohol Dependence, 2021, 218, 108427.	3.2	9
80	Narcolepsy type 1 and hypersomnia associated with a psychiatric disorder show different slow wave activity dynamics. Acta Neurobiologiae Experimentalis, 2017, 77, 147-156.	0.7	9
81	Association between Fok I vitamin D receptor gene (VDR) polymorphism and impulsivity in alcohol-dependent patients. Molecular Biology Reports, 2014, 41, 7223-7228.	2.3	8
82	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. Implementation Science, 2015, 11, 96.	6.9	8
83	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. European Journal of General Practice, 2017, 23, 241-245.	2.0	8
84	Effect of Disturbances of Zinc and Copper on the Physical and Mental Health Status of Patients with Alcohol Dependence. Biological Trace Element Research, 2018, 183, 9-15.	3.5	8
85	Pain Sensitivity, Negative Affect, and Alcohol Use Disorder Status: A Moderated Mediation Study of Emotion Dysregulation. Journal of Clinical Medicine, 2021, 10, 1321.	2.4	8
86	Behavioral and Self-reported Data Collected From Smartphones for the Assessment of Depressive and Manic Symptoms in Patients With Bipolar Disorder: Prospective Observational Study. Journal of Medical Internet Research, 2022, 24, e28647.	4.3	8
87	Brief Interventions for Hazardous and Harmful Alcohol Consumption in Accident and Emergency Departments. Frontiers in Psychiatry, 2014, 5, 152.	2.6	7
88	EUDOR-A multi-centre research program: A naturalistic, European Multi-centre Clinical study of EDOR Test in adult patients with primary depression. BMC Psychiatry, 2017, 17, 108.	2.6	7
89	Physical pain and impulsivity in alcohol-dependent patients. Addiction Research and Theory, 2016, 24, 458-465.	1.9	6
90	An association between genetic variation in the glutamatergic system and suicide attempts in alcohol-dependent individuals. American Journal on Addictions, 2017, 26, 595-601.	1.4	6

#	Article	IF	Citations
91	Relationships between components of emotional intelligence and physical pain in alcohol-dependent patients. Journal of Pain Research, 2017, Volume 10, 1611-1618.	2.0	6
92	Oxytocin Genotype Moderates the Impact of Social Support on Psychiatric Distress in Alcohol-Dependent Patients. Alcohol and Alcoholism, 2018, 53, 57-63.	1.6	6
93	The role of childhood adversities, FKBP5, BDNF, NRN1, and generalized self-efficacy in suicide attempts in alcohol-dependent patients. Pharmacological Reports, 2020, 72, 730-743.	3.3	6
94	Delta resting-state functional connectivity in the cognitive control network as a prognostic factor for maintaining abstinence: An eLORETA preliminary study. Drug and Alcohol Dependence, 2021, 218, 108393.	3.2	6
95	Electroconvulsive Therapy and Age: Effectiveness, Safety and Tolerability in the Treatment of Major Depression among Patients under and over 65 Years of Age. Pharmaceuticals, 2021, 14, 582.	3.8	6
96	Impulsivity Scale-12 and its utilization in alcohol use disorder. Drug and Alcohol Dependence, 2021, 225, 108809.	3.2	6
97	Inverse Association between Obesity Predisposing FTO Genotype and Completed Suicide. PLoS ONE, 2014, 9, e108900.	2.5	6
98	EEG source activity during processing of neutral stimuli in subjects with anxiety disorders. Acta Neurobiologiae Experimentalis, 2016, 76, 75-85.	0.7	6
99	Recommendations for the treatment of schizophrenia with negative symptoms. Standards of pharmacotherapy by the Polish Psychiatric Association (Polskie Towarzystwo Psychiatryczne), part 2. Psychiatria Polska, 2019, 53, 525-540.	0.5	6
100	Recommendations for the treatment of schizophrenia with negative symptoms. Standards of pharmacotherapy by the Polish Psychiatric Association (Polskie Towarzystwo Psychiatryczne), part 1. Psychiatria Polska, 2019, 53, 497-524.	0.5	6
101	Can Dog-Assisted Intervention Decrease Anxiety Level and Autonomic Agitation in Patients with Anxiety Disorders?. Journal of Clinical Medicine, 2021, 10, 5171.	2.4	6
102	Violent Behavior and Driving under the Influence of Alcohol: Prevalence and Association with Impulsivity among Individuals in Treatment for Alcohol Dependence in Poland. European Addiction Research, 2014, 20, 151-158.	2.4	5
103	Differences between Groups of Family Physicians with Different Attitudes towards At-Risk Drinkers: A Post Hoc Study of the ODHIN Survey in Portugal. International Journal of Family Medicine, 2016, 2016, 1-8.	1.2	5
104	Impulsivity and vitamin D in bariatric surgery candidates. Pharmacological Reports, 2018, 70, 688-693.	3.3	5
105	Improving screening and brief intervention activities in primary health care: Secondary analysis of professional accuracy based on the ⟨scp⟩AUDIT ⟨ scp⟩. Journal of Evaluation in Clinical Practice, 2018, 24, 369-374.	1.8	5
106	Childhood trauma, alexithymia, and mental states recognition among individuals with alcohol use disorder and healthy controls. Drug and Alcohol Dependence, 2020, 217, 108301.	3.2	5
107	Psychometric Properties of the Polish version of the Drug-Use Disorders Identification Test. European Addiction Research, 2020, 26, 131-140.	2.4	5
108	Standard units for cannabis dose: Why is it important to standardize cannabis dose for drug policy and how can we enhance its place on the public health agenda?. International Journal of Drug Policy, 2021, 97, 103350.	3.3	5

#	Article	IF	CITATIONS
109	Can Doctors Be Divided Into Groups Based on Their Attitudes to Addressing Alcohol Issues in Their Patients? Analyses From a Survey of Portuguese General Practitioners. Substance Use and Misuse, 2017, 52, 233-239.	1.4	4
110	Relationships Between Components of Emotional Intelligence and Suicidal Behavior in Alcohol-dependent Patients. Journal of Addiction Medicine, 2018, 12, 24-30.	2.6	4
111	Supporting Future Cannabis Policy – Developing a Standard Joint Unit: A Brief Back-Casting Exercise. Frontiers in Psychiatry, 2021, 12, 675033.	2.6	4
112	The role of adverse childhood experiences in risky behaviors, health care utilization, and generalized self-efficacy in the general adult Polish population. Archives of Medical Science, 2020, , .	0.9	4
113	Emotion regulation in binge eating disorder. Psychiatria Polska, 2021, 55, 1-16.	0.5	4
114	DISC1as a Possible Genetic Contribution to Opioid Dependence in a Polish Sample. Journal of Studies on Alcohol and Drugs, 2016, 77, 220-226.	1.0	3
115	Abnormal behavioral and neural responses in the right dorsolateral prefrontal cortex during emotional interference for cognitive control in pedophilic sex offenders. Journal of Psychiatric Research, 2022, 151, 131-135.	3.1	3
116	Physical Pain and History of Suicidal Behaviors in Alcohol-Dependent Patients Entering Treatment in Poland. Substance Use and Misuse, 2016, 51, 1307-1317.	1.4	2
117	Relationship Between Alcohol-related Family Adversity, Alcohol Use Across Adolescence, and Mental States Recognition in Young Adulthood. Journal of Addiction Medicine, 2020, 14, e247-e256.	2.6	2
118	Does Parental Alcohol Use Influence Children's Age at First Alcohol Intake? A Retrospective Study of Patients with Alcohol Dependence. Healthcare (Switzerland), 2021, 9, 841.	2.0	2
119	The Association among Health Behaviors, Shift Work and Chronic Morbidity: A Cross-Sectional Study on Nurses Working in Full-Time Positions. Journal of Public Health Research, 2022, 11, jphr.2021.2099.	1.2	2
120	Role of selenium in pathophysiology of alcohol depenence - indications for supplementation. Journal of Elementology, 2014, , .	0.2	2
121	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression. Frontiers in Psychiatry, 2021, 12, 765128.	2.6	2
122	Rozpoznawanie uzaleÅ ¼ nienia od alkoholu przez lekarzy podstawowej opieki zdrowotnej: polskie wyniki europejskiego projektu badawczego Alcoholism in Primary Care. Alkoholizm I Narkomania, 2015, 28, 163-171.	0.1	1
123	Stosunek lekarzy rodzinnych do interwencji związanych z używaniem alkoholu – polskie wyniki międzynarodowego projektu badawczego ODHIN. Alkoholizm I Narkomania, 2015, 28, 91-102.	0.1	1
124	Depression and depressive symptoms as risk factors of labour deactivation and early or disability retirement in economically active adults in different age groups. Postepy Psychiatrii I Neurologii, 2018, 27, 59-63.	0.2	1
125	Relationship between insomnia and tobacco smoking in alcohol-dependent patients. Alkoholizm I Narkomania, 2019, 32, 25-34.	0.1	1
126	Designers Drugs—A New Challenge to Emergency Departments—An Observational Study in Poland. Medicina (Lithuania), 2020, 56, 354.	2.0	1

#	Article	IF	CITATIONS
127	The Role of Alcohol Dependence and Depressive Disorder in Childhood Adversities and Reproductive History Traits in Inpatient Women: a Mediation Analyses. International Journal of Mental Health and Addiction, 2022, 20, 3086-3112.	7.4	1
128	Czynniki ryzyka podejmowania pr \tilde{A}^3 b samob \tilde{A}^3 jczych u os \tilde{A}^3 b leczonych stacjonarnie z powodu uzale \mathring{A}^1 /4nienia od alkoholu w Polsce. Alkoholizm I Narkomania, 2015, 28, 213-220.	0.1	0
129	Relationship between insomnia and tobacco smoking in alcohol-dependent patients. European Psychiatry, 2017, 41, S398-S398.	0.2	0
130	S05-3INTERPERSONAL AND INTRAPERSONAL EMOTIONAL PROCESSES IN TREATED ALCOHOL-DEPENDENT PATIENTS AND NON-ADDICTED HEALTHY INDIVIDUALS. Alcohol and Alcoholism, 2017, 52, i4-i30.	1.6	0
131	Familiarity with children improves the ability to recognize children's mental states: an fMRI study using the Reading the Mind in the Eyes Task and the Nencki Children Eyes Test. Scientific Reports, 2020, 10, 12964.	3.3	0
132	Psychiatric History and Overactive Bladder Symptom Severity in Ambulatory Urogynecological Patients. Journal of Clinical Medicine, 2021, 10, 3988.	2.4	0
133	The Pathogenesis of Dual Disorders: Neurobiological Perspectives. , 2015, , 61-71.		0
134	Pain in methadone maintenance therapy. Alkoholizm I Narkomania, 2019, 32, 87-100.	0.1	0
135	The Role of Somatic Disorders and Physical Injury in the Development and Course of Alcohol Withdrawal Delirium. Alcoholism: Clinical and Experimental Research, 1999, 23, 209.	2.4	0