

Marcin Wojnar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/66470/publications.pdf>

Version: 2024-02-01

135
papers

3,358
citations

126907

33
h-index

182427

51
g-index

147
all docs

147
docs citations

147
times ranked

4805
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Alcohol Dependence and Depressive Disorder in Childhood Adversities and Reproductive History Traits in Inpatient Women: a Mediation Analyses. <i>International Journal of Mental Health and Addiction</i> , 2022, 20, 3086-3112.	7.4	1
2	The Association among Health Behaviors, Shift Work and Chronic Morbidity: A Cross-Sectional Study on Nurses Working in Full-Time Positions. <i>Journal of Public Health Research</i> , 2022, 11, jphr.2021.2099.	1.2	2
3	Behavioral and Self-reported Data Collected From Smartphones for the Assessment of Depressive and Manic Symptoms in Patients With Bipolar Disorder: Prospective Observational Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e28647.	4.3	8
4	Abnormal behavioral and neural responses in the right dorsolateral prefrontal cortex during emotional interference for cognitive control in pedophilic sex offenders. <i>Journal of Psychiatric Research</i> , 2022, 151, 131-135.	3.1	3
5	Prevalence of alcohol use disorder among individuals who binge eat: a systematic review and meta-analysis. <i>Addiction</i> , 2021, 116, 18-31.	3.3	18
6	The synergistic effect between interoceptive accuracy and alcohol use disorder status on pain sensitivity. <i>Addictive Behaviors</i> , 2021, 112, 106607.	3.0	10
7	Psychometric properties of the polish version of the Alcohol Use Disorders Identification Test (AUDIT). <i>Drug and Alcohol Dependence</i> , 2021, 218, 108427.	3.2	9
8	Delta resting-state functional connectivity in the cognitive control network as a prognostic factor for maintaining abstinence: An eLORETA preliminary study. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108393.	3.2	6
9	Pain Sensitivity, Negative Affect, and Alcohol Use Disorder Status: A Moderated Mediation Study of Emotion Dysregulation. <i>Journal of Clinical Medicine</i> , 2021, 10, 1321.	2.4	8
10	COVID-19 Pandemic Influence on Healthcare Professionals. <i>Journal of Clinical Medicine</i> , 2021, 10, 1280.	2.4	15
11	Supporting Future Cannabis Policy – Developing a Standard Joint Unit: A Brief Back-Casting Exercise. <i>Frontiers in Psychiatry</i> , 2021, 12, 675033.	2.6	4
12	Electroconvulsive Therapy and Age: Effectiveness, Safety and Tolerability in the Treatment of Major Depression among Patients under and over 65 Years of Age. <i>Pharmaceuticals</i> , 2021, 14, 582.	3.8	6
13	Does Parental Alcohol Use Influence Children's Age at First Alcohol Intake? A Retrospective Study of Patients with Alcohol Dependence. <i>Healthcare (Switzerland)</i> , 2021, 9, 841.	2.0	2
14	Impulsivity Scale-12 and its utilization in alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2021, 225, 108809.	3.2	6
15	Psychiatric History and Overactive Bladder Symptom Severity in Ambulatory Urogynecological Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 3988.	2.4	0
16	Standard units for cannabis dose: Why is it important to standardize cannabis dose for drug policy and how can we enhance its place on the public health agenda?. <i>International Journal of Drug Policy</i> , 2021, 97, 103350.	3.3	5
17	Can Dog-Assisted Intervention Decrease Anxiety Level and Autonomic Agitation in Patients with Anxiety Disorders?. <i>Journal of Clinical Medicine</i> , 2021, 10, 5171.	2.4	6
18	Emotion regulation in binge eating disorder. <i>Psychiatria Polska</i> , 2021, 55, 1-16.	0.5	4

#	ARTICLE	IF	CITATIONS
19	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression. <i>Frontiers in Psychiatry</i> , 2021, 12, 765128.	2.6	2
20	Alcohol and Pain: A Translational Review of Preclinical and Clinical Findings to Inform Future Treatment Strategies. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 368-383.	2.4	45
21	Gray Matter Volume Differences in Impulse Control and Addictive Disorders—An Evidence From a Sample of Heterosexual Males. <i>Journal of Sexual Medicine</i> , 2020, 17, 1761-1769.	0.6	13
22	Designers Drugs—A New Challenge to Emergency Departments—An Observational Study in Poland. <i>Medicina (Lithuania)</i> , 2020, 56, 354.	2.0	1
23	Familiarity with children improves the ability to recognize children's mental states: an fMRI study using the Reading the Mind in the Eyes Task and the Nencki Children Eyes Test. <i>Scientific Reports</i> , 2020, 10, 12964.	3.3	0
24	Relationship Between Alcohol-related Family Adversity, Alcohol Use Across Adolescence, and Mental States Recognition in Young Adulthood. <i>Journal of Addiction Medicine</i> , 2020, 14, e247-e256.	2.6	2
25	Childhood trauma, alexithymia, and mental states recognition among individuals with alcohol use disorder and healthy controls. <i>Drug and Alcohol Dependence</i> , 2020, 217, 108301.	3.2	5
26	Psychometric Properties of the Polish version of the Drug-Use Disorders Identification Test. <i>European Addiction Research</i> , 2020, 26, 131-140.	2.4	5
27	Adaptation and Validation of the Polish Version of the 10-Item Mobile Phone Problematic Use Scale. <i>Frontiers in Psychiatry</i> , 2020, 11, 427.	2.6	11
28	The role of childhood adversities, FKBP5, BDNF, NRN1, and generalized self-efficacy in suicide attempts in alcohol-dependent patients. <i>Pharmacological Reports</i> , 2020, 72, 730-743.	3.3	6
29	Association Between Interoception and Emotion Regulation in Individuals With Alcohol Use Disorder. <i>Frontiers in Psychiatry</i> , 2020, 10, 1028.	2.6	17
30	The role of adverse childhood experiences in risky behaviors, health care utilization, and generalized self-efficacy in the general adult Polish population. <i>Archives of Medical Science</i> , 2020, , .	0.9	4
31	Is (poly-) substance use associated with impaired inhibitory control? A mega-analysis controlling for confounders. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 105, 288-304.	6.1	42
32	Relationship between insomnia and tobacco smoking in alcohol-dependent patients. <i>Alkoholizm I Narkomania</i> , 2019, 32, 25-34.	0.1	1
33	Pain in methadone maintenance therapy. <i>Alkoholizm I Narkomania</i> , 2019, 32, 87-100.	0.1	0
34	Recommendations for the treatment of schizophrenia with negative symptoms. Standards of pharmacotherapy by the Polish Psychiatric Association (Polskie Towarzystwo Psychiatryczne), part 2. <i>Psychiatria Polska</i> , 2019, 53, 525-540.	0.5	6
35	Recommendations for the treatment of schizophrenia with negative symptoms. Standards of pharmacotherapy by the Polish Psychiatric Association (Polskie Towarzystwo Psychiatryczne), part 1. <i>Psychiatria Polska</i> , 2019, 53, 497-524.	0.5	6
36	Oxytocin Genotype Moderates the Impact of Social Support on Psychiatric Distress in Alcohol-Dependent Patients. <i>Alcohol and Alcoholism</i> , 2018, 53, 57-63.	1.6	6

#	ARTICLE	IF	CITATIONS
37	Impulsivity and vitamin D in bariatric surgery candidates. <i>Pharmacological Reports</i> , 2018, 70, 688-693.	3.3	5
38	Relationships Between Components of Emotional Intelligence and Suicidal Behavior in Alcohol-dependent Patients. <i>Journal of Addiction Medicine</i> , 2018, 12, 24-30.	2.6	4
39	Interpersonal and intrapersonal emotional processes in individuals treated for alcohol use disorder and non-addicted healthy individuals. <i>Addictive Behaviors</i> , 2018, 79, 8-13.	3.0	16
40	Improving screening and brief intervention activities in primary health care: Secondary analysis of professional accuracy based on the <scp>AUDITâ€€</scp>. <i>Journal of Evaluation in Clinical Practice</i> , 2018, 24, 369-374.	1.8	5
41	Effect of Disturbances of Zinc and Copper on the Physical and Mental Health Status of Patients with Alcohol Dependence. <i>Biological Trace Element Research</i> , 2018, 183, 9-15.	3.5	8
42	Depression and depressive symptoms as risk factors of labour deactivation and early or disability retirement in economically active adults in different age groups. <i>Postepy Psychiatrii i Neurologii</i> , 2018, 27, 59-63.	0.2	1
43	The association between impulsivity, emotion regulation, and symptoms of alcohol use disorder. <i>Journal of Substance Abuse Treatment</i> , 2018, 91, 49-56.	2.8	67
44	Insomnia and depressive symptoms in relation to unhealthy eating behaviors in bariatric surgery candidates. <i>BMC Psychiatry</i> , 2018, 18, 153.	2.6	13
45	The gut microbiota in neuropsychiatric disorders. <i>Acta Neurobiologiae Experimentalis</i> , 2018, 78, 69-81.	0.7	55
46	The gut microbiota in neuropsychiatric disorders. <i>Acta Neurobiologiae Experimentalis</i> , 2018, 78, 69-81.	0.7	30
47	EUDOR-A multi-centre research program: A naturalistic, European Multi-centre Clinical study of EDOR Test in adult patients with primary depression. <i>BMC Psychiatry</i> , 2017, 17, 108.	2.6	7
48	An association between genetic variation in the glutamatergic system and suicide attempts in alcohol-dependent individuals. <i>American Journal on Addictions</i> , 2017, 26, 595-601.	1.4	6
49	COMT and BDNF Gene Variants Help to Predict Alcohol Consumption in Alcohol-dependent Patients. <i>Journal of Addiction Medicine</i> , 2017, 11, 114-118.	2.6	15
50	Paraphilic Sexual Offenders Do Not Differ from Control Subjects with Respect to Dopamine- and Serotonin-Related Genetic Polymorphisms. <i>Journal of Sexual Medicine</i> , 2017, 14, 125-133.	0.6	12
51	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. <i>Annals of Family Medicine</i> , 2017, 15, 335-340.	1.9	31
52	Relationship between insomnia and tobacco smoking in alcohol-dependent patients. <i>European Psychiatry</i> , 2017, 41, S398-S398.	0.2	0
53	Ionized magnesium in plasma and erythrocytes for the assessment of low magnesium status in alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 2017, 178, 271-276.	3.2	15
54	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. <i>European Journal of General Practice</i> , 2017, 23, 241-245.	2.0	8

#	ARTICLE	IF	CITATIONS
55	Can Doctors Be Divided Into Groups Based on Their Attitudes to Addressing Alcohol Issues in Their Patients? Analyses From a Survey of Portuguese General Practitioners. <i>Substance Use and Misuse</i> , 2017, 52, 233-239.	1.4	4
56	S05-3INTERPERSONAL AND INTRAPERSONAL EMOTIONAL PROCESSES IN TREATED ALCOHOL-DEPENDENT PATIENTS AND NON-ADDICTED HEALTHY INDIVIDUALS. <i>Alcohol and Alcoholism</i> , 2017, 52, i4-i30.	1.6	0
57	Insomnia in Pregnancy Is Associated With Depressive Symptoms and Eating at Night. <i>Journal of Clinical Sleep Medicine</i> , 2017, 13, 1171-1176.	2.6	31
58	Relationships between components of emotional intelligence and physical pain in alcohol-dependent patients. <i>Journal of Pain Research</i> , 2017, Volume 10, 1611-1618.	2.0	6
59	Attitudes and Learning through Practice Are Key to Delivering Brief Interventions for Heavy Drinking in Primary Health Care: Analyses from the ODHIN Five Country Cluster Randomized Factorial Trial. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 121.	2.6	25
60	Towards new recommendations to reduce the burden of alcohol-induced hypertension in the European Union. <i>BMC Medicine</i> , 2017, 15, 173.	5.5	24
61	Narcolepsy type 1 and hypersomnia associated with a psychiatric disorder show different slow wave activity dynamics. <i>Acta Neurobiologiae Experimentalis</i> , 2017, 77, 147-156.	0.7	9
62	Differences between Groups of Family Physicians with Different Attitudes towards At-Risk Drinkers: A Post Hoc Study of the ODHIN Survey in Portugal. <i>International Journal of Family Medicine</i> , 2016, 2016, 1-8.	1.2	5
63	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. <i>Addiction</i> , 2016, 111, 1935-1945.	3.3	73
64	DISC1 as a Possible Genetic Contribution to Opioid Dependence in a Polish Sample. <i>Journal of Studies on Alcohol and Drugs</i> , 2016, 77, 220-226.	1.0	3
65	Physical pain and impulsivity in alcohol-dependent patients. <i>Addiction Research and Theory</i> , 2016, 24, 458-465.	1.9	6
66	Physical Pain and History of Suicidal Behaviors in Alcohol-Dependent Patients Entering Treatment in Poland. <i>Substance Use and Misuse</i> , 2016, 51, 1307-1317.	1.4	2
67	Alcohol use disorders in Europe: A comparison of general population and primary health care prevalence rates. <i>Journal of Substance Use</i> , 2016, 21, 478-484.	0.7	24
68	Reductions in physical pain predict lower risk of relapse following alcohol treatment. <i>Drug and Alcohol Dependence</i> , 2016, 158, 167-171.	3.2	59
69	Alcohol Use Disorders in Primary Health Care: What Do We Know and Where Do We Go?. <i>Alcohol and Alcoholism</i> , 2016, 51, 422-427.	1.6	124
70	Nonspecific eating disorders - a subjective review. <i>Psychiatria Polska</i> , 2016, 50, 497-507.	0.5	16
71	EEG source activity during processing of neutral stimuli in subjects with anxiety disorders. <i>Acta Neurobiologiae Experimentalis</i> , 2016, 76, 75-85.	0.7	6
72	Czynniki ryzyka podejmowania prób samobójczych u osób leczonych stacjonarnie z powodu uzależnienia od alkoholu w Polsce. <i>Alkoholizm i Narkomania</i> , 2015, 28, 213-220.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Rozpoznawanie uzależnienia od alkoholu przez lekarzy podstawowej opieki zdrowotnej: polskie wyniki europejskiego projektu badawczego Alcoholism in Primary Care. <i>Alkoholizm i Narkomania</i> , 2015, 28, 163-171.	0.1	1
74	Association between FKBP5 Functional Polymorphisms and Completed Suicide. <i>Neuropsychobiology</i> , 2015, 72, 126-131.	1.9	26
75	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. <i>Implementation Science</i> , 2015, 11, 96.	6.9	8
76	Physical Pain in Alcohol-Dependent Patients Entering Treatment in Poland: Prevalence and Correlates. <i>Journal of Studies on Alcohol and Drugs</i> , 2015, 76, 607-614.	1.0	17
77	Somatic Comorbidity and Other Factors Related to Suicide Attempt Among Polish Methadone Maintenance Patients. <i>Journal of Addiction Medicine</i> , 2015, 9, 433-439.	2.6	14
78	People with Alcohol Use Disorders in Specialized Care in Eight Different European Countries. <i>Alcohol and Alcoholism</i> , 2015, 50, 310-318.	1.6	45
79	General Practitioners Recognizing Alcohol Dependence: A Large Cross-Sectional Study in 6 European Countries. <i>Annals of Family Medicine</i> , 2015, 13, 28-32.	1.9	80
80	Assessing and Treating Alcohol Relapse Risk in Liver Transplantation Candidates. <i>Alcohol and Alcoholism</i> , 2015, 50, 164-172.	1.6	40
81	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. <i>Alcohol and Alcoholism</i> , 2015, 50, 430-437.	1.6	32
82	Relationship Between Emotional Processing, Drinking Severity and Relapse in Adults Treated for Alcohol Dependence in Poland. <i>Alcohol and Alcoholism</i> , 2015, 50, 173-179.	1.6	36
83	Evaluating Explicit and Implicit Stigma of Mental Illness in Mental Health Professionals and Medical Students. <i>Community Mental Health Journal</i> , 2015, 51, 628-634.	2.0	150
84	Alcohol dependence and treatment utilization in Europe – a representative cross-sectional study in primary care. <i>BMC Family Practice</i> , 2015, 16, 90.	2.9	93
85	Who receives treatment for alcohol use disorders in the European Union? A cross-sectional representative study in primary and specialized health care. <i>European Psychiatry</i> , 2015, 30, 885-893.	0.2	40
86	Stosunek lekarzy rodzinnych do interwencji związanych z używaniem alkoholu – polskie wyniki międzynarodowego projektu badawczego ODHIN. <i>Alkoholizm i Narkomania</i> , 2015, 28, 91-102.	0.1	1
87	The Pathogenesis of Dual Disorders: Neurobiological Perspectives. , 2015, , 61-71.		0
88	Association between Fok I vitamin D receptor gene (VDR) polymorphism and impulsivity in alcohol-dependent patients. <i>Molecular Biology Reports</i> , 2014, 41, 7223-7228.	2.3	8
89	Brief Interventions for Hazardous and Harmful Alcohol Consumption in Accident and Emergency Departments. <i>Frontiers in Psychiatry</i> , 2014, 5, 152.	2.6	7
90	Managing Alcohol Problems in General Practice in Europe: Results from the European ODHIN Survey of General Practitioners. <i>Alcohol and Alcoholism</i> , 2014, 49, 531-539.	1.6	61

#	ARTICLE	IF	CITATIONS
91	Violent Behavior and Driving under the Influence of Alcohol: Prevalence and Association with Impulsivity among Individuals in Treatment for Alcohol Dependence in Poland. <i>European Addiction Research</i> , 2014, 20, 151-158.	2.4	5
92	History of sexual abuse and suicide attempts in alcohol-dependent patients. <i>Child Abuse and Neglect</i> , 2014, 38, 1560-1568.	2.6	34
93	TNF inhibitors – Mechanisms of action, approved and off-label indications. <i>Pharmacological Reports</i> , 2014, 66, 836-844.	3.3	47
94	Theory of Mind Among Young Adult Children From Alcoholic Families. <i>Journal of Studies on Alcohol and Drugs</i> , 2014, 75, 889-894.	1.0	13
95	Inverse Association between Obesity Predisposing FTO Genotype and Completed Suicide. <i>PLoS ONE</i> , 2014, 9, e108900.	2.5	6
96	Role of selenium in pathophysiology of alcohol dependence - indications for supplementation. <i>Journal of Elementology</i> , 2014, , .	0.2	2
97	The CC genotype in the T102C HTR2A polymorphism predicts relapse in individuals after alcohol treatment. <i>Journal of Psychiatric Research</i> , 2013, 47, 527-533.	3.1	18
98	Impulsivity, risky behaviors and accidents in alcohol-dependent patients. <i>Accident Analysis and Prevention</i> , 2013, 51, 150-155.	5.7	23
99	Vitamin D and the central nervous system. <i>Pharmacological Reports</i> , 2013, 65, 271-278.	3.3	143
100	Age-dependent symptomatology of depression in hospitalized patients and its implications for DSM-5. <i>Journal of Affective Disorders</i> , 2013, 150, 142-145.	4.1	47
101	Manganese-Induced Parkinsonism Among Ephedrone Users and Drug Policy in Poland. <i>Journal of Addiction Medicine</i> , 2013, 7, 302-303.	2.6	11
102	Spiritual Awakening Predicts Improved Drinking Outcomes in a Polish Treatment Sample. <i>Journal of Addictions Nursing</i> , 2013, 24, 209-216.	0.4	10
103	Psychosocial Predictors of Impulsivity in Alcohol-Dependent Patients. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 43-47.	1.0	30
104	Possible Association between Suicide Committed under Influence of Ethanol and a Variant in the AUTS2 Gene. <i>PLoS ONE</i> , 2013, 8, e57199.	2.5	18
105	Impulsivity in sexual offenders. New ideas or back to basics?. <i>Psychiatria Polska</i> , 2013, 47, 727-740.	0.5	10
106	Analysis of Four Genes Involved in the Neurodevelopment Shows Association of rs4307059 Polymorphism in the Cadherin 9/10 Region with Completed Suicide. <i>Neuropsychobiology</i> , 2012, 66, 134-140.	1.9	9
107	Suicide Attempts During Heavy Drinking Episodes Among Individuals Entering Alcohol Treatment in Warsaw, Poland. <i>Alcohol and Alcoholism</i> , 2012, 47, 571-576.	1.6	28
108	Prevalence and Correlates of Insomnia in a Polish Sample of Alcohol-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1600-1607.	2.4	60

#	ARTICLE	IF	CITATIONS
109	Serotonin 2A receptor gene (HTR2A) polymorphism in alcohol-dependent patients. <i>Pharmacological Reports</i> , 2012, 64, 449-453.	3.3	20
110	The association between insomnia and suicidal thoughts in adults treated for alcohol dependence in Poland. <i>Drug and Alcohol Dependence</i> , 2012, 122, 160-163.	3.2	23
111	Cognitive functions in abstinent alcohol-dependent patients. <i>Alcohol</i> , 2012, 46, 665-671.	1.7	76
112	No association between MTHFR C677T polymorphism and completed suicide. <i>Gene</i> , 2012, 511, 118-121.	2.2	9
113	PER3 Polymorphism and Insomnia Severity in Alcohol Dependence. <i>Sleep</i> , 2012, 35, 571-577.	1.1	60
114	Relationships of impulsiveness and depressive symptoms in alcohol dependence. <i>Journal of Affective Disorders</i> , 2012, 136, 841-847.	4.1	31
115	The CC genotype in HTR2A T102C polymorphism is associated with behavioral impulsivity in alcohol-dependent patients. <i>Journal of Psychiatric Research</i> , 2012, 46, 44-49.	3.1	50
116	Association of polymorphisms in HTR2A, HTR1A and TPH2 genes with suicide attempts in alcohol dependence: A preliminary report. <i>Psychiatry Research</i> , 2011, 190, 149-151.	3.3	35
117	Inverse association of the obesity predisposing <i>FTO</i> rs9939609 genotype with alcohol consumption and risk for alcohol dependence. <i>Addiction</i> , 2011, 106, 739-748.	3.3	59
118	Prescription Sleeping Pills, Insomnia, and Suicidality in the National Comorbidity Survey Replication. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 515-521.	2.2	73
119	Association between Tryptophan Hydroxylase 2 Gene Polymorphism and Completed Suicide. <i>Suicide and Life-Threatening Behavior</i> , 2010, 40, 553-560.	1.9	19
120	Sleep and body mass index in depressed children and healthy controls. <i>Sleep Medicine</i> , 2010, 11, 295-301.	1.6	16
121	Correlates of Intimate Partner Violence Among Men and Women in an Inner City Emergency Department. <i>Journal of Addictive Diseases</i> , 2009, 28, 366-381.	1.3	34
122	Angiotensin-Converting Enzyme Polymorphism and Completed Suicide: An Association in Caucasians and Evidence for a Link with a Method of Self-Injury. <i>Neuropsychobiology</i> , 2009, 59, 151-158.	1.9	17
123	Clinical and Genetic Risk Factors for Suicide under the Influence of Alcohol in a Polish Sample. <i>Alcohol and Alcoholism</i> , 2009, 44, 437-442.	1.6	24
124	Sleep problems and suicidality in the National Comorbidity Survey Replication. <i>Journal of Psychiatric Research</i> , 2009, 43, 526-531.	3.1	151
125	Impulsive and non-impulsive suicide attempts in patients treated for alcohol dependence. <i>Journal of Affective Disorders</i> , 2009, 115, 131-139.	4.1	94
126	Association Between Val66Met Brain-Derived Neurotrophic Factor (BDNF) Gene Polymorphism and Post-Treatment Relapse in Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 693-702.	2.4	111

#	ARTICLE	IF	CITATIONS
127	Prevalence of Past Year Assault Among Inner-City Emergency Department Patients. <i>Annals of Emergency Medicine</i> , 2009, 53, 814-823.e15.	0.6	33
128	The association between partner and non-partner aggression and suicidal ideation in patients seeking substance use disorder treatment. <i>Addictive Behaviors</i> , 2009, 34, 180-186.	3.0	21
129	Impulsive suicide attempts predict post-treatment relapse in alcohol-dependent patients. <i>Drug and Alcohol Dependence</i> , 2008, 97, 268-275.	3.2	41
130	Assessment and prevalence of depression in women 45-55 years of age visiting gynecological clinics in Poland. <i>Archives of Women's Mental Health</i> , 2003, 6, 193-201.	2.6	11
131	AGE-RELATED DIFFERENCES IN THE COURSE OF ALCOHOL WITHDRAWAL IN HOSPITALIZED PATIENTS. <i>Alcohol and Alcoholism</i> , 2001, 36, 577-583.	1.6	28
132	Assessment of the Role of Kindling in the Pathogenesis of Alcohol Withdrawal Seizures and Delirium Tremens. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 204-206.	2.4	38
133	The Role of Somatic Disorders and Physical Injury in the Development and Course of Alcohol Withdrawal Delirium. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 209-213.	2.4	36
134	The Role of Somatic Disorders and Physical Injury in the Development and Course of Alcohol Withdrawal Delirium. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 209.	2.4	0
135	Differences in the Course of Alcohol Withdrawal in Women and Men: A Polish Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 1351-1355.	2.4	14