## Terence W O'neill

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6652578/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical and biomechanical factors associated with falls and rheumatoid arthritis: baseline cohort with longitudinal nested case–control study. Rheumatology, 2022, 61, 679-687.	1.9	3
2	Increased Frailty in Individuals With Osteoarthritis and Rheumatoid Arthritis and the Influence of Comorbidity: An Analysis of the UK Biobank Cohort. Arthritis Care and Research, 2022, 74, 1989-1996.	3.4	18
3	Intra-articular therapies: patient preferences and professional practices in European countries. Rheumatology International, 2022, 42, 869-878.	3.0	6
4	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study. Alzheimer's and Dementia, 2022, 18, 1907-1918.	0.8	19
5	Does wearing arthritis gloves help with hand pain and function? A qualitative study into patients' views and experiences. Rheumatology Advances in Practice, 2022, 6, rkac007.	0.7	3
6	Associations of Serum Testosterone and Sex Hormone–Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men. Annals of Internal Medicine, 2022, 175, 159-170.	3.9	23
7	Erectile dysfunction predicts mortality in middle-aged and older men independent of their sex steroid status. Age and Ageing, 2022, 51, .	1.6	11
8	The impact of frailty on short-term mortality following primary total hip and knee arthroplasty due to osteoarthritis. Age and Ageing, 2022, 51, .	1.6	10
9	Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study Physiology and Behavior, 2022, 252, 113825.	2.1	2
10	Physical therapy of patients undergoing first-time lumbar discectomy: a survey of current UK practice. BMC Musculoskeletal Disorders, 2022, 23, .	1.9	0
11	Association of age, hormonal, and lifestyle factors with the Leydig cell biomarker INSL3 in aging men from the European Male Aging Study cohort. Andrology, 2022, 10, 1328-1338.	3.5	9
12	Developing a model Fracture Liaison Service consultation with patients, carers and clinicians: a Delphi survey to inform content of the iFraP complex consultation intervention. Archives of Osteoporosis, 2021, 16, 58.	2.4	7
13	O27 Frailty and co-morbidity in people with osteoarthritis and rheumatoid arthritis. Rheumatology, 2021, 60, .	1.9	1
14	Self-Reported Shorter Than Desired Ejaculation Latency and Related Distress—Prevalence and Clinical Correlates: Results From the European Male Ageing Study. Journal of Sexual Medicine, 2021, 18, 908-919.	0.6	5
15	P093â€ $f$ Sleep characteristics and frailty in men: the influence of testosterone. Rheumatology, 2021, 60, .	1.9	0
16	P094 Incidence of clinically diagnosed Paget's disease of bone: evidence of a continuing decline. Rheumatology, 2021, 60, .	1.9	0
17	Incidence of Paget's disease of bone in the UK: evidence of a continuing decline. Rheumatology, 2021, 60, 5668-5676.	1.9	6
18	EULAR recommendations for intra-articular therapies. Annals of the Rheumatic Diseases, 2021, 80, 1299-1305.	0.9	42

#	Article	IF	CITATIONS
19	Efficacy and safety of intra-articular therapies in rheumatic and musculoskeletal diseases: an overview of systematic reviews. RMD Open, 2021, 7, e001658.	3.8	15
20	MRIâ€Assessed Subchondral Cysts and Incident Knee Pain and Knee Osteoarthritis: data from the Multicentre Osteoarthritis Study. Arthritis and Rheumatology, 2021, , .	5.6	5
21	Improving uptake of Fracture Prevention drug treatments: a protocol for Development of a consultation intervention (iFraP-D). BMJ Open, 2021, 11, e048811.	1.9	6
22	Assessment of bone marrow oedema-like lesions using MRI in patellofemoral knee osteoarthritis: comparison of different MRI pulse sequences. British Journal of Radiology, 2021, 94, 20201367.	2.2	2
23	Inflammatory markers are associated with quality of life, physical activity, and gait speed but not sarcopenia in aged men (40–79Âyears). Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 1818-1831.	7.3	21
24	The effect of cemented acetabular component geometry on the risk of revision for instability or loosening. Bone and Joint Journal, 2021, 103-B, 1669-1677.	4.4	1
25	The effect of uncemented acetabular liner geometry and lip size on the risk of revision for instability or loosening. Bone and Joint Journal, 2021, 103-B, 1774-1782.	4.4	5
26	Do Clinical Correlates of Knee Osteoarthritis Predict Outcome of Intraarticular Steroid Injections?. Journal of Rheumatology, 2020, 47, 431-440.	2.0	10
27	Effect of Timing and Duration of Statin Exposure on Risk of Hip or Knee Revision Arthroplasty: A Population-based Cohort Study. Journal of Rheumatology, 2020, 47, 441-448.	2.0	12
28	Is the use of antibiotic-loaded bone cement associated with a lower risk of revision after primary total hip arthroplasty?. Bone and Joint Journal, 2020, 102-B, 997-1002.	4.4	22
29	Androgens In Men Study (AIMS): protocol for meta-analyses of individual participant data investigating associations of androgens with health outcomes in men. BMJ Open, 2020, 10, e034777.	1.9	4
30	Engagement and Participant Experiences With Consumer Smartwatches for Health Research: Longitudinal, Observational Feasibility Study. JMIR MHealth and UHealth, 2020, 8, e14368.	3.7	43
31	Statins, bone biology and revision arthroplasty: review of clinical and experimental evidence. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2096622.	2.7	2
32	Clinical Guidelines on Paget's Disease of Bone. Journal of Bone and Mineral Research, 2019, 34, 2327-2329.	2.8	43
33	Diagnosis and Management of Paget's Disease of Bone in Adults: A Clinical Guideline. Journal of Bone and Mineral Research, 2019, 34, 579-604.	2.8	102
34	Measurement of synovial tissue volume in knee osteoarthritis using a semiautomated MRIâ€based quantitative approach. Magnetic Resonance in Medicine, 2019, 81, 3056-3064.	3.0	16
35	Collecting Symptoms and Sensor Data With Consumer Smartwatches (the Knee OsteoArthritis, Linking) Tj ETQq1 Protocols, 2019, 8, e10238.	1 0.7843 1.0	14 rgBT /Ov 18
36	Reproductive Hormone Levels Predict Changes in Frailty Status in Community-Dwelling Older Men: European Male Ageing Study Prospective Data. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 701-709.	3.6	28

#	Article	IF	CITATIONS
37	The Cost-Effectiveness of Screening in the Community to Reduce Osteoporotic Fractures in Older Women in the UK: Economic Evaluation of the SCOOP Study. Journal of Bone and Mineral Research, 2018, 33, 845-851.	2.8	58
38	Management of Patients With High Baseline Hip Fracture Risk by FRAX Reduces Hip Fractures—A Post Hoc Analysis of the SCOOP Study. Journal of Bone and Mineral Research, 2018, 33, 1020-1026.	2.8	45
39	Psychosocial factors partially mediate the relationship between mechanical hyperalgesia and self-reported pain. Scandinavian Journal of Pain, 2018, 18, 59-69.	1.3	18
40	Elevated luteinizing hormone despite normal testosterone levels in older men—natural history, risk factors and clinical features. Clinical Endocrinology, 2018, 88, 479-490.	2.4	26
41	Update on the epidemiology, risk factors and disease outcomes of osteoarthritis. Best Practice and Research in Clinical Rheumatology, 2018, 32, 312-326.	3.3	259
42	Mechanisms of Osteoarthritis (OA) Pain. Current Osteoporosis Reports, 2018, 16, 611-616.	3.6	166
43	Symptomatic androgen deficiency develops only when both total and free testosterone decline in obese men who may have incident biochemical secondary hypogonadism: Prospective results from the EMAS. Clinical Endocrinology, 2018, 89, 459-469.	2.4	44
44	Hydroxychloroquine Effectiveness in Reducing Symptoms of Hand Osteoarthritis. Annals of Internal Medicine, 2018, 168, 385.	3.9	63
45	The prevalence of co-morbidities and their impact on physical activity in people with inflammatory rheumatic diseases compared with the general population: results from the UK Biobank. Rheumatology, 2018, 57, 2172-2182.	1.9	30
46	Does Pain Predict Frailty in Older Men and Women? Findings From the English Longitudinal Study of Ageing (ELSA). Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw226.	3.6	37
47	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. European Journal of Nutrition, 2017, 56, 2093-2103.	3.9	13
48	Ethnic differences in male reproductive hormones and relationships with adiposity and insulin resistance in older men. Clinical Endocrinology, 2017, 86, 660-668.	2.4	8
49	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. American Journal of Geriatric Psychiatry, 2017, 25, 662-671.	1.2	16
50	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2798-2806.	3.6	19
51	Degenerative inter-vertebral disc disease osteochondrosis intervertebralis in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. Rheumatology, 2017, 56, 1189-1199.	1.9	11
52	Structural predictors of response to intra-articular steroid injection in symptomatic knee osteoarthritis. Arthritis Research and Therapy, 2017, 19, 88.	3.5	31
53	Brief Report: Synovial Fluid White Blood Cell Count in Knee Osteoarthritis: Association With Structural Findings and Treatment Response. Arthritis and Rheumatology, 2017, 69, 103-107.	5.6	29
54	With a biomechanical treatment in knee osteoarthritis, less knee pain did not correlate with synovitis reduction. BMC Musculoskeletal Disorders, 2017, 18, 347.	1.9	9

#	Article	IF	CITATIONS
55	Associations of muscle force, power, crossâ€sectional muscle area and bone geometry in older UK men. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 598-606.	7.3	28
56	Defining Disease Phenotypes in Primary Care Electronic Health Records by a Machine Learning Approach: A Case Study in Identifying Rheumatoid Arthritis. PLoS ONE, 2016, 11, e0154515.	2.5	64
57	Frailty and bone health in European men. Age and Ageing, 2016, 46, 635-641.	1.6	19
58	Harmonising data collection from osteoarthritis studies to enable stratification: recommendations on core data collection from an Arthritis Research UK clinical studies group. Rheumatology, 2016, 55, 1394-1402.	1.9	8
59	Interobserver and Intraobserver Reliability of Clinical Assessments in Knee Osteoarthritis. Journal of Rheumatology, 2016, 43, 2171-2178.	2.0	31
60	Sensitivity to Change of Patientâ€Preference Measures for Pain in Patients With Knee Osteoarthritis: Data From Two Trials. Arthritis Care and Research, 2016, 68, 1224-1231.	3.4	23
61	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. Clinical Endocrinology, 2016, 85, 891-901.	2.4	31
62	Postmenopausal osteoporosis. Nature Reviews Disease Primers, 2016, 2, 16069.	30.5	462
63	Enclosing a pen reduced time to response to questionnaire mailings. Journal of Clinical Epidemiology, 2016, 74, 144-150.	5.0	18
64	Clinical assessment of effusion in knee osteoarthritis—A systematic review. Seminars in Arthritis and Rheumatism, 2016, 45, 556-563.	3.4	33
65	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. BMC Musculoskeletal Disorders, 2016, 17, 32.	1.9	25
66	Chronic widespread pain is associated with worsening frailty in European men. Age and Ageing, 2016, 45, 268-274.	1.6	63
67	Synovial tissue volume: a treatment target in knee osteoarthritis (OA). Annals of the Rheumatic Diseases, 2016, 75, 84-90.	0.9	81
68	Response to: â€~The effect of synovial tissue volume shrinking on pain relief for knee osteoarthritis was overestimated or not?' by Wei et al. Annals of the Rheumatic Diseases, 2015, 74, e65-e65.	0.9	0
69	Associations Between Sex Steroids and the Development of Metabolic Syndrome: A Longitudinal Study in European Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 1396-1404.	3.6	97
70	Low heel ultrasound parameters predict mortality in men: results from the European Male Ageing Study (EMAS). Age and Ageing, 2015, 44, 801-807.	1.6	4
71	Endocrine determinants of incident sarcopenia in middle-aged and elderly European men. Journal of Cachexia, Sarcopenia and Muscle, 2015, 6, 242-252.	7.3	68
72	Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. Trials, 2015, 16, 77.	1.6	30

#	Article	IF	CITATIONS
73	Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3172-3182.	3.6	118
74	Androgen Receptor Polymorphism-Dependent Variation in Prostate-Specific Antigen Concentrations of European Men. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2048-2056.	2.5	8
75	Low Prolactin Is Associated with Sexual Dysfunction and Psychological or Metabolic Disturbances in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). Journal of Sexual Medicine, 2014, 11, 240-253.	0.6	63
76	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. Human Molecular Genetics, 2014, 23, 3054-3068.	2.9	90
77	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. Age and Ageing, 2014, 43, 528-535.	1.6	19
78	A Meta-Analysis of the Association of Fracture Risk and Body Mass Index in Women. Journal of Bone and Mineral Research, 2014, 29, 223-233.	2.8	388
79	Hydroxychloroquine effectiveness in reducing symptoms of hand osteoarthritis (HERO): study protocol for a randomized controlled trial. Trials, 2013, 14, 64.	1.6	26
80	Where and how to inject the knee—A systematic review. Seminars in Arthritis and Rheumatism, 2013, 43, 195-203.	3.4	58
81	Predictors of response to intra-articular steroid injections in knee osteoarthritisa systematic review. Rheumatology, 2013, 52, 1022-1032.	1.9	83
82	The ability of three different models of frailty to predict all-cause mortality: Results from the European Male Aging Study (EMAS). Archives of Gerontology and Geriatrics, 2013, 57, 360-368.	3.0	121
83	Active Vitamin D (1,25-Dihydroxyvitamin D) and Bone Health in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). Journal of Clinical Endocrinology and Metabolism, 2013, 98, 995-1005.	3.6	61
84	Comparisons of Immunoassay and Mass Spectrometry Measurements of Serum Estradiol Levels and Their Influence on Clinical Association Studies in Men. Journal of Clinical Endocrinology and Metabolism, 2013, 98, E1097-E1102.	3.6	58
85	Frailty and Sexual Health in Older European Men. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 837-844.	3.6	32
86	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. Age and Ageing, 2013, 42, 352-359.	1.6	74
87	Cohort Profile: The European Male Ageing Study. International Journal of Epidemiology, 2013, 42, 391-401.	1.9	41
88	Characteristics of Androgen Deficiency in Late-Onset Hypogonadism: Results from the European Male Aging Study (EMAS). Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1508-1516.	3.6	258
89	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. European Journal of Endocrinology, 2012, 166, 983-991.	3.7	169
90	Association of hypogonadism with vitamin D status: the European Male Ageing Study. European Journal of Endocrinology, 2012, 166, 77-85.	3.7	166

#	Article	IF	CITATIONS
91	Influence of Inflammatory Polyarthritis on Quantitative Heel Ultrasound Measurements. BMC Musculoskeletal Disorders, 2012, 13, 133.	1.9	1
92	Lower vitamin D levels are associated with depression among community-dwelling European men. Journal of Psychopharmacology, 2011, 25, 1320-1328.	4.0	99
93	Polymorphisms in Genes Involved in the NF-κB Signalling Pathway Are Associated with Bone Mineral Density, Geometry and Turnover in Men. PLoS ONE, 2011, 6, e28031.	2.5	19
94	Frailty in Relation to Variations in Hormone Levels of the Hypothalamic-Pituitary-Testicular Axis in Older Men: Results From the European Male Aging Study. Journal of the American Geriatrics Society, 2011, 59, 814-821.	2.6	52
95	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. Pain, 2011, 152, 1495-1501.	4.2	24
96	Influence of Insulin-Like Growth Factor Binding Protein (IGFBP)-1 and IGFBP-3 on Bone Health: Results from the European Male Ageing Study. Calcified Tissue International, 2011, 88, 503-510.	3.1	22
97	Influence of Polymorphisms in the RANKL/RANK/OPG Signaling Pathway on Volumetric Bone Mineral Density and Bone Geometry at the Forearm in Men. Calcified Tissue International, 2011, 89, 446-455.	3.1	16
98	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. BMC Medical Genetics, 2011, 12, 19.	2.1	10
99	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: Results from two population-based cohorts. Arthritis and Rheumatism, 2011, 63, 810-818.	6.7	54
100	Bone Health in Adult Men and Women with a History of Juvenile Idiopathic Arthritis. Journal of Rheumatology, 2011, 38, 1689-1693.	2.0	29
101	The Relationships between Sex Hormones and Sexual Function in Middle-Aged and Older European Men. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E1577-E1587.	3.6	103
102	The Effect of Musculoskeletal Pain on Sexual Function in Middle-aged and Elderly European Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2011, 38, 370-377.	2.0	16
103	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). European Journal of Endocrinology, 2011, 165, 977-986.	3.7	28
104	Impaired quality of life and sexual function in overweight and obese men: the European Male Ageing Study. European Journal of Endocrinology, 2011, 164, 1003-1011.	3.7	90
105	The ESR1 (6q25) Locus Is Associated with Calcaneal Ultrasound Parameters and Radial Volumetric Bone Mineral Density in European Men. PLoS ONE, 2011, 6, e22037.	2.5	9
106	Influence of Lifestyle Factors on Quantitative Heel Ultrasound Measurements in Middle-Aged and Elderly Men. Calcified Tissue International, 2010, 86, 211-219.	3.1	24
107	Influence of arthritis and non-arthritis related factors on areal bone mineral density (BMDa) in women with longstanding inflammatory polyarthritis: a primary care based inception cohort. BMC Musculoskeletal Disorders, 2010, 11, 106.	1.9	2
108	Age-Related Changes in General and Sexual Health in Middle-Aged and Older Men: Results from the European Male Ageing Study (EMAS). Journal of Sexual Medicine, 2010, 7, 1362-1380.	0.6	377

#	Article	IF	CITATIONS
109	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. Journal of Bone and Mineral Research, 2010, 25, 1830-1838.	2.8	55
110	Association of cognitive performance with the metabolic syndrome and with glycaemia in middleâ€aged and older European men: the European Male Ageing Study. Diabetes/Metabolism Research and Reviews, 2010, 26, 668-676.	4.0	47
111	Characteristics of Secondary, Primary, and Compensated Hypogonadism in Aging Men: Evidence from the European Male Ageing Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1810-1818.	3.6	481
112	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. European Journal of Endocrinology, 2010, 162, 1155-1164.	3.7	25
113	Disease activity and severity in early inflammatory arthritis predict hand cortical bone loss. Rheumatology, 2010, 49, 1943-1948.	1.9	23
114	No evidence for a role of the <i>catechol-O-methyltransferase</i> pain sensitivity haplotypes in chronic widespread pain. Annals of the Rheumatic Diseases, 2010, 69, 2009-2012.	0.9	43
115	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. Annals of the Rheumatic Diseases, 2010, 69, 1448-1452.	0.9	86
116	Effect of Polymorphisms in Selected Genes Involved in Pituitary-Testicular Function on Reproductive Hormones and Phenotype in Aging Men. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1898-1908.	3.6	37
117	Identification of Late-Onset Hypogonadism in Middle-Aged and Elderly Men. New England Journal of Medicine, 2010, 363, 123-135.	27.0	1,274
118	Economic Impact of Osteoporotic Fractures (versus Women). , 2010, , 385-393.		0
119	Increased Estrogen Rather Than Decreased Androgen Action Is Associated with Longer Androgen		
	Receptor CAG Repeats. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 277-284.	3.6	125
120	Receptor CAG Repeats. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 277-284. Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.	3.6 2.0	125 3
120 121	Receptor CAG Repeats. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 277-284.         Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.         Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. European Journal of Endocrinology, 2009, 161, 947-954.	3.6 2.0 3.7	125 3 99
120 121 122	Receptor CAG Repeats. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 277-284.         Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.         Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. European Journal of Endocrinology, 2009, 161, 947-954.         The association between different cognitive domains and age in a multiâ€centre study of middleâ€aged and older European men. International Journal of Geriatric Psychiatry, 2009, 24, 1257-1266.	3.6 2.0 3.7 2.7	125 3 99 10
120 121 122 123	Receptor CAG Repeats. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 277-284.         Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.         Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. European Journal of Endocrinology, 2009, 161, 947-954.         The association between different cognitive domains and age in a multiâ€centre study of middleâ€aged and older European men. International Journal of Geriatric Psychiatry, 2009, 24, 1257-1266.         The European Male Ageing Study (EMAS): design, methods and recruitment. Journal of Developmental and Physical Disabilities, 2009, 32, 11-24.	3.6 2.0 3.7 2.7 3.6	125 3 99 10 137
120 121 122 123 124	Receptor CAG Repeats. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 277-284.         Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.         Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. European Journal of Endocrinology, 2009, 161, 947-954.         The association between different cognitive domains and age in a multiâ€centre study of middleâ€aged and older European men. International Journal of Geriatric Psychiatry, 2009, 24, 1257-1266.         The European Male Ageing Study (EMAS): design, methods and recruitment. Journal of Developmental and Physical Disabilities, 2009, 32, 11-24.         Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). Journal of Bone and Mineral Research, 2009, 24, 314-323.	<ol> <li>3.6</li> <li>2.0</li> <li>3.7</li> <li>2.7</li> <li>3.6</li> <li>2.8</li> </ol>	125 3 99 10 137 21
120 121 122 123 124	Receptor CAG Repeats. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 277-284.         Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.         Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. European Journal of Endocrinology, 2009, 161, 947-954.         The association between different cognitive domains and age in a multiâ€centre study of middleâ€aged and older European men. International Journal of Geriatric Psychiatry, 2009, 24, 1257-1266.         The European Male Ageing Study (EMAS): design, methods and recruitment. Journal of Developmental and Physical Disabilities, 2009, 32, 11-24.         Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). Journal of Bone and Mineral Research, 2009, 24, 314-323.         Childhood Fractures Do Not Predict Future Fractures: Results From the European Prospective Osteoporosis Study. Journal of Bone and Mineral Research, 2009, 24, 1314-1318.	3.6 2.0 3.7 2.7 3.6 2.8 2.8	125 3 99 10 137 21 25

#	Article	IF	CITATIONS
127	Assessment of Sexual Health in Aging Men in Europe: Development and Validation of the European Male Ageing Study Sexual Function Questionnaire. Journal of Sexual Medicine, 2008, 5, 1374-1385.	0.6	80
128	Hypothalamic-Pituitary-Testicular Axis Disruptions in Older Men Are Differentially Linked to Age and Modifiable Risk Factors: The European Male Aging Study. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 2737-2745.	3.6	790
129	Influence of weight, body mass index and lifestyle factors on radiographic features of lumbar disc degeneration. Annals of the Rheumatic Diseases, 2007, 66, 426-427.	0.9	43
130	Lumbar disc degeneration: association between osteophytes, end-plate sclerosis and disc space narrowing. Annals of the Rheumatic Diseases, 2007, 66, 330-333.	0.9	71
131	Vitamin D status and bone mass in UK South Asian women. Bone, 2007, 40, 200-204.	2.9	72
132	Re: Vitamin D status and bone mass in UK South Asian women. Bone, 2007, 40, 1183.	2.9	0
133	How many people develop fractures with what outcome?. Best Practice and Research in Clinical Rheumatology, 2005, 19, 879-895.	3.3	42
134	When Should the Doctor Order a Spine X-Ray? Identifying Vertebral Fractures for Osteoporosis Care: Results From the European Prospective Osteoporosis Study (EPOS). Journal of Bone and Mineral Research, 2004, 19, 1982-1993.	2.8	82
135	Characteristics of a prevalent vertebral deformity predict subsequent vertebral fracture: results from the European Prospective Osteoporosis Study (EPOS). Bone, 2003, 33, 505-513.	2.9	192
136	The epidemiology and scale of the problem. British Journal of Hospital Medicine, 2003, 64, 517-520.	0.2	2
137	Relationships between lower-limb muscle strength and tibial outcomes in ageing UK men. Endocrine Abstracts O	0.0	0