

Fred Schaper

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6654048/publications.pdf>

Version: 2024-02-01

94
papers

10,455
citations

76196

40
h-index

48187

88
g-index

96
all docs

96
docs citations

96
times ranked

13561
citing authors

#	ARTICLE	IF	CITATIONS
1	Glucocorticoids attenuate interleukin-6-induced c-Fos and Egr1 expression and impair neuritogenesis in PC12 cells. <i>Journal of Neurochemistry</i> , 2021, 157, 532-549.	2.1	5
2	The tyrosine phosphatase SHP2 increases robustness and information transfer within IL-6-induced JAK/STAT signalling. <i>Cell Communication and Signaling</i> , 2021, 19, 94.	2.7	25
3	Intragenic regulation of SOCS3 isoforms. <i>Cell Communication and Signaling</i> , 2019, 17, 70.	2.7	10
4	The multi-site docking protein Grb2-associated binder 1 (Gab1) enhances interleukin-6-induced MAPK-pathway activation in an SHP2-, Grb2-, and time-dependent manner. <i>Cell Communication and Signaling</i> , 2019, 17, 135.	2.7	19
5	Robustness and Information Transfer within IL-6-induced JAK/STAT Signalling. <i>Communications Biology</i> , 2019, 2, 27.	2.0	34
6	Response to IL-6 trans- and IL-6 classic signalling is determined by the ratio of the IL-6 receptor α to gp130 expression: fusing experimental insights and dynamic modelling. <i>Cell Communication and Signaling</i> , 2019, 17, 46.	2.7	89
7	Designing Optimal Experiments to Discriminate Interaction Graph Models. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2019, 16, 925-935.	1.9	1
8	Interaction of suppressor of cytokine signalling 3 with cavin-1 links SOCS3 function and cavin-1 stability. <i>Nature Communications</i> , 2018, 9, 168.	5.8	25
9	The multi-site docking protein Gab1 is constitutively phosphorylated independent from its recruitment to the plasma membrane in Jak2-V617F-positive cells and mediates proliferation of human erythroleukaemia cells. <i>Cellular Signalling</i> , 2017, 35, 37-47.	1.7	10
10	Interleukin-6 influences stress-signalling by reducing the expression of the mTOR-inhibitor REDD1 in a STAT3-dependent manner. <i>Cellular Signalling</i> , 2016, 28, 907-916.	1.7	40
11	A Two-level Approach for Fusing Early Signaling Events and Long Term Cellular Responses. <i>IFAC-PapersOnLine</i> , 2015, 48, 1228-1233.	0.5	3
12	Systems biology of IL-6, IL-12 family cytokines. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 595-602.	3.2	32
13	Interleukin-6: Biology, signaling and strategies of blockade. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 475-487.	3.2	396
14	“Family reunion” A structured view on the composition of the receptor complexes of interleukin-6-type and interleukin-12-type cytokines. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 471-474.	3.2	23
15	MAPK-induced Gab1 translocation to the plasma membrane depends on a regulated intramolecular switch. <i>Cellular Signalling</i> , 2015, 27, 340-352.	1.7	12
16	JAK/STAT signalling “an executable model assembled from molecule-centred modules demonstrating a module-oriented database concept for systems and synthetic biology. <i>Molecular BioSystems</i> , 2013, 9, 1290.	2.9	27
17	Protein tyrosine phosphatase SHP2/PTPN11 mistargeting as a consequence of SH2-domain point mutations associated with Noonan Syndrome and leukemia. <i>Journal of Proteomics</i> , 2013, 84, 132-147.	1.2	18
18	Determination of Protein Turnover Rates in the JAK/STAT Pathway Using a Radioactive Pulse-Chase Approach. <i>Methods in Molecular Biology</i> , 2013, 967, 69-80.	0.4	3

#	ARTICLE	IF	CITATIONS
19	JAK2-V617F-induced MAPK activity is regulated by PI3K and acts synergistically with PI3K on the proliferation of JAK2-V617F-positive cells. <i>Jak-stat</i> , 2013, 2, e24574.	2.2	22
20	mTORC1 inhibition restricts inflammation-associated gastrointestinal tumorigenesis in mice. <i>Journal of Clinical Investigation</i> , 2013, 123, 767-81.	3.9	89
21	Plasticity and cross-talk of Interleukin 6-type cytokines. <i>Cytokine and Growth Factor Reviews</i> , 2012, 23, 85-97.	3.2	311
22	Model-driven experimental analysis of the function of SHP-2 in IL-6-induced Jak/STAT signaling. <i>Molecular BioSystems</i> , 2012, 8, 2119.	2.9	28
23	Hepatic acute phase proteins – Regulation by IL-6- and IL-1-type cytokines involving STAT3 and its crosstalk with NF- κ B-dependent signaling. <i>European Journal of Cell Biology</i> , 2012, 91, 496-505.	1.6	306
24	Interleukin-6 signalling: More than Jaks and STATs. <i>European Journal of Cell Biology</i> , 2012, 91, 486-495.	1.6	137
25	Glucocorticoids increase interleukin-6-dependent gene induction by interfering with the expression of the suppressor of cytokine signaling 3 feedback inhibitor. <i>Hepatology</i> , 2012, 55, 256-266.	3.6	42
26	Large-scale network models of IL-1 and IL-6 signalling and their hepatocellular specification. <i>Molecular BioSystems</i> , 2011, 7, 3253.	2.9	22
27	Self-Organization and Regulation of Intrinsically Disordered Proteins with Folded N-Termini. <i>PLoS Biology</i> , 2011, 9, e1000591.	2.6	25
28	A simple work flow for biologically inspired model reduction - application to early JAK-STAT signaling. <i>BMC Systems Biology</i> , 2011, 5, 30.	3.0	29
29	Glucagon counteracts interleukin-6-dependent gene expression by redundant action of Epac and PKA. <i>Biological Chemistry</i> , 2011, 392, 1123-1134.	1.2	13
30	Self-organization of intrinsically disordered proteins with folded N-termini. <i>Nature Precedings</i> , 2010, , .	0.1	0
31	Cross-regulation of cytokine signalling: pro-inflammatory cytokines restrict IL-6 signalling through receptor internalisation and degradation. <i>Journal of Cell Science</i> , 2010, 123, 947-959.	1.2	90
32	A new mechanism for the regulation of Gab1 recruitment to the plasma membrane. <i>Journal of Cell Science</i> , 2009, 122, 55-64.	1.2	50
33	A new mechanism for the regulation of Gab1 recruitment to the plasma membrane. <i>Journal of Cell Science</i> , 2009, 122, 574-574.	1.2	0
34	Signal Transduction in the Footsteps of Goethe and Schiller. <i>Cell Communication and Signaling</i> , 2009, 7, 2.	2.7	0
35	Signal Transduction – Receptors, Mediators, and Genes A report on the 12th Joint Meeting of the Signal Transduction Society, Weimar, Germany, 28 to 31 October 2008.. <i>Science Signaling</i> , 2009, 2, mr3.	1.6	3
36	SHPS-1/SIRP1 α contributes to interleukin-6 signalling. <i>Cellular Signalling</i> , 2008, 20, 1385-1391.	1.7	26

#	ARTICLE	IF	CITATIONS
37	Interleukin-6 acts in the fashion of a classical chemokine on monocytic cells by inducing integrin activation, cell adhesion, actin polymerization, chemotaxis, and transmigration. <i>Journal of Leukocyte Biology</i> , 2008, 84, 1521-1529.	1.5	79
38	Prostaglandin E1 inhibits IL-6-induced MCP-1 expression by interfering specifically in IL-6-dependent ERK1/2, but not STAT3, activation. <i>Biochemical Journal</i> , 2008, 412, 65-72.	1.7	26
39	Regulation of Suppressor of Cytokine Signaling 3 (SOCS3) mRNA Stability by TNF- α Involves Activation of the MKK6/p38MAPK/MK2 Cascade. <i>Journal of Immunology</i> , 2007, 178, 2813-2826.	0.4	101
40	Activation of NF- κ B by IL-1 β blocks IL-6-induced sustained STAT3 activation and STAT3-dependent gene expression of the human β -fibrinogen gene. <i>Cellular Signalling</i> , 2007, 19, 1866-1878.	1.7	50
41	Regulation of rat heme oxygenase-1 expression by interleukin-6 via the Jak/STAT pathway in hepatocytes. <i>Journal of Hepatology</i> , 2006, 45, 72-80.	1.8	48
42	Determinants governing the potency of STAT3 activation via the individual STAT3-recruiting motifs of gp130. <i>Cellular Signalling</i> , 2006, 18, 40-49.	1.7	12
43	Oncostatin M Receptor-mediated Signal Transduction Is Negatively Regulated by SOCS3 through a Receptor Tyrosine-independent Mechanism. <i>Journal of Biological Chemistry</i> , 2006, 281, 8458-8468.	1.6	35
44	The tyrosine 974 within the LIF-R-chain of the gp130/LIF-R heteromeric receptor complex mediates negative regulation of LIF signalling. <i>Cellular Signalling</i> , 2005, 17, 559-569.	1.7	17
45	Mechanisms of SOCS3 Phosphorylation upon Interleukin-6 Stimulation. <i>Journal of Biological Chemistry</i> , 2005, 280, 31478-31488.	1.6	36
46	Interleukin-6 plays a crucial role in the hepatic expression of SOCS3 during acute inflammatory processes in vivo. <i>Journal of Hepatology</i> , 2005, 43, 704-710.	1.8	36
47	Mammary Gland Remodeling Depends on gp130 Signaling through Stat3 and MAPK. <i>Journal of Biological Chemistry</i> , 2004, 279, 44093-44100.	1.6	48
48	Dual Function of Interleukin-1 β for the Regulation of Interleukin-6-induced Suppressor of Cytokine Signaling 3 Expression. <i>Journal of Biological Chemistry</i> , 2004, 279, 45279-45289.	1.6	24
49	Interleukin-6 is a direct mediator of β -cell migration. <i>European Journal of Immunology</i> , 2004, 34, 2895-2906.	1.6	91
50	The role of the inhibitors of interleukin-6 signal transduction SHP2 and SOCS3 for desensitization of interleukin-6 signalling. <i>Biochemical Journal</i> , 2004, 378, 449-460.	1.7	62
51	Principles of interleukin (IL)-6-type cytokine signalling and its regulation. <i>Biochemical Journal</i> , 2003, 374, 1-20.	1.7	2,784
52	SHP2 and SOCS3 Contribute to Tyr-759-dependent Attenuation of Interleukin-6 Signaling through gp130. <i>Journal of Biological Chemistry</i> , 2003, 278, 661-671.	1.6	201
53	Activation of STAT3 by IL-6 and IL-10 in Primary Human Macrophages Is Differentially Modulated by Suppressor of Cytokine Signaling 3. <i>Journal of Immunology</i> , 2003, 170, 3263-3272.	0.4	296
54	IFN- α antagonistic activity of HCV core protein involves induction of suppressor of cytokine signaling-3. <i>FASEB Journal</i> , 2003, 17, 1-16.	0.2	267

#	ARTICLE	IF	CITATIONS
55	TNF- α Induces Tyrosine Phosphorylation and Recruitment of the Src Homology Protein-Tyrosine Phosphatase 2 to the gp130 Signal-Transducing Subunit of the IL-6 Receptor Complex. <i>Journal of Immunology</i> , 2003, 171, 257-266.	0.4	49
56	Structural Bases of Receptor-JAK-STAT Interactions. , 2003, , 43-53.		0
57	IL-6-type cytokines and signalling in inflammation. , 2002, , 256-262.		0
58	Interleukin-6-induced proliferation of pre-B cells mediated by receptor complexes lacking the SHP2/SOCS3 recruitment sites revisited. <i>FEBS Journal</i> , 2001, 268, 6401-6407.	0.2	29
59	A completely foreign receptor can mediate an interferon-gamma-like response. <i>EMBO Journal</i> , 2001, 20, 5431-5442.	3.5	30
60	The MKK6/p38 Mitogen-Activated Protein Kinase Pathway Is Capable of Inducing SOCS3 Gene Expression and Inhibits IL-6-Induced Transcription. <i>Biological Chemistry</i> , 2001, 382, 1447-53.	1.2	53
61	The Inhibitory Effect of IL-1 β on IL-6-Induced α 2-Macroglobulin Expression Is Due to Activation of NF- κ B. <i>Journal of Immunology</i> , 2001, 167, 1469-1481.	0.4	47
62	Termination and modulation of IL-6-type cytokine signaling. <i>Advances in Experimental Medicine and Biology</i> , 2001, 495, 153-160.	0.8	6
63	Expression of suppressors of cytokine signaling during liver regeneration. <i>Journal of Clinical Investigation</i> , 2001, 107, 1285-1292.	3.9	140
64	Cytoplasmic STAT proteins associate prior to activation. <i>Biochemical Journal</i> , 2000, 345, 417.	1.7	23
65	Cytoplasmic STAT proteins associate prior to activation. <i>Biochemical Journal</i> , 2000, 345, 417-421.	1.7	65
66	A new peptide-affinity tag for the detection and affinity purification of recombinant proteins with a monoclonal antibody. <i>Journal of Immunological Methods</i> , 2000, 240, 165-183.	0.6	17
67	The zinc finger protein Gfi-1 can enhance STAT3 signaling by interacting with the STAT3 inhibitor PIAS3. <i>EMBO Journal</i> , 2000, 19, 5845-5855.	3.5	120
68	The Cytoplasmic Tyrosine Motifs in Full-Length Glycoprotein 130 Have Different Roles in IL-6 Signal Transduction. <i>Journal of Immunology</i> , 2000, 164, 848-854.	0.4	80
69	Studies on the Interleukin-6-type Cytokine Signal Transducer gp130 Reveal a Novel Mechanism of Receptor Activation by Monoclonal Antibodies. <i>Journal of Biological Chemistry</i> , 2000, 275, 4579-4586.	1.6	37
70	The Inhibition of Interleukin-6-dependent STAT Activation by Mitogen-activated Protein Kinases Depends on Tyrosine 759 in the Cytoplasmic Tail of Glycoprotein 130. <i>Journal of Biological Chemistry</i> , 2000, 275, 18810-18817.	1.6	65
71	Non-redundant Signal Transduction of Interleukin-6-type Cytokines. <i>Journal of Biological Chemistry</i> , 2000, 275, 40742-40748.	1.6	70
72	Signal Transduction of IL-6, Leukemia-Inhibitory Factor, and Oncostatin M: Structural Receptor Requirements for Signal Attenuation. <i>Journal of Immunology</i> , 2000, 165, 2535-2543.	0.4	49

#	ARTICLE	IF	CITATIONS
73	Differential inhibition of IL-6-type cytokine-induced STAT activation by PMA. FEBS Letters, 2000, 478, 100-104.	1.3	8
74	SOCS3 Exerts Its Inhibitory Function on Interleukin-6 Signal Transduction through the SHP2 Recruitment Site of gp130. Journal of Biological Chemistry, 2000, 275, 12848-12856.	1.6	345
75	Characterization and Binding Specificity of the Monomeric STAT3-SH2 Domain. Journal of Biological Chemistry, 1999, 274, 1342-1348.	1.6	47
76	Different protein turnover of interleukin-6-type cytokine signalling components. FEBS Journal, 1999, 265, 251-257.	0.2	103
77	LPS and TNF α induce SOCS3 mRNA and inhibit IL-6-induced activation of STAT3 in macrophages. FEBS Letters, 1999, 463, 365-370.	1.3	186
78	Identification of a Leu-Ile internalization motif within the cytoplasmic domain of the leukaemia inhibitory factor receptor. Biochemical Journal, 1999, 339, 15-19.	1.7	25
79	Identification of a Leu-Ile internalization motif within the cytoplasmic domain of the leukaemia inhibitory factor receptor. Biochemical Journal, 1999, 339, 15.	1.7	6
80	In vivo formation of IRF-1 homodimers. Biochimie, 1998, 80, 659-664.	1.3	19
81	Constitutive internalization and association with adaptor protein-2 of the interleukin-6 signal transducer gp130. FEBS Letters, 1998, 441, 231-234.	1.3	41
82	Interleukin-6-type cytokine signalling through the gp130/Jak/STAT pathway. Biochemical Journal, 1998, 334, 297-314.	1.7	1,895
83	Activation of the protein tyrosine phosphatase SHP2 via the interleukin-6 signal transducing receptor protein gp130 requires tyrosine kinase Jak1 and limits acute-phase protein expression. Biochemical Journal, 1998, 335, 557-565.	1.7	164
84	Functional domains of interferon regulatory factor I (IRF-1). Biochemical Journal, 1998, 335, 147-157.	1.7	87
85	Phosphorylation Events Modulate the Ability of Interferon Consensus Sequence Binding Protein to Interact with Interferon Regulatory Factors and to Bind DNA. Journal of Biological Chemistry, 1997, 272, 9785-9792.	1.6	151
86	Hepatocyte growth factor/scatter factor (HGF/SF) signals via the STAT3/APRF transcription factor in human hepatoma cells and hepatocytes. FEBS Letters, 1997, 405, 99-103.	1.3	45
87	Regulation of cell growth by IRF-1 in BHK-21 cells. Cytotechnology, 1996, 22, 147-156.	0.7	29
88	Identification of mammalian cell clones exhibiting highly regulated expression from inducible promoters. Trends in Genetics, 1995, 11, 219-220.	2.9	33
89	Proliferation control of mammalian cells by the tumor suppressor IRF-1. Cytotechnology, 1995, 18, 67-75.	0.7	19
90	Proliferation control of mammalian cells by the tumor suppressor IRF-1. , 1995, , 33-43.		0

#	ARTICLE	IF	CITATIONS
91	A multifunctional vector family for gene expression in mammalian cells. <i>Gene</i> , 1994, 149, 387-388.	1.0	37
92	A new hybrid promoter directs transcription at identical start points in mammalian cells and in vitro. <i>Gene</i> , 1994, 149, 389-390.	1.0	13
93	Interferon regulatory factor 1 (IRF-1) mediates cell growth inhibition by transactivation of downstream target genes. <i>Nucleic Acids Research</i> , 1993, 21, 2881-2889.	6.5	140
94	Glucagon counteracts interleukin-6 dependent gene expression by redundant action of Epac and PKA. <i>Biological Chemistry</i> , 0, , --.	1.2	1