

Ming Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6655089/publications.pdf>

Version: 2024-02-01

94
papers

16,786
citations

53939

47
h-index

49824

91
g-index

94
all docs

94
docs citations

94
times ranked

16318
citing authors

#	ARTICLE	IF	CITATIONS
1	Sorption of pharmaceuticals and personal care products (PPCPs) from water and wastewater by carbonaceous materials: A review. <i>Critical Reviews in Environmental Science and Technology</i> , 2022, 52, 727-766.	6.6	37
2	Transport of micro- and nanoplastics in the environment: Trojan-Horse effect for organic contaminants. <i>Critical Reviews in Environmental Science and Technology</i> , 2022, 52, 810-846.	6.6	45
3	A remediation approach to chromium-contaminated water and soil using engineered biochar derived from peanut shell. <i>Environmental Research</i> , 2022, 204, 112125.	3.7	57
4	Enhanced removal of ammonium from water using sulfonated reed waste biochar-A lab-scale investigation. <i>Environmental Pollution</i> , 2022, 292, 118412.	3.7	11
5	Removal of phosphate from water by paper mill sludge biochar. <i>Environmental Pollution</i> , 2022, 293, 118521.	3.7	25
6	Retention and transport behavior of microplastic particles in water-saturated porous media. <i>Science of the Total Environment</i> , 2022, 808, 152154.	3.9	32
7	Biodegradation of hazardous naphthalene and cleaner production of rhamnolipids " Green approaches of pollution mitigation. <i>Environmental Research</i> , 2022, 209, 112875.	3.7	18
8	Functionalizing biochar by Co-pyrolysis shaddock peel with red mud for removing acid orange 7 from water. <i>Environmental Pollution</i> , 2022, 299, 118893.	3.7	23
9	Biochar alters chemical and microbial properties of microplastic-contaminated soil. <i>Environmental Research</i> , 2022, 209, 112807.	3.7	43
10	Insights into the adsorption mechanism of tetracycline on hierarchically porous carbon and the effect of nanoporous geometry. <i>Chemical Engineering Journal</i> , 2022, 437, 135454.	6.6	28
11	Synergistic role of inherent calcium and iron minerals in paper mill sludge biochar for phosphate adsorption. <i>Science of the Total Environment</i> , 2022, 834, 155193.	3.9	33
12	Engineered/designer hierarchical porous carbon materials for organic pollutant removal from water and wastewater: A critical review. <i>Critical Reviews in Environmental Science and Technology</i> , 2021, 51, 2295-2328.	6.6	24
13	Recent advances in photodegradation of antibiotic residues in water. <i>Chemical Engineering Journal</i> , 2021, 405, 126806.	6.6	234
14	Selective sorption of PAHs from TX100 solution by resin SP850: effects of TX100 concentrations and PAHs solubility. <i>RSC Advances</i> , 2021, 11, 13530-13536.	1.7	2
15	Re-recognizing micro locations of nanoscale zero-valent iron in biochar using C-TEM technique. <i>Scientific Reports</i> , 2021, 11, 5037.	1.6	7
16	Construction of biotreatment platforms for aromatic hydrocarbons and their future perspectives. <i>Journal of Hazardous Materials</i> , 2021, 416, 125968.	6.5	20
17	Remediation of soils and sediments polluted with polycyclic aromatic hydrocarbons: To immobilize, mobilize, or degrade?. <i>Journal of Hazardous Materials</i> , 2021, 420, 126534.	6.5	150
18	Time-dependent desorption of anilines, phenols, and nitrobenzenes from biochar produced at 700°C: Insight into desorption hysteresis. <i>Chemical Engineering Journal</i> , 2021, 422, 130584.	6.6	16

#	ARTICLE	IF	CITATIONS
19	Metal oxide and carbon nanomaterial based membranes for reverse osmosis and membrane distillation: A comparative review. <i>Environmental Research</i> , 2021, 202, 111716.	3.7	29
20	Facile preparation of high performance degradation of HCHO catalyst from Li-MnO ₂ batteries. <i>Materials Letters</i> , 2020, 260, 126958.	1.3	4
21	The adsorptive removal of lead ions in aquatic media: Performance comparison between advanced functional materials and conventional materials. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 2441-2483.	6.6	10
22	Recent advances in photocatalytic hydrogen evolution with high-performance catalysts without precious metals. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 132, 110040.	8.2	101
23	Effects of aging and weathering on immobilization of trace metals/metalloids in soils amended with biochar. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 1790-1808.	1.7	29
24	Evaluating biochar and its modifications for the removal of ammonium, nitrate, and phosphate in water. <i>Water Research</i> , 2020, 186, 116303.	5.3	248
25	Optimization of preparation conditions for biochar derived from water hyacinth by using response surface methodology (RSM) and its application in Pb ²⁺ removal. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104198.	3.3	52
26	Ammonium removal using a calcined natural zeolite modified with sodium nitrate. <i>Journal of Hazardous Materials</i> , 2020, 393, 122481.	6.5	65
27	Recent advances in carbon nanotube sponge-based sorption technologies for mitigation of marine oil spills. <i>Journal of Colloid and Interface Science</i> , 2020, 570, 411-422.	5.0	69
28	Selective removal of phenanthrene from SDBS or TX100 solution by sorption of resin SP850. <i>Chemical Engineering Journal</i> , 2020, 388, 124191.	6.6	12
29	Recent advances in control technologies for non-point source pollution with nitrogen and phosphorous from agricultural runoff: current practices and future prospects. <i>Applied Biological Chemistry</i> , 2020, 63, .	0.7	129
30	Bioaccumulation of potentially toxic elements by submerged plants and biofilms: A critical review. <i>Environment International</i> , 2019, 131, 105015.	4.8	65
31	Fabrication and application of hierarchical porous carbon for the adsorption of bulky dyes. <i>Microporous and Mesoporous Materials</i> , 2019, 290, 109651.	2.2	34
32	Reduction of Na and K contents in bio-heavy oil using micro-/nano-sized CO ₂ bubbles. <i>Journal of CO₂ Utilization</i> , 2019, 34, 430-436.	3.3	8
33	Highly Effective Removal of Tetracycline from Water by Hierarchical Porous Carbon: Batch and Column Adsorption. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 20036-20046.	1.8	37
34	Ozone-encapsulated colloidal gas aphrons for in situ and targeting remediation of phenanthrene-contaminated sediment-aquifer. <i>Water Research</i> , 2019, 160, 29-38.	5.3	26
35	Efficient succinic acid production using a biochar-treated textile waste hydrolysate in an in situ fibrous bed bioreactor. <i>Biochemical Engineering Journal</i> , 2019, 149, 107249.	1.8	34
36	Role and fate of the lead during the conversion of calcium sulfate dihydrate to $\frac{1}{2}$ -hemihydrate whiskers in ethylene glycol-water solutions. <i>Chemical Engineering Journal</i> , 2019, 372, 74-81.	6.6	20

#	ARTICLE	IF	CITATIONS
37	Synthesis of fatty acid methyl esters via non-catalytic transesterification of avocado oil with dimethyl carbonate. <i>Energy Conversion and Management</i> , 2019, 195, 1-6.	4.4	25
38	Analytical techniques and challenges for removal of pharmaceuticals and personal care products in water. , 2019, , 239-257.		5
39	The unique features of non-competitive vs. competitive sorption: Tests against single volatile aromatic hydrocarbons and their quaternary mixtures. <i>Environmental Research</i> , 2019, 173, 508-516.	3.7	17
40	Thermolysis of crude oil sludge using CO ₂ as reactive gas medium. <i>Energy Conversion and Management</i> , 2019, 186, 393-400.	4.4	36
41	Organo-layered double hydroxides for the removal of polycyclic aromatic hydrocarbons from soil washing effluents containing high concentrations of surfactants. <i>Journal of Hazardous Materials</i> , 2019, 373, 678-686.	6.5	35
42	Heavy metals in food crops: Health risks, fate, mechanisms, and management. <i>Environment International</i> , 2019, 125, 365-385.	4.8	1,135
43	Spatial distribution of heavy metals in crops in a wastewater irrigated zone and health risk assessment. <i>Environmental Research</i> , 2019, 168, 382-388.	3.7	90
44	Biochar for Anionic Contaminants Removal From Water. , 2019, , 143-160.		5
45	Fabrication of spherical biochar by a two-step thermal process from waste potato peel. <i>Science of the Total Environment</i> , 2018, 626, 478-485.	3.9	35
46	Recent advancements in bioremediation of dye: Current status and challenges. <i>Bioresource Technology</i> , 2018, 253, 355-367.	4.8	409
47	The enhanced thermolysis of heavy oil contaminated soil using CO ₂ for soil remediation and energy recovery. <i>Journal of CO₂ Utilization</i> , 2018, 28, 367-373.	3.3	16
48	Review of nanomaterials as sorbents in solid-phase extraction for environmental samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 108, 347-369.	5.8	240
49	Recent advancements in supercapacitor technology. <i>Nano Energy</i> , 2018, 52, 441-473.	8.2	1,228
50	Characterization of bioenergy biochar and its utilization for metal/metalloid immobilization in contaminated soil. <i>Science of the Total Environment</i> , 2018, 640-641, 704-713.	3.9	110
51	Nanoparticle-plant interaction: Implications in energy, environment, and agriculture. <i>Environment International</i> , 2018, 119, 1-19.	4.8	212
52	Sources, distribution, bioavailability, toxicity, and risk assessment of heavy metal(loid)s in complementary medicines. <i>Environment International</i> , 2017, 108, 103-118.	4.8	78
53	Metal-organic frameworks as advanced sorbents for the extraction and determination of pollutants from environmental, biological, and food media. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 97, 65-82.	5.8	156
54	Biochars as Potential Adsorbers of CH ₄ , CO ₂ and H ₂ S. <i>Sustainability</i> , 2017, 9, 121.	1.6	68

#	ARTICLE	IF	CITATIONS
55	Sorption Process of Date Palm Biochar for Aqueous Cd (II) Removal: Efficiency and Mechanisms. <i>Water, Air, and Soil Pollution</i> , 2016, 227, 1.	1.1	63
56	Engineered/designer biochar for contaminant removal/immobilization from soil and water: Potential and implication of biochar modification. <i>Chemosphere</i> , 2016, 148, 276-291.	4.2	959
57	Dramatic change of methylenedianiline activity and selectivity in different pore geometry of zeolites. <i>Microporous and Mesoporous Materials</i> , 2016, 233, 109-116.	2.2	5
58	Sorption of polycyclic aromatic hydrocarbons (PAHs) by dietary fiber extracted from wheat bran. <i>Chemical Speciation and Bioavailability</i> , 2016, 28, 13-17.	2.0	5
59	Fabrication and application of magnetic starch-based activated hierarchical porous carbon spheres for the efficient removal of dyes from water. <i>Materials Chemistry and Physics</i> , 2016, 174, 179-186.	2.0	39
60	Comparative evaluation for the sorption capacity of four carbonaceous sorbents to phenol. <i>Chemical Speciation and Bioavailability</i> , 2016, 28, 18-25.	2.0	8
61	Impact of soybean stover- and pine needle-derived biochars on Pb and As mobility, microbial community, and carbon stability in a contaminated agricultural soil. <i>Journal of Environmental Management</i> , 2016, 166, 131-139.	3.8	144
62	Adsorptive Removal of Trichloroethylene in Water by Crop Residue Biochars Pyrolyzed at Contrasting Temperatures: Continuous Fixed-Bed Experiments. <i>Journal of Chemistry</i> , 2015, 2015, 1-6.	0.9	11
63	A novel high surface area spherical carbon from cassava starch. <i>Materials Letters</i> , 2015, 139, 262-264.	1.3	10
64	Effects of graphene on seed germination and seedling growth. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	0.8	126
65	Adsorption Characteristics of a Novel Carbon-Nanotube-Based Composite Adsorbent toward Organic Pollutants. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 2379-2384.	1.8	32
66	Fabricate hollow Ag@POMs microtubule by a simple process. <i>Materials Letters</i> , 2015, 141, 128-131.	1.3	2
67	Acid-activated biochar increased sulfamethazine retention in soils. <i>Environmental Science and Pollution Research</i> , 2015, 22, 2175-2186.	2.7	107
68	Biochar soil amendment for sustainable agriculture with carbon and contaminant sequestration. <i>Carbon Management</i> , 2014, 5, 255-257.	1.2	48
69	Construction of carbon nanotube-based microcapsules by self-assembly. <i>Environmental Chemistry Letters</i> , 2014, 12, 359-364.	8.3	4
70	Carbon dioxide capture using biochar produced from sugarcane bagasse and hickory wood. <i>Chemical Engineering Journal</i> , 2014, 249, 174-179.	6.6	303
71	Biochar as a sorbent for contaminant management in soil and water: A review. <i>Chemosphere</i> , 2014, 99, 19-33.	4.2	3,175
72	Biochar-supported zerovalent iron for removal of various contaminants from aqueous solutions. <i>Bioresource Technology</i> , 2014, 152, 538-542.	4.8	349

#	ARTICLE	IF	CITATIONS
73	Characterization and environmental applications of clay-biochar composites. <i>Chemical Engineering Journal</i> , 2014, 242, 136-143.	6.6	313
74	Synthesis, characterization, and dye sorption ability of carbon nanotube-biochar nanocomposites. <i>Chemical Engineering Journal</i> , 2014, 236, 39-46.	6.6	276
75	Effects of feedstock type, production method, and pyrolysis temperature on biochar and hydrochar properties. <i>Chemical Engineering Journal</i> , 2014, 240, 574-578.	6.6	591
76	Sorption of Polycyclic Aromatic Hydrocarbons (PAHs) to Lignin: Effects of Hydrophobicity and Temperature. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2014, 93, 84-88.	1.3	37
77	Adsorption-desorption behavior of naphthalene onto CDMBA modified bentonite: Contribution of the π - π interaction. <i>Applied Clay Science</i> , 2014, 100, 29-34.	2.6	33
78	Self-assembly of needle-like layered double hydroxide (LDH) nanocrystals on hydrochar: characterization and phosphate removal ability. <i>RSC Advances</i> , 2014, 4, 28171.	1.7	57
79	Pyrolysis condition affected sulfamethazine sorption by tea waste biochars. <i>Bioresource Technology</i> , 2014, 166, 303-308.	4.8	279
80	Invasive plant-derived biochar inhibits sulfamethazine uptake by lettuce in soil. <i>Chemosphere</i> , 2014, 111, 500-504.	4.2	116
81	Synthesis of a multifunctional graphene-carbon nanotube aerogel and its strong adsorption of lead from aqueous solution. <i>RSC Advances</i> , 2013, 3, 21099.	1.7	67
82	Trichloroethylene adsorption by pine needle biochars produced at various pyrolysis temperatures. <i>Bioresource Technology</i> , 2013, 143, 615-622.	4.8	319
83	Engineered carbon (biochar) prepared by direct pyrolysis of Mg-accumulated tomato tissues: Characterization and phosphate removal potential. <i>Bioresource Technology</i> , 2013, 138, 8-13.	4.8	257
84	Phosphate removal ability of biochar/MgAl-LDH ultra-fine composites prepared by liquid-phase deposition. <i>Chemosphere</i> , 2013, 92, 1042-1047.	4.2	232
85	Removal of arsenic, methylene blue, and phosphate by biochar/AlOOH nanocomposite. <i>Chemical Engineering Journal</i> , 2013, 226, 286-292.	6.6	389
86	Preparation and characterization of a novel magnetic biochar for arsenic removal. <i>Bioresource Technology</i> , 2013, 130, 457-462.	4.8	563
87	Synthesis of porous MgO-biochar nanocomposites for removal of phosphate and nitrate from aqueous solutions. <i>Chemical Engineering Journal</i> , 2012, 210, 26-32.	6.6	521
88	Effect of biochar amendment on sorption and leaching of nitrate, ammonium, and phosphate in a sandy soil. <i>Chemosphere</i> , 2012, 89, 1467-1471.	4.2	713
89	Effect of Temperature, Salinity, and pH on the Adsorption of Lead by Sediment of a Tidal River in East China. , 2012, , .		6
90	Synthesis, characterization, and environmental implications of graphene-coated biochar. <i>Science of the Total Environment</i> , 2012, 435-436, 567-572.	3.9	189

#	ARTICLE	IF	CITATIONS
91	Hydrogen peroxide modification enhances the ability of biochar (hydrochar) produced from hydrothermal carbonization of peanut hull to remove aqueous heavy metals: Batch and column tests. <i>Chemical Engineering Journal</i> , 2012, 200-202, 673-680.	6.6	578
92	Effect of SDBS and Tween 80 mixed surfactants on the distribution of polycyclic aromatic hydrocarbons in soil-water system. <i>Journal of Soils and Sediments</i> , 2010, 10, 1123-1130.	1.5	39
93	Sorption of Polycyclic Aromatic Hydrocarbons to Carbohydrates and Lipids of Ryegrass Root and Implications for a Sorption Prediction Model. <i>Environmental Science & Technology</i> , 2009, 43, 2740-2745.	4.6	73
94	Effect of rhamnolipids on the uptake of PAHs by ryegrass. <i>Environmental Pollution</i> , 2008, 156, 46-52.	3.7	71