

Mark A Bissett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6658477/publications.pdf>

Version: 2024-02-01

71
papers

4,081
citations

159585

30
h-index

114465

63
g-index

75
all docs

75
docs citations

75
times ranked

6989
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of MoS ₂ Graphene Composites for High-Performance Coin Cell Supercapacitors. ACS Applied Materials & Interfaces, 2015, 7, 17388-17398.	8.0	388
2	3D Printing of Freestanding MXene Architectures for Current Collector-Free Supercapacitors. Advanced Materials, 2019, 31, e1902725.	21.0	311
3	Desalination and Nanofiltration through Functionalized Laminar MoS ₂ Membranes. ACS Nano, 2017, 11, 11082-11090.	14.6	275
4	Synthesis, structure and applications of graphene-based 2D heterostructures. Chemical Society Reviews, 2017, 46, 4572-4613.	38.1	275
5	Electrical percolation in graphene-polymer composites. 2D Materials, 2018, 5, 032003.	4.4	266
6	Comparison of Two-Dimensional Transition Metal Dichalcogenides for Electrochemical Supercapacitors. Electrochimica Acta, 2016, 201, 30-37.	5.2	211
7	Strain engineering the properties of graphene and other two-dimensional crystals. Physical Chemistry Chemical Physics, 2014, 16, 11124-11138.	2.8	199
8	Enhanced Chemical Reactivity of Graphene Induced by Mechanical Strain. ACS Nano, 2013, 7, 10335-10343.	14.6	157
9	Synthesis of Lateral Size-Controlled Monolayer 1 <i>H</i> -MoS ₂ @Oleylamine as Supercapacitor Electrodes.. Chemistry of Materials, 2016, 28, 657-664.	6.7	134
10	Electrochemical deposition of zeolitic imidazolate framework electrode coatings for supercapacitor electrodes. Electrochimica Acta, 2016, 197, 228-240.	5.2	116
11	Photoelectrochemistry of Pristine Mono- and Few-Layer MoS ₂ . Nano Letters, 2016, 16, 2023-2032.	9.1	107
12	Graphene-Enabled Adaptive Infrared Textiles. Nano Letters, 2020, 20, 5346-5352.	9.1	98
13	Epitaxial Growth and Electronic Properties of Large Hexagonal Graphene Domains on Cu(111) Thin Film. Applied Physics Express, 2013, 6, 075101.	2.4	83
14	MXene-Based Anodes for Metal-Ion Batteries. Batteries and Supercaps, 2020, 3, 214-235.	4.7	75
15	Unravelling the Mechanism of Rechargeable Aqueous Zn-MnO ₂ Batteries: Implementation of Charging Process by Electrodeposition of MnO ₂ . ChemSusChem, 2020, 13, 4103-4110.	6.8	74
16	Effect of Domain Boundaries on the Raman Spectra of Mechanically Strained Graphene. ACS Nano, 2012, 6, 10229-10238.	14.6	73
17	Asymmetric MoS ₂ /Graphene/Metal Sandwiches: Preparation, Characterization, and Application. Advanced Materials, 2016, 28, 8256-8264.	21.0	64
18	Electron transfer kinetics on natural crystals of MoS ₂ and graphite. Physical Chemistry Chemical Physics, 2015, 17, 17844-17853.	2.8	57

#	ARTICLE	IF	CITATIONS
19	Electrically Conductive 2D Material Coatings for Flexible and Stretchable Electronics: A Comparative Review of Graphenes and MXenes. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	52
20	Effect of functional groups on the agglomeration of graphene in nanocomposites. <i>Composites Science and Technology</i> , 2018, 163, 116-122.	7.8	51
21	Investigation of Voltage Range and Self-Discharge in Aqueous Zinc-Ion Hybrid Supercapacitors. <i>ChemSusChem</i> , 2021, 14, 1700-1709.	6.8	51
22	Capacitance of Basal Plane and Edge-Oriented Highly Ordered Pyrolytic Graphite: Specific Ion Effects. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 617-623.	4.6	50
23	Mechanical Strain of Chemically Functionalized Chemical Vapor Deposition Grown Graphene. <i>Journal of Physical Chemistry C</i> , 2013, 117, 3152-3159.	3.1	46
24	Multifunctional Biocomposites Based on Polyhydroxyalkanoate and Graphene/Carbon Nanofiber Hybrids for Electrical and Thermal Applications. <i>ACS Applied Polymer Materials</i> , 2020, 2, 3525-3534.	4.4	44
25	Tunable charge/size selective ion sieving with ultrahigh water permeance through laminar graphene membranes. <i>Carbon</i> , 2020, 156, 119-129.	10.3	41
26	Metal-organic framework templated electrodeposition of functional gold nanostructures. <i>Electrochimica Acta</i> , 2016, 222, 361-369.	5.2	40
27	Strain engineering in monolayer WS ₂ and WS ₂ nanocomposites. <i>2D Materials</i> , 2020, 7, 045022.	4.4	40
28	Electron transfer through β -peptides attached to vertically aligned carbon nanotube arrays: a mechanistic transition. <i>Chemical Communications</i> , 2012, 48, 1132-1134.	4.1	36
29	Unlocking the energy storage potential of polypyrrole via electrochemical graphene oxide for high performance zinc-ion hybrid supercapacitors. <i>Journal of Power Sources</i> , 2021, 516, 230663.	7.8	36
30	A single step strategy to fabricate graphene fibres via electrochemical exfoliation for micro-supercapacitor applications. <i>Electrochimica Acta</i> , 2019, 299, 645-653.	5.2	35
31	Photocurrent Response from Vertically Aligned Single-Walled Carbon Nanotube Arrays. <i>Journal of Physical Chemistry C</i> , 2010, 114, 6778-6783.	3.1	31
32	Self-Assembled 1T-MoS ₂ /Functionalized Graphene Composite Electrodes for Supercapacitor Devices. <i>ACS Applied Energy Materials</i> , 2022, 5, 61-70.	5.1	31
33	Hydrogen Evolution at Liquid Liquid Interfaces Catalyzed by 2D Materials. <i>ChemNanoMat</i> , 2017, 3, 428-435.	2.8	29
34	Electrochemical intercalation of MoO ₃ -MoS ₂ composite electrodes: Charge storage mechanism of non-hydrated cations. <i>Electrochimica Acta</i> , 2019, 307, 176-187.	5.2	29
35	Increased chemical reactivity achieved by asymmetrical β -Janus TM functionalisation of graphene. <i>RSC Advances</i> , 2014, 4, 52215-52219.	3.6	28
36	Black phosphorus with near-superhydrophobic properties and long-term stability in aqueous media. <i>Chemical Communications</i> , 2018, 54, 3831-3834.	4.1	28

#	ARTICLE	IF	CITATIONS
37	Fabrication of a Graphene-Based Paper-Like Electrode for Flexible Solid-State Supercapacitor Devices. <i>Journal of the Electrochemical Society</i> , 2018, 165, A3481-A3486.	2.9	27
38	Facile fabrication of metal-organic framework HKUST-1-based rewritable data storage devices. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8687-8695.	5.5	25
39	Graphene-Polyurethane Coatings for Deformable Conductors and Electromagnetic Interference Shielding. <i>Advanced Electronic Materials</i> , 2020, 6, 2000429.	5.1	25
40	Hybrid Graphene/Carbon Nanofiber Wax Emulsion for Paper-Based Electronics and Thermal Management. <i>Advanced Electronic Materials</i> , 2020, 6, 2000232.	5.1	24
41	Joule Heating and mechanical properties of epoxy/graphene based aerogel composite. <i>Composites Science and Technology</i> , 2022, 218, 109199.	7.8	23
42	Potential dependent ionic sieving through functionalized laminar MoS ₂ membranes. <i>2D Materials</i> , 2020, 7, 015030.	4.4	21
43	Tunable doping of graphene nanoribbon arrays by chemical functionalization. <i>Nanoscale</i> , 2015, 7, 3572-3580.	5.6	19
44	Deformation of and Interfacial Stress Transfer in Ti ₃ C ₂ MXene-Polymer Composites. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 10681-10690.	8.0	19
45	Dendron growth from vertically aligned single-walled carbon nanotube thin layer arrays for photovoltaic devices. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 6059.	2.8	18
46	Effect of graphene nanoplatelets on the mechanical and gas barrier properties of woven carbon fibre/epoxy composites. <i>Journal of Materials Science</i> , 2021, 56, 19538-19551.	3.7	17
47	Reduced graphene oxide/Fe-phthalocyanine nanosphere cathodes for lithium-ion batteries. <i>Journal of Materials Science</i> , 2018, 53, 9170-9179.	3.7	16
48	Synthetic 2-D lead tin sulfide nanosheets with tuneable optoelectronic properties from a potentially scalable reaction pathway. <i>Chemical Science</i> , 2019, 10, 1035-1045.	7.4	16
49	Anodic dissolution growth of metal-organic framework HKUST-1 monitored <i>via in situ</i> electrochemical atomic force microscopy. <i>CrystEngComm</i> , 2018, 20, 4421-4427.	2.6	15
50	Graphene-Based Materials as Strain Sensors in Glass Fiber/Epoxy Model Composites. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 31338-31345.	8.0	14
51	Comparison of carbon nanotube modified electrodes for photovoltaic devices. <i>Carbon</i> , 2012, 50, 2431-2441.	10.3	13
52	Enhanced Photoluminescence of Solution-Exfoliated Transition Metal Dichalcogenides by Laser Etching. <i>ACS Omega</i> , 2017, 2, 738-745.	3.5	13
53	Interlayer and interfacial stress transfer in hBN nanosheets. <i>2D Materials</i> , 2021, 8, 035058.	4.4	13
54	Simultaneous Electrochemical Exfoliation and Chemical Functionalization of Graphene for Supercapacitor Electrodes. <i>Journal of the Electrochemical Society</i> , 2020, 167, 110531.	2.9	11

#	ARTICLE	IF	CITATIONS
55	The Modified Liquid-Liquid Interface: The Effect of an Interfacial Layer of MoS ₂ on Ion Transfer. ChemElectroChem, 2021, 8, 4445-4455.	3.4	11
56	A Review on Printing of Responsive Smart and 4D Structures Using 2D Materials. Advanced Materials Technologies, 2022, 7, .	5.8	11
57	Mechanisms of reinforcement of PVA-Based nanocomposites by hBN nanosheets. Composites Science and Technology, 2022, 218, 109131.	7.8	10
58	Designing Functionalized Porphyrins Capable of Pseudo-2D Self-Assembly on Surfaces. Organic Letters, 2008, 10, 2943-2946.	4.6	9
59	Electrochemistry and Photocurrent Response from Vertically-Aligned Chemically-Functionalized Single-Walled Carbon Nanotube Arrays. Journal of the Electrochemical Society, 2011, 158, K53.	2.9	9
60	Sustainable, High-Barrier Polyaleuritate/Nanocellulose Biocomposites. ACS Sustainable Chemistry and Engineering, 2020, 8, 10682-10690.	6.7	9
61	Transition from single to multi-walled carbon nanotubes grown by inductively coupled plasma enhanced chemical vapor deposition. Journal of Applied Physics, 2011, 110, .	2.5	6
62	Dye functionalisation of PAMAM-type dendrons grown from vertically aligned single-walled carbon nanotube arrays for light harvesting antennae. Journal of Materials Chemistry, 2011, 21, 18597.	6.7	6
63	Photocurrent response from vertically aligned single-walled carbon nanotube arrays. , 2010, , .		5
64	High-order graphene oxide nanoarchitectures. Nanoscale, 2011, 3, 3076.	5.6	5
65	Long-range oriented graphene-like nanosheets with corrugated structure. Chemical Communications, 2018, 54, 13543-13546.	4.1	3
66	MoS ₂ Nanosheet-Coated Carbon Fibers as Strain Sensors in Epoxy Composites. ACS Applied Nano Materials, 2021, 4, 9181-9189.	5.0	3
67	The modified liquid liquid interface: An electrochemical route for the electrode-less synthesis of MoS ₂ metal composite thin films. Electrochimica Acta, 2022, 424, 140609.	5.2	3
68	MXene-Based Anodes for Metal-Ion Batteries. Batteries and Supercaps, 2020, 3, 211-211.	4.7	1
69	Raman Characterisation of Carbon Nanotubes Grown by Plasma Enhanced Chemical Vapour Deposition. Materials Science Forum, 2011, 700, 112-115.	0.3	0
70	The Modified Liquid-Liquid Interface: The Effect of an Interfacial Layer of MoS ₂ on Ion Transfer. ChemElectroChem, 2021, 8, 4393.	3.4	0
71	Graphene Wrapped SiO ₂ /C Hollow Spheres Composites Via Molecular Polymerization As High Performance Libs Anodes. ECS Meeting Abstracts, 2022, MA2022-01, 419-419.	0.0	0