

# Douglas H Sweet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6659955/publications.pdf>

Version: 2024-02-01

60  
papers

4,037  
citations

136950

32  
h-index

133252

59  
g-index

62  
all docs

62  
docs citations

62  
times ranked

3164  
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression Cloning and Characterization of ROAT1. <i>Journal of Biological Chemistry</i> , 1997, 272, 30088-30095.	3.4	379
2	The Antiviral Nucleotide Analogs Cidofovir and Adefovir Are Novel Substrates for Human and Rat Renal Organic Anion Transporter 1. <i>Molecular Pharmacology</i> , 1999, 56, 570-580.	2.3	320
3	Impaired Organic Anion Transport in Kidney and Choroid Plexus of Organic Anion Transporter 3 (Oat3) Tj ETQq1 1 0.784314 rgBT /Over 281	3.4	281
4	Organic anion transporters: discovery, pharmacology, regulation and roles in pathophysiology. <i>Biopharmaceutics and Drug Disposition</i> , 2010, 31, 1-71.	1.9	205
5	Two CES1 Gene Mutations Lead to Dysfunctional Carboxylesterase 1 Activity in Man: Clinical Significance and Molecular Basis. <i>American Journal of Human Genetics</i> , 2008, 82, 1241-1248.	6.2	202
6	Organic anion transporter 3 (Slc22a8) is a dicarboxylate exchanger indirectly coupled to the Na <sup>+</sup> gradient. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, F763-F769.	2.7	180
7	The Furan Fatty Acid Metabolite CMPF Is Elevated in Diabetes and Induces $\hat{I}^2$ Cell Dysfunction. <i>Cell Metabolism</i> , 2014, 19, 653-666.	16.2	142
8	Ventricular Choline Transport. <i>Journal of Biological Chemistry</i> , 2001, 276, 41611-41619.	3.4	141
9	Organic anion transporter (Slc22a) family members as mediators of toxicity. <i>Toxicology and Applied Pharmacology</i> , 2005, 204, 198-215.	2.8	136
10	The Kidney and Uremic Toxin Removal: Glomerulus or Tubule?. <i>Seminars in Nephrology</i> , 2014, 34, 191-208.	1.6	129
11	The organic anion transporter family: from physiology to ontogeny and the clinic. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F197-F205.	2.7	122
12	Renal Organic Anion Transporters (SLC22 Family): Expression, Regulation, Roles in Toxicity, and Impact on Injury and Disease. <i>AAPS Journal</i> , 2013, 15, 53-69.	4.4	117
13	Identification and functional assessment of the novel murine organic anion transporter Oat5 (Slc22a19) expressed in kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 287, F236-F244.	2.7	108
14	Organic Anion Transporter 3 (Oat3/Slc22a8) Interacts with Carboxyfluoroquinolones, and Deletion Increases Systemic Exposure to Ciprofloxacin. <i>Molecular Pharmacology</i> , 2008, 74, 122-131.	2.3	98
15	Organic anion transporter 3 (Oat3/Slc22a8) knockout mice exhibit altered clearance and distribution of penicillin G. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F1332-F1341.	2.7	86
16	The molecular biology of renal organic anion and organic cation transporters. <i>Cell Biochemistry and Biophysics</i> , 1999, 31, 89-118.	1.8	73
17	Mechanism of Organic Anion Transport across the Apical Membrane of Choroid Plexus. <i>Journal of Biological Chemistry</i> , 1999, 274, 33382-33387.	3.4	70
18	Impaired Clearance of Methotrexate in Organic Anion Transporter 3 (Slc22a8) Knockout Mice: A Gender Specific Impact of Reduced Folates. <i>Pharmaceutical Research</i> , 2008, 25, 453-462.	3.5	69

#	ARTICLE	IF	CITATIONS
19	Physiological and Molecular Characterization of Aristolochic Acid Transport by the Kidney. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 338, 588-597.	2.5	68
20	Multiple blood-brain barrier transport mechanisms limit bumetanide accumulation, and therapeutic potential, in the mammalian brain. <i>Neuropharmacology</i> , 2017, 117, 182-194.	4.1	65
21	Organic anion transport in choroid plexus from wild-type and organic anion transporter 3 (Slc22a8)-null mice. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F972-F978.	2.7	59
22	Organic anion and cation transporter expression and function during embryonic kidney development and in organ culture models. <i>Kidney International</i> , 2006, 69, 837-845.	5.2	58
23	Linkage of Organic Anion Transporter-1 to Metabolic Pathways through Integrated $\omega$ -omics-driven Network and Functional Analysis. <i>Journal of Biological Chemistry</i> , 2011, 286, 31522-31531.	3.4	57
24	THE DIETARY POLYPHENOL ELLAGIC ACID IS A POTENT INHIBITOR OF hOAT1. <i>Drug Metabolism and Disposition</i> , 2005, 33, 1097-1100.	3.3	53
25	Potential for food-drug interactions by dietary phenolic acids on human organic anion transporters 1 (SLC22A6), 3 (SLC22A8), and 4 (SLC22A11). <i>Biochemical Pharmacology</i> , 2012, 84, 1088-1095.	4.4	53
26	Mercapturic Acids (N-Acetylcysteine-S-Conjugates) as Endogenous Substrates for the Renal Organic Anion Transporter-1. <i>Molecular Pharmacology</i> , 2001, 60, 1091-1099.	2.3	50
27	Transport of estrone sulfate by the novel organic anion transporter Oat6 (Slc22a20). <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, F314-F321.	2.7	43
28	Activation of Protein Kinase C $\alpha$ Increases OAT1 (SLC22A6)- and OAT3 (SLC22A8)-mediated Transport. <i>Journal of Biological Chemistry</i> , 2009, 284, 2672-2679.	3.4	41
29	Basolateral localization of organic cation transporter 2 in intact renal proximal tubules. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F826-F834.	2.7	37
30	A transfected cell model for the renal toxin transporter, rOCT2. <i>Toxicological Sciences</i> , 1999, 47, 181-186.	3.1	36
31	rOCT2 is a basolateral potential-driven carrier, not an organic cation/proton exchanger. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F890-F898.	2.7	35
32	Stoichiometry of organic anion/dicarboxylate exchange in membrane vesicles from rat renal cortex and hOAT1-expressing cells. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, F775-F783.	2.7	35
33	Building a schizophrenia genetic network: transcription factor 4 regulates genes involved in neuronal development and schizophrenia risk. <i>Human Molecular Genetics</i> , 2018, 27, 3246-3256.	2.9	33
34	Sex-dependent expression of Oat3 (Slc22a8) and Oat1 (Slc22a6) proteins in murine kidneys. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, F1114-F1126.	2.7	31
35	The anthraquinone drug rhein potently interferes with organic anion transporter-mediated renal elimination. <i>Biochemical Pharmacology</i> , 2013, 86, 991-996.	4.4	30
36	Fluoroquinolone disposition: identification of the contribution of renal secretory and reabsorptive drug transporters. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012, 8, 553-569.	3.3	27

#	ARTICLE	IF	CITATIONS
37	Human Organic Cation Transporters 1 ( <i>SLC22A1</i> ), 2 ( <i>SLC22A2</i> ), and 3 ( <i>SLC22A3</i> ) as Disposition Pathways for Fluoroquinolone Antimicrobials. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 2705-2711.	3.2	27
38	Interaction of Ethambutol with Human Organic Cation Transporters of the SLC22 Family Indicates Potential for Drug-Drug Interactions during Antituberculosis Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 5053-5059.	3.2	27
39	Gilteritinib Inhibits Glutamine Uptake and Utilization in <i>FLT3</i> -ITD <sup>+</sup> Positive AML. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 2207-2217.	4.1	27
40	Simultaneous determination of gallic acid and gentisic acid in organic anion transporter expressing cells by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 937, 91-96.	2.3	26
41	Competitive Inhibition of Human Organic Anion Transporters 1 (SLC22A6), 3 (SLC22A8) and 4 (SLC22A11) by Major Components of the Medicinal Herb <i>Salvia miltiorrhiza</i> (Danshen). <i>Drug Metabolism and Pharmacokinetics</i> , 2013, 28, 220-228.	2.2	26
42	Expression and Function of Organic Cation and Anion Transporters (SLC22 Family) in the CNS. <i>Current Pharmaceutical Design</i> , 2014, 20, 1472-1486.	1.9	26
43	Localization of an organic anion transporter-GFP fusion construct (rROAT1-GFP) in intact proximal tubules. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 276, F864-F873.	2.7	23
44	Organic Anion Transporter 6 ( <i>Slc22a20</i> ) Specificity and Sertoli Cell-Specific Expression Provide New Insight on Potential Endogenous Roles. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 334, 927-935.	2.5	20
45	Effects of nonsteroidal anti-inflammatory drugs on the renal excretion of indoxyl sulfate, a nephro-cardiovascular toxin, in rats. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 101, 66-70.	4.0	20
46	Organic solute carrier 22 (SLC22) family: Potential for interactions with food, herbal/dietary supplements, endogenous compounds, and drugs. <i>Journal of Food and Drug Analysis</i> , 2018, 26, S45-S60.	1.9	20
47	Site-specific accumulation of the cancer preventive dietary polyphenol ellagic acid in epithelial cells of the aerodigestive tract. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 1201-1209.	2.4	18
48	Green tea inhibited the elimination of nephro-cardiovascular toxins and deteriorated the renal function in rats with renal failure. <i>Scientific Reports</i> , 2015, 5, 16226.	3.3	14
49	A Simple High-Performance Liquid Chromatographic Method for the Simultaneous Determination of Monoamine Neurotransmitters and Relative Metabolites with Application in Mouse Brain Tissue. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015, 38, 1173-1178.	1.0	14
50	Organic Cation Transporter Expression and Function in the CNS. <i>Handbook of Experimental Pharmacology</i> , 2021, 266, 41-80.	1.8	14
51	Interaction of Natural Dietary and Herbal Anionic Compounds and Flavonoids with Human Organic Anion Transporters 1 (SLC22A6), 3 (SLC22A8), and 4 (SLC22A11). <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-7.	1.2	12
52	Cumulative Organic Anion Transporter-Mediated Drug-Drug Interaction Potential of Multiple Components in <i>Salvia miltiorrhiza</i> (Danshen) Preparations. <i>Pharmaceutical Research</i> , 2014, 31, 3503-3514.	3.5	12
53	Multi-modal antidepressant-like action of 6- and 7-chloro-2-aminodihydroquinazolines in the mouse tail suspension test. <i>Psychopharmacology</i> , 2019, 236, 2093-2104.	3.1	11
54	Active Hydrophilic Components of the Medicinal Herb <i>Salvia miltiorrhiza</i> (Danshen) Potently Inhibit Organic Anion Transporters 1 (Slc22a6) and 3 (Slc22a8). <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-8.	1.2	9

#	ARTICLE	IF	CITATIONS
55	Determination of L-glutamic acid and $^{13}\text{C}$ -aminobutyric acid in mouse brain tissue utilizing GC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1068-1069, 64-70.	2.3	9
56	Inhibition of human organic cation transporters by the alkaloids matrine and oxymatrine. <i>FÄ-toterapÄ-tÄç</i> , 2014, 92, 206-210.	2.2	7
57	A new chemotype inhibitor for the human organic cation transporter 3 (hOCT3). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 4440-4445.	2.2	6
58	Effects of antibiotics on the pharmacokinetics of indoxyl sulfate, a nephro-cardiovascular toxin. <i>Xenobiotica</i> , 2020, 50, 588-592.	1.1	6
59	Activation of cAMP-dependent protein kinase (PKA) down-regulates organic anion transporter 6 function. <i>FASEB Journal</i> , 2008, 22, 1202.4.	0.5	0
60	Role of drug transporters in the systemic disposition of fluoroquinolones. <i>FASEB Journal</i> , 2012, 26, 1099.7.	0.5	0