
David Kingdon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6660540/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Randomized Controlled Trial of Cognitive-Behavioral Therapy for Persistent Symptoms in Schizophrenia Resistant to Medication. Archives of General Psychiatry, 2000, 57, 165.	12.3	586
2	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: Acute-phase outcomes. British Journal of Psychiatry, 2002, 181, s91-s97.	2.8	311
3	Effectiveness of a brief cognitive–behavioural therapy intervention in the treatment of schizophrenia. British Journal of Psychiatry, 2002, 180, 523-527.	2.8	294
4	Cognitive–behavioural therapy in first-episode and early schizophrenia. British Journal of Psychiatry, 2004, 184, 231-239.	2.8	243
5	Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. Lancet Psychiatry,the, 2015, 2, 305-313.	7.4	207
6	Cognitive Behavior Therapy for Schizophrenia. American Journal of Psychiatry, 2006, 163, 365-373.	7.2	191
7	Outcomes of an effectiveness trial of cognitive–behavioural intervention by mental health nurses in schizophrenia. British Journal of Psychiatry, 2006, 189, 36-40.	2.8	137
8	Schizophrenia and Borderline Personality Disorder. Journal of Nervous and Mental Disease, 2010, 198, 399-403.	1.0	137
9	Insight into schizophrenia: the effects of cognitive behavioural therapy on the components of insight and association with sociodemographics—data on a previously published randomised controlled trial. Schizophrenia Research, 2005, 74, 211-219.	2.0	131
10	The revised Green <i>et al.</i> , Paranoid Thoughts Scale (R-GPTS): psychometric properties, severity ranges, and clinical cut-offs. Psychological Medicine, 2021, 51, 244-253.	4.5	126
11	Developing Culturally Sensitive Cognitive Behaviour Therapy for Psychosis for Ethnic Minority Patients by Exploration and Incorporation of Service Users' and Health Professionals' Views and Opinions. Behavioural and Cognitive Psychotherapy, 2010, 38, 511-533.	1.2	121
12	Cognitive Behaviour Therapy of Schizophrenia. British Journal of Psychiatry, 1994, 164, 581-587.	2.8	114
13	Supported employment for adults with severe mental illness. The Cochrane Library, 2013, , CD008297.	2.8	103
14	A randomized controlled trial of cognitive-behavior therapy for persistent symptoms in schizophrenia: A five-year follow-up. Schizophrenia Research, 2008, 98, 1-7.	2.0	100
15	Cognitive behaviour therapy for psychosis can be adapted for minority ethnic groups: A randomised controlled trial. Schizophrenia Research, 2013, 143, 319-326.	2.0	97
16	Cognitive–behavioural techniques for general psychiatrists in the management of patients with psychoses. British Journal of Psychiatry, 2000, 177, 101-106.	2.8	95
17	Better Than Mermaids and Stray Dogs? Subtyping Auditory Verbal Hallucinations and Its Implications for Research and Practice. Schizophrenia Bulletin, 2014, 40, S275-S284.	4.3	93
18	Group mindfulness-based intervention for distressing voices: A pragmatic randomised controlled trial. Schizophrenia Research, 2016, 175, 168-173.	2.0	86

#	Article	IF	CITATIONS
19	An evaluation of the mental health impact of SARS-CoV-2 on patients, general public and healthcare professionals: A systematic review and meta-analysis. EClinicalMedicine, 2021, 34, 100806.	7.1	82
20	The Effectiveness of a Patient-Centred Assessment with a Solution-Focused Approach (DIALOG+) for Patients with Psychosis: A Pragmatic Cluster-Randomised Controlled Trial in Community Care. Psychotherapy and Psychosomatics, 2015, 84, 304-313.	8.8	79
21	What attitudes do psychiatrists hold towards people with mental illness?. Psychiatric Bulletin, 2004, 28, 401-406.	0.3	76
22	Brief culturally adapted CBT for psychosis (CaCBTp): A randomized controlled trial from a low income country. Schizophrenia Research, 2015, 164, 143-148.	2.0	75
23	Preliminary Evaluation of Culturally Sensitive CBT for Depression in Pakistan: Findings from Developing Culturally-Sensitive CBT Project (DCCP). Behavioural and Cognitive Psychotherapy, 2011, 39, 165-173.	1.2	72
24	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 633-643.	7.4	71
25	The Nottingham Study of Neurotic Disorder: relationship between personality status and symptoms. Psychological Medicine, 1990, 20, 423-431.	4.5	70
26	Training to enhance psychiatrist communication with patients with psychosis (TEMPO): cluster randomised controlled trial. British Journal of Psychiatry, 2016, 209, 517-524.	2.8	64
27	Supported employment for adults with severe mental illness. , 2010, 2010, .		60
28	Care programme approach. Psychiatric Bulletin, 1994, 18, 68-70.	0.3	57
29	Understanding jumping to conclusions in patients with persecutory delusions: working memory and intolerance of uncertainty. Psychological Medicine, 2014, 44, 3017-3024.	4.5	54
30	A survey of stress in psychiatrists working in the Wessex Region. Psychiatric Bulletin, 2000, 24, 133-136.	0.3	50
31	The Nottingham Study of Neurotic Disorder: Influence of Cognitive Therapists on Outcome. British Journal of Psychiatry, 1996, 169, 93-97.	2.8	47
32	Angry Wives, Abusive Husbands: Relationship Between Domestic Violence and Psychosocial Variables. Women's Health Issues, 2008, 18, 453-462.	2.0	47
33	Data science for mental health: a UK perspective on a global challenge. Lancet Psychiatry,the, 2016, 3, 993-998.	7.4	47
34	Cognitive Behavioral Therapy Reduces Suicidal Ideation in Schizophrenia: Results from a Randomized Controlled Trial. Suicide and Life-Threatening Behavior, 2007, 37, 284-290.	1.9	46
35	Cognitive-Behavioral Therapy for Medication-Resistant Schizophrenia: A Review. Journal of Psychiatric Practice, 2008, 14, 22-33.	0.7	45
36	Psychologists experience of cognitive behaviour therapy in a developing country: a qualitative study from Pakistan. International Journal of Mental Health Systems, 2010, 4, 2.	2.7	44

#	Article	IF	CITATIONS
37	The interaction of affective with psychotic processes: A test of the effects of worrying on working memory, jumping to conclusions, and anomalies of experience in patients with persecutory delusions. Journal of Psychiatric Research, 2013, 47, 1837-1842.	3.1	43
38	The promise of cognitive behavior therapy for treatment of severe mental disorders: a review of recent developments. World Psychiatry, 2014, 13, 244-250.	10.4	43
39	Persecutory delusions and psychological well-being. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1045-1050.	3.1	42
40	Predictors of Response to Cognitive Behaviour Therapy in the Treatment of Schizophrenia: A Comparison of Brief and Standard Interventions. Cognitive Therapy and Research, 2008, 32, 651-656.	1.9	41
41	Auditory Hallucinations: A Comparison of Beliefs about Voices in Individuals with Schizophrenia and Borderline Personality Disorder. Clinical Psychology and Psychotherapy, 2013, 20, 239-245.	2.7	41
42	Research into putative biological mechanisms of mental disorders has been of no value to clinical psychiatry. British Journal of Psychiatry, 2007, 191, 285-290.	2.8	40
43	Cognitive–behavioural therapy for patients with schizophrenia: a multicentre randomized controlled trial in Beijing, China. Psychological Medicine, 2015, 45, 1893-1905.	4.5	40
44	Preliminary Evaluation of Culturally Adapted CBT for Psychosis (CA-CBTp): Findings from Developing Culturally-Sensitive CBT Project (DCCP). Behavioural and Cognitive Psychotherapy, 2015, 43, 200-208.	1.2	40
45	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. Lancet Psychiatry,the, 2021, 8, 696-707.	7.4	40
46	A Qualitative Study to Explore Patients', Carers' and Health Professionals' Views to Culturally Adapt CBT for Psychosis (CBTp) in Pakistan. Behavioural and Cognitive Psychotherapy, 2016, 44, 43-55.	1.2	39
47	Effectiveness of Brief Cognitive-Behavioral Therapy for Schizophrenia Delivered by Mental Health Nurses. Journal of Clinical Psychiatry, 2009, 70, 201-207.	2.2	39
48	Metacognition and persecutory delusions: Tests of a metacognitive model in a clinical population and comparisons with non-patients. British Journal of Clinical Psychology, 2011, 50, 223-233.	3.5	38
49	University students' views about compatibility of cognitive behaviour therapy (CBT) with their personal, social and religious values (a study from Pakistan). Mental Health, Religion and Culture, 2009, 12, 847-855.	0.9	36
50	Protecting the human rights of people with mental disorder: new recommendations emerging from the Council of Europe. British Journal of Psychiatry, 2004, 185, 277-279.	2.8	35
51	Views of Depressed Patients in Pakistan Concerning Their Illness, Its Causes, and Treatments. Qualitative Health Research, 2012, 22, 1083-1093.	2.1	35
52	Using cognitive behaviour therapy with South Asian Muslims: Findings from the culturally sensitive CBT project. International Review of Psychiatry, 2015, 27, 233-46.	2.8	35
53	Special Section: A Memorial Tribute: Who Does Not Get Cognitive-Behavioral Therapy for Schizophrenia When Therapy Is Readily Available?. Psychiatric Services, 2006, 57, 1792-1794.	2.0	33
54	Associations of self-esteem, dysfunctional beliefs and coping style with depression in patients with schizophrenia: A preliminary survey. Psychiatry Research, 2013, 209, 340-345.	3.3	33

#	Article	IF	CITATIONS
55	Cognitive Behaviour Therapy for Schizophrenia in Patients with Mild to Moderate Substance Misuse Problems. Cognitive Behaviour Therapy, 2005, 34, 207-215.	3.5	32
56	Psychiatric morbidity and domestic violence: a survey of married women in Lahore. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 953-960.	3.1	31
57	Worry processes in patients with persecutory delusions. British Journal of Clinical Psychology, 2016, 55, 387-400.	3.5	31
58	A qualitative study to explore views of patients', carers' and mental health professionals' to inform cultural adaptation of CBT for psychosis (CBTp) in China. BMC Psychiatry, 2017, 17, 131.	2.6	31
59	PSYCHOLOGICAL TREATMENT FOR BENZODIAZEPINE DEPENDENCE. Lancet, The, 1985, 325, 1042-1043.	13.7	30
60	Cognitive behaviour therapy across cultures. Psychiatry (Abingdon, England), 2009, 8, 370-371.	0.2	30
61	Effectiveness of structured patient-clinician communication with a solution focused approach (DIALOG+) in community treatment of patients with psychosis – a cluster randomised controlled trial. BMC Psychiatry, 2013, 13, 173.	2.6	30
62	Brief Cognitive Behavioral Therapy for Psychosis (CBTp) for Schizophrenia: Literature Review and Meta-analysis. International Journal of Cognitive Therapy, 2016, 9, 73-86.	2.2	26
63	Cognitive Behavioral Therapy for Schizophrenia. Psychiatric Clinics of North America, 2010, 33, 527-536.	1.3	25
64	High-Yield Cognitive Behavioral Techniques for Psychosis Delivered by Case Managers to Their Clients With Persistent Psychotic Symptoms. Journal of Nervous and Mental Disease, 2014, 202, 30-34.	1.0	25
65	Cognitive-behavioural therapy for schizophrenia: Filling the therapeutic vacuum. British Journal of Psychiatry, 2003, 183, 98-99.	2.8	24
66	Acceptable terminology and subgroups in schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 239-243.	3.1	24
67	Refractory depression: mechanisms and evaluation of radically open dialectical behaviour therapy (RO-DBT) [REFRAMED]: protocol for randomised trial. BMJ Open, 2015, 5, e008857.	1.9	24
68	A randomised controlled trial of positive memory training for the treatment of depression within schizophrenia. BMC Psychiatry, 2015, 15, 85.	2.6	24
69	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). Trials, 2016, 17, 134.	1.6	24
70	The Dunn Worry Questionnaire and the Paranoia Worries Questionnaire: new assessments of worry. Psychological Medicine, 2020, 50, 771-780.	4.5	24
71	Aggressive Behaviour: Evaluation of a Non-seclusion Policy of a District Psychiatric Service. British Journal of Psychiatry, 1988, 153, 631-634.	2.8	23
72	Cognitive behaviour therapy for schizophrenia: Relationship between anxiety symptoms and therapy. Psychology and Psychotherapy: Theory, Research and Practice, 2006, 79, 153-164.	2.5	22

#	Article	IF	CITATIONS
73	No Association between Akathisia or Parkinsonism and Suicidality in treatment-Resistant Schizophrenia. Journal of Psychopharmacology, 2004, 18, 384-387.	4.0	21
74	Brief cognitive–behavioural therapy for patients in the community with schizophrenia: Randomised controlled trial in Beijing, China. British Journal of Psychiatry, 2017, 210, 223-229.	2.8	21
75	Has cognitive behavioural therapy for psychosis been oversold?. BMJ, The, 2014, 348, g2295-g2295.	6.0	20
76	Befriending patients with medication-resistant schizophrenia: Can psychotic symptoms predict treatment response?. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 97-106.	2.5	19
77	Cognitive Therapy for Schizophrenia. Journal of Psychiatric Practice, 2008, 14, 55-57.	0.7	19
78	Destigmatising schizophrenia: does changing terminology reduce negative attitudes?. Psychiatric Bulletin, 2008, 32, 419-422.	0.3	19
79	The Perseverative Thinking Questionnaire in Patients with Persecutory Delusions. Behavioural and Cognitive Psychotherapy, 2016, 44, 472-481.	1.2	19
80	Cross-Cultural Study of Conviction Subtype Taijin Kyofu. Journal of Nervous and Mental Disease, 2008, 196, 307-313.	1.0	18
81	Stigma and psychiatric illness. A survey of attitude of medical students and doctors in Lahore, Pakistan. Journal of Ayub Medical College, Abbottabad: JAMC, 2006, 18, 46-9.	0.1	18
82	The effects of reducing worry in patients with persecutory delusions: study protocol for a randomized controlled trial. Trials, 2012, 13, 223.	1.6	16
83	The evolution of cognitive–behavioral therapy for psychosis. Psychology Research and Behavior Management, 2015, 8, 63.	2.8	16
84	TechCare: mobile assessment and therapy for psychosis – an intervention for clients in the Early Intervention Service: A feasibility study protocol. SAGE Open Medicine, 2016, 4, 205031211666961.	1.8	16
85	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. BMC Psychiatry, 2016, 16, 280.	2.6	16
86	Cognitive Behavior Therapy for psychosis based Guided Self-help (CBTp-GSH) delivered by frontline mental health professionals: Results of a feasibility study. Schizophrenia Research, 2016, 173, 69-74.	2.0	16
87	Cognitive–behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. Health Technology Assessment, 2019, 23, 1-144.	2.8	16
88	Effective patient–clinician interaction to improve treatment outcomes for patients with psychosis: a mixed-methods design. Programme Grants for Applied Research, 2017, 5, 1-160.	1.0	16
89	A role for cognitive-behavioural strategies in schizophrenia?. Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 101-103.	3.1	15
90	Over-simplification and exclusion of non-conforming studies can demonstrate absence of effect: a lynching party?. Psychological Medicine, 2010, 40, 25-27.	4.5	15

#	Article	IF	CITATIONS
91	Case for cultural adaptation of psychological interventions for mental healthcare in low and middle income countries. BMJ, The, 2014, 349, g7636-g7636.	6.0	14
92	Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. The Cochrane Library, 2015, 2015, CD010646.	2.8	14
93	Improving the quality of mental health services using patient outcome data: Making the most of HoNOS. BJPsych Bulletin, 2017, 41, 172-176.	1.1	14
94	A patient satisfaction rating scale for psychiatric service users. The Psychiatrist, 2010, 34, 485-488.	0.3	13
95	Why hasn't neuroscience delivered for psychiatry?. BJPsych Bulletin, 2020, 44, 107-109.	1.1	13
96	The relationship between selfâ€esteem and psychotic symptoms in schizophrenia: A longitudinal study. Psychosis, 2010, 2, 218-226.	0.8	12
97	Changing name: changing prospects for psychosis. Epidemiology and Psychiatric Sciences, 2013, 22, 297-301.	3.9	12
98	Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. PLoS ONE, 2016, 11, e0167103.	2.5	12
99	Positive memory training for the treatment of depression in schizophrenia: A randomised controlled trial. Behaviour Research and Therapy, 2020, 135, 103734.	3.1	12
100	Making care programming work. Advances in Psychiatric Treatment, 1994, 1, 41-46.	0.5	11
101	Expansion of psychological therapies. British Journal of Psychiatry, 2008, 193, 256-257.	2.8	11
102	Transforming mental health services. British Journal of Psychiatry, 2011, 199, 1-2.	2.8	11
103	Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. , 2014, , CD010646.		11
104	Depersonalization in Patients With Persecutory Delusions. Journal of Nervous and Mental Disease, 2014, 202, 752-758.	1.0	11
105	Rate and predictors of psychotic symptoms after Kashmir earthquake. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 471-481.	3.2	11
106	Radically open dialectical behaviour therapy for refractory depression: the RefraMED RCT. Efficacy and Mechanism Evaluation, 2018, 5, 1-112.	0.7	11
107	Attitude of the university students and teachers towards mentally ill, in Lahore, Pakistan. Journal of Ayub Medical College, Abbottabad: JAMC, 2006, 18, 55-8.	0.1	11
108	Everybody gets stressed … it's just the way we react that differs. Psychiatric Bulletin, 2009, 33, 441-442.	0.3	10

#	Article	IF	CITATIONS
109	Stress in psychiatrists: coping with a decade of rapid change. The Psychiatrist, 2011, 35, 130-134.	0.3	10
110	Fear of negative evaluation is associated with delusional ideation in non-clinical population and patients with schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 703-710.	3.1	10
111	Increased funding needed for mental health research. BMJ, The, 2013, 346, f402-f402.	6.0	10
112	Protocol for a multicentre study to assess feasibility, acceptability, effectiveness and direct costs of TRlumPH (Treatment and Recovery In PsycHosis): integrated care pathway for psychosis. BMJ Open, 2016, 6, e012751.	1.9	10
113	Psychiatric morbidity among Afghan refugees in Peshawar, Pakistan. Journal of Ayub Medical College, Abbottabad: JAMC, 2005, 17, 23-5.	0.1	10
114	Replacing the Mental Hospital. British Journal of Psychiatry, 1991, 158, 113-117.	2.8	9
115	Rating Suicidality in Schizophrenia: Items on Global Scales (HoNOS and CPRS) Correlate with a Validated Suicidality Rating Scale (InterSePT). Archives of Suicide Research, 2006, 10, 249-252.	2.3	9
116	Psychological and social interventions for schizophrenia. BMJ: British Medical Journal, 2006, 333, 212-213.	2.3	9
117	Combining Cognitive Therapy and Pharmacotherapy for Schizophrenia. Journal of Cognitive Psychotherapy, 2007, 21, 28-36.	0.4	9
118	A randomized controlled trial to assess an anger management group programme. The Cognitive Behaviour Therapist, 2009, 2, 20-31.	1.0	9
119	Movement disorders in patients with schizophrenia and a history of substance abuse. Human Psychopharmacology, 2013, 28, 192-197.	1.5	9
120	Successful Resuscitation: Novel Partnership between Paramedics and U.S. Coast Guard. Prehospital Emergency Care, 2016, 20, 432-438.	1.8	9
121	A qualitative study to explore views of patients, carers and mental health professionals' views on depression in Moroccan women. International Journal of Culture and Mental Health, 2018, 11, 178-193.	0.6	9
122	Launching Online Education for 911 Telecommunicators andEMS Personnel: Experiences from the North Carolina Rapid Response to Stroke Project. Prehospital Emergency Care, 2007, 11, 298-306.	1.8	8
123	Persecutory delusions and childhood emotional abuse in people with a diagnosis of schizophrenia. Psychosis, 2012, 4, 168-171.	0.8	8
124	A semi-structured clinical interview for psychosis sub-groups (SCIPS): development and psychometric properties. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 563-580.	3.1	8
125	The Beliefs about Paranoia Scale: Confirmatory factor analysis and tests of a metacognitive model of paranoia in a clinical sample. Psychiatry Research, 2017, 248, 87-94.	3.3	8
126	Hearing the Suicidal Patient's Emotional Pain. Crisis, 2018, 39, 267-274.	1.2	8

#	Article	IF	CITATIONS
127	Cognitive therapy of psychosis: Research and implementation. Schizophrenia Research, 2019, 203, 62-65.	2.0	8
128	When standard cognitive–behavioural therapy is not enough. Psychiatric Bulletin, 2007, 31, 121-123.	0.3	7
129	A Diagnostic System Using Broad Categories With Clinically Relevant Specifiers: Lessons for Icd-11. International Journal of Social Psychiatry, 2010, 56, 326-335.	3.1	7
130	A golden age of discovery. British Journal of Psychiatry, 2013, 202, 394-395.	2.8	7
131	How Do Individuals with Persecutory Delusions Bring Worry to a Close? An Interpretive Phenomenological Analysis. Behavioural and Cognitive Psychotherapy, 2015, 43, 465-477.	1.2	7
132	Multinational comparative cross-sectional survey of views of medical students about acceptable terminology and subgroups in schizophrenia. BMJ Open, 2018, 8, e021461.	1.9	7
133	Health research funding. BMJ: British Medical Journal, 2006, 332, 1510.1.	2.3	7
134	The mental health practitioner – bypassing the recruitment bottleneck. Psychiatric Bulletin, 2002, 26, 328-331.	0.3	6
135	Hallucinations in visually impaired individuals. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 104-108.	3.1	6
136	Cognitive Behavioral Therapy (Brief vs Standard Duration) for Schizophrenia. Schizophrenia Bulletin, 2014, 40, 958-959.	4.3	6
137	D-cycloserine augmentation of cognitive behavioral therapy for delusions: A randomized clinical trial. Schizophrenia Research, 2020, 222, 145-152.	2.0	6
138	Brief rating instrument for assessment of negative symptoms: Derived from the Comprehensive Psychopathological Rating Scale (CPRS). International Journal of Psychiatry in Clinical Practice, 2003, 7, 113-116.	2.4	6
139	Management of self-harm following hospital discharge: role for general practitioners in continuity of care. Primary Care and Community Psychiatry, 2005, 10, 149-158.	0.4	6
140	Hypomania following Cognitive Therapy. British Journal of Psychiatry, 1986, 148, 103-104.	2.8	5
141	Reading about self-help for schizophrenia. Psychiatric Bulletin, 2004, 28, 349-351.	0.3	5
142	Care programme approach: relapsing or recovering?. Advances in Psychiatric Treatment, 2005, 11, 325-329.	0.5	5
143	DSPD or â€~Don't Stigmatise People in Distress'. Advances in Psychiatric Treatment, 2007, 13, 333-335.	0.5	5
144	Urdu translation of the ICD-10 chapter V (F), Research Diagnostic Criteria (RDC): Process and principles of translation. Transcultural Psychiatry, 2011, 48, 484-495.	1.6	5

#	Article	IF	CITATIONS
145	Lessons from an evaluation of major change in adult mental health services: effects on quality. Journal of Mental Health, 2014, 23, 271-275.	1.9	5
146	The management of schizophrenia: cognitive behavioural therapy. British Journal of Community Nursing, 2000, 5, 20-25.	0.4	4
147	Cognitive therapy for psychosis. Psychiatry (Abingdon, England), 2007, 6, 362-366.	0.2	4
148	An explanatory randomised controlled trial testing the effects of targeting worry in patients with persistent persecutory delusions: the Worry Intervention Trial (WIT). Efficacy and Mechanism Evaluation, 2015, 2, 1-36.	0.7	4
149	Cognitive and behavioural therapies: the state of the art. Psychiatry (Abingdon, England), 2008, 7, 217-220.	0.2	3
150	"Welcome to the World― Prehospital Emergency Care, 2009, 13, 228-236.	1.8	3
151	DSMâ€5 and the â€~Psychosis Risk Syndrome': Would it be useful and where would it fit?. Psychosis, 2010, 2, 103-106.	0.8	3
152	Brief cognitive–behavioural therapy for patients in the community with schizophrenia: Randomised controlled trial in Beijing, China – Expression of Concern. British Journal of Psychiatry, 2019, 214, 119-119.	2.8	3
153	Results of a prospective, mixed methods study to assess feasibility, acceptability and effectiveness of TRIumPH (Treatment and Recovery In PsycHosis): an integrated care pathway for psychosis, compared to usual treatment. BMJ Open, 2020, 10, e033711.	1.9	3
154	The use of an unstaffed flat for crisis intervention and rehabilitation. Psychiatric Bulletin, 1991, 15, 13-14.	0.3	2
155	Cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 2004, 184, 85-86.	2.8	2
156	Council of Europe recommendation on human rights and psychiatry: a major opportunity for mental health services. European Psychiatry, 2005, 20, 461-464.	0.2	2
157	A controlled trial of the effectiveness of drug treatment & testing orders (DTTO) with standard care. Journal of Substance Use, 2007, 12, 253-265.	0.7	2
158	Down with schizophrenia. New Scientist, 2007, 196, 22.	0.0	2
159	Drugs work sometimes. New Scientist, 2007, 196, 35.	0.0	2
160	Cognitive Behaviour Therapy for Psychosis in Conditions of High Security: Cases 13 (Malcolm) and 14 (Colin). , 2008, , 159-179.		2
161	Reanalyses of Turkington et al. (2014). Journal of Nervous and Mental Disease, 2015, 203, 975-976.	1.0	2

#	Article	IF	CITATIONS
163	Measuring common responses to psychosis: Assessing the psychometric properties of a new measure. Schizophrenia Research, 2017, 181, 131-136.	2.0	2
164	A Brief Review of Key Models in Cognitive Behaviour Therapy for Psychosis. Acta Psychopathologica, 2017, 03, .	0.1	2
165	Culture and therapist self-disclosure. The Cognitive Behaviour Therapist, 2019, 12, .	1.0	2
166	Care programme approach – time to move beyond?. BJPsych Bulletin, 2019, 43, 101-103.	1.1	2
167	Outcome-based providing and commissioning: pathways and standards. BJPsych Bulletin, 2019, 43, 282-286.	1.1	2
168	Brief cognitive–behavioural therapy for patients in the community with schizophrenia: Randomised controlled trial in Beijing, China – RETRACTION. British Journal of Psychiatry, 2019, 215, 435.	2.8	2
169	Cultural Adaptations in Clinical InteractiONs (CoACtION): a multi-site comparative study to assess what cultural adaptations are made by clinicians in different settings. International Review of Psychiatry, 2021, 33, 3-15.	2.8	2
170	A guide to outcome measurement in psychiatry. BJ Psych Advances, 2021, 27, 263-271.	0.7	2
171	Community care and general practice. BMJ: British Medical Journal, 1995, 311, 823-824.	2.3	2
172	Brief Cognitive Behavior Therapy for Psychosis. , 2016, , 27-39.		2
173	Psychiatric problems in an Afghan village. Journal of Ayub Medical College, Abbottabad: JAMC, 2005, 17, 19-20.	0.1	2
174	Cognitive Behavior Therapy for Schizophrenia. Focus (American Psychiatric Publishing), 2008, 6, 257-266.	0.8	1
175	Modelling the Model: Training People to Use Psychosocial Interventions. , 2008, , 191-196.		1
176	Case Experience from a Rehabilitation Service: Case 4 (Helena). , 2008, , 69-78.		1
177	Identifying the "Agent Mice― Case 5 (Kathy). , 2008, , 79-84.		1
178	Time to change concepts and terminology. British Journal of Psychiatry, 2009, 194, 569-570.	2.8	1
179	The Case Formulation Approach to Cognitive–Behavior Therapy By Jacqueline B. Persons. Guilford Press. 2008. US\$35.00 (hb). 270 pp. ISBN: 9781593858759. British Journal of Psychiatry, 2009, 195, 557-558.	2.8	1
180	Can cognitive behaviour therapy beneficially influence arousal mechanisms in psychosis?. Human Psychopharmacology, 2016, 31, 64-69.	1.5	1

#	Article	IF	Citations
#	Health and Social Care Diversity Among Individuals with Longstanding Physical and Psychological Health Problems: Pooled Repeated Cross Sectional Analyses. Community Mental Health Journal, 2020, 56, 978-987.	2.0	1
182	Cognitive Therapy for Older People with Psychosis. , 2008, , 151-170.		1
183	Can cognitive behavioural psychotherapy assist adherence to fluid restriction with dialysis patients: a case series. Clinical Effectiveness in Nursing, 2003, 7, 15-17.	0.1	0
184	Cognitive therapy for psychosis. Psychiatry (Abingdon, England), 2004, 3, 45-48.	0.2	0
185	Managing Expectations: Case 12 (Jane). , 2008, , 137-157.		Ο
186	From a Position of Knowing: The Journey into Uncertainty: Case 2 (Janet). , 2008, , 27-48.		0
187	Managing Voices: Case 3 (Pat). , 2008, , 49-68.		Ο
188	Two Examples of Paranoia: Cases 10 (Mary) and 11 (Karen). , 2008, , 123-136.		0
189	"The Admiral of the Fleet― Case 1 (John). , 2008, , 15-26.		Ο
190	Cognitive-Behavioral Therapy for Medication-Resistant Schizophrenia: A Review. Focus (American) Tj ETQq0 0 0 rg	gBT /Over 0.8	lock 10 Tf 50
191	Improving outcome through patient satisfaction. The Psychiatrist, 2011, 35, 75-75.	0.3	0

192	Shift resources and focus from psychiatric beds to the community. BMJ: British Medical Journal, 2011, 344, d8117-d8117.	2.3	0	
193	Psychotherapy for schizophrenia and bipolar disorder. , 2019, , 223-239.		0	

194 Psychosis and Schizophrenia: Case Conceptualization and Treatment., 2021, , .

Managing Mental Health Services By Amanda Reynolds & Graham Thornicroft. Abingdon: Open University Press. 1999. 170 pp. £16.99 (pb); £50.00 (hb). ISBN 0-335-19833-3 (pb); 0-335-19834-1 (hb). Psychi**at.i**c o Bulletin, 2000, 24, 438-438.

196 Communications from My Parents: Case 9 (Carole). , 0, , 109-121.

0