## David Kingdon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6660540/publications.pdf

Version: 2024-02-01

196 papers 6,316 citations

39 h-index 72 g-index

215 all docs

215 docs citations

215 times ranked

4469 citing authors

#	Article	IF	CITATIONS
1	Cultural Adaptations in Clinical InteractiONs (CoACtION): a multi-site comparative study to assess what cultural adaptations are made by clinicians in different settings. International Review of Psychiatry, 2021, 33, 3-15.	2.8	2
2	A guide to outcome measurement in psychiatry. BJ Psych Advances, 2021, 27, 263-271.	0.7	2
3	The revised Green <i>et al.</i> , Paranoid Thoughts Scale (R-GPTS): psychometric properties, severity ranges, and clinical cut-offs. Psychological Medicine, 2021, 51, 244-253.	4.5	126
4	An evaluation of the mental health impact of SARS-CoV-2 on patients, general public and healthcare professionals: A systematic review and meta-analysis. EClinicalMedicine, 2021, 34, 100806.	7.1	82
5	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. Lancet Psychiatry,the, 2021, 8, 696-707.	7.4	40
6	Psychosis and Schizophrenia: Case Conceptualization and Treatment., 2021,,.		0
7	The Dunn Worry Questionnaire and the Paranoia Worries Questionnaire: new assessments of worry. Psychological Medicine, 2020, 50, 771-780.	4.5	24
8	Positive memory training for the treatment of depression in schizophrenia: A randomised controlled trial. Behaviour Research and Therapy, 2020, 135, 103734.	3.1	12
9	D-cycloserine augmentation of cognitive behavioral therapy for delusions: A randomized clinical trial. Schizophrenia Research, 2020, 222, 145-152.	2.0	6
10	Results of a prospective, mixed methods study to assess feasibility, acceptability and effectiveness of TRIumPH (Treatment and Recovery In PsycHosis): an integrated care pathway for psychosis, compared to usual treatment. BMJ Open, 2020, 10, e033711.	1.9	3
11	Health and Social Care Diversity Among Individuals with Longstanding Physical and Psychological Health Problems: Pooled Repeated Cross Sectional Analyses. Community Mental Health Journal, 2020, 56, 978-987.	2.0	1
12	Why hasn't neuroscience delivered for psychiatry?. BJPsych Bulletin, 2020, 44, 107-109.	1.1	13
13	Culture and therapist self-disclosure. The Cognitive Behaviour Therapist, 2019, 12, .	1.0	2
14	Care programme approach – time to move beyond?. BJPsych Bulletin, 2019, 43, 101-103.	1.1	2
15	Outcome-based providing and commissioning: pathways and standards. BJPsych Bulletin, 2019, 43, 282-286.	1.1	2
16	Brief cognitive–behavioural therapy for patients in the community with schizophrenia: Randomised controlled trial in Beijing, China – RETRACTION. British Journal of Psychiatry, 2019, 215, 435.	2.8	2
17	Psychotherapy for schizophrenia and bipolar disorder. , 2019, , 223-239.		O
18	Brief cognitive–behavioural therapy for patients in the community with schizophrenia: Randomised controlled trial in Beijing, China – Expression of Concern. British Journal of Psychiatry, 2019, 214, 119-119.	2.8	3

#	Article	IF	Citations
19	Cognitive therapy of psychosis: Research and implementation. Schizophrenia Research, 2019, 203, 62-65.	2.0	8
20	Cognitive–behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. Health Technology Assessment, 2019, 23, 1-144.	2.8	16
21	A qualitative study to explore views of patients, carers and mental health professionals' views on depression in Moroccan women. International Journal of Culture and Mental Health, 2018, 11, 178-193.	0.6	9
22	Hearing the Suicidal Patient's Emotional Pain. Crisis, 2018, 39, 267-274.	1.2	8
23	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. Lancet Psychiatry, the, 2018, 5, 633-643.	7.4	71
24	Multinational comparative cross-sectional survey of views of medical students about acceptable terminology and subgroups in schizophrenia. BMJ Open, 2018, 8, e021461.	1.9	7
25	Radically open dialectical behaviour therapy for refractory depression: the RefraMED RCT. Efficacy and Mechanism Evaluation, 2018, 5, 1-112.	0.7	11
26	Brief cognitive–behavioural therapy for patients in the community with schizophrenia: Randomised controlled trial in Beijing, China. British Journal of Psychiatry, 2017, 210, 223-229.	2.8	21
27	The Beliefs about Paranoia Scale: Confirmatory factor analysis and tests of a metacognitive model of paranoia in a clinical sample. Psychiatry Research, 2017, 248, 87-94.	3.3	8
28	Improving the quality of mental health services using patient outcome data: Making the most of HoNOS. BJPsych Bulletin, 2017, 41, 172-176.	1.1	14
29	A qualitative study to explore views of patients', carers' and mental health professionals' to inform cultural adaptation of CBT for psychosis (CBTp) in China. BMC Psychiatry, 2017, 17, 131.	2.6	31
30	Measuring common responses to psychosis: Assessing the psychometric properties of a new measure. Schizophrenia Research, 2017, 181, 131-136.	2.0	2
31	A Brief Review of Key Models in Cognitive Behaviour Therapy for Psychosis. Acta Psychopathologica, 2017, 03, .	0.1	2
32	Effective patient–clinician interaction to improve treatment outcomes for patients with psychosis: a mixed-methods design. Programme Grants for Applied Research, 2017, 5, 1-160.	1.0	16
33	Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. PLoS ONE, 2016, 11, e0167103.	2.5	12
34	Training to enhance psychiatrist communication with patients with psychosis (TEMPO): cluster randomised controlled trial. British Journal of Psychiatry, 2016, 209, 517-524.	2.8	64
35	A Qualitative Study to Explore Patients', Carers' and Health Professionals' Views to Culturally Adapt CBT for Psychosis (CBTp) in Pakistan. Behavioural and Cognitive Psychotherapy, 2016, 44, 43-55.	1.2	39
36	Group mindfulness-based intervention for distressing voices: A pragmatic randomised controlled trial. Schizophrenia Research, 2016, 175, 168-173.	2.0	86

#	Article	IF	CITATIONS
37	Data science for mental health: a UK perspective on a global challenge. Lancet Psychiatry,the, 2016, 3, 993-998.	7.4	47
38	Can cognitive behaviour therapy beneficially influence arousal mechanisms in psychosis?. Human Psychopharmacology, 2016, 31, 64-69.	1.5	1
39	Successful Resuscitation: Novel Partnership between Paramedics and U.S. Coast Guard. Prehospital Emergency Care, 2016, 20, 432-438.	1.8	9
40	Protocol for a multicentre study to assess feasibility, acceptability, effectiveness and direct costs of TRIumPH (Treatment and Recovery In PsycHosis): integrated care pathway for psychosis. BMJ Open, 2016, 6, e012751.	1.9	10
41	TechCare: mobile assessment and therapy for psychosis – an intervention for clients in the Early Intervention Service: A feasibility study protocol. SAGE Open Medicine, 2016, 4, 205031211666961.	1.8	16
42	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. BMC Psychiatry, 2016, 16, 280.	2.6	16
43	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). Trials, 2016, 17, 134.	1.6	24
44	Worry processes in patients with persecutory delusions. British Journal of Clinical Psychology, 2016, 55, 387-400.	3.5	31
45	Cognitive Behavior Therapy for psychosis based Guided Self-help (CBTp-GSH) delivered by frontline mental health professionals: Results of a feasibility study. Schizophrenia Research, 2016, 173, 69-74.	2.0	16
46	Brief Cognitive Behavioral Therapy for Psychosis (CBTp) for Schizophrenia: Literature Review and Meta-analysis. International Journal of Cognitive Therapy, 2016, 9, 73-86.	2.2	26
47	The Perseverative Thinking Questionnaire in Patients with Persecutory Delusions. Behavioural and Cognitive Psychotherapy, 2016, 44, 472-481.	1.2	19
48	Brief Cognitive Behavior Therapy for Psychosis. , 2016, , 27-39.		2
49	How Do Individuals with Persecutory Delusions Bring Worry to a Close? An Interpretive Phenomenological Analysis. Behavioural and Cognitive Psychotherapy, 2015, 43, 465-477.	1.2	7
50	Cognitive–behavioural therapy for patients with schizophrenia: a multicentre randomized controlled trial in Beijing, China. Psychological Medicine, 2015, 45, 1893-1905.	4.5	40
51	Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. Lancet Psychiatry,the, 2015, 2, 305-313.	7.4	207
52	Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. The Cochrane Library, 2015, 2015, CD010646.	2.8	14
53	Reanalyses of Turkington et al. (2014). Journal of Nervous and Mental Disease, 2015, 203, 975-976.	1.0	2
54	The evolution of cognitive–behavioral therapy for psychosis. Psychology Research and Behavior Management, 2015, 8, 63.	2.8	16

#	Article	IF	Citations
55	Refractory depression: mechanisms and evaluation of radically open dialectical behaviour therapy (RO-DBT) [REFRAMED]: protocol for randomised trial. BMJ Open, 2015, 5, e008857.	1.9	24
56	Cognitive Behavioral Therapy. , 2015, , 30-32.		2
57	Rate and predictors of psychotic symptoms after Kashmir earthquake. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 471-481.	3.2	11
58	Preliminary Evaluation of Culturally Adapted CBT for Psychosis (CA-CBTp): Findings from Developing Culturally-Sensitive CBT Project (DCCP). Behavioural and Cognitive Psychotherapy, 2015, 43, 200-208.	1.2	40
59	Brief culturally adapted CBT for psychosis (CaCBTp): A randomized controlled trial from a low income country. Schizophrenia Research, 2015, 164, 143-148.	2.0	75
60	A randomised controlled trial of positive memory training for the treatment of depression within schizophrenia. BMC Psychiatry, 2015, 15, 85.	2.6	24
61	The Effectiveness of a Patient-Centred Assessment with a Solution-Focused Approach (DIALOG+) for Patients with Psychosis: A Pragmatic Cluster-Randomised Controlled Trial in Community Care. Psychotherapy and Psychosomatics, 2015, 84, 304-313.	8.8	79
62	Using cognitive behaviour therapy with South Asian Muslims: Findings from the culturally sensitive CBT project. International Review of Psychiatry, 2015, 27, 233-46.	2.8	35
63	An explanatory randomised controlled trial testing the effects of targeting worry in patients with persistent persecutory delusions: the Worry Intervention Trial (WIT). Efficacy and Mechanism Evaluation, 2015, 2, 1-36.	0.7	4
64	Case for cultural adaptation of psychological interventions for mental healthcare in low and middle income countries. BMJ, The, 2014, 349, g7636-g7636.	6.0	14
65	Cognitive Behavioral Therapy (Brief vs Standard Duration) for Schizophrenia. Schizophrenia Bulletin, 2014, 40, 958-959.	4.3	6
66	Cognitive behavioural therapy (brief versus standard duration) for schizophrenia., 2014, , CD010646.		11
67	Lessons from an evaluation of major change in adult mental health services: effects on quality. Journal of Mental Health, 2014, 23, 271-275.	1.9	5
68	The promise of cognitive behavior therapy for treatment of severe mental disorders: a review of recent developments. World Psychiatry, 2014, 13, 244-250.	10.4	43
69	Has cognitive behavioural therapy for psychosis been oversold?. BMJ, The, 2014, 348, g2295-g2295.	6.0	20
70	Better Than Mermaids and Stray Dogs? Subtyping Auditory Verbal Hallucinations and Its Implications for Research and Practice. Schizophrenia Bulletin, 2014, 40, S275-S284.	4.3	93
71	Depersonalization in Patients With Persecutory Delusions. Journal of Nervous and Mental Disease, 2014, 202, 752-758.	1.0	11
72	High-Yield Cognitive Behavioral Techniques for Psychosis Delivered by Case Managers to Their Clients With Persistent Psychotic Symptoms. Journal of Nervous and Mental Disease, 2014, 202, 30-34.	1.0	25

#	Article	IF	Citations
73	Understanding jumping to conclusions in patients with persecutory delusions: working memory and intolerance of uncertainty. Psychological Medicine, 2014, 44, 3017-3024.	4.5	54
74	Persecutory delusions and psychological well-being. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1045-1050.	3.1	42
75	Auditory Hallucinations: A Comparison of Beliefs about Voices in Individuals with Schizophrenia and Borderline Personality Disorder. Clinical Psychology and Psychotherapy, 2013, 20, 239-245.	2.7	41
76	Effectiveness of structured patient-clinician communication with a solution focused approach (DIALOG+) in community treatment of patients with psychosis – a cluster randomised controlled trial. BMC Psychiatry, 2013, 13, 173.	2.6	30
77	The interaction of affective with psychotic processes: A test of the effects of worrying on working memory, jumping to conclusions, and anomalies of experience in patients with persecutory delusions. Journal of Psychiatric Research, 2013, 47, 1837-1842.	3.1	43
78	Cognitive behaviour therapy for psychosis can be adapted for minority ethnic groups: A randomised controlled trial. Schizophrenia Research, 2013, 143, 319-326.	2.0	97
79	Associations of self-esteem, dysfunctional beliefs and coping style with depression in patients with schizophrenia: A preliminary survey. Psychiatry Research, 2013, 209, 340-345.	3.3	33
80	Movement disorders in patients with schizophrenia and a history of substance abuse. Human Psychopharmacology, 2013, 28, 192-197.	1.5	9
81	Changing name: changing prospects for psychosis. Epidemiology and Psychiatric Sciences, 2013, 22, 297-301.	3.9	12
82	A golden age of discovery. British Journal of Psychiatry, 2013, 202, 394-395.	2.8	7
83	Supported employment for adults with severe mental illness. The Cochrane Library, 2013, , CD008297.	2.8	103
84	Increased funding needed for mental health research. BMJ, The, 2013, 346, f402-f402.	6.0	10
85	Views of Depressed Patients in Pakistan Concerning Their Illness, Its Causes, and Treatments. Qualitative Health Research, 2012, 22, 1083-1093.	2.1	35
86	Persecutory delusions and childhood emotional abuse in people with a diagnosis of schizophrenia. Psychosis, 2012, 4, 168-171.	0.8	8
87	The effects of reducing worry in patients with persecutory delusions: study protocol for a randomized controlled trial. Trials, 2012, 13, 223.	1.6	16
88	A semi-structured clinical interview for psychosis sub-groups (SCIPS): development and psychometric properties. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 563-580.	3.1	8
89	Stress in psychiatrists: coping with a decade of rapid change. The Psychiatrist, 2011, 35, 130-134.	0.3	10
90	Transforming mental health services. British Journal of Psychiatry, 2011, 199, 1-2.	2.8	11

#	Article	IF	Citations
91	Improving outcome through patient satisfaction. The Psychiatrist, 2011, 35, 75-75.	0.3	O
92	Metacognition and persecutory delusions: Tests of a metacognitive model in a clinical population and comparisons with non-patients. British Journal of Clinical Psychology, 2011, 50, 223-233.	3.5	38
93	Fear of negative evaluation is associated with delusional ideation in non-clinical population and patients with schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 703-710.	3.1	10
94	Shift resources and focus from psychiatric beds to the community. BMJ: British Medical Journal, 2011, 344, d8117-d8117.	2.3	0
95	Urdu translation of the ICD-10 chapter V (F), Research Diagnostic Criteria (RDC): Process and principles of translation. Transcultural Psychiatry, 2011, 48, 484-495.	1.6	5
96	Preliminary Evaluation of Culturally Sensitive CBT for Depression in Pakistan: Findings from Developing Culturally-Sensitive CBT Project (DCCP). Behavioural and Cognitive Psychotherapy, 2011, 39, 165-173.	1.2	72
97	Schizophrenia and Borderline Personality Disorder. Journal of Nervous and Mental Disease, 2010, 198, 399-403.	1.0	137
98	A patient satisfaction rating scale for psychiatric service users. The Psychiatrist, 2010, 34, 485-488.	0.3	13
99	Cognitive-Behavioral Therapy for Medication-Resistant Schizophrenia: A Review. Focus (American) Tj ETQq1 1 0.78	4314 rgB <sup>-</sup>	T/Overlook
100	Psychologists experience of cognitive behaviour therapy in a developing country: a qualitative study from Pakistan. International Journal of Mental Health Systems, 2010, 4, 2.	2.7	44
101	Developing Culturally Sensitive Cognitive Behaviour Therapy for Psychosis for Ethnic Minority Patients by Exploration and Incorporation of Service Users' and Health Professionals' Views and Opinions. Behavioural and Cognitive Psychotherapy, 2010, 38, 511-533.	1.2	121
102	Over-simplification and exclusion of non-conforming studies can demonstrate absence of effect: a lynching party?. Psychological Medicine, 2010, 40, 25-27.	4.5	15
103	A Diagnostic System Using Broad Categories With Clinically Relevant Specifiers: Lessons for Icd-11. International Journal of Social Psychiatry, 2010, 56, 326-335.	3.1	7
104	The relationship between selfâ€esteem and psychotic symptoms in schizophrenia: A longitudinal study. Psychosis, 2010, 2, 218-226.	0.8	12
105	DSMâ€5 and the â€~Psychosis Risk Syndrome': Would it be useful and where would it fit?. Psychosis, 2010, 2, 103-106.	0.8	3
106	Supported employment for adults with severe mental illness. , 2010, 2010, .		60
107	Cognitive Behavioral Therapy for Schizophrenia. Psychiatric Clinics of North America, 2010, 33, 527-536.	1.3	25
108	Time to change concepts and terminology. British Journal of Psychiatry, 2009, 194, 569-570.	2.8	1

#	Article	IF	CITATIONS
109	University students' views about compatibility of cognitive behaviour therapy (CBT) with their personal, social and religious values (a study from Pakistan). Mental Health, Religion and Culture, 2009, 12, 847-855.	0.9	36
110	A randomized controlled trial to assess an anger management group programme. The Cognitive Behaviour Therapist, 2009, 2, 20-31.	1.0	9
111	The Case Formulation Approach to Cognitive–Behavior Therapy By Jacqueline B. Persons. Guilford Press. 2008. US\$35.00 (hb). 270 pp. ISBN: 9781593858759. British Journal of Psychiatry, 2009, 195, 557-558.	2.8	1
112	Cognitive behaviour therapy across cultures. Psychiatry (Abingdon, England), 2009, 8, 370-371.	0.2	30
113	Hallucinations in visually impaired individuals. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 104-108.	3.1	6
114	Psychiatric morbidity and domestic violence: a survey of married women in Lahore. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 953-960.	3.1	31
115	"Welcome to the World― Prehospital Emergency Care, 2009, 13, 228-236.	1.8	3
116	Everybody gets stressed … it's just the way we react that differs. Psychiatric Bulletin, 2009, 33, 441-442.	0.3	10
117	Effectiveness of Brief Cognitive-Behavioral Therapy for Schizophrenia Delivered by Mental Health Nurses. Journal of Clinical Psychiatry, 2009, 70, 201-207.	2.2	39
118	Predictors of Response to Cognitive Behaviour Therapy in the Treatment of Schizophrenia: A Comparison of Brief and Standard Interventions. Cognitive Therapy and Research, 2008, 32, 651-656.	1.9	41
119	Acceptable terminology and subgroups in schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 239-243.	3.1	24
120	Cognitive and behavioural therapies: the state of the art. Psychiatry (Abingdon, England), 2008, 7, 217-220.	0.2	3
121	A randomized controlled trial of cognitive-behavior therapy for persistent symptoms in schizophrenia: A five-year follow-up. Schizophrenia Research, 2008, 98, 1-7.	2.0	100
122	Angry Wives, Abusive Husbands: Relationship Between Domestic Violence and Psychosocial Variables. Women's Health Issues, 2008, 18, 453-462.	2.0	47
123	Cognitive Behavior Therapy for Schizophrenia. Focus (American Psychiatric Publishing), 2008, 6, 257-266.	0.8	1
124	Cognitive-Behavioral Therapy for Medication-Resistant Schizophrenia: A Review. Journal of Psychiatric Practice, 2008, 14, 22-33.	0.7	45
125	Cross-Cultural Study of Conviction Subtype Taijin Kyofu. Journal of Nervous and Mental Disease, 2008, 196, 307-313.	1.0	18
126	Cognitive Therapy for Schizophrenia. Journal of Psychiatric Practice, 2008, 14, 55-57.	0.7	19

#	Article	IF	CITATIONS
127	Modelling the Model: Training People to Use Psychosocial Interventions. , 2008, , 191-196.		1
128	Cognitive Behaviour Therapy for Psychosis in Conditions of High Security: Cases 13 (Malcolm) and 14 (Colin)., 2008,, 159-179.		2
129	Case Experience from a Rehabilitation Service: Case 4 (Helena). , 2008, , 69-78.		1
130	Managing Expectations: Case 12 (Jane)., 2008,, 137-157.		0
131	Identifying the "Agent Mice― Case 5 (Kathy). , 2008, , 79-84.		1
132	Destigmatising schizophrenia: does changing terminology reduce negative attitudes?. Psychiatric Bulletin, 2008, 32, 419-422.	0.3	19
133	Expansion of psychological therapies. British Journal of Psychiatry, 2008, 193, 256-257.	2.8	11
134	From a Position of Knowing: The Journey into Uncertainty: Case 2 (Janet)., 2008,, 27-48.		0
135	Managing Voices: Case 3 (Pat)., 2008,, 49-68.		0
136	Two Examples of Paranoia: Cases 10 (Mary) and 11 (Karen)., 2008,, 123-136.		0
137	"The Admiral of the Fleet― Case 1 (John). , 2008, , 15-26.		0
138	Cognitive Therapy for Older People with Psychosis. , 2008, , 151-170.		1
139	Combining Cognitive Therapy and Pharmacotherapy for Schizophrenia. Journal of Cognitive Psychotherapy, 2007, 21, 28-36.	0.4	9
140	Launching Online Education for 911 Telecommunicators and EMS Personnel: Experiences from the North Carolina Rapid Response to Stroke Project. Prehospital Emergency Care, 2007, 11, 298-306.	1.8	8
141	Cognitive Behavioral Therapy Reduces Suicidal Ideation in Schizophrenia: Results from a Randomized Controlled Trial. Suicide and Life-Threatening Behavior, 2007, 37, 284-290.	1.9	46
142	A controlled trial of the effectiveness of drug treatment & DTTO) with standard care. Journal of Substance Use, 2007, 12, 253-265.	0.7	2
143	Down with schizophrenia. New Scientist, 2007, 196, 22.	0.0	2
144	Drugs work sometimes. New Scientist, 2007, 196, 35.	0.0	2

#	Article	IF	Citations
145	Research into putative biological mechanisms of mental disorders has been of no value to clinical psychiatry. British Journal of Psychiatry, 2007, 191, 285-290.	2.8	40
146	When standard cognitive–behavioural therapy is not enough. Psychiatric Bulletin, 2007, 31, 121-123.	0.3	7
147	DSPD or â€~Don't Stigmatise People in Distress'. Advances in Psychiatric Treatment, 2007, 13, 333-335.	0.5	5
148	Cognitive therapy for psychosis. Psychiatry (Abingdon, England), 2007, 6, 362-366.	0.2	4
149	Befriending patients with medication-resistant schizophrenia: Can psychotic symptoms predict treatment response?. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 97-106.	2.5	19
150	Rating Suicidality in Schizophrenia: Items on Global Scales (HoNOS and CPRS) Correlate with a Validated Suicidality Rating Scale (InterSePT). Archives of Suicide Research, 2006, 10, 249-252.	2.3	9
151	Cognitive behaviour therapy for schizophrenia: Relationship between anxiety symptoms and therapy. Psychology and Psychotherapy: Theory, Research and Practice, 2006, 79, 153-164.	2.5	22
152	Psychological and social interventions for schizophrenia. BMJ: British Medical Journal, 2006, 333, 212-213.	2.3	9
153	Special Section: A Memorial Tribute: Who Does Not Get Cognitive-Behavioral Therapy for Schizophrenia When Therapy Is Readily Available?. Psychiatric Services, 2006, 57, 1792-1794.	2.0	33
154	Cognitive Behavior Therapy for Schizophrenia. American Journal of Psychiatry, 2006, 163, 365-373.	7.2	191
155	Outcomes of an effectiveness trial of cognitive–behavioural intervention by mental health nurses in schizophrenia. British Journal of Psychiatry, 2006, 189, 36-40.	2.8	137
156	Health research funding. BMJ: British Medical Journal, 2006, 332, 1510.1.	2.3	7
157	Stigma and psychiatric illness. A survey of attitude of medical students and doctors in Lahore, Pakistan. Journal of Ayub Medical College, Abbottabad: JAMC, 2006, 18, 46-9.	0.1	18
158	Attitude of the university students and teachers towards mentally ill, in Lahore, Pakistan. Journal of Ayub Medical College, Abbottabad: JAMC, 2006, 18, 55-8.	0.1	11
159	Care programme approach: relapsing or recovering?. Advances in Psychiatric Treatment, 2005, 11, 325-329.	0.5	5
160	Council of Europe recommendation on human rights and psychiatry: a major opportunity for mental health services. European Psychiatry, 2005, 20, 461-464.	0.2	2
161	Cognitive Behaviour Therapy for Schizophrenia in Patients with Mild to Moderate Substance Misuse Problems. Cognitive Behaviour Therapy, 2005, 34, 207-215.	3.5	32
162	Insight into schizophrenia: the effects of cognitive behavioural therapy on the components of insight and association with sociodemographics—data on a previously published randomised controlled trial. Schizophrenia Research, 2005, 74, 211-219.	2.0	131

#	Article	IF	CITATIONS
163	Management of self-harm following hospital discharge: role for general practitioners in continuity of care. Primary Care and Community Psychiatry, 2005, 10, 149-158.	0.4	6
164	Psychiatric morbidity among Afghan refugees in Peshawar, Pakistan. Journal of Ayub Medical College, Abbottabad: JAMC, 2005, 17, 23-5.	0.1	10
165	Psychiatric problems in an Afghan village. Journal of Ayub Medical College, Abbottabad: JAMC, 2005, 17, 19-20.	0.1	2
166	Reading about self-help for schizophrenia. Psychiatric Bulletin, 2004, 28, 349-351.	0.3	5
167	Cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 2004, 184, 85-86.	2.8	2
168	Protecting the human rights of people with mental disorder: new recommendations emerging from the Council of Europe. British Journal of Psychiatry, 2004, 185, 277-279.	2.8	35
169	No Association between Akathisia or Parkinsonism and Suicidality in treatment-Resistant Schizophrenia. Journal of Psychopharmacology, 2004, 18, 384-387.	4.0	21
170	Cognitive therapy for psychosis. Psychiatry (Abingdon, England), 2004, 3, 45-48.	0.2	0
171	What attitudes do psychiatrists hold towards people with mental illness?. Psychiatric Bulletin, 2004, 28, 401-406.	0.3	76
172	Cognitive–behavioural therapy in first-episode and early schizophrenia. British Journal of Psychiatry, 2004, 184, 231-239.	2.8	243
173	Can cognitive behavioural psychotherapy assist adherence to fluid restriction with dialysis patients: a case series. Clinical Effectiveness in Nursing, 2003, 7, 15-17.	0.1	0
174	Cognitive-behavioural therapy for schizophrenia: Filling the therapeutic vacuum. British Journal of Psychiatry, 2003, 183, 98-99.	2.8	24
175	Brief rating instrument for assessment of negative symptoms: Derived from the Comprehensive Psychopathological Rating Scale (CPRS). International Journal of Psychiatry in Clinical Practice, 2003, 7, 113-116.	2.4	6
176	Effectiveness of a brief cognitive–behavioural therapy intervention in the treatment of schizophrenia. British Journal of Psychiatry, 2002, 180, 523-527.	2.8	294
177	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: Acute-phase outcomes. British Journal of Psychiatry, 2002, 181, s91-s97.	2.8	311
178	The mental health practitioner – bypassing the recruitment bottleneck. Psychiatric Bulletin, 2002, 26, 328-331.	0.3	6
179	The management of schizophrenia: cognitive behavioural therapy. British Journal of Community Nursing, 2000, 5, 20-25.	0.4	4
180	Cognitive–behavioural techniques for general psychiatrists in the management of patients with psychoses. British Journal of Psychiatry, 2000, 177, 101-106.	2.8	95

#	Article	IF	CITATIONS
181	A survey of stress in psychiatrists working in the Wessex Region. Psychiatric Bulletin, 2000, 24, 133-136.	0.3	50
182	A Randomized Controlled Trial of Cognitive-Behavioral Therapy for Persistent Symptoms in Schizophrenia Resistant to Medication. Archives of General Psychiatry, 2000, 57, 165.	12.3	586
183	Managing Mental Health Services By Amanda Reynolds & Graham Thornicroft. Abingdon: Open University Press. 1999. 170 pp. £16.99 (pb); £50.00 (hb). ISBN 0-335-19833-3 (pb); 0-335-19834-1 (hb). Psych Bulletin, 2000, 24, 438-438.	ni <b>ats</b> c	O
184	The Nottingham Study of Neurotic Disorder: Influence of Cognitive Therapists on Outcome. British Journal of Psychiatry, 1996, 169, 93-97.	2.8	47
185	Community care and general practice. BMJ: British Medical Journal, 1995, 311, 823-824.	2.3	2
186	Making care programming work. Advances in Psychiatric Treatment, 1994, 1, 41-46.	0.5	11
187	Cognitive Behaviour Therapy of Schizophrenia. British Journal of Psychiatry, 1994, 164, 581-587.	2.8	114
188	Care programme approach. Psychiatric Bulletin, 1994, 18, 68-70.	0.3	57
189	The use of an unstaffed flat for crisis intervention and rehabilitation. Psychiatric Bulletin, 1991, 15, 13-14.	0.3	2
190	Replacing the Mental Hospital. British Journal of Psychiatry, 1991, 158, 113-117.	2.8	9
191	A role for cognitive-behavioural strategies in schizophrenia?. Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 101-103.	3.1	15
192	The Nottingham Study of Neurotic Disorder: relationship between personality status and symptoms. Psychological Medicine, 1990, 20, 423-431.	4.5	70
193	Aggressive Behaviour: Evaluation of a Non-seclusion Policy of a District Psychiatric Service. British Journal of Psychiatry, 1988, 153, 631-634.	2.8	23
194	Hypomania following Cognitive Therapy. British Journal of Psychiatry, 1986, 148, 103-104.	2.8	5
195	PSYCHOLOGICAL TREATMENT FOR BENZODIAZEPINE DEPENDENCE. Lancet, The, 1985, 325, 1042-1043.	13.7	30
196	Communications from My Parents: Case 9 (Carole). , 0, , 109-121.		0