Xin Xu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/666306/publications.pdf

Version: 2024-02-01

90 papers

2,975 citations

147801 31 h-index 50 g-index

93 all docs 93 docs citations

93 times ranked 4093 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The essential roles of m6A RNA modification to stimulate ENO1-dependent glycolysis and tumorigenesis in lung adenocarcinoma. Journal of Experimental and Clinical Cancer Research, 2022, 41, 36. | 8.6 | 38 |
| 2 | Small Extracellular Vesicles Derived from Human Umbilical Cord Mesenchymal Stem Cells Enhanced Proangiogenic Potential of Cardiac Fibroblasts via Angiopoietin-Like 4. Stem Cells International, 2022, 2022, 1-11. | 2.5 | 1 |
| 3 | Effect of complete reduction of hernia sac and transection of hernia sac during laparoscopic indirect inguinal hernia repair on seroma. BMC Surgery, 2022, 22, 149. | 1.3 | 6 |
| 4 | Neoadjuvant chemoradiotherapy combined with perioperative toripalimab in locally advanced esophageal cancer Journal of Clinical Oncology, 2022, 40, e16065-e16065. | 1.6 | 9 |
| 5 | Dietary glycemic index, glycemic load and risk of bladder cancer: a prospective study. European Journal of Nutrition, 2021, 60, 1041-1048. | 3.9 | 4 |
| 6 | Efficacy and safety of sintilimab in combination with chemotherapy in previously untreated advanced or metastatic nonsquamous or squamous NSCLC: two cohorts of an open-label, phase 1b study. Cancer Immunology, Immunotherapy, 2021, 70, 857-868. | 4.2 | 22 |
| 7 | The m6A reader YTHDC2 inhibits lung adenocarcinoma tumorigenesis by suppressing SLC7A11-dependent antioxidant function. Redox Biology, 2021, 38, 101801. | 9.0 | 133 |
| 8 | Comparison of gene mutation spectra in younger and older Chinese acute myeloid leukemia patients and its prognostic value. Gene, 2021, 770, 145344. | 2.2 | 2 |
| 9 | Sprayed copper peroxide nanodots for accelerating wound healing in a multidrug-resistant bacteria infected diabetic ulcer. Nanoscale, 2021, 13, 15937-15951. | 5.6 | 27 |
| 10 | Prognostic and Predictive Value of m6A "Eraser―Related Gene Signature in Gastric Cancer. Frontiers in Oncology, 2021, 11, 631803. | 2.8 | 15 |
| 11 | Targeting SLC3A2 subunit of system XCâ [^] is essential for m6A reader YTHDC2 to be an endogenous ferroptosis inducer in lung adenocarcinoma. Free Radical Biology and Medicine, 2021, 168, 25-43. | 2.9 | 94 |
| 12 | CircRAB3B suppresses proliferation, motility, cell cycle progression and promotes the apoptosis of IL-22-induced keratinocytes depending on the regulation of miR-1228-3p/PTEN axis in psoriasis. Autoimmunity, 2021, 54, 303-312. | 2.6 | 15 |
| 13 | Diffusion-weighted MRI and 18F-FDG PET/CT in assessing the response to neoadjuvant chemoradiotherapy in locally advanced esophageal squamous cell carcinoma. Radiation Oncology, 2021, 16, 132. | 2.7 | 9 |
| 14 | Apatinib induces endoplasmic reticulum stress-mediated apoptosis and autophagy and potentiates cell sensitivity to paclitaxel via the IRE-1α–AKT–mTOR pathway in esophageal squamous cell carcinoma. Cell and Bioscience, 2021, 11, 124. | 4.8 | 16 |
| 15 | Association of Dietary Carrot Intake With Bladder Cancer Risk in a Prospective Cohort of 99,650 Individuals With 12.5 Years of Follow-Up. Frontiers in Nutrition, 2021, 8, 669630. | 3.7 | 5 |
| 16 | Association of dietary tomato intake with bladder cancer risk in a prospective cohort of 101,683 individuals with 12.5 years of follow-up. Aging, 2021, 13, 17629-17637. | 3.1 | 3 |
| 17 | Dietary Intake of Tomato and Lycopene and Risk of All-Cause and Cause-Specific Mortality: Results From a Prospective Study. Frontiers in Nutrition, 2021, 8, 684859. | 3.7 | 7 |
| 18 | Corosolic acid inhibits cancer progression by decreasing the level of CDK19-mediated O-GlcNAcylation in liver cancer cells. Cell Death and Disease, 2021, 12, 889. | 6.3 | 14 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Adenoâ€associated virus (AAV)-based gene therapy for glioblastoma. Cancer Cell International, 2021, 21, 76. | 4.1 | 12 |
| 20 | Transcriptional Repression of Ferritin Light Chain Increases Ferroptosis Sensitivity in Lung Adenocarcinoma. Frontiers in Cell and Developmental Biology, 2021, 9, 719187. | 3.7 | 19 |
| 21 | Hsa_circ_0008434 regulates USP9X expression by sponging miR-6838-5p to promote gastric cancer growth, migration and invasion. BMC Cancer, 2021, 21, 1289. | 2.6 | 7 |
| 22 | Impact of postoperative lymph node status on the prognosis of esophageal squamous cell carcinoma after esophagectomy following neoadjuvant chemoradiotherapy: a retrospective study. Journal of Gastrointestinal Oncology, 2021, 12, 2685-2695. | 1.4 | 2 |
| 23 | Deep learning-based detection and segmentation of diffusion abnormalities in acute ischemic stroke. Communications Medicine, $2021, 1, \dots$ | 4.2 | 24 |
| 24 | Dietary inflammatory index and the risk of prostate cancer: a dose-response meta-analysis. European Journal of Clinical Nutrition, 2020, 74, 1001-1008. | 2.9 | 22 |
| 25 | Population-based analysis on predictors for lymph node metastasis in T1 colon cancer. Surgical Endoscopy and Other Interventional Techniques, 2020, 34, 4030-4040. | 2.4 | 18 |
| 26 | Dietary fiber intake and the risk of bladder cancer in the Prostate, Lung, Colorectal and Ovarian (PLCO) cohort. Carcinogenesis, 2020, 41, 478-482. | 2.8 | 11 |
| 27 | Over expression of <i>METRN</i> predicts poor clinical prognosis in colorectal cancer. Molecular Genetics & Company Genomic Medicine, 2020, 8, e1102. | 1.2 | 11 |
| 28 | Dairy Product Consumption and Bladder Cancer Risk in the Prostate, Lung, Colorectal, and Ovarian (PLCO) Cohort. Frontiers in Nutrition, 2020, 7, 97. | 3.7 | 4 |
| 29 | The prognostic value of IncRNA SNHG6 in cancer patients. Cancer Cell International, 2020, 20, 286. | 4.1 | 7 |
| 30 | <p>Huaier Suppresses the Hepatocellular Carcinoma Cell Cycle by Regulating Minichromosome Maintenance Proteins</p> . OncoTargets and Therapy, 2020, Volume 13, 12015-12025. | 2.0 | 11 |
| 31 | Safety and efficacy of sintilimab combined with oxaliplatin/capecitabine as first-line treatment in patients with locally advanced or metastatic gastric/gastroesophageal junction adenocarcinoma in a phase Ib clinical trial. BMC Cancer, 2020, 20, 760. | 2.6 | 43 |
| 32 | YTHDF2 mediates the mRNA degradation of the tumor suppressors to induce AKT phosphorylation in N6-methyladenosine-dependent way in prostate cancer. Molecular Cancer, 2020, 19, 152. | 19.2 | 159 |
| 33 | SP1/AKT/FOXO3 Signaling Is Involved in miR-362-3p-Mediated Inhibition of Cell-Cycle Pathway and EMT Progression in Renal Cell Carcinoma. Frontiers in Cell and Developmental Biology, 2020, 8, 297. | 3.7 | 12 |
| 34 | Dietary inflammatory index and bladder cancer risk: a prospective study. European Journal of Clinical Nutrition, 2020, 74, 1428-1433. | 2.9 | 6 |
| 35 | METTL3/YTHDF2 m ⁶ A axis promotes tumorigenesis by degrading SETD7 and KLF4 mRNAs in bladder cancer. Journal of Cellular and Molecular Medicine, 2020, 24, 4092-4104. | 3.6 | 100 |
| 36 | Metabolic Syndrome Is Not Associated With Prostate Cancer Recurrence: A Retrospective Analysis of a Chinese Cohort. Frontiers in Oncology, 2020, 10, 63. | 2.8 | 5 |

| # | Article | IF | CITATIONS |
|----|---|--------------------|-------------|
| 37 | CCND1, NOP14 and DNMT3B are involved in miRâ€502â€5p–mediated inhibition of cell migration and proliferation in bladder cancer. Cell Proliferation, 2020, 53, e12751. | 5.3 | 45 |
| 38 | Reproductive and hormonal factors and bladder cancer risk: a prospective study and meta-analysis. Aging, 2020, 12, 14691-14698. | 3.1 | 7 |
| 39 | Dual regulatory role of CCNA2 in modulating CDK6 and METâ€mediated cellâ€cycle pathway and EMT progression is blocked by miRâ€381â€3p in bladder cancer. FASEB Journal, 2019, 33, 1374-1388. | 0.5 | 60 |
| 40 | Processed Meat Intake and Bladder Cancer Risk in the Prostate, Lung, Colorectal, and Ovarian (PLCO) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1993-1997. | 2.5 | 15 |
| 41 | <p>Clinicopathological impacts of c-Met overexpression in bladder cancer: evidence from 1,336 cases</p> . OncoTargets and Therapy, 2019, Volume 12, 2695-2702. | 2.0 | 6 |
| 42 | Research of Biological Dose Conversion Platform Based on a Modified Linear Quadratic Model. Dose-Response, 2019, 17, 155932581982862. | 1.6 | 0 |
| 43 | Dietary fiber, glycemic index, glycemic load and renal cell carcinoma risk. Carcinogenesis, 2019, 40, 441-447. | 2.8 | 11 |
| 44 | Dysregulation of ncRNAs located at the DLK1-DIO3 imprinted domain: involvement in urological cancers. Cancer Management and Research, 2019, Volume 11, 777-787. | 1.9 | 20 |
| 45 | Human bone marrow-derived mesenchymal stem cells promote the growth and drug-resistance of diffuse large B-cell lymphoma by secreting IL-6 and elevating IL-17A levels. Journal of Experimental and Clinical Cancer Research, 2019, 38, 73. | 8.6 | 28 |
| 46 | <p>Primary Prostatic Extra-Gastrointestinal Stromal Tumor Treated with Imatinib Mesylate as Neoadjuvant and Adjuvant Therapy: A Case Report and Literature Review</p> . OncoTargets and Therapy, 2019, Volume 12, 11549-11553. | 2.0 | 5 |
| 47 | MiR-22 suppresses epithelial–mesenchymal transition in bladder cancer by inhibiting Snail and MAPK1/Slug/vimentin feedback loop. Cell Death and Disease, 2018, 9, 209. | 6.3 | 73 |
| 48 | TLR9 (Toll-Like Receptor 9) Agonist Suppresses Angiogenesis by Differentially Regulating VEGFA (Vascular Endothelial Growth Factor A) and sFLT1 (Soluble Vascular Endothelial Growth Factor) Tj ETQq0 0 0 rgBT | / Q⊽ erlock | ¥w0Tf 50 29 |
| 49 | MIR-300 in the imprinted DLK1-DIO3 domain suppresses the migration of bladder cancer by regulating the SP1/MMP9 pathway. Cell Cycle, 2018, 17, 2790-2801. | 2.6 | 26 |
| 50 | Secondhand smoking increases bladder cancer risk in nonsmoking population: a meta-analysis. Cancer Management and Research, 2018, Volume 10, 3781-3791. | 1.9 | 25 |
| 51 | RNAa and Vector-Mediated Overexpression of DIRAS1 Suppresses Tumor Growth and Migration in Renal Cell Carcinoma. Molecular Therapy - Nucleic Acids, 2018, 12, 845-853. | 5.1 | 8 |
| 52 | Insulinâ€ʻlike growth factorâ€ʻ1 receptor knockdown enhances radiosensitivity via the HIFâ€ʻ1α pathway and attenuates ATM/H2AX/53BP1 DNA repair activation in human lung squamous carcinoma cells. Oncology Letters, 2018, 16, 1332-1340. | 1.8 | 9 |
| 53 | Pioglitazone use in patients with diabetes and risk of bladder cancer: a systematic review and meta-analysis. Cancer Management and Research, 2018, Volume 10, 1627-1638. | 1.9 | 24 |
| 54 | Downregulation of N6-methyladenosine binding YTHDF2 protein mediated by miR-493-3p suppresses prostate cancer by elevating N6-methyladenosine levels. Oncotarget, 2018, 9, 3752-3764. | 1.8 | 124 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | MicroRNA-608 inhibits proliferation of bladder cancer via AKT/FOXO3a signaling pathway. Molecular Cancer, 2017, 16, 96. | 19.2 | 80 |
| 56 | MET/SMAD3/SNAIL circuit mediated by miR-323a-3p is involved in regulating epithelial–mesenchymal transition progression in bladder cancer. Cell Death and Disease, 2017, 8, e3010-e3010. | 6.3 | 53 |
| 57 | Apigenin inhibits renal cell carcinoma cell proliferation. Oncotarget, 2017, 8, 19834-19842. | 1.8 | 55 |
| 58 | c-Met, CREB1 and EGFR are involved in miR-493-5p inhibition of EMT via AKT/GSK-3β/Snail signaling in prostate cancer. Oncotarget, 2017, 8, 82303-82313. | 1.8 | 28 |
| 59 | Body mass index and incidence of nonaggressive and aggressive prostate cancer: a dose-response meta-analysis of cohort studies. Oncotarget, 2017, 8, 97584-97592. | 1.8 | 15 |
| 60 | CRISPR-ON-Mediated KLF4 overexpression inhibits the proliferation, migration and invasion of urothelial bladder cancer <i>in vitro</i> and <i>in vivo</i> Oncotarget, 2017, 8, 102078-102087. | 1.8 | 13 |
| 61 | MicroRNA‑193a‑3p inhibits cell proliferation in prostate cancer by targeting cyclin D1. Oncology Letters, 2017, 14, 5121-5128. | 1.8 | 26 |
| 62 | Dietary fiber intake is inversely associated with risk of pancreatic cancer: a meta-analysis. Asia Pacific Journal of Clinical Nutrition, 2017, 26, 89-96. | 0.4 | 16 |
| 63 | Diagnostic value of BRAFV600E-mutation analysis in fine-needle aspiration of thyroid nodules: a meta-analysis. OncoTargets and Therapy, 2016, 9, 2495. | 2.0 | 30 |
| 64 | Comparison and Prognostic Analysis of Adjuvant Radiotherapy versus Salvage Radiotherapy for Treatment of Radically Resected Locally Advanced Esophageal Squamous Cell Carcinoma. BioMed Research International, 2016, 2016, 1-8. | 1.9 | 4 |
| 65 | miR-148a-3p represses proliferation and EMT by establishing regulatory circuits between ERBB3/AKT2/c-myc and DNMT1 in bladder cancer. Cell Death and Disease, 2016, 7, e2503-e2503. | 6.3 | 93 |
| 66 | Hypertension and risk of prostate cancer: a systematic review and meta-analysis. Scientific Reports, 2016, 6, 31358. | 3.3 | 60 |
| 67 | Tomato consumption and prostate cancer risk: a systematic review and meta-analysis. Scientific Reports, 2016, 6, 37091. | 3.3 | 30 |
| 68 | Reduced risk of prostate cancer in childless men as compared to fathers: a systematic review and meta-analysis. Scientific Reports, 2016, 6, 19210. | 3.3 | 19 |
| 69 | Up-regulation of p16 by miR-877-3p inhibits proliferation of bladder cancer. Oncotarget, 2016, 7, 51773-51783. | 1.8 | 35 |
| 70 | Is angiotensin-converting enzyme inhibitors/angiotensin receptor blockers therapy protective against prostate cancer?. Oncotarget, 2016, 7, 6765-6773. | 1.8 | 26 |
| 71 | Apigenin inhibits migration and invasion via modulation of epithelial mesenchymal transition in prostate cancer. Molecular Medicine Reports, 2015 , 11 , 1004 - 1008 . | 2.4 | 50 |
| 72 | MicroRNA-195-5p, a new regulator of Fra-1, suppresses the migration and invasion of prostate cancer cells. Journal of Translational Medicine, 2015, 13, 289. | 4.4 | 57 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 73 | MicroRNA-576-3p Inhibits Proliferation in Bladder Cancer Cells by Targeting Cyclin D1. Molecules and Cells, 2015, 38, 130-137. | 2.6 | 35 |
| 74 | Translational misreading in Mycobacterium smegmatis increases in stationary phase. Tuberculosis, 2015, 95, 678-681. | 1.9 | 15 |
| 75 | Does beer, wine or liquor consumption correlate with the risk of renal cell carcinoma? A dose-response meta-analysis of prospective cohort studies. Oncotarget, 2015, 6, 13347-13358. | 1.8 | 22 |
| 76 | Giant appendiceal neurofibroma in von Recklinghausen's disease: A case report and literature review. Oncology Letters, 2014, 8, 1957-1960. | 1.8 | 8 |
| 77 | Dietary carrot consumption and the risk of prostate cancer. European Journal of Nutrition, 2014, 53, 1615-1623. | 3.9 | 47 |
| 78 | MicroRNA-320c inhibits tumorous behaviors of bladder cancer by targeting Cyclin-dependent kinase 6. Journal of Experimental and Clinical Cancer Research, 2014, 33, 69. | 8.6 | 52 |
| 79 | Downregulation of microRNA-182-5p contributes to renal cell carcinoma proliferation via activating the AKT/FOXO3a signaling pathway. Molecular Cancer, 2014, 13, 109. | 19.2 | 98 |
| 80 | Genomic landscape of CD34 ⁺ hematopoietic cells in myelodysplastic syndrome and gene mutation profiles as prognostic markers. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 8589-8594. | 7.1 | 52 |
| 81 | MicroRNA-409-3p Inhibits Migration and Invasion of Bladder Cancer Cells via Targeting c-Met. Molecules and Cells, 2013, 36, 62-68. | 2.6 | 77 |
| 82 | MicroRNA-101 suppresses motility of bladder cancer cells by targeting c-Met. Biochemical and Biophysical Research Communications, 2013, 435, 82-87. | 2.1 | 58 |
| 83 | MicroRNA-490-5p inhibits proliferation of bladder cancer by targeting c-Fos. Biochemical and Biophysical Research Communications, 2013, 441, 976-981. | 2.1 | 62 |
| 84 | MicroRNA-124-3p inhibits cell migration and invasion in bladder cancer cells by targeting ROCK1. Journal of Translational Medicine, 2013, 11, 276. | 4.4 | 102 |
| 85 | miRâ€26a inhibits proliferation and motility in bladder cancer by targeting HMGA1. FEBS Letters, 2013, 587, 2467-2473. | 2.8 | 79 |
| 86 | Diabetes Mellitus and Risk of Bladder Cancer: A Meta-Analysis of Cohort Studies. PLoS ONE, 2013, 8, e58079. | 2.5 | 48 |
| 87 | Variations in matrix metalloproteinase-1, -3, and -9 genes and the risk of acute coronary syndrome and coronary artery disease in the Chinese Han population. Coronary Artery Disease, 2013, 24, 259-265. | 0.7 | 22 |
| 88 | GW24-e3589â€A novel mutation 1587_1588 del2 of the low-density lipoprotein receptor gene associated with familial hypercholesterolemia in a Chinese family. Heart, 2013, 99, A150.1-A150. | 2.9 | 0 |
| 89 | Obesity and Risk of Bladder Cancer: A Meta-analysis of Cohort Studies. Asian Pacific Journal of Cancer Prevention, 2013, 14, 3117-3121. | 1.2 | 78 |
| 90 | PAI-1 promoter 4G/5G polymorphism (rs1799768) contributes to tumor susceptibility: Evidence from meta-analysis. Experimental and Therapeutic Medicine, 2012, 4, 1127-1133. | 1.8 | 9 |