

# Michael Karenfort

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6666459/publications.pdf>

Version: 2024-02-01

17  
papers

1,171  
citations

687363

13  
h-index

940533

16  
g-index

17  
all docs

17  
docs citations

17  
times ranked

1099  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic relevance of MOG antibodies in children with an acquired demyelinating syndrome. <i>Neurology</i> , 2017, 89, 900-908.	1.1	278
2	Anti-Myelin Oligodendrocyte Glycoprotein Antibodies in Pediatric Patients With Optic Neuritis. <i>Archives of Neurology</i> , 2012, 69, 752-6.	4.5	181
3	Acute disseminated encephalomyelitis followed by recurrent or monophasic optic neuritis in pediatric patients. <i>Multiple Sclerosis Journal</i> , 2013, 19, 941-946.	3.0	135
4	Children with multiphasic disseminated encephalomyelitis and antibodies to the myelin oligodendrocyte glycoprotein (MOG): Extending the spectrum of MOG antibody positive diseases. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1821-1829.	3.0	128
5	Antibodies to MOG and AQP4 in children with neuromyelitis optica and limited forms of the disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 897-905.	1.9	98
6	MRI of the first event in pediatric acquired demyelinating syndromes with antibodies to myelin oligodendrocyte glycoprotein. <i>Journal of Neurology</i> , 2018, 265, 845-855.	3.6	68
7	Interleukin-6 Receptor Blockade in Treatment-Refractory MOG-IgG-Associated Disease and Neuromyelitis Optica Spectrum Disorders. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2022, 9, .	6.0	64
8	Oligoclonal bands predict multiple sclerosis in children with optic neuritis. <i>Annals of Neurology</i> , 2015, 77, 1076-1082.	5.3	61
9	Cerebrospinal fluid findings in patients with myelin oligodendrocyte glycoprotein (MOG) antibodies. Part 2: Results from 108 lumbar punctures in 80 pediatric patients. <i>Journal of Neuroinflammation</i> , 2020, 17, 262.	7.2	44
10	Evaluation of the 2010 McDonald multiple sclerosis criteria in children with a clinically isolated syndrome. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1768-1774.	3.0	32
11	Childhood multiple sclerosis is associated with reduced brain volumes at first clinical presentation and brain growth failure. <i>Multiple Sclerosis Journal</i> , 2019, 25, 927-936.	3.0	32
12	High association of MOG-IgG antibodies in children with bilateral optic neuritis. <i>European Journal of Paediatric Neurology</i> , 2020, 27, 86-93.	1.6	22
13	Antibodies to nodal/paranodal proteins in paediatric immune-mediated neuropathy. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2020, 7, .	6.0	15
14	Probable pseudotumor cerebri complex in 25 children. Further support of a concept. <i>European Journal of Paediatric Neurology</i> , 2017, 21, 280-285.	1.6	9
15	Clinical and magnetic resonance imaging features of children, adolescents, and adults with a clinically isolated syndrome. <i>European Journal of Paediatric Neurology</i> , 2018, 22, 1087-1094.	1.6	2
16	Temporal Dynamics of MOG Antibodies in Children with Acquired Demyelinating Syndrome. <i>Neuropediatrics</i> , 2021, 52, .	0.6	2
17	Failure of Expected Brain Growth in Children with ADEM. , 2019, 50, .		0