

Petr Ilák

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6668577/publications.pdf>

Version: 2024-02-01

36
papers

1,014
citations

430874

18
h-index

434195

31
g-index

38
all docs

38
docs citations

38
times ranked

1234
citing authors

#	ARTICLE	IF	CITATIONS
1	Towards spruce-type photosystem II: consequences of the loss of light-harvesting proteins LHCB3 and LHCB6 in Arabidopsis. <i>Plant Physiology</i> , 2021, 187, 2691-2715.	4.8	10
2	Unique organization of photosystem II supercomplexes and mega-complexes in Norway spruce. <i>Plant Journal</i> , 2020, 104, 215-225.	5.7	11
3	Organization of Plant Photosystem II and Photosystem I Supercomplexes. <i>Sub-Cellular Biochemistry</i> , 2018, 87, 259-286.	2.4	12
4	Estimating heat tolerance of plants by ion leakage: a new method based on gradual heating. <i>New Phytologist</i> , 2018, 218, 1278-1287.	7.3	40
5	Non-invasive monitoring of hydraulic surge propagation in a wounded tobacco plant. <i>Plant Methods</i> , 2018, 14, 38.	4.3	1
6	Transcriptional and post-translational control of chlorophyll biosynthesis by dark-operative protochlorophyllide oxidoreductase in Norway spruce. <i>Photosynthesis Research</i> , 2017, 132, 165-179.	2.9	13
7	Alternative electron transport mediated by flavodiiron proteins is operational in organisms from cyanobacteria up to gymnosperms. <i>New Phytologist</i> , 2017, 214, 967-972.	7.3	124
8	Structural variability of plant photosystem II mega-complexes in thylakoid membranes. <i>Plant Journal</i> , 2017, 89, 104-111.	5.7	40
9	Evolutionary loss of light-harvesting proteins Lhcb6 and Lhcb3 in major land plant groups – break-up of current dogma. <i>New Phytologist</i> , 2016, 210, 808-814.	7.3	40
10	Light-induced gradual activation of photosystem II in dark-grown Norway spruce seedlings. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 799-809.	1.0	10
11	Novel Antitumor Cisplatin and Transplatin Derivatives Containing 1-Methyl-7-Azaindole: Synthesis, Characterization, and Cellular Responses. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 847-859.	6.4	50
12	Structural characterization of a plant photosystem I and NAD(P)H dehydrogenase supercomplex. <i>Plant Journal</i> , 2014, 77, 568-576.	5.7	83
13	The effect of surface modification on the fluorescence and morphology of CdSe nanoparticles embedded in a 3D phosphazene-based matrix: nanowire-like quantum dots. <i>Journal of Materials Chemistry</i> , 2011, 21, 1086-1093.	6.7	10
14	Photosynthetic alterations of pea leaves infected systemically by pea enation mosaic virus: A coordinated decrease in efficiencies of CO ₂ assimilation and photosystem II photochemistry. <i>Plant Physiology and Biochemistry</i> , 2011, 49, 1279-1289.	5.8	44
15	Heat-induced disassembly and degradation of chlorophyll-containing protein complexes in vivo. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 63-70.	1.0	47
16	Low-light-induced Violaxanthin De-epoxidation in Shortly Preheated Leaves: Uncoupling from pH-dependent Nonphotochemical Quenching. <i>Photochemistry and Photobiology</i> , 2010, 86, 722-726.	2.5	4
17	A pronounced light-induced zeaxanthin formation accompanied by an unusually slight increase in non-photochemical quenching: A study with barley leaves treated with methyl viologen at moderate light. <i>Journal of Plant Physiology</i> , 2008, 165, 1563-1571.	3.5	9
18	Origin of Chlorophyll Fluorescence in Plants at 55-75°C. <i>Photochemistry and Photobiology</i> , 2007, 77, 68-76.	2.5	2

#	ARTICLE	IF	CITATIONS
19	A dip in the chlorophyll fluorescence induction at 0.2 s in Trebouxia-possessing lichens reflects a fast reoxidation of photosystem I. A comparison with higher plants. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2006, 1757, 12-20.	1.0	44
20	A theoretical study on effect of the initial redox state of cytochrome b559 on maximal chlorophyll fluorescence level (FM): implications for photoinhibition of photosystem II. <i>Journal of Theoretical Biology</i> , 2005, 233, 287-300.	1.7	26
21	High-Temperature Induced Chlorophyll Fluorescence Rise in Plants at 40–50 °C: Experimental and Theoretical Approach. <i>Photosynthesis Research</i> , 2004, 81, 49-66.	2.9	62
22	Ultra-structural and functional changes in the chloroplasts of detached barley leaves senescing under dark and light conditions. <i>Journal of Plant Physiology</i> , 2003, 160, 1051-1058.	3.5	41
23	Origin of Chlorophyll Fluorescence in Plants at 55–75 °C. <i>Photochemistry and Photobiology</i> , 2003, 77, 68.	2.5	20
24	2-D gel densitometer for high-contrast and selective imaging of chlorophyll-containing protein complexes separated by non-denaturing polyacrylamide gel electrophoresis. <i>Journal of Proteomics</i> , 2002, 51, 273-281.	2.4	6
25	Chlorophyll fluorescence temperature curve on <i>Klebsormidium flaccidum</i> cultivated at different temperature regimes. <i>Journal of Plant Physiology</i> , 2001, 158, 1131-1136.	3.5	12
26	Determination of the antenna heterogeneity of Photosystem II by direct simultaneous fitting of several fluorescence rise curves measured with DCMU at different light intensities. <i>Photosynthesis Research</i> , 2001, 68, 247-257.	2.9	35
27	Thermally Induced Chemiluminescence of Barley Leaves. <i>Photochemistry and Photobiology</i> , 1999, 69, 211-217.	2.5	20
28	Title is missing!. <i>Photosynthesis Research</i> , 1999, 62, 107-116.	2.9	24
29	Contributory presentations/posters. <i>Journal of Biosciences</i> , 1999, 24, 33-198.	1.1	0
30	Thermally Induced Chemiluminescence of Barley Leaves. <i>Photochemistry and Photobiology</i> , 1999, 69, 211.	2.5	2
31	High-temperature induced chlorophyll fluorescence changes in barley leaves Comparison of the critical temperatures determined from fluorescence induction and from fluorescence temperature curve. <i>Plant Science</i> , 1997, 124, 159-164.	3.6	63
32	High temperature chlorophyll fluorescence rise within 61–67 °C. Spectroscopic study with intermittent light grown barley leaves. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1997, 39, 243-248.	3.8	6
33	Appearance of long-wavelength excitation form of chlorophyll a in PS I fluorescence during greening of barley leaves under continuous light. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1997, 40, 149-153.	3.8	9
34	Chlorophyll fluorescence changes at high temperatures induced by linear heating of greening barley leaves. <i>Photosynthesis Research</i> , 1995, 44, 271-275.	2.9	13
35	Model studies of chlorophyll fluorescence reabsorption at chloroplast level under different exciting conditions. <i>Photosynthesis Research</i> , 1994, 40, 67-74.	2.9	40
36	Heat injury of barley leaves detected by the chlorophyll fluorescence temperature curve. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1992, 1101, 359-362.	1.0	37