

# Defeng Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6670955/publications.pdf>

Version: 2024-02-01

127  
papers

5,306  
citations

66343

42  
h-index

95266

68  
g-index

127  
all docs

127  
docs citations

127  
times ranked

4312  
citing authors

#	ARTICLE	IF	CITATIONS
1	Selective Localization of Multiwalled Carbon Nanotubes in Poly( $\epsilon$ -caprolactone)/Polylactide Blend. <i>Biomacromolecules</i> , 2009, 10, 417-424.	5.4	345
2	Viscoelasticity and thermal stability of polylactide composites with various functionalized carbon nanotubes. <i>Polymer Degradation and Stability</i> , 2008, 93, 1577-1584.	5.8	221
3	Selective Localization of Nanofillers: Effect on Morphology and Crystallization of PLA/PCL Blends. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 613-626.	2.2	218
4	Phase behavior and its viscoelastic response of polylactide/poly( $\epsilon$ -caprolactone) blend. <i>European Polymer Journal</i> , 2008, 44, 2171-2183.	5.4	194
5	Nonisothermal cold crystallization behavior and kinetics of polylactide/clay nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 1100-1113.	2.1	187
6	Crystallization Behavior of Polylactide/Graphene Composites. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 6731-6739.	3.7	153
7	Rheological properties and crystallization behavior of multiwalled carbon nanotube/poly( $\epsilon$ -caprolactone) composites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 3137-3147.	2.1	152
8	Relations between the aspect ratio of carbon nanotubes and the formation of percolation networks in biodegradable polylactide/carbon nanotube composites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 479-489.	2.1	150
9	Interfacial Properties, Viscoelasticity, and Thermal Behaviors of Poly(butylene succinate)/Polylactide Blend. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 2290-2298.	3.7	136
10	Rheology and thermal stability of polylactide/clay nanocomposites. <i>Polymer Degradation and Stability</i> , 2006, 91, 3149-3155.	5.8	125
11	Polylactide composite foams containing carbon nanotubes and carbon black: Synergistic effect of filler on electrical conductivity. <i>Carbon</i> , 2015, 95, 380-387.	10.3	110
12	Rheology of multiwalled carbon nanotube/poly(butylene terephthalate) composites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 2239-2251.	2.1	108
13	Creep behavior of polyurethane nanocomposites with carbon nanotubes. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 50, 65-72.	7.6	108
14	Crystallization and biodegradation of polylactide/carbon nanotube composites. <i>Polymer Engineering and Science</i> , 2010, 50, 1721-1733.	3.1	91
15	Viscoelastic interfacial properties of compatibilized poly( $\epsilon$ -caprolactone)/polylactide blend. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 756-765.	2.1	89
16	Study on rheological behaviour of poly(butylene terephthalate)/montmorillonite nanocomposites. <i>European Polymer Journal</i> , 2005, 41, 2199-2207.	5.4	79
17	Polylactide/acetylated nanocrystalline cellulose composites prepared by a continuous route: A phase interface-property relation study. <i>Carbohydrate Polymers</i> , 2016, 146, 58-66.	10.2	73
18	Rheology of the sesame oil-in-water emulsions stabilized by cellulose nanofibers. <i>Food Hydrocolloids</i> , 2019, 94, 114-127.	10.7	71

#	ARTICLE	IF	CITATIONS
19	Effect of surface modification of cellulose nanocrystal on nonisothermal crystallization of poly( $\epsilon$ -hydroxybutyrate) composites. <i>Carbohydrate Polymers</i> , 2017, 157, 1821-1829.	10.2	65
20	Pickering emulsion stabilized with fibrous nanocelluloses: Insight into fiber flexibility-emulsifying capacity relations. <i>Carbohydrate Polymers</i> , 2021, 255, 117483.	10.2	64
21	Fabrication of Poly(lactide)/Poly( $\epsilon$ -caprolactone) Blend Fibers by Electrospinning: Morphology and Orientation. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 3682-3691.	3.7	63
22	Effect of clay on immiscible morphology of poly(butylene terephthalate)/polyethylene blend nanocomposites. <i>Journal of Applied Polymer Science</i> , 2006, 102, 3628-3633.	2.6	61
23	Nonisothermal crystallization kinetics of poly(butylene terephthalate)/montmorillonite nanocomposites. <i>Journal of Applied Polymer Science</i> , 2006, 99, 3257-3265.	2.6	59
24	Insights into the nucleation role of cellulose crystals during crystallization of poly( $\epsilon$ -hydroxybutyrate)/overlock 10.2 If 50 542 Td (-hyd	10.2	59
25	Poly(lactide)/basalt fiber composites with tailorable mechanical properties: Effect of surface treatment of fibers and annealing. <i>Composite Structures</i> , 2017, 176, 1020-1027.	5.8	59
26	Rheological properties of nanocrystalline cellulose suspensions. <i>Carbohydrate Polymers</i> , 2017, 157, 303-310.	10.2	58
27	Kinetics study on melt compounding of carbon nanotube/polypropylene nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 608-618.	2.1	55
28	Electrospinning of poly(trimethylene terephthalate)/carbon nanotube composites. <i>European Polymer Journal</i> , 2011, 47, 284-293.	5.4	55
29	Crystallization and thermal behavior of multiwalled carbon nanotube/poly(butylene terephthalate) composites. <i>Polymer Engineering and Science</i> , 2008, 48, 1057-1067.	3.1	53
30	Percolation networks and transient rheology of poly(lactide) composites containing graphite nanosheets with various thicknesses. <i>Polymer</i> , 2015, 67, 216-226.	3.8	52
31	The role of nanocrystalline cellulose during crystallization of poly( $\epsilon$ -caprolactone) composites: Nucleation agent or not?. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 92, 17-26.	7.6	51
32	Study on physical properties of multiwalled carbon nanotube/poly(phenylene sulfide) composites. <i>Polymer Engineering and Science</i> , 2009, 49, 1727-1735.	3.1	49
33	Effect of flocculated structure on rheology of poly(butylene terephthalate)/clay nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 2807-2818.	2.1	47
34	Linear viscoelastic properties and crystallization behavior of multiwalled carbon nanotube/polypropylene composites. <i>Journal of Applied Polymer Science</i> , 2008, 108, 1506-1513.	2.6	47
35	Thermoplastic polyester elastomer nanocomposites filled with graphene: Mechanical and viscoelastic properties. <i>Composites Science and Technology</i> , 2016, 132, 108-115.	7.8	47
36	Electrospinning of poly(lactide) and its composites with carbon nanotubes. <i>Polymer Composites</i> , 2011, 32, 1280-1288.	4.6	46

#	ARTICLE	IF	CITATIONS
37	Green Poly( $\epsilon$ -caprolactone) Composites Reinforced with Electrospun Polylactide/Poly( $\epsilon$ -caprolactone) Blend Fiber Mats. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 2102-2110.	6.7	46
38	Rheological and mechanical properties of polylactide nanocomposites reinforced with the cellulose nanofibers with various surface treatments. <i>Cellulose</i> , 2018, 25, 3955-3971.	4.9	46
39	Viscoelasticity of olive oil/water Pickering emulsions stabilized with starch nanocrystals. <i>Carbohydrate Polymers</i> , 2020, 230, 115575.	10.2	46
40	Selective Localization Behavior of Carbon Nanotubes: Effect on Transesterification of Immiscible Polyester Blends. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 1700-1709.	2.2	45
41	Polylactide/cellulose nanocrystal composites: a comparative study on cold and melt crystallization. <i>Cellulose</i> , 2017, 24, 2163-2175.	4.9	45
42	Rheology of Carbon Nanotubes-Filled Poly(vinylidene fluoride) Composites. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 6705-6713.	3.7	44
43	Linear rheological behaviour and thermal stability of poly(butylene terephthalate)/epoxy/clay ternary nanocomposites. <i>Polymer Degradation and Stability</i> , 2005, 87, 511-519.	5.8	43
44	Effect of epoxy resin on rheology of polycarbonate/clay nanocomposites. <i>European Polymer Journal</i> , 2007, 43, 1635-1644.	5.4	43
45	Morphology evolution of nanocomposites based on poly(phenylene sulfide)/poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	2.1	42
46	Crystallization of poly( $\epsilon$ -caprolactone) in its immiscible blend with polylactide: insight into the role of annealing histories. <i>RSC Advances</i> , 2016, 6, 37721-37730.	3.6	40
47	Rheology of the cellulose nanocrystals filled poly( $\epsilon$ -caprolactone) biocomposites. <i>Polymer</i> , 2018, 140, 167-178.	3.8	39
48	The starch nanocrystal filled biodegradable poly( $\epsilon$ -caprolactone) composite membrane with highly improved properties. <i>Carbohydrate Polymers</i> , 2018, 182, 115-122.	10.2	38
49	Crystallization and creep of the graphite nanosheets based poly(butylene adipate-co-terephthalate) biocomposites. <i>Thermochimica Acta</i> , 2014, 587, 72-80.	2.7	35
50	Crystallization of Poly( $\epsilon$ -caprolactone) composites with graphite nanoplatelets: Relations between nucleation and platelet thickness. <i>Thermochimica Acta</i> , 2015, 612, 25-33.	2.7	35
51	Cyclic tensile properties of the polylactide nanocomposite foams containing cellulose nanocrystals. <i>Cellulose</i> , 2018, 25, 1795-1807.	4.9	35
52	Crystallization Temperature as the Probe To Detect Polymer-Filler Compatibility in the Poly( $\epsilon$ -caprolactone) Composites with Acetylated Cellulose Nanocrystal. <i>Journal of Physical Chemistry C</i> , 2017, 121, 18615-18624.	3.1	33
53	Rheological Percolation Behavior and Isothermal Crystallization of Poly(butyene Succinate)/Carbon Nanotube Composites. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 14186-14192.	3.7	31
54	Rheological properties of magnetorheological suspensions stabilized with nanocelluloses. <i>Carbohydrate Polymers</i> , 2020, 231, 115776.	10.2	31

#	ARTICLE	IF	CITATIONS
55	Effects of ethyl cellulose on the crystallization and mechanical properties of poly( $\epsilon$ -hydroxybutyrate). <i>International Journal of Biological Macromolecules</i> , 2016, 88, 120-129.	7.5	30
56	Morphology and mechanical properties of poly( $\epsilon$ -hydroxybutyrate)/poly( $\epsilon$ -caprolactone) blends controlled with cellulosic particles. <i>Carbohydrate Polymers</i> , 2017, 174, 217-225.	10.2	30
57	Mechanical properties of thermoplastic polyester elastomer controlled by blending with poly(butylene terephthalate). <i>Polymer Testing</i> , 2016, 55, 152-159.	4.8	29
58	Effect of steady shear on the morphology of biodegradable poly( $\epsilon$ -caprolactone)/polylactide blend. <i>Polymer Engineering and Science</i> , 2009, 49, 2293-2300.	3.1	28
59	Selective localization of cellulose nanocrystals in the biodegradable poly(vinyl Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 587 Td (sil 136-147.	3.8	27
60	Transcrystallization of polypropylene in the presence of polyester/cellulose nanocrystal composite fibers. <i>Carbohydrate Polymers</i> , 2017, 167, 105-114.	10.2	26
61	Effect of epoxy resin on the thermal behaviors and viscoelastic properties of poly(phenylene sulfide). <i>Materials Chemistry and Physics</i> , 2011, 128, 274-282.	4.0	25
62	Cellulose nanofibers reinforced biodegradable polyester blends: Ternary biocomposites with balanced mechanical properties. <i>Carbohydrate Polymers</i> , 2020, 233, 115845.	10.2	25
63	Comparison Between Isothermal Cold and Melt Crystallization of Polylactide/Clay Nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2008, 8, 1658-1668.	0.9	24
64	Recycling of spodumene slag: preparation of green polymer composites. <i>RSC Advances</i> , 2016, 6, 36942-36953.	3.6	24
65	Morphology, Crystalline Structure and Isothermal Crystallization Kinetics of Polybutylene Terephthalate/Montmorillonite Nanocomposites. <i>Polymers and Polymer Composites</i> , 2005, 13, 61-71.	1.9	23
66	Morphology, nonisothermal crystallization behavior, and kinetics of poly(phenylene Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (sulfid 2.6 22	2.6	22
67	Nucleation of a Thermoplastic Polyester Elastomer Controlled by Silica Nanoparticles. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 5279-5286.	3.7	22
68	Selective localization of starch nanocrystals in the biodegradable nanocomposites probed by crystallization temperatures. <i>Carbohydrate Polymers</i> , 2020, 227, 115341.	10.2	22
69	Green poly( $\epsilon$ -hydroxybutyrate)/starch nanocrystal composites: Tuning the nucleation and spherulite morphology through surface acetylation of starch nanocrystal. <i>Carbohydrate Polymers</i> , 2018, 195, 79-88.	10.2	21
70	Banded spherulites of electrospun poly(trimethylene terephthalate)/carbon nanotube composite mats. <i>Polymer International</i> , 2011, 60, 1497-1503.	3.1	20
71	Molecular dynamics and crystallization precursors in polylactide and poly(lactide)/CNT biocomposites in the insulating state. <i>European Polymer Journal</i> , 2013, 49, 4008-4019.	5.4	20
72	Water-in-water Pickering emulsions stabilized by the starch nanocrystals with various surface modifications. <i>Journal of Colloid and Interface Science</i> , 2022, 607, 1613-1624.	9.4	20

#	ARTICLE	IF	CITATIONS
73	The co-continuous morphology of biocompatible ethylene-vinyl acetate copolymers/poly( $\epsilon$ -caprolactone) blend: effect of viscosity ratio and vinyl acetate content. <i>Colloid and Polymer Science</i> , 2011, 289, 1683-1694.	2.1	18
74	Crystallization of Green Poly( $\epsilon$ -caprolactone) Nanocomposites with Starch Nanocrystal: The Nucleation Role Switching of Starch Nanocrystal with Its Surface Acetylation. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 6257-6264.	3.7	18
75	Green and biomass-derived materials with controllable shape memory transition temperatures based on cross-linked Poly(malic acid). <i>Polymer</i> , 2019, 180, 121733.	3.8	18
76	Hierarchical networks of anisotropic hydrogels based on cross-linked Poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td (alcohol)/P	3.8	18
77	Poly(phenylene sulfide) magnetic composites. I. Relations of percolation between rheology, electrical, and magnetic properties. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 233-243.	2.1	17
78	Regulating Asynchronous Deformations of Biopolyester Elastomers via Photoprogramming and Strain-Induced Crystallization. <i>Macromolecules</i> , 2021, 54, 5694-5704.	4.8	17
79	Poly(phenylene sulfide) magnetic composites. II. Crystallization, thermal, and viscoelastic properties. <i>Polymer Engineering and Science</i> , 2008, 48, 966-975.	3.1	16
80	Degradation induced by nanostructural evolution of polylactide/clay nanocomposites in the isothermal cold crystallization process. <i>Polymer International</i> , 2009, 58, 430-436.	3.1	16
81	Functionalized cellulose nanocrystals as the performance regulators of poly( $\epsilon$ -hydroxybutyrate-co-valerate) biocomposites. <i>Carbohydrate Polymers</i> , 2020, 242, 116399.	10.2	16
82	Cellulosic nanofibers filled poly( $\epsilon$ -hydroxybutyrate): Relations between viscoelasticity of composites and aspect ratios of nanofibers. <i>Carbohydrate Polymers</i> , 2021, 265, 118093.	10.2	16
83	Thermoplastic polyester elastomer composites containing two types of filler particles with different dimensions: Structure design and mechanical property control. <i>Composite Structures</i> , 2018, 197, 21-27.	5.8	15
84	Starch nanocrystals as the particle emulsifier to stabilize caprylic/capric triglycerides-in-water emulsions. <i>Carbohydrate Polymers</i> , 2020, 245, 116561.	10.2	15
85	Reaction kinetics study of asymmetric polymer-polymer interface. <i>Polymer</i> , 2005, 46, 8410-8415.	3.8	14
86	Poly(vinylidene fluoride) reinforced by carbon fibers: Structural parameters of fibers and fiber-polymer adhesion. <i>Applied Surface Science</i> , 2012, 258, 9570-9578.	6.1	14
87	Nucleation Role of Basalt Fibers during Crystallization of Poly( $\epsilon$ -caprolactone) Composites. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 2746-2753.	3.7	14
88	Nucleation roles of cellulose nanocrystals and chitin nanocrystals in poly( $\epsilon$ -caprolactone) nanocomposites. <i>International Journal of Biological Macromolecules</i> , 2022, 205, 587-594.	7.5	14
89	Insight into different roles of chitin nanocrystals and cellulose nanocrystals towards stabilizing Pickering emulsions. <i>Food Hydrocolloids</i> , 2022, 131, 107808.	10.7	14
90	Study on the reaction kinetics between PBT and epoxy by a novel rheological method. <i>European Polymer Journal</i> , 2005, 41, 2171-2175.	5.4	13

#	ARTICLE	IF	CITATIONS
91	Robust Self-Healing Magnetically Induced Colloidal Photonic Crystal Hydrogels. ACS Applied Polymer Materials, 2020, 2, 448-454.	4.4	13
92	Selectively Sensing Capacities of Biocompatible Shape Memory Materials Based on Cross-Linked Poly( <i>l</i> -malic acid): Visual Discrimination of the Solvents with Similar Structures. ACS Applied Polymer Materials, 2020, 2, 1672-1681.	4.4	13
93	Surface chain engineering of chitin nanocrystals towards tailoring the nucleating capacities for poly( <i>l</i> -hydroxybutyrate). International Journal of Biological Macromolecules, 2021, 166, 967-976.	7.5	13
94	New Way To Tailor Thermal Stability and Mechanical Properties of Thermoplastic Polyester Elastomer: Relations between Interfacial Structure and Surface Treatment of Spodumene Slag. Industrial & Engineering Chemistry Research, 2017, 56, 6239-6246.	3.7	12
95	Programmable and sophisticated shape-memory behavior <i>via</i> tailoring spatial distribution of polymer crosslinks. Journal of Materials Chemistry A, 2020, 8, 17193-17201.	10.3	12
96	Rheology of isothermally crystallized poly(butylene terephthalate) nanocomposites with clay loadings under the percolation threshold. Journal of Polymer Science, Part B: Polymer Physics, 2007, 45, 229-238.	2.1	11
97	Crystallization behavior of poly(trimethylene terephthalate)/mesoporous silica SBA-15 composites prepared by in situ polymerization. Thermochimica Acta, 2013, 565, 72-81.	2.7	11
98	Rheological and electrical properties of carbon black-based poly(vinylidene fluoride) composites. Polymer Engineering and Science, 2013, 53, 2541-2548.	3.1	11
99	Poly(trimethylene terephthalate)/Poly(butylenes succinate) blend: Phase behavior and mechanical property control using its transesterification system as the compatibilizer. Materials Chemistry and Physics, 2014, 148, 554-561.	4.0	11
100	Mapping hierarchical networks of poly(vinyl alcohol)/cellulose nanofiber composite hydrogels via viscoelastic probes. Carbohydrate Polymers, 2022, 288, 119372.	10.2	11
101	Effect of blending sequence on the morphologies of poly(butylene terephthalate)/epoxy/clay nanocomposites by a rheological approach. Journal of Applied Polymer Science, 2006, 99, 340-346.	2.6	10
102	Tuning Degradation and Mechanical Properties of Poly( <i>l</i> -lactic acid) with Biomass-Derived Poly( <i>l</i> -malic) Tj ETQqO 0 QrgBT /Overlock 10 T	5.8	10
103	Photothermal Stimuli-Responsive Biocomposites Based on Cross-Linked Poly( <i>l</i> -malic acid) Reinforced with Carbon Nanotubes. ACS Applied Polymer Materials, 2020, 2, 5889-5897.	4.4	10
104	Effect of cold crystallization on the AC and DC conductive properties of polylactide biocomposites with carboxylic or neat large aspect ratio MWCNT. Polymer Composites, 2013, 34, 67-76.	4.6	9
105	Comparison Between Isothermal Cold and Melt Crystallization of Polylactide/Clay Nanocomposites. Journal of Nanoscience and Nanotechnology, 2008, 8, 1658-1668.	0.9	9
106	Poly(phenylene sulfide)/low melting point metal composites. I. Transient viscoelastic properties and crystallization kinetics. Journal of Polymer Science, Part B: Polymer Physics, 2008, 46, 677-690.	2.1	8
107	Viscoelastic properties of polyarylene ether nitriles/thermotropic liquid crystalline polymer blend. Journal of Applied Polymer Science, 2008, 108, 1934-1941.	2.6	8
108	Viscoelastic behavior and model simulations of poly(butylene adipate- <i>co</i> -terephthalate) biocomposites with carbon nanotubes: Hierarchical structures and relaxation. Journal of Composite Materials, 2016, 50, 1805-1816.	2.4	8

#	ARTICLE	IF	CITATIONS
109	Insight into melting point depression of polylactide nanocomposites with acetylated chitin nanocrystals. <i>Carbohydrate Polymers</i> , 2021, 273, 118594.	10.2	8
110	SELECTIVE LOCALIZATION OF CARBON NANOTUBES IN IMMISCIBLE BLENDS OF POLY(TRIMETHYLENE TEREPHTHALATE)/POLY(ETHYLENE TEREPHTHALATE). <i>Journal of Applied Polymer Science</i> , 2007, 105, 1740-1748.	0.0	8
111	Stereocomplex-Induced Self-Assembly of PLLA-PEG-PLLA and PDLA-PEG-PDLA Triblock Copolymers in an Aqueous System. <i>ACS Applied Polymer Materials</i> , 2021, 3, 6078-6089.	4.4	8
112	A rheological study on kinetics of poly(butylene terephthalate) melt intercalation. <i>Journal of Applied Polymer Science</i> , 2006, 99, 1865-1871.	2.6	7
113	Specific purification of a single protein from a cell broth mixture using molecularly imprinted membranes for the biopharmaceutical industry. <i>RSC Advances</i> , 2019, 9, 23425-23434.	3.6	6
114	Functional biopolyesters based on cross-linked Poly(malic acid): Network engineering towards tailoring brittle-ductile transition and shape-memory performance. <i>Polymer</i> , 2021, 221, 123628.	3.8	6
115	Morphological control of porous ethylene-vinyl acetate copolymer membrane obtained from a co-continuous ethylene-vinyl acetate copolymer/poly( $\mu$ -caprolactone) blend. <i>Polymer International</i> , 2014, 63, 470-478.	3.1	5
116	Synthesis and Photoluminescence Mechanism of Multicolored Nitrogen-Doped Carbon Nanodots and Their Application in Polymer Self-Assemblies. <i>ACS Applied Polymer Materials</i> , 2022, 4, 4784-4795.	4.4	5
117	Effect of steady shear on the microstructural evolution of melt-intercalated polymer/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007, 105, 1740-1748.	2.6	4
118	Mechanical properties and creep behavior of poly(trimethylene terephthalate)/mesoporous silica composites. <i>Polymer Composites</i> , 2015, 36, 1386-1393.	4.6	4
119	Insight into the role of free volume in irradiation resistance to discoloration of lead-containing plexiglass. <i>Journal of Applied Polymer Science</i> , 2022, 139, 51545.	2.6	4
120	Probing the effect of straight chain fatty acids on the properties of lead-containing plexiglass. <i>Reaction Chemistry and Engineering</i> , 2021, 6, 1628-1634.	3.7	4
121	MORPHOLOGY AND VISCOELASTIC BEHAVIOR OF POLYLACTIDE/ETHYLENE-VINYL ACETATE COPOLYMER BLENDS. <i>Acta Polymerica Sinica</i> , 2011, 011, 139-144.	0.0	4
122	Effect of Epoxy Resin on the Mechanical Properties and Melt Viscoelastic Behaviour of Poly(butylene terephthalate)/Poly(ethylene terephthalate) Blends. <i>Journal of Applied Polymer Science</i> , 2007, 105, 1740-1748.	1.9	3
123	Comparison between isothermal cold and melt crystallization of polylactide/clay nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2008, 8, 1658-68.	0.9	2
124	Nucleation Effect of Thermotropic Liquid Crystalline Polymer on the Crystallization of Poly( $\mu$ -Caprolactone). <i>Polymers and Polymer Composites</i> , 2010, 18, 91-101.	1.9	0
125	EFFECT OF COMPATIBILIZER ON STRUCTURAL RHEOLOGY OF PP/PET BLENDS. <i>Acta Polymerica Sinica</i> , 2009, 007, 609-614.	0.0	0
126	EFFECT OF CARBON NANOTUBES ON TRANSESTERIFICATION IN MISCIBLE POLYESTER BLENDS. <i>Acta Polymerica Sinica</i> , 2012, 011, 1425-1432.	0.0	0



#	ARTICLE	IF	CITATIONS
127	Nanopolysaccharides-Based Green Additives. Springer Series in Biomaterials Science and Engineering, 2019, , 367-388.	1.0	0