

Martin K Nielsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6674789/publications.pdf>

Version: 2024-02-01

147
papers

3,825
citations

117625

34
h-index

175258

52
g-index

153
all docs

153
docs citations

153
times ranked

1350
citing authors

#	ARTICLE	IF	CITATIONS
1	Anthelmintic resistance in important parasites of horses: Does it really matter?. <i>Veterinary Parasitology</i> , 2014, 201, 1-8.	1.8	177
2	An evidence-based approach to equine parasite control: It ain't the 60s anymore. <i>Equine Veterinary Education</i> , 2010, 22, 306-316.	0.6	161
3	Climatic influences on development and survival of free-living stages of equine strongyles: Implications for worm control strategies and managing anthelmintic resistance. <i>Veterinary Journal</i> , 2007, 174, 23-32.	1.7	128
4	Analysis of multiyear studies in horses in Kentucky to ascertain whether counts of eggs and larvae per gram of feces are reliable indicators of numbers of strongyles and ascarids present. <i>Veterinary Parasitology</i> , 2010, 174, 77-84.	1.8	107
5	<i>Strongylus vulgaris</i> associated with usage of selective therapy on Danish horse farms—Is it reemerging?. <i>Veterinary Parasitology</i> , 2012, 189, 260-266.	1.8	104
6	Detection and semi-quantification of <i>Strongylus vulgaris</i> DNA in equine faeces by real-time quantitative PCR. <i>International Journal for Parasitology</i> , 2008, 38, 443-453.	3.1	94
7	Comparative genome analysis of programmed DNA elimination in nematodes. <i>Genome Research</i> , 2017, 27, 2001-2014.	5.5	94
8	Prescription-only anthelmintics—A questionnaire survey of strategies for surveillance and control of equine strongyles in Denmark. <i>Veterinary Parasitology</i> , 2006, 135, 47-55.	1.8	91
9	Strongyle egg shedding consistency in horses on farms using selective therapy in Denmark. <i>Veterinary Parasitology</i> , 2006, 135, 333-335.	1.8	89
10	Effects of fecal collection and storage factors on strongylid egg counts in horses. <i>Veterinary Parasitology</i> , 2010, 167, 55-61.	1.8	79
11	Sustainable equine parasite control: Perspectives and research needs. <i>Veterinary Parasitology</i> , 2012, 185, 32-44.	1.8	75
12	Apparent ivermectin resistance of <i>Parascaris equorum</i> in foals in Denmark. <i>Veterinary Record</i> , 2007, 160, 439-440.	0.3	63
13	Anthelmintic resistance in equine parasites—Current evidence and knowledge gaps. <i>Veterinary Parasitology</i> , 2014, 204, 55-63.	1.8	63
14	Accuracy and Precision of Mini-FLOTAC and McMaster Techniques for Determining Equine Strongyle Egg Counts. <i>Journal of Equine Veterinary Science</i> , 2017, 48, 182-187.e1.	0.9	61
15	Selective therapy in equine parasite control—Application and limitations. <i>Veterinary Parasitology</i> , 2014, 202, 95-103.	1.8	60
16	Selective anthelmintic therapy of horses in the Federal states of Bavaria (Germany) and Salzburg (Austria): An investigation into strongyle egg shedding consistency. <i>Veterinary Parasitology</i> , 2010, 171, 116-122.	1.8	58
17	Automated parasite faecal egg counting using fluorescence labelling, smartphone image capture and computational image analysis. <i>International Journal for Parasitology</i> , 2016, 46, 485-493.	3.1	57
18	Horse Y chromosome assembly displays unique evolutionary features and putative stallion fertility genes. <i>Nature Communications</i> , 2018, 9, 2945.	12.8	56

#	ARTICLE	IF	CITATIONS
19	Anthelmintic therapy of equine cyathostomin nematodes – larvicidal efficacy, egg reappearance period, and drug resistance. <i>International Journal for Parasitology</i> , 2018, 48, 97-105.	3.1	52
20	<i>Parascaris univalens</i> – a victim of large-scale misidentification?. <i>Parasitology Research</i> , 2014, 113, 4485-4490.	1.6	50
21	Evidence-based considerations for control of <i>Parascaris</i> spp. infections in horses. <i>Equine Veterinary Education</i> , 2016, 28, 224-231.	0.6	49
22	Attitudes towards implementation of surveillance-based parasite control on Kentucky Thoroughbred farms – Current strategies, awareness and willingness to pay. <i>Equine Veterinary Journal</i> , 2015, 47, 694-700.	1.7	48
23	Practical aspects of equine parasite control: A review based upon a workshop discussion consensus. <i>Equine Veterinary Journal</i> , 2010, 42, 460-468.	1.7	47
24	Comparison of the larvicidal efficacies of moxidectin or a five-day regimen of fenbendazole in horses harboring cyathostomin populations resistant to the adulticidal dosage of fenbendazole. <i>Veterinary Parasitology</i> , 2015, 214, 100-107.	1.8	45
25	Strongyle egg reappearance period after moxidectin treatment and its relationship with management factors in UK equine populations. <i>Veterinary Parasitology</i> , 2017, 237, 70-76.	1.8	44
26	Determination of ivermectin efficacy against cyathostomins and <i>Parascaris equorum</i> on horse farms using selective therapy. <i>Veterinary Journal</i> , 2011, 188, 44-47.	1.7	43
27	Evaluation of accuracy and precision of a smartphone based automated parasite egg counting system in comparison to the McMaster and Mini-FLOTAC methods. <i>Veterinary Parasitology</i> , 2017, 247, 85-92.	1.8	43
28	Parasitism and Colic. <i>Veterinary Clinics of North America Equine Practice</i> , 2009, 25, 233-245.	0.7	41
29	Resistance to avermectin/milbemycin anthelmintics in equine cyathostomins – Current situation. <i>Veterinary Parasitology</i> , 2012, 185, 16-24.	1.8	41
30	Importation of macrocyclic lactone resistant cyathostomins on a US thoroughbred farm. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2020, 14, 99-104.	3.4	41
31	SvSXP: a <i>Strongylus vulgaris</i> antigen with potential for prepatent diagnosis. <i>Parasites and Vectors</i> , 2013, 6, 84.	2.5	40
32	Interpretation of serum antibody response to <i>Anoplocephala perfoliata</i> in relation to parasite burden and faecal egg count. <i>Equine Veterinary Journal</i> , 2007, 39, 529-533.	1.7	39
33	Systematic review of gastrointestinal nematodes of horses from Australia. <i>Parasites and Vectors</i> , 2019, 12, 188.	2.5	38
34	Recent advances in diagnosing pathogenic equine gastrointestinal helminths: The challenge of prepatent detection. <i>Veterinary Parasitology</i> , 2013, 192, 1-9.	1.8	37
35	Nonstrangulating intestinal infarctions associated with <i>Strongylus vulgaris</i> : Clinical presentation and treatment outcomes of 30 horses (2008–2016). <i>Equine Veterinary Journal</i> , 2018, 50, 474-480.	1.7	36
36	A repeatable and quantitative DNA metabarcoding assay to characterize mixed strongyle infections in horses. <i>International Journal for Parasitology</i> , 2021, 51, 183-192.	3.1	36

#	ARTICLE	IF	CITATIONS
37	Parasite control strategies used by equine owners in the United States: A national survey. <i>Veterinary Parasitology</i> , 2018, 250, 45-51.	1.8	35
38	Comparison of three alternative methods for analysis of equine Faecal Egg Count Reduction Test data. <i>Preventive Veterinary Medicine</i> , 2010, 93, 316-323.	1.9	34
39	Equine tapeworm infections: Disease, diagnosis and control. <i>Equine Veterinary Education</i> , 2016, 28, 388-395.	0.6	34
40	Dynamics of <i>Parascaris</i> and <i>Strongylus</i> spp. parasites in untreated juvenile horses. <i>Veterinary Parasitology</i> , 2016, 230, 62-66.	1.8	33
41	Meta-analysis of cyathostomin species-specific prevalence and relative abundance in domestic horses from 1975â€“2020: emphasis on geographical region and specimen collection method. <i>Parasites and Vectors</i> , 2020, 13, 509.	2.5	33
42	Equine parasite control under prescription-only conditions in Denmark â€“ Awareness, knowledge, perception, and strategies applied. <i>Veterinary Parasitology</i> , 2014, 204, 64-72.	1.8	30
43	Nonstrangulating intestinal infarction associated with <i>Strongylus vulgaris</i> in referred Danish equine cases. <i>Equine Veterinary Journal</i> , 2016, 48, 376-379.	1.7	29
44	Daily Variability of Strongyle Fecal Egg Counts in Horses. <i>Journal of Equine Veterinary Science</i> , 2013, 33, 161-164.	0.9	28
45	Restrictions of anthelmintic usage: perspectives and potential consequences. <i>Parasites and Vectors</i> , 2009, 2, S7.	2.5	27
46	Review of the biology and control of <i>Oxyuris equi</i> . <i>Equine Veterinary Education</i> , 2014, 26, 584-591.	0.6	27
47	Cyathostomin resistance to moxidectin and combinations of anthelmintics in Australian horses. <i>Parasites and Vectors</i> , 2021, 14, 597.	2.5	27
48	Control of helminth parasites in juvenile horses. <i>Equine Veterinary Education</i> , 2017, 29, 225-232.	0.6	26
49	Managing anthelmintic resistance in cyathostomin parasites: Investigating the benefits of refugia-based strategies. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2019, 10, 118-124.	3.4	24
50	Parasite Occurrence and Parasite Management in Swedish Horses Presenting with Gastrointestinal Diseaseâ€“A Caseâ€“Control Study. <i>Animals</i> , 2020, 10, 638.	2.3	24
51	Real-time PCR evaluation of <i>Strongylus vulgaris</i> in horses on farms in Denmark and Central Kentucky. <i>Veterinary Parasitology</i> , 2012, 190, 461-466.	1.8	23
52	An ultrasonographic scoring method for transabdominal monitoring of ascarid burdens in foals. <i>Equine Veterinary Journal</i> , 2016, 48, 380-386.	1.7	23
53	In vivo and in vitro studies of Cry5B and nicotinic acetylcholine receptor agonist anthelmintics reveal a powerful and unique combination therapy against intestinal nematode parasites. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006506.	3.0	23
54	What makes a good fecal egg count technique?. <i>Veterinary Parasitology</i> , 2021, 296, 109509.	1.8	23

#	ARTICLE	IF	CITATIONS
55	Equine parasite control and the role of national legislation – A multinational questionnaire survey. <i>Veterinary Parasitology</i> , 2018, 259, 6-12.	1.8	22
56	World association for the advancement of veterinary parasitology (WAAVP): Third edition of guideline for evaluating the efficacy of equine anthelmintics. <i>Veterinary Parasitology</i> , 2022, 303, 109676.	1.8	22
57	Hierarchical model for evaluating pyrantel efficacy against strongyle parasites in horses. <i>Veterinary Parasitology</i> , 2013, 197, 614-622.	1.8	21
58	A model for the dynamics of the free-living stages of equine cyathostomins. <i>Veterinary Parasitology</i> , 2015, 209, 210-220.	1.8	21
59	Risk factors for equine intestinal parasite infections and reduced efficacy of pyrantel embonate against <i>Parascaris</i> sp.. <i>Veterinary Parasitology</i> , 2019, 273, 52-59.	1.8	21
60	The effect of climate, season, and treatment intensity on anthelmintic resistance in cyathostomins: A modelling exercise. <i>Veterinary Parasitology</i> , 2019, 269, 7-12.	1.8	21
61	Diagnostic performance of McMaster, Wisconsin, and automated egg counting techniques for enumeration of equine strongyle eggs in fecal samples. <i>Veterinary Parasitology</i> , 2020, 284, 109199.	1.8	21
62	Risk factors associated with strongylid egg count prevalence and abundance in the United States equine population. <i>Veterinary Parasitology</i> , 2018, 257, 58-68.	1.8	20
63	Evaluation of conventional PCR for detection of <i>Strongylus vulgaris</i> on horse farms. <i>Veterinary Parasitology</i> , 2012, 184, 387-391.	1.8	19
64	Characterization of the inflammatory response to anthelmintic treatment of ponies with cyathostomiasis. <i>Veterinary Journal</i> , 2013, 198, 457-462.	1.7	19
65	Biphasic appearance of corticated and decorticated ascarid egg shedding in untreated horse foals. <i>Veterinary Parasitology</i> , 2015, 214, 114-117.	1.8	19
66	Detection of <i>Strongylus vulgaris</i> in equine faecal samples by real-time PCR and larval culture – method comparison and occurrence assessment. <i>BMC Veterinary Research</i> , 2016, 13, 19.	1.9	19
67	Managing anthelmintic resistance in <i>Parascaris</i> spp.: A modelling exercise. <i>Veterinary Parasitology</i> , 2017, 240, 75-81.	1.8	19
68	The distribution pattern of <i>Halicephalobus gingivalis</i> in a horse is suggestive of a haematogenous spread of the nematode. <i>Acta Veterinaria Scandinavica</i> , 2014, 56, 56.	1.6	18
69	Effects of homogenizing methods on accuracy and precision of equine strongylid egg counts. <i>Veterinary Parasitology</i> , 2018, 261, 91-95.	1.8	17
70	Anthelmintic efficacy against equine strongyles in the United States. <i>Veterinary Parasitology</i> , 2018, 259, 53-60.	1.8	17
71	Evaluation of Baermann apparatus sedimentation time on recovery of <i>Strongylus vulgaris</i> and <i>S. edentatus</i> third stage larvae from equine coprocultures. <i>Veterinary Parasitology</i> , 2015, 211, 99-101.	1.8	16
72	Objective evaluation of two deworming regimens in young Thoroughbreds using parasitological and performance parameters. <i>Veterinary Parasitology</i> , 2016, 221, 69-75.	1.8	16

#	ARTICLE	IF	CITATIONS
73	Evaluation of the mucosal inflammatory responses to equine cyathostomins in response to anthelmintic treatment. <i>Veterinary Immunology and Immunopathology</i> , 2018, 199, 1-7.	1.2	16
74	The P-glycoprotein repertoire of the equine parasitic nematode <i>Parascaris univalens</i> . <i>Scientific Reports</i> , 2020, 10, 13586.	3.3	16
75	The effect of analyst training on fecal egg counting variability. <i>Parasitology Research</i> , 2021, 120, 1363-1370.	1.6	16
76	Physiologic and systemic acute phase inflammatory responses in young horses repeatedly infected with cyathostomins and <i>Strongylus vulgaris</i> . <i>Veterinary Parasitology</i> , 2014, 201, 67-74.	1.8	15
77	Universal challenges for parasite control: a perspective from equine parasitology. <i>Trends in Parasitology</i> , 2015, 31, 282-284.	3.3	15
78	Local and systemic inflammatory and immunologic reactions to cyathostomin larvicidal therapy in horses. <i>Veterinary Immunology and Immunopathology</i> , 2015, 168, 203-210.	1.2	15
79	Encysted cyathostomin larvae in foals – progression of stages and the effect of seasonality. <i>Veterinary Parasitology</i> , 2017, 236, 108-112.	1.8	15
80	Anthelmintic efficacy of single active and combination products against commonly occurring parasites in foals. <i>Veterinary Parasitology</i> , 2019, 268, 46-52.	1.8	15
81	Population genetics of <i>Parascaris equorum</i> based on DNA fingerprinting. <i>Infection, Genetics and Evolution</i> , 2013, 13, 236-241.	2.3	14
82	Changes in Serum <i>Strongylus Vulgaris</i> -Specific Antibody Concentrations in Response to Anthelmintic Treatment of Experimentally Infected Foals. <i>Frontiers in Veterinary Science</i> , 2015, 2, 17.	2.2	14
83	Serum <i>Strongylus vulgaris</i> -specific antibody responses to anthelmintic treatment in naturally infected horses. <i>Parasitology Research</i> , 2015, 114, 445-451.	1.6	14
84	A model for the dynamics of the parasitic stages of equine cyathostomins. <i>Veterinary Parasitology</i> , 2019, 268, 53-60.	1.8	14
85	World association for the advancement of veterinary parasitology (WAAVP) guideline for the evaluation of the efficacy of anthelmintics in food-producing and companion animals: general guidelines. <i>Veterinary Parasitology</i> , 2022, 304, 109698.	1.8	14
86	Prevalence of strongyles and efficacy of fenbendazole and ivermectin in working horses in El Sauce, Nicaragua. <i>Veterinary Parasitology</i> , 2011, 181, 248-254.	1.8	13
87	Development of <i>Strongylus vulgaris</i> -specific serum antibodies in naturally infected foals. <i>Veterinary Parasitology</i> , 2014, 200, 265-270.	1.8	13
88	Combination deworming for the control of double-resistant cyathostomin parasites – short and long term consequences. <i>Veterinary Parasitology</i> , 2018, 251, 112-118.	1.8	13
89	Effects of daily pyrantel tartrate on strongylid population dynamics and performance parameters of young horses repeatedly infected with cyathostomins and <i>Strongylus vulgaris</i> . <i>Veterinary Parasitology</i> , 2014, 204, 229-237.	1.8	12
90	Comparison of the Immunologic Response to Anthelmintic Treatment in Old Versus Middle-Aged Horses. <i>Journal of Equine Veterinary Science</i> , 2015, 35, 873-881.e3.	0.9	12

#	ARTICLE	IF	CITATIONS
91	Monitoring equine ascarid and cyathostomin parasites: Evaluating health parameters under different treatment regimens. <i>Equine Veterinary Journal</i> , 2021, 53, 902-910.	1.7	12
92	Parasite dynamics in untreated horses through one calendar year. <i>Parasites and Vectors</i> , 2022, 15, 50.	2.5	12
93	A model for the development and growth of the parasitic stages of <i>Parascaris</i> spp. in the horse. <i>Veterinary Parasitology</i> , 2016, 228, 108-115.	1.8	11
94	The importance of anthelmintic efficacy monitoring: results of an outreach effort. <i>Parasitology Research</i> , 2019, 118, 2877-2883.	1.6	11
95	The effect of counting duration on quantitative fecal egg count test performance. <i>Veterinary Parasitology: X</i> , 2019, 276, 100020.	2.7	11
96	Comparative Analysis of Intestinal Helminth Infections in Colic and Non-Colic Control Equine Patients. <i>Animals</i> , 2020, 10, 1916.	2.3	11
97	Climate change is likely to increase the development rate of anthelmintic resistance in equine cyathostomins in New Zealand. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2020, 14, 73-79.	3.4	11
98	Equine strongylids: Ivermectin efficacy and fecal egg shedding patterns. <i>Parasitology Research</i> , 2022, 121, 1691-1697.	1.6	11
99	Determination of the specific gravity of eggs of equine strongylids, <i>Parascaris</i> spp., and <i>Anoplocephala perfoliata</i> . <i>Veterinary Parasitology</i> , 2018, 260, 45-48.	1.8	9
100	Modelling the development of anthelmintic resistance in cyathostomin parasites: The importance of genetic and fitness parameters. <i>Veterinary Parasitology</i> , 2019, 269, 28-33.	1.8	9
101	Parasite faecal egg counts in equine veterinary practice. <i>Equine Veterinary Education</i> , 2022, 34, 584-591.	0.6	9
102	Occurrence of Strongylid Nematode Parasites on Horse Farms in Berlin and Brandenburg, Germany, With High Seroprevalence of <i>Strongylus vulgaris</i> Infection. <i>Frontiers in Veterinary Science</i> , 0, 9, .	2.2	9
103	Management practices associated with strongylid parasite prevalence on horse farms in rural counties of Kentucky. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2018, 14, 25-31.	0.5	8
104	Reduced efficacy of ivermectin and moxidectin against <i>Parascaris</i> spp. in foals from Argentina. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 20, 100388.	0.5	8
105	An inactivated bacterium (paraprobiotic) expressing <i>Bacillus thuringiensis</i> Cry5B as a therapeutic for <i>Ascaris</i> and <i>Parascaris</i> spp. infections in large animals. <i>One Health</i> , 2021, 12, 100241.	3.4	8
106	Association between large strongyle genera in larval cultures “ using rare-event Poisson regression. <i>Parasitology</i> , 2013, 140, 1246-1251.	1.5	7
107	Helminth egg excretion in horses kept under tropical conditions”Prevalence, distribution and risk factors. <i>Veterinary Parasitology</i> , 2017, 243, 256-259.	1.8	7
108	Changes in Hemostatic Indices in Foals Naturally Infected With <i>Strongylus vulgaris</i> . <i>Journal of Equine Veterinary Science</i> , 2017, 54, 1-7.	0.9	7

#	ARTICLE	IF	CITATIONS
109	Strongyloides westeri worm and egg counts in naturally infected young horses. <i>Veterinary Parasitology</i> , 2017, 248, 1-3.	1.8	7
110	Ascarids exposed: a method for <i>in vitro</i> drug exposure and gene expression analysis of anthelmintic naïve <i>Parascaris</i> spp. <i>Parasitology</i> , 2020, 147, 659-666.	1.5	7
111	Comparative studies on faecal egg counting techniques used for the detection of gastrointestinal parasites of equines: A systematic review. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021, 1, 100046.	1.9	7
112	Three-year study to evaluate an anthelmintic treatment regimen with reduced treatment frequency in horses on two study sites in Belgium. <i>Veterinary Parasitology</i> , 2021, 298, 109538.	1.8	7
113	First report of anthelmintic resistance of equine cyathostomins in Cuba. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2018, 13, 220-223.	0.5	6
114	Pixel by pixel: real-time observation and quantification of passive flotation speeds of three common equine endoparasite egg types. <i>International Journal for Parasitology</i> , 2019, 49, 885-892.	3.1	6
115	Cytokine and goblet cell gene expression in equine cyathostomin infection and larvicidal anthelmintic therapy. <i>Parasite Immunology</i> , 2020, 42, e12709.	1.5	6
116	Yeast Particle Encapsulation of Scaffolded Terpene Compounds for Controlled Terpene Release. <i>Foods</i> , 2021, 10, 1207.	4.3	6
117	Strongyle egg counts in Standardbred trotters: Are they associated with race performance?. <i>Equine Veterinary Journal</i> , 2011, 43, 89-92.	1.7	5
118	Developmental stage of strongyle eggs affects the outcome variations of real-time PCR analysis. <i>Veterinary Parasitology</i> , 2013, 191, 191-196.	1.8	5
119	Drug Resistance or Re-Emergence? Simulating Equine Parasites. <i>ACM Transactions on Modeling and Computer Simulation</i> , 2014, 24, 1-23.	0.8	5
120	Transmission of some species of internal parasites in horse foals born in 2013 in the same pasture on a farm in Central Kentucky. <i>Helminthologia</i> , 2015, 52, 211-218.	0.9	5
121	The appropriate antiparasitic treatment: Coping with emerging threats from old adversaries. <i>Equine Veterinary Journal</i> , 2016, 48, 374-375.	1.7	5
122	Dealing with double trouble: Combination deworming against double-drug resistant cyathostomins. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2020, 12, 28-34.	3.4	5
123	Precision and spatial variation of cyathostomin mucosal larval counts. <i>Veterinary Parasitology</i> , 2021, 290, 109349.	1.8	5
124	Development and performance of an automated fecal egg count system for small ruminant strongylids. <i>Veterinary Parasitology</i> , 2021, 295, 109442.	1.8	5
125	Molecular detection of <i>Strongyloides</i> sp. in Australian Thoroughbred foals. <i>Parasites and Vectors</i> , 2021, 14, 444.	2.5	5
126	Preface. <i>Veterinary Parasitology</i> , 2012, 185, 1.	1.8	4

#	ARTICLE	IF	CITATIONS
127	Profiles of strongyle EPG values for Thoroughbred mares on 14 farms in Kentucky (2012–2013). <i>Veterinary Parasitology</i> , 2014, 205, 646-652.	1.8	4
128	Long live the worms: methods for maintaining and assessing the viability of intestinal stages of <i>Parascaris</i> spp. <i>in vitro</i> . <i>Parasitology</i> , 2019, 146, 685-693.	1.5	4
129	Diagnosing <i>Strongylus vulgaris</i> in pooled fecal samples. <i>Veterinary Parasitology</i> , 2021, 296, 109494.	1.8	4
130	Evaluation of risk factors affecting strongylid egg shedding on Hungarian horse farms. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022, 27, 100663.	0.5	4
131	Internal Parasite Screening and Control. , 2015, , 336-340.		3
132	Efficacy of two extra-label anthelmintic formulations against equine strongyles in Cuba. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 8, 39-42.	0.5	3
133	Limited strongyle parasite occurrence in horses kept in an arid environment. <i>Equine Veterinary Education</i> , 2020, 32, 37-40.	0.6	3
134	Prevalence of anthelmintic resistant cyathostomins in Prince Edward Island, Canada. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021, 26, 100629.	0.5	3
135	Effects of sample homogenizing on the performance of an automated strongylid egg counting system. <i>Veterinary Parasitology</i> , 2021, 300, 109623.	1.8	3
136	Interaction between anthelmintic treatment and vaccine responses in ponies naturally infected with cyathostomins. <i>Veterinary Immunology and Immunopathology</i> , 2015, 164, 110-117.	1.2	2
137	Helminth infections in Italian donkeys: <i>Strongylus vulgaris</i> more common than <i>Dictyocaulus arnfieldi</i> . <i>Journal of Helminthology</i> , 2021, 95, e4.	1.0	2
138	Nematodes. , 2014, , 475-489.e4.		1
139	Comparison of a Smart-Phone based Automated Parasite Egg Count System to the McMaster & mini-FLOTAC Methods. <i>Journal of Equine Veterinary Science</i> , 2016, 39, S49.	0.9	1
140	Encysted cyathostomin larval counts: Mucosal digestion revisited. <i>Veterinary Parasitology</i> , 2019, 273, 86-89.	1.8	1
141	The pelvic flexure separates distinct microbial communities in the equine hindgut. <i>Scientific Reports</i> , 2021, 11, 4332.	3.3	1
142	Feasibility of selective anthelmintic therapy to horses in tropical conditions: the Cuban scenario. <i>Tropical Animal Health and Production</i> , 2021, 53, 545.	1.4	1
143	How to publish a great scientific paper – A guide for publishing successfully in <i>Veterinary Parasitology</i> . <i>Veterinary Parasitology</i> , 2022, 304, 109697.	1.8	1
144	Real-time PCR determination of <i>Strongylus vulgaris</i> in horses on farms with different anthelmintic regimens in Denmark and Central Kentucky. <i>Journal of Equine Veterinary Science</i> , 2012, 32, S50-S51.	0.9	0

#	ARTICLE	IF	CITATIONS
145	Evaluation of Baermann apparatus sedimentation time on recovery of third stage Cyathostominae, <i>Strongylus vulgaris</i> and <i>S. edentatus</i> larvae from equine coprocultures. <i>Journal of Equine Veterinary Science</i> , 2016, 39, S46-S47.	0.9	0
146	Parasite Control Programs. , 2020, , 1669-1693.e5.		0
147	Reflections and future directions for continued development and refinement of guidelines for anthelmintic efficacy studies. <i>Veterinary Parasitology</i> , 2022, 307-308, 109741.	1.8	0