

# Baris Gencer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6680615/publications.pdf>

Version: 2024-02-01

89  
papers

3,273  
citations

201674

27  
h-index

161849

54  
g-index

89  
all docs

89  
docs citations

89  
times ranked

4609  
citing authors

#	ARTICLE	IF	CITATIONS
1	Smoking Cessation in People With and Without Diabetes After Acute Coronary Syndrome. <i>Nicotine and Tobacco Research</i> , 2023, 25, 58-65.	2.6	2
2	PCSK9 Inhibition could be Effective for Acute Myocardial Infarction. <i>Current Medicinal Chemistry</i> , 2022, 29, 1016-1026.	2.4	3
3	European Society of Cardiology Quality Indicators for Cardiovascular Disease Prevention: developed by the Working Group for Cardiovascular Disease Prevention Quality Indicators in collaboration with the European Association for Preventive Cardiology of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1060-1071.	1.8	25
4	Plasma ceramide and phospholipid-based risk score and the risk of cardiovascular death in patients after acute coronary syndrome. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 895-902.	1.8	18
5	Edoxaban versus Warfarin in high-risk patients with atrial fibrillation: A comprehensive analysis of high-risk subgroups. <i>American Heart Journal</i> , 2022, 247, 24-32.	2.7	6
6	Direct Oral Anticoagulants Versus Warfarin in Patients With Atrial Fibrillation: Patient-Level Network Meta-Analyses of Randomized Clinical Trials With Interaction Testing by Age and Sex. <i>Circulation</i> , 2022, 145, 242-255.	1.6	118
7	2021 European guidelines on cardiovascular prevention: Challenges for an evidence-based patient care. <i>European Journal of Clinical Investigation</i> , 2022, 52, e13752.	3.4	0
8	Study design and rationale for the Olpasiran trials of Cardiovascular Events And lipoprotein(a) reduction-DOSE finding study (OCEAN(a)-DOSE). <i>American Heart Journal</i> , 2022, 251, 61-69.	2.7	40
9	Prognostic value of total testosterone levels in patients with acute coronary syndromes. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 235-242.	1.8	7
10	Eligibility for PCSK9 inhibitors based on the 2019 ESC/EAS and 2018 ACC/AHA guidelines. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 59-65.	1.8	30
11	The Reply. <i>American Journal of Medicine</i> , 2021, 134, e71.	1.5	0
12	Cardiovascular risk and testosterone – from subclinical atherosclerosis to lipoprotein function to heart failure. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 257-274.	5.7	26
13	Air pollution triggers inflammation and cardiovascular events: now is the time to act. <i>European Heart Journal</i> , 2021, 42, 773-775.	2.2	9
14	Effect of Marine Omega-3 Fatty Acid and Vitamin D Supplementation on Incident Atrial Fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1061.	7.4	73
15	Improving 1-year mortality prediction in ACS patients using machine learning. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 855-865.	1.0	9
16	CCN family member 1 (CCN1) is an early marker of infarct size and left ventricular dysfunction in STEMI patients. <i>Atherosclerosis</i> , 2021, 335, 77-83.	0.8	6
17	Effect of Long-Term Marine Ω-3 Fatty Acids Supplementation on the Risk of Atrial Fibrillation in Randomized Controlled Trials of Cardiovascular Outcomes: A Systematic Review and Meta-Analysis. <i>Circulation</i> , 2021, 144, 1981-1990.	1.6	59
18	Association between self-reported motivation to quit smoking with effectiveness of smoking cessation intervention among patients hospitalized for acute coronary syndromes in Switzerland. <i>Preventive Medicine Reports</i> , 2021, 24, 101583.	1.8	0

#	ARTICLE	IF	CITATIONS
19	Challenges in the Management of Atrial Fibrillation With Subclinical Hyperthyroidism. <i>Frontiers in Endocrinology</i> , 2021, 12, 795492.	3.5	8
20	Prognostic values of fasting hyperglycaemia in non-diabetic patients with acute coronary syndrome: A prospective cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 589-598.	1.0	7
21	Potential of Lipoprotein(a)-Lowering Strategies in Treating Coronary Artery Disease. <i>Drugs</i> , 2020, 80, 229-239.	10.9	21
22	Control of cardiovascular risk factors and health behaviors in patients post acute coronary syndromes eligible for protein convertase subtilisin/kexin-9 inhibitors. <i>International Journal of Cardiology</i> , 2020, 299, 289-295.	1.7	1
23	Intensified lipid lowering using ezetimibe after publication of the IMPROVE-IT trial: A contemporary analysis from the SPUM-ACS cohort. <i>International Journal of Cardiology</i> , 2020, 303, 8-13.	1.7	5
24	Prognosis of Patients with Chronic and Hospital-Acquired Anaemia After Acute Coronary Syndromes. <i>Journal of Cardiovascular Translational Research</i> , 2020, 13, 618-628.	2.4	8
25	Efficacy and safety of lowering LDL cholesterol in older patients: a systematic review and meta-analysis of randomised controlled trials. <i>Lancet, The</i> , 2020, 396, 1637-1643.	13.7	167
26	Prospective Evaluation of Malignancy in 17,708 Patients Randomized to Ezetimibe Versus Placebo. <i>JACC: CardioOncology</i> , 2020, 2, 385-396.	4.0	7
27	Dynamical System Modeling of Self-Regulated Systems Undergoing Multiple Excitations: First Order Differential Equation Approach. <i>Multivariate Behavioral Research</i> , 2020, 56, 1-20.	3.1	5
28	Cognition After Lowering LDL-Cholesterol With Evolocumab. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2283-2293.	2.8	62
29	The Impact of Levothyroxine on Cardiac Function in Older Adults With Mild Subclinical Hypothyroidism: A Randomized Clinical Trial. <i>American Journal of Medicine</i> , 2020, 133, 848-856.e5.	1.5	31
30	Optimal Timing of Invasive Coronary Angiography following NSTEMI. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-9.	1.2	6
31	The Effect of PCSK9 (Proprotein Convertase Subtilisin/Kexin Type 9) Inhibition on the Risk of Venous Thromboembolism. <i>Circulation</i> , 2020, 141, 1600-1607.	1.6	61
32	Management of <scp>LDL</scp>â€œcholesterol after an acute coronary syndrome: Key comparisons of the American and European clinical guidelines to the attention of the healthcare providers. <i>Clinical Cardiology</i> , 2020, 43, 684-690.	1.8	7
33	Efficacy of Evolocumab on Cardiovascular Outcomes in Patients With Recent Myocardial Infarction. <i>JAMA Cardiology</i> , 2020, 5, 952.	6.1	56
34	Emerging Concepts and Applied Machine Learning Research in Patients with Drug-Induced Repolarization Disorders. <i>Studies in Health Technology and Informatics</i> , 2020, 270, 198-202.	0.3	1
35	Non-Linear Relationship between Anti-Apolipoprotein A-1 IgGs and Cardiovascular Outcomes in Patients with Acute Coronary Syndromes. <i>Journal of Clinical Medicine</i> , 2019, 8, 1002.	2.4	11
36	Gender Specificity and Interpretation of Functional Cardiac Imaging: Let's Talk about Sex. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1379-1381.	3.4	2

#	ARTICLE	IF	CITATIONS
37	Evolocumab for Early Reduction of LDL-Cholesterol Levels in Patients With Acute Coronary Syndromes (EVOPACS). <i>Journal of the American College of Cardiology</i> , 2019, 74, 2452-2462.	2.8	135
38	Clinical, behavioral and biomarker predictors of PCSK9 levels in HIV-infected patients naïve of statin therapy: A cross-sectional analysis from the Swiss HIV cohort. <i>Atherosclerosis</i> , 2019, 284, 253-259.	0.8	9
39	Clinical impact of a structured secondary cardiovascular prevention program following acute coronary syndromes: A prospective multicenter healthcare intervention. <i>PLoS ONE</i> , 2019, 14, e0211464.	2.5	6
40	Inflammation during acute coronary syndromes – Risk of cardiovascular events and bleeding. <i>International Journal of Cardiology</i> , 2019, 287, 13-18.	1.7	22
41	Prognostic value of elevated lipoprotein(a) in patients with acute coronary syndromes. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13117.	3.4	24
42	Anti-ApoA-1 IgGs in Familial Hypercholesterolemia Display Paradoxical Associations with Lipid Profile and Promote Foam Cell Formation. <i>Journal of Clinical Medicine</i> , 2019, 8, 2035.	2.4	10
43	Association between income and control of cardiovascular risk factors after acute coronary syndromes: an observational study. <i>Swiss Medical Weekly</i> , 2019, 149, w20049.	1.6	1
44	Incidence, Predictors, and Clinical Impact of Early Prasugrel Cessation in Patients With ST-Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	11
45	So low – so far so good: neurocognitive impact of lowering LDL-C levels with PCSK9 inhibitors. <i>European Heart Journal</i> , 2018, 39, 382-384.	2.2	4
46	Adverse effects of statin therapy: perception vs. the evidence – focus on glucose homeostasis, cognitive, renal and hepatic function, haemorrhagic stroke and cataract. <i>European Heart Journal</i> , 2018, 39, 2526-2539.	2.2	262
47	Improved risk stratification of patients with acute coronary syndromes using a combination of hsTnT, NT-proBNP and hsCRP with the GRACE score. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 129-138.	1.0	70
48	Subclinical thyroid dysfunction and cardiovascular diseases: 2016 update. <i>European Heart Journal</i> , 2018, 39, 503-507.	2.2	106
49	Design of the randomized, placebo-controlled evolocumab for early reduction of LDL-cholesterol levels in patients with acute coronary syndromes (EVOPACS) trial. <i>Clinical Cardiology</i> , 2018, 41, 1513-1520.	1.8	20
50	Prognosis of cardiovascular and non-cardiovascular multimorbidity after acute coronary syndrome. <i>PLoS ONE</i> , 2018, 13, e0195174.	2.5	21
51	Lipid management in ACS: Should we go lower faster?. <i>Atherosclerosis</i> , 2018, 275, 368-375.	0.8	27
52	Impact of Thyroid Hormone Therapy on Atherosclerosis in the Elderly With Subclinical Hypothyroidism: A Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2988-2997.	3.6	34
53	Lipoprotein(a): the perpetual supporting actor. <i>European Heart Journal</i> , 2018, 39, 2597-2599.	2.2	11
54	Prognostic value of pulse pressure after an acute coronary syndrome. <i>Atherosclerosis</i> , 2018, 277, 219-226.	0.8	15

#	ARTICLE	IF	CITATIONS
55	European Society of Cardiology/European Atherosclerosis Society Task Force consensus statement on proprotein convertase subtilisin/kexin type 9 inhibitors: practical guidance for use in patients at very high cardiovascular risk. <i>European Heart Journal</i> , 2017, 38, ehw480.	2.2	137
56	The fear of dying and occurrence of posttraumatic stress symptoms after an acute coronary syndrome: A prospective observational study. <i>Journal of Health Psychology</i> , 2017, 22, 208-217.	2.3	14
57	Lipoprotein(a): the revenant. <i>European Heart Journal</i> , 2017, 38, 1553-1560.	2.2	133
58	Eligibility for PCSK9 Inhibitors According to American College of Cardiology (ACC) and European Society of Cardiology/European Atherosclerosis Society (ESC/EAS) Guidelines After Acute Coronary Syndromes. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	29
59	Cysteine-rich angiogenic inducer 61 (Cyr61): a novel soluble biomarker of acute myocardial injury improves risk stratification after acute coronary syndromes. <i>European Heart Journal</i> , 2017, 38, 3493-3502.	2.2	46
60	Early Discharge in Low-Risk Patients Hospitalized for Acute Coronary Syndromes: Feasibility, Safety and Reasons for Prolonged Length of Stay. <i>PLoS ONE</i> , 2016, 11, e0161493.	2.5	13
61	Evidence and controversies regarding the screening for subclinical hypothyroidism in patients with cardiovascular disease. <i>Journal of Thoracic Disease</i> , 2016, 8, E446-E450.	1.4	1
62	Health utility indexes in patients with acute coronary syndromes. <i>Open Heart</i> , 2016, 3, e000419.	2.3	14
63	Clinical Perspectives and Pearls from the 2015 ESC NSTEMI-ACS Guidelines. <i>Current Cardiology Reports</i> , 2016, 18, 48.	2.9	4
64	Prognosis of Patients With Familial Hypercholesterolemia After Acute Coronary Syndromes. <i>Circulation</i> , 2016, 134, 698-709.	1.6	99
65	Pre-hospital alarm activation for STEMI patients undergoing primary percutaneous coronary intervention in the era of transradial procedures. <i>European Journal of Internal Medicine</i> , 2016, 35, 83-88.	2.2	1
66	The peak of blood lactate during the first 24h predicts mortality in acute coronary syndrome patients under extracorporeal membrane oxygenation. <i>International Journal of Cardiology</i> , 2016, 221, 741-745.	1.7	24
67	Uptake and efficacy of a systematic intensive smoking cessation intervention using motivational interviewing for smokers hospitalised for an acute coronary syndrome: a multicentre before-after study with parallel group comparisons. <i>BMJ Open</i> , 2016, 6, e011520.	1.9	18
68	A Randomized Study of SheathLess vs Standard Guiding Catheters for Transradial Percutaneous Coronary Interventions. <i>Canadian Journal of Cardiology</i> , 2016, 32, 1425-1432.	1.7	16
69	Identifying familial hypercholesterolemia in acute coronary syndrome. <i>Current Opinion in Lipidology</i> , 2016, 27, 375-381.	2.7	18
70	Prognostic value of PCSK9 levels in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2016, 37, 546-553.	2.2	120
71	Testosterone: a hormone preventing cardiovascular disease or a therapy increasing cardiovascular events?. <i>European Heart Journal</i> , 2016, 37, 3569-3575.	2.2	30
72	Should we screen for hypothyroidism in patients with cardiovascular disease?. <i>European Heart Journal</i> , 2016, 37, 2066-2068.	2.2	5

#	ARTICLE	IF	CITATIONS
73	Association between resistin levels and cardiovascular disease events in older adults: The health, aging and body composition study. <i>Atherosclerosis</i> , 2016, 245, 181-186.	0.8	49
74	Hospital revascularisation capability and quality of care after an acute coronary syndrome in Switzerland. <i>Swiss Medical Weekly</i> , 2016, 146, w14275.	1.6	2
75	New concepts in the management of dyslipidaemia. <i>Swiss Medical Weekly</i> , 2016, 146, w14378.	1.6	0
76	Coronary artery disease is associated with persistent lower quality of life in women. <i>Open Heart</i> , 2015, 2, e000305.	2.3	4
77	Stairs instead of elevators at the workplace decreases PCSK9 levels in a healthy population. <i>European Journal of Clinical Investigation</i> , 2015, 45, 1017-1024.	3.4	34
78	Low statin use in adults hospitalized with acute coronary syndrome. <i>Preventive Medicine</i> , 2015, 77, 131-136.	3.4	18
79	Reasons for discontinuation of recommended therapies according to the patients after acute coronary syndromes. <i>European Journal of Internal Medicine</i> , 2015, 26, 56-62.	2.2	37
80	Expected impact of applying new 2013 AHA/ACC cholesterol guidelines criteria on the recommended lipid target achievement after acute coronary syndromes. <i>Atherosclerosis</i> , 2015, 239, 118-124.	0.8	26
81	Prevalence and management of familial hypercholesterolaemia in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2015, 36, 2438-2445.	2.2	129
82	Sweet<i>less</i>'n low LDL-C targets for PCSK9 treatment : FigureÂ1. <i>European Heart Journal</i> , 2015, 36, 1146-1148.	2.2	10
83	PCSK9 inhibitors. <i>Swiss Medical Weekly</i> , 2015, 145, w14094.	1.6	13
84	Use and role of monoclonal antibodies and other biologics in preventive cardiology. <i>Swiss Medical Weekly</i> , 2015, 145, w14179.	1.6	3
85	Quality of Care after Acute Coronary Syndromes in a Prospective Cohort with Reasons for Non-Prescription of Recommended Medications. <i>PLoS ONE</i> , 2014, 9, e93147.	2.5	28
86	Association of electrocardiogram abnormalities and incident heart failure events. <i>American Heart Journal</i> , 2014, 167, 869-875.e3.	2.7	14
87	Subclinical Thyroid Dysfunction and Cardiovascular Outcomes among Prospective Cohort Studies. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013, 13, 4-12.	1.2	56
88	Subclinical Thyroid Dysfunction and the Risk of Heart Failure Events. <i>Circulation</i> , 2012, 126, 1040-1049.	1.6	410
89	Ruling out coronary heart disease in primary care patients with chest pain: a clinical prediction score. <i>BMC Medicine</i> , 2010, 8, 9.	5.5	33