
Savanna Marie Shaw

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6682406/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
2	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$sqrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	1.4	453
3	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
4	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	1.4	298
5	Luminosity determination in pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
6	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at \$\$sqrt{s}=7\$\$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
7	Measurement of the W-boson mass in pp collisions at \$\$sqrt{s}=7, hbox {TeV}\$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
8	Search for an additional, heavy Higgs boson in the \$\$Hightarrow ZZ\$\$ H → Z Z decay channel at \$\$sqrt{s} = 8;ext{ TeV }\$\$ s = 8 TeV in \$\$pp\$\$ p p collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	1.4	197
9	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
10	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
11	Search for new high-mass phenomena in the dilepton final state using 36 fbâ^'1 of proton-proton collision data at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
12	Measurement of the transverse momentum and \$\$phi ^*_{eta }\$\$ Ï• η â^— distributions of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
13	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
14	Precision measurement and interpretation of inclusive \$\$W^+\$\$ W + , \$\$W^-\$\$ W European Physical Journal C, 2017, 77, 367.	1.4	145
15	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
16	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
17	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
18	ATLAS b-jet identification performance and efficiency measurement with \$\$t{ar{t}}\$\$ events in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV. European Physical Journal C, 2019, 79, 1.	1.4	130

#	Article	IF	CITATIONS
19	Search for electroweak production of supersymmetric particles in final states with two or three leptons at \$\$sqrt{s}=13hbox {TeV}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
20	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
21	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâ^1 of pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
22	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at \$\$sqrt{s}=8,~{mathrm {TeV}}\$\$ s = 8 TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
23	Searches for scalar leptoquarks in pp collisions at \$\$varvec{sqrt{s}}\$\$ s = 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
24	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
25	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e ν μ ν final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
26	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â"" + â"" - â"" + â"" - and \$\$ell ^+ell ^-u ar{u }\$\$ â"" + â"" - ν ν Â⁻ final states using proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
27	Search for new phenomena in events with at least three photons collected in pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
28	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
29	Search for Higgs boson pair production in the \$\$bar{b}bar{b}\$\$ b b Â ⁻ b b Â ⁻ final state from pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
30	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
31	Measurement of multi-particle azimuthal correlations in pp, pÂ+ÂPb and low-multiplicity PbÂ+ÂPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
32	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at \$\$\$qrt{s}=13\$\$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
33	Measurement of the prompt J/ \$\$psi \$\$ Ï^ pair production cross-section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
34	Search for dark matter at \$\$sqrt{s}=13~mathrm{TeV}\$\$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
35	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
36	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. Furopean Physical Journal C, 2018, 78, 565	1.4	79

#	Article	IF	CITATIONS
37	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
38	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	1.4	77
39	Angular analysis of B0 d → Kâ^—μ+μâ^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector. 1.6	76
40	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
41	Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
42	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
43	Search for squarks and gluinos in final states with jets and missing transverse momentum at \$\$sqrt{s}\$\$ s =13 \$\${mathrm{TeV}}\$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
44	Search for supersymmetry at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
45	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
46	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
47	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
48	Search for resonances in diphoton events at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
49	Search for new resonances in mass distributions of jet pairs using 139 fbâ^1 of pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
50	Search for long-lived charginos based on a disappearing-track signature in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
51	A search for t t Â ⁻ \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
52	A search for pair-produced resonances in four-jet final states at \$\$sqrt{s}=13\$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
53	Evidence for the H → b b Â ⁻ \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
54	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64

#	Article	IF	CITATIONS
55	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / Ï^ and \$\$psi (2mathrm {S})\$\$ Ï^ (2 S) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
56	ldentification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at \$\$sqrt{s} = 8\$\$ s = 8 ATeV. European Physical Journal C, 2016, 76, 154.	1.4	62
57	Charged-particle distributions at low transverse momentum in \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
58	Performance of algorithms that reconstruct missing transverse momentum in \$\$sqrt{s}\$\$ s = 8 TeV proton–proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
59	Prompt and non-prompt \$\$J/psi \$\$ J / ڷ and \$\$psi (2mathrm {S})\$\$ ڷ (2 S) suppression at high transverse momentum in \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
60	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
61	Summary of the searches for squarks and gluinos using s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
62	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â"" â"" / â"" ν / Ĩ½ 1½ + b b Â ⁻ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
63	Search for dark matter produced in association with bottom or top quarks in \$\$sqrt{s}=13\$\$s=13ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
64	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at \$\$sqrt{s_{ext {NN}}}=2.76\$\$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
65	Search for charged Higgs bosons decaying via H± → τ±ντ in the τ+jets and τ+lepton final states with 36 fb of pp collision data recorded at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	â^'1 1.6	59
66	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in \$\$sqrt{s}=8\$\$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
67	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
68	Search for charged Higgs bosons decaying into top and bottom quarks at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
69	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 — interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
70	Search for pair production of Higgs bosons in the \$\$ boverline{b}boverline{b} \$\$ final state using proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
71	Measurements of fiducial cross-sections for \$\$tar{t}\$\$ t t Â ⁻ production with one or two additional b-jets in pp collisions at \$\$sqrt{s}\$\$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
72	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ Î ³ Î ³ W W â^— channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s}\$\$ s \$\$=13\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53

#	Article	IF	CITATIONS
73	Search for lepton-flavour-violating H → μÏ,, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
74	Measurement of the top quark mass in the \$\$tar{t}ightarrow ext{ lepton+jets } \$\$ t t Â ⁻ → lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â ⁻ → dilepton channels using \$\$sqrt{s}=7\$\$ s = 7 Â \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
75	Search for the direct production of charginos and neutralinos in final states with tau leptons in \$\$sqrt{s} = 13,mathrm{TeV}\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
76	Search for minimal supersymmetric standard model Higgs Bosons HÂ/ÂA and for a \$\$Z^{prime }\$\$ Z ′ boson in the \$\$au au \$\$ Ï,, Ï,, final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
77	Measurement of the charged-particle multiplicity inside jets from \$\$sqrt{s}=8\$\$ s = 8 \$\${mathrm{TeV}}\$\$ TeV App collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
78	Measurement of jet fragmentation in Pb+Pb and pp collisions at \$\$sqrt{{s_mathrm{NN}}} = 2.76\$\$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	1.4	51
79	Measurement of the azimuthal anisotropy of charged particles produced in \$\$sqrt{s_{_ext {NN}}}\$ s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
80	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
81	Search for direct top squark pair production in final states with two leptons in \$\$sqrt{s} = 13\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
82	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
83	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
84	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
85	Constraints on mediator-based dark matter and scalar dark energy models using \$\$ sqrt{s} \$\$ = 13 TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
86	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
87	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fbâ~1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
88	Measurements of the production cross section of a \$\$Z\$\$ Z boson in association with jets in pp collisions at \$\$sqrt{s} = 13\$\$ s. European Physical Journal C, 2017, 77, 361.	1.4	47
89	Measurement of the top quark mass in the \$\$tar{t}ightarrow \$\$ t t Â⁻ →. European Physical Journal C, 2019, 79, 1.	1.4	47
90	Study of the rare decays of \$\$B^0_s\$\$ B s 0 and \$\$B^0\$\$ B 0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46

#	Article	IF	CITATIONS
91	Measurement of the Higgs boson coupling properties in the H → ZZâ^— → 4â"" decay channel at \$\$ sqrt{s}=1 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	3 \$\$ 1.6	46
92	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
93	Search for charged Higgs bosons decaying into a top quark and a bottom quark at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
94	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
95	Measurement of the inclusive isolated prompt photon cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
96	Search for charged Higgs bosons in the H ± → tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
97	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 ATeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
98	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
99	Performance of top-quark and \$\$varvec{W}\$\$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
100	Measurement of the \$\${varvec{tar{t}Z}}\$\$ t t Â ⁻ Z and \$\${varvec{tar{t}W}}\$\$ t t Â ⁻ W production cross sections in multilepton final states using 3.2 fb \$\$^{-1}\$\$ - 1 of \$\$varvec{pp}\$\$ p p collisions at \$\$sqrt{s}\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
101	Measurement of \$\$W^{pm }Z\$\$ production cross sections and gauge boson polarisation in pp collisions at \$\$sqrt{s} = 13~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
102	Higgs boson production cross-section measurements and their EFT interpretation in the \$\$4ell \$\$ decay channel at \$\$sqrt{s}=\$\$13ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
103	Study of the \$\$B_c^+ ightarrow J/psi D_s^+\$\$ B c + → J / Ï^D s + and \$\$B_c^+ ightarrow J/psi D_s^{*+}\$\$ B c + → J / Ï^D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
104	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ^'1 of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
105	Measurements of b-jet tagging efficiency with the ATLAS detector using \$\$ toverline{t} \$\$ events at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
106	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and \$\$ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of proton–proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
107	Search for flavour-changing neutral current top-quark decays to \$\$varvec{qZ}\$\$ q Z in \$\$varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\$varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	1.4	39
108	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at \$\$sqrt{s}=8,mathrm TeV{}\$\$ s = 8 T e. European Physical Journal C, 2016, 76, 87.	1.4	39

#	Article	IF	CITATIONS
109	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
110	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
111	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
112	Search for Higgs boson pair production in the \$\$ upgamma upgamma boverline{b} \$\$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
113	Measurements of WH and ZH production in the \$\$H ightarrow bar{b}\$\$ decay channel in pp collisions at \$\$13,ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
114	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
115	Measurement of the W boson polarisation in \$\$tar{t}\$\$ t t Â⁻ events from pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV in the leptonÂ+Âjets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
116	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
117	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
118	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fbâ^'1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
119	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
120	Search for heavy long-lived multi-charged particles in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
121	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
122	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions atÂ\$\$sqrt{s_{mathrm{NN}} = 5.02~hbox {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
123	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
124	Search for a scalar partner of the top quark in the all-hadronic \$\$t{ar{t}}\$\$ plus missing transverse momentum final state at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
125	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
126	Measurements of top-quark pair differential and double-differential cross-sections in the \$\$ell \$\$+jets channel with pp collisions at \$\$sqrt{s}=13\$\$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34

#	Article	IF	CITATIONS
127	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in \$\$pp\$\$ collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
128	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
129	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
130	Measurements of Ï^(2S) and X(3872) → J/̈́̈́ € + Ï€ â~' production in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
131	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
132	Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.	1.4	32
133	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4\$\$ell \$\$ decay channel at \$\$sqrt{s}\$\$ = 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
134	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at \$\$sqrt{s}\$\$ s = 13 Te V with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
135	A search for prompt lepton-jets in pp collisions at s = 8 \$\$ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
136	Measurement of inclusive and differential cross sections in the H → ZZ * → 4â,," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
137	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbâ~1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
138	Search for W W/W Z resonance production in ℓνqq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
139	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
140	Study of hard double-parton scattering in four-jet events in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
141	Charged-particle distributions in pp interactions at \$\$sqrt{s}=8 mathrm {, TeV}\$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
142	Searches for the Zl̂ ³ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
143	Study of $WWgamma W W ^3$ and $WZgamma W Z. European Physical Journal C, 2017, 77, 646.$	1.4	30
144	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30

#	Article	IF	CITATIONS
145	Searches for third-generation scalar leptoquarks in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
146	Evidence for \$\$tar{t}tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
147	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
148	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
149	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
150	Searches for heavy ZZ and ZW resonances in the â,,"â,,"qq and ν2νqq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
151	Search for heavy diboson resonances in semileptonic final states in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
152	Measurement of lepton differential distributions and the top quark mass in \$\$tar{t}\$\$ t t Â ⁻ . European Physical Journal C, 2017, 77, 804.	1.4	28
153	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime }\$\$ W W / W Z → â,," ν q q ′ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$sqrt{s} =8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical lournal C. 2017. 77. 563.	1.4	28
154	Measurement of the Drell-Yan triple-differential cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
155	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H → aa → 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
156	Search for long-lived neutral particles in pp collisions at \$\${sqrt{s}} = 13~{ext { TeV}}\$\$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
157	In situ calibration of large-radius jet energy and mass in 13ÂTeVÂproton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
158	Fluctuations of anisotropic flow in Pb+Pb collisions at \$\$ sqrt{{mathrm{s}}_{mathrm{NN}}} \$\$ = 5.02 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
159	Measurement of the transverse momentum distribution of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
160	Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
161	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at \$\$varvec{sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
162	Measurements of top-quark pair differential cross-sections in the \$\$emu \$\$ e μ channel in pp collisions at \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27

#	Article	IF	CITATIONS
163	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in \$\$sqrt{s}=13\$\$ s = 13 Å \$\$ext {Te}ext {V}\$\$ Te pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
164	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
165	Measurement of the top-quark mass in \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
166	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a Ï"-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
167	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
168	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
169	Searches for heavy diboson resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
170	Search for triboson \$\$W^{pm }W^{pm }W^{mp }\$\$ W ± W ± W â^" production in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 Â \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
171	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	1.4	25
172	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
173	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
174	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \$\$varvec{sqrt{s}}\$\$ s Â=Â13ÂTeV \$\$varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	1.4	24
175	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
176	Measurement of fiducial and differential \$\$W^+W^-\$\$ production cross-sections at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
177	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
178	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTev with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
179	Measurement of the inclusive jet cross-sections in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
180	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23

#	Article	IF	CITATIONS
181	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
182	Measurement of the t t Â ⁻ W \$\$ toverline{t}W \$\$ and t t Â ⁻ Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
183	Study of (W/Z)H production and Higgs boson couplings using H→ W W â^— decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
184	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
185	Measurements of top-quark pair spin correlations in the \$\$emu \$\$ channel at \$\$sqrt{s} = 13\$\$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
186	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
187	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
188	Search for the Standard Model Higgs boson decaying into b b Â ⁻ \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
189	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
190	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, .	1.4	21
191	Search for light long-lived neutral particles produced in pp collisions at \$\$sqrt{s} = 13~mathrm {TeV}\$\$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
192	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
193	Measurements of top quark spin observables in t t Â ⁻ \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
194	Measurement of differential cross-sections of a single top quark produced in association with a W boson at \$\$sqrt{s}={13}{ext {TeV}}\$\$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
195	Search for diboson resonances in hadronic final states in 139 fbâ~'1 of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
196	Search for flavour-changing neutral current top quark decays t → Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
197	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
198	Probing lepton flavour violation via neutrinoless \$\$varvec{au longrightarrow 3mu }\$\$ Ï,, ⟶ 3 μ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19

#	Article	IF	CITATIONS
199	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in \$\$varvec{pp}\$\$ p p collisions at \$\$mathbf {sqrt{s}=13}\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
200	Prompt and non-prompt \$\$J/psi \$\$J/ Ï^ elliptic flow in Pb+Pb collisions at \$\$sqrt{s_{_ext {NN}}} = 5.02\$\$ s NN = 5.02 Tev with the ATLAS detectorÂ. European Physical Journal C, 2018, 78, 784.	1.4	19
201	Search for top-quark decays t → Hq with 36 fbâ^'1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
202	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^'1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
203	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^'1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
204	Search for top quark decays t → qH, with H → γγ, in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
205	Search for dark matter in association with an energetic photon in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
206	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
207	Search for new phenomena in final states with b-jets and missing transverse momentum in \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
208	ldentification of high transverse momentum top quarks in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
209	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
210	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
211	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
212	Direct top-quark decay width measurement in the \$\$mathbf {varvec{tar{t}}\$\$ t t Â ⁻ lepton+jets channel at \$\$sqrt{s}=8~ext {TeV}\$\$ s = 8 TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
213	Search for flavour-changing neutral current top-quark decays t → qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
214	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
215	Measurements of W and Z boson production in pp collisions at \$\$sqrt{s}=5.02\$\$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
216	Measurement of \$\$W^pm \$\$ boson production in Pb+Pb collisions at \$\$sqrt{s_{mathrm{NN}}} = 5.02~ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17

#	Article	IF	CITATIONS
217	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
218	Search for the HH → \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
219	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at \$\$ sqrt{s} = 13,{ext {TeV}} \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
220	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
221	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
222	Top-quark mass measurement in the all-hadronic t t Â ⁻ \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
223	Measurement of colour flow using jet-pull observables in $\pm t^{-}$ events with the ATLAS experiment at ± 13 , box (TeV) a = 13 TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
224	Search for exclusive Higgs and Z boson decays to ϕγ and Ï¥³ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
225	Measurement of differential cross sections and W+/Wâ^' cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
226	Measurement of event-shape observables in \$\$Z ightarrow ell ^{+} ell ^{-}\$\$ Z → â,," + â,," - events in pp collisions at \$\$sqrt{s}=7\$\$ s = 7 Â \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
227	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW â^—→el¼2μÂŀ½ with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
228	Search for strong gravity in multijet final states produced in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
229	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
230	Search for scalar resonances decaying into μ+μâ^' in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
231	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
232	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
233	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
234	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14

#	Article	IF	CITATIONS
235	Measurement of charged-particle distributions sensitive to the underlying event in s = 13 \$\$ sqrt{s}=13 \$\$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
236	Studies of ZÎ ³ production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
237	Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
238	Measurements of inclusive and differential fiducial cross-sections of \$\$tar{t}gamma \$\$ production in leptonic final states at \$\$sqrt{s}=13~ext {TeV}\$\$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
239	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
240	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
241	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at \$\$sqrt{s}=13,ext {TeV}\$\$. European Physical Journal C, 2021, 81, 1.	1.4	14
242	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
243	Search for \$\$ toverline{t} \$\$ resonances in fully hadronic final states in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
244	Measurement of the c-jet mistagging efficiency in \$\$tar{t}\$\$Âevents using pp collision data at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
245	Measurement of the CP-violating phase i̇́• s and the B s 0 meson decay width difference with B s 0  → J/ï˜ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ï∙ 1.6	13
246	Search for new phenomena with photon+jet events in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
247	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
248	Measurements of top-quark pair to Z-boson cross-section ratios at s = 13 \$\$ sqrt{s}=13 \$\$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
249	Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.	1.4	13
250	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
251	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
252	Measurement of the \$\$boverline{b}\$\$ b b Â ⁻ dijet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12

#	Article	IF	CITATIONS
253	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in \$\$varvec{sqrt{s}=13}\$\$ s = 13 Â \$\$ext {TeV}\$\$ TeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
254	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using s = 13 \$\$ sqrt{s}=13 \$\$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
255	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
256	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using \$\$ sqrt{s} \$\$ = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
257	Transverse momentum and process dependent azimuthal anisotropies in \$\$sqrt{s_{mathrm {NN}}=8.16\$\$ÂTeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
258	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
259	Search for supersymmetry in events with four or more charged leptons in 139 fbâ^'1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
260	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
261	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
262	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
263	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at \$\$sqrt{s} = 7\$\$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	1.4	12
264	Measurement of four-jet differential cross sections in s = 8 \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
265	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
266	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÅTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
267	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
268	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
269	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
270	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10

#	Article	IF	CITATIONS
271	Search for direct top squark pair production in final states with two tau leptons in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
272	Measurement of the \$\$ Zgamma o u overline{u}gamma \$\$ production cross section in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
273	Measurement of the inclusive and fiducial \$\$tar{t}\$\$ t t Â ⁻ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
274	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
275	Measurement of J/i՞ production in association with a W± boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
276	Measurement of the t\$\$ overline{t} \$\$t\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
277	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fbâ `1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
278	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
279	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
280	Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
281	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
282	Measurement of the ZZ production cross section in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ZZ → â,,"â^'â,,"+â,,"′ⴒâ,,"′+ and Z Z → â,," â^' â,," + ν ν Â⁻ \$\$ ZZo {ell}^{-}{ell}^{+}u over with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	line{u} \$\$	6 d ecay chan
283	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
284	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
285	Measurement of the Z(â†' â,,"+â,"â^')Î ³ production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with th ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	e 1.6	9
286	Search for dark matter produced in association with a single top quark in \$\$sqrt{s}=13\$\$ÂTeV \$\$pp\$\$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
287	Measurement of the relative width difference of the B 0 ―B Â⁻ 0 \$\$ {B}^0hbox{-} {overline{B}}^0 \$\$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
288	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8

#	Article	IF	CITATIONS
289	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
290	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
291	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
292	Measurement of $\$ m }\$-boson and Z-boson production cross-sections in pp collisions at $\$ source of the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
293	Measurement of differential cross sections for single diffractive dissociation in \$\$ sqrt{s} \$\$ = 8 TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
294	Measurements of W+Wâ^'+ ≥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
295	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
296	Reconstruction and identification of boosted di-Ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
297	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
298	Measurement of \$\$au \$\$ Ï,, polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / γ. European Physical Journal C, 2018, 78, 163.	1.4	7
299	Search for dijet resonances in events with an isolated charged lepton using \$\$ sqrt{s} \$\$ = 13 TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
300	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
301	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
302	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
303	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at \$\$ sqrt{s} \$\$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
304	Measurement of ZZ production in the â,,"â,,"νν final state with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
305	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
306	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	1.4	6

SAVANNA MARIE SHAW

#	Article	IF	CITATIONS
307	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at \$\$sqrt{s}=8\$\$ and 13ÂTeV. European Physical Journal C, 2020, 80, 1.	1.4	5
308	A search for the decays of stopped long-lived particles at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
309	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
310	Measurement of the inclusive isolated-photon cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using 36 fbâ^'1 of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
311	The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
312	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
313	Measurement of jet activity in top quark events using the el̂¼ final state with two b-tagged jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
314	Search for excited electrons singly produced in proton–proton collisions at \$\$sqrt{s} ~=~13~ext {Te}ext {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
315	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
316	Measurement of hadronic event shapes in high-pT multijet final states at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
317	Search for top squarks in events with a Higgs or Z boson using 139Âfb\$\$^{-1}\$\$ of pp collision data at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
318	Measurement of \$\$K_S^0\$\$ and \$\$Lambda ^0\$\$ production in \$\$t ar{t}\$\$ dileptonic events in pp collisions at \$\$sqrt{s} =\$\$ 7 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
319	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from \$\$W^{pm }ightarrow au ^{pm }(ightarrow pi ^{pm }u _{au })u _{au }\$\$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
320	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
321	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
322	Measurement of the k t splitting scales in Z → â,,"â,," events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
323	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at \$\$sqrt{s}\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
324	Measurements of inclusive and differential cross-sections of combined \$\$ toverline{t}gamma \$\$ and tWÎ ³ production in the eμ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3

#	Article	IF	CITATIONS
325	Measurement of isolated-photon plus two-jet production in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
326	Measurement of single top-quark production in association with a W boson in the single-lepton channel at \$\$sqrt{s} = 8,ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
327	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
328	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
329	Measurement of b-quark fragmentation properties in jets using the decay B± → J/̈́ K± in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
330	A search for an excited muon decaying to a muon and two jets inppcollisions at \$sqrt{s};=;8;{m{TeV}}\$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
331	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
332	Measurement of the energy asymmetry in \$\$t{ar{t}}j\$\$ production at \$\$13,\$\$TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
333	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ~1 of (sqrt{s}=13) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
334	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt{s}=8,mathrm TeV{}) with the ATLAS detector. , 2016, 76, 1.		1
335	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
336	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV}). , 2018, 78, 1.		1