

Guanghong Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6683039/publications.pdf>

Version: 2024-02-01

386
papers

14,984
citations

17440

63
h-index

45317

90
g-index

388
all docs

388
docs citations

388
times ranked

8417
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Low-field NMR study of heat-induced gelation of pork myofibrillar proteins and its relationship with microstructural characteristics. <i>Food Research International</i> , 2014, 62, 1175-1182. | 6.2 | 298 |
| 2 | Rheological and Microstructural Properties of Porcine Myofibrillar Protein-Lipid Emulsion Composite Gels. <i>Journal of Food Science</i> , 2009, 74, E207-17. | 3.1 | 210 |
| 3 | Effects of power ultrasound on oxidation and structure of beef proteins during curing processing. <i>Ultrasonics Sonochemistry</i> , 2016, 33, 47-53. | 8.2 | 206 |
| 4 | Effect of multiple freeze-thaw cycles on the quality of chicken breast meat. <i>Food Chemistry</i> , 2015, 173, 808-814. | 8.2 | 205 |
| 5 | Raman spectroscopic study of heat-induced gelation of pork myofibrillar proteins and its relationship with textural characteristic. <i>Meat Science</i> , 2011, 87, 159-164. | 5.5 | 196 |
| 6 | Effects of ultrasound on the beef structure and water distribution during curing through protein degradation and modification. <i>Ultrasonics Sonochemistry</i> , 2017, 38, 317-325. | 8.2 | 174 |
| 7 | A Review of Antioxidant Peptides Derived from Meat Muscle and By-Products. <i>Antioxidants</i> , 2016, 5, 32. | 5.1 | 171 |
| 8 | Effect of microbial transglutaminase on NMR relaxometry and microstructure of pork myofibrillar protein gel. <i>European Food Research and Technology</i> , 2009, 228, 665-670. | 3.3 | 157 |
| 9 | Effects of ultrasonic assisted cooking on the chemical profiles of taste and flavor of spiced beef. <i>Ultrasonics Sonochemistry</i> , 2018, 46, 36-45. | 8.2 | 150 |
| 10 | Insight into the mechanism of myofibrillar protein gel improved by insoluble dietary fiber. <i>Food Hydrocolloids</i> , 2018, 74, 219-226. | 10.7 | 143 |
| 11 | Evaluation of structural changes in raw and heated meat batters prepared with different lipids using Raman spectroscopy. <i>Food Research International</i> , 2011, 44, 2955-2961. | 6.2 | 139 |
| 12 | The mechanism of high pressure-induced gels of rabbit myosin. <i>Innovative Food Science and Emerging Technologies</i> , 2012, 16, 41-46. | 5.6 | 130 |
| 13 | Meat, dairy and plant proteins alter bacterial composition of rat gut bacteria. <i>Scientific Reports</i> , 2015, 5, 15220. | 3.3 | 130 |
| 14 | Stress Effects on Meat Quality: A Mechanistic Perspective. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2019, 18, 380-401. | 11.7 | 126 |
| 15 | Redox Regulation in Cancer Stem Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-11. | 4.0 | 124 |
| 16 | Structural modification by high-pressure homogenization for improved functional properties of freeze-dried myofibrillar proteins powder. <i>Food Research International</i> , 2017, 100, 193-200. | 6.2 | 124 |
| 17 | Evaluation of the spoilage potential of bacteria isolated from chilled chicken in vitro and in situ. <i>Food Microbiology</i> , 2017, 63, 139-146. | 4.2 | 120 |
| 18 | Effect of pre-emulsification of plant lipid treated by pulsed ultrasound on the functional properties of chicken breast myofibrillar protein composite gel. <i>Food Research International</i> , 2014, 58, 98-104. | 6.2 | 117 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Effect of ultrasound treatment on functional properties of reduced-salt chicken breast meat batter. <i>Journal of Food Science and Technology</i> , 2015, 52, 2622-2633. | 2.8 | 114 |
| 20 | Purification and identification of antioxidative peptides from dry-cured Xuanwei ham. <i>Food Chemistry</i> , 2016, 194, 951-958. | 8.2 | 112 |
| 21 | Effects of the sugarcane dietary fiber and pre-emulsified sesame oil on low-fat meat batter physicochemical property, texture, and microstructure. <i>Meat Science</i> , 2016, 113, 107-115. | 5.5 | 111 |
| 22 | Characteristic Flavor of Traditional Soup Made by Stewing Chinese Yellow Feather Chickens. <i>Journal of Food Science</i> , 2017, 82, 2031-2040. | 3.1 | 111 |
| 23 | Insight into the mechanism of physicochemical influence by three polysaccharides on myofibrillar protein gelation. <i>Carbohydrate Polymers</i> , 2020, 229, 115449. | 10.2 | 111 |
| 24 | Conformational changes induced by high-pressure homogenization inhibit myosin filament formation in low ionic strength solutions. <i>Food Research International</i> , 2016, 85, 1-9. | 6.2 | 110 |
| 25 | Effects of Characteristics Changes of Collagen on Meat Physicochemical Properties of Beef Semitendinosus Muscle during Ultrasonic Processing. <i>Food and Bioprocess Technology</i> , 2012, 5, 285-297. | 4.7 | 108 |
| 26 | Effects of nanoemulsion-based edible coatings with composite mixture of rosemary extract and β -poly-L-lysine on the shelf life of ready-to-eat carbonado chicken. <i>Food Hydrocolloids</i> , 2020, 102, 105576. | 10.7 | 106 |
| 27 | Changes in flavor compounds of dry-cured Chinese Jinhua ham during processing. <i>Meat Science</i> , 2005, 71, 291-299. | 5.5 | 103 |
| 28 | Stability of an antioxidant peptide extracted from Jinhua ham. <i>Meat Science</i> , 2014, 96, 783-789. | 5.5 | 102 |
| 29 | Solubilisation of myosin in a solution of low ionic strength L-histidine: Significance of the imidazole ring. <i>Food Chemistry</i> , 2016, 196, 42-49. | 8.2 | 100 |
| 30 | Use of High-Intensity Ultrasound to Improve Functional Properties of Batter Suspensions Prepared from PSE-like Chicken Breast Meat. <i>Food and Bioprocess Technology</i> , 2014, 7, 3466-3477. | 4.7 | 99 |
| 31 | Solubilization of myofibrillar proteins in water or low ionic strength media: Classical techniques, basic principles, and novel functionalities. <i>Critical Reviews in Food Science and Nutrition</i> , 2017, 57, 3260-3280. | 10.3 | 96 |
| 32 | Changes in taste compounds of duck during processing. <i>Food Chemistry</i> , 2007, 102, 22-26. | 8.2 | 95 |
| 33 | Effect of protein structure on water and fat distribution during meat gelling. <i>Food Chemistry</i> , 2016, 204, 239-245. | 8.2 | 94 |
| 34 | Changes in calpain activity, protein degradation and microstructure of beef M. semitendinosus by the application of ultrasound. <i>Food Chemistry</i> , 2018, 245, 724-730. | 8.2 | 94 |
| 35 | Maintaining bovine satellite cells stemness through p38 pathway. <i>Scientific Reports</i> , 2018, 8, 10808. | 3.3 | 94 |
| 36 | In vitro protein digestibility of pork products is affected by the method of processing. <i>Food Research International</i> , 2017, 92, 88-94. | 6.2 | 92 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Discrimination of in vitro and in vivo digestion products of meat proteins from pork, beef, chicken, and fish. <i>Proteomics</i> , 2015, 15, 3688-3698. | 2.2 | 90 |
| 38 | Effect of Cooking on <i>in Vitro</i> Digestion of Pork Proteins: A Peptidomic Perspective. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 250-261. | 5.2 | 88 |
| 39 | Dose-dependent effects of rosmarinic acid on formation of oxidatively stressed myofibrillar protein emulsion gel at different NaCl concentrations. <i>Food Chemistry</i> , 2018, 243, 50-57. | 8.2 | 88 |
| 40 | Emulsifying Properties of Oxidatively Stressed Myofibrillar Protein Emulsion Gels Prepared with (âˆ“)Epigallocatechin-3-gallate and NaCl. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 2816-2826. | 5.2 | 86 |
| 41 | ¹ H NMR-based metabolic characterization of Chinese Wuding chicken meat. <i>Food Chemistry</i> , 2019, 274, 574-582. | 8.2 | 84 |
| 42 | China's meat industry revolution: Challenges and opportunities for the future. <i>Meat Science</i> , 2012, 92, 188-196. | 5.5 | 82 |
| 43 | Differences in Physicochemical and Nutritional Properties of Breast and Thigh Meat from Crossbred Chickens, Commercial Broilers, and Spent Hens. <i>Asian-Australasian Journal of Animal Sciences</i> , 2016, 29, 855-864. | 2.4 | 81 |
| 44 | Changes in apoptotic factors and caspase activation pathways during the postmortem aging of beef muscle. <i>Food Chemistry</i> , 2016, 190, 110-114. | 8.2 | 80 |
| 45 | Structural modification of myofibrillar proteins by high-pressure processing for functionally improved, value-added, and healthy muscle gelled foods. <i>Critical Reviews in Food Science and Nutrition</i> , 2018, 58, 2981-3003. | 10.3 | 80 |
| 46 | Effect of plant polyphenols and ascorbic acid on lipid oxidation, residual nitrite and N-nitrosamines formation in dry-cured sausage. <i>International Journal of Food Science and Technology</i> , 2013, 48, 1157-1164. | 2.7 | 78 |
| 47 | The effects of insoluble dietary fiber on myofibrillar protein gelation: Microstructure and molecular conformations. <i>Food Chemistry</i> , 2019, 275, 770-777. | 8.2 | 78 |
| 48 | Power ultrasonic on mass transport of beef: Effects of ultrasound intensity and NaCl concentration. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 35, 36-44. | 5.6 | 77 |
| 49 | Modification of myofibrillar protein via glycation: Physicochemical characterization, rheological behavior and solubility property. <i>Food Hydrocolloids</i> , 2020, 105, 105852. | 10.7 | 77 |
| 50 | Effects of regenerated cellulose on oil-in-water emulsions stabilized by sodium caseinate. <i>Food Hydrocolloids</i> , 2016, 52, 38-46. | 10.7 | 76 |
| 51 | Insight into the mechanism of myofibrillar protein gel influenced by konjac glucomannan: Moisture stability and phase separation behavior. <i>Food Chemistry</i> , 2021, 339, 127941. | 8.2 | 75 |
| 52 | Influence of sugarcane dietary fiber on water states and microstructure of myofibrillar protein gels. <i>Food Hydrocolloids</i> , 2016, 57, 253-261. | 10.7 | 74 |
| 53 | Effects of Oxidation <i>in Vitro</i> on Structures and Functions of Myofibrillar Protein from Beef Muscles. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 5866-5873. | 5.2 | 74 |
| 54 | Changes in meat quality of ovine longissimus dorsi muscle in response to repeated freeze and thaw. <i>Meat Science</i> , 2012, 92, 619-626. | 5.5 | 71 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Effects of Ultrasound Treatment on Connective Tissue Collagen and Meat Quality of Beef Semitendinosus Muscle. <i>Journal of Food Quality</i> , 2015, 38, 256-267. | 2.6 | 71 |
| 56 | Effects of High Oxygen Packaging on Tenderness and Water Holding Capacity of Pork Through Protein Oxidation. <i>Food and Bioprocess Technology</i> , 2015, 8, 2287-2297. | 4.7 | 70 |
| 57 | Influence of RosA-protein adducts formation on myofibrillar protein gelation properties under oxidative stress. <i>Food Hydrocolloids</i> , 2017, 67, 197-205. | 10.7 | 70 |
| 58 | Effects of regenerated cellulose fiber on the characteristics of myofibrillar protein gels. <i>Carbohydrate Polymers</i> , 2019, 209, 276-281. | 10.2 | 70 |
| 59 | Transcriptome analysis of cattle muscle identifies potential markers for skeletal muscle growth rate and major cell types. <i>BMC Genomics</i> , 2015, 16, 177. | 2.8 | 69 |
| 60 | Beef, Chicken, and Soy Proteins in Diets Induce Different Gut Microbiota and Metabolites in Rats. <i>Frontiers in Microbiology</i> , 2017, 8, 1395. | 3.5 | 69 |
| 61 | Purification and identification of antioxidant peptides from duck plasma proteins. <i>Food Chemistry</i> , 2020, 319, 126534. | 8.2 | 69 |
| 62 | Influence of Various Levels of Flaxseed Gum Addition on the Water Holding Capacities of Heat-Induced Porcine Myofibrillar Protein. <i>Journal of Food Science</i> , 2011, 76, C472-8. | 3.1 | 68 |
| 63 | Changes of intramuscular phospholipids and free fatty acids during the processing of Nanjing dry-cured duck. <i>Food Chemistry</i> , 2008, 110, 279-284. | 8.2 | 67 |
| 64 | Improvement of tenderness and water holding capacity of spiced beef by the application of ultrasound during cooking. <i>International Journal of Food Science and Technology</i> , 2018, 53, 828-836. | 2.7 | 67 |
| 65 | Identification and Characterization of Antioxidant Peptides from Enzymatic Hydrolysates of Duck Meat. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 3437-3444. | 5.2 | 66 |
| 66 | Effect of Flavourzyme on proteolysis, antioxidant capacity and sensory attributes of Chinese sausage. <i>Meat Science</i> , 2014, 98, 34-40. | 5.5 | 65 |
| 67 | Prevalence, genetic diversity and antimicrobial resistance of <i>Listeria monocytogenes</i> isolated from ready-to-eat meat products in Nanjing, China. <i>Food Control</i> , 2015, 50, 202-208. | 5.5 | 65 |
| 68 | Characterization and isolation of highly purified porcine satellite cells. <i>Cell Death Discovery</i> , 2017, 3, 17003. | 4.7 | 62 |
| 69 | Glycation-induced structural modification of myofibrillar protein and its relation to emulsifying properties. <i>LWT - Food Science and Technology</i> , 2020, 117, 108664. | 5.2 | 62 |
| 70 | Improved gel functionality of myofibrillar proteins incorporation with sugarcane dietary fiber. <i>Food Research International</i> , 2017, 100, 586-594. | 6.2 | 61 |
| 71 | Technological demands of meat processing—An Asian perspective. <i>Meat Science</i> , 2017, 132, 35-44. | 5.5 | 60 |
| 72 | Physicochemical and structural properties of myofibrillar proteins isolated from pale, soft, exudative (PSE)-like chicken breast meat: Effects of pulsed electric field (PEF). <i>Innovative Food Science and Emerging Technologies</i> , 2020, 59, 102277. | 5.6 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | High pressure processing alters water distribution enabling the production of reduced-fat and reduced-salt pork sausages. <i>Meat Science</i> , 2015, 102, 69-78. | 5.5 | 59 |
| 74 | Effect of Tea Marinades on the formation of polycyclic aromatic hydrocarbons in charcoal-grilled chicken wings. <i>Food Control</i> , 2018, 93, 325-333. | 5.5 | 59 |
| 75 | The proteomics homology of antioxidant peptides extracted from dry-cured Xuanwei and Jinhua ham. <i>Food Chemistry</i> , 2018, 266, 420-426. | 8.2 | 58 |
| 76 | Thermal degradation of gelatin enhances its ability to bind aroma compounds: Investigation of underlying mechanisms. <i>Food Hydrocolloids</i> , 2018, 83, 497-510. | 10.7 | 57 |
| 77 | Dietary Pattern, Gut Microbiota, and Alzheimer's Disease. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 12800-12809. | 5.2 | 57 |
| 78 | High post-mortem temperature combined with rapid glycolysis induces phosphorylase denaturation and produces pale and exudative characteristics in broiler <i>Pectoralis major</i> muscles. <i>Meat Science</i> , 2011, 89, 181-188. | 5.5 | 56 |
| 79 | Inactivation of <i>Escherichia coli</i> O157:H7 and <i>Bacillus cereus</i> by power ultrasound during the curing processing in brining liquid and beef. <i>Food Research International</i> , 2017, 102, 717-727. | 6.2 | 56 |
| 80 | The effect of meat processing methods on changes in disulfide bonding and alteration of protein structures: impact on protein digestion products. <i>RSC Advances</i> , 2018, 8, 17595-17605. | 3.6 | 56 |
| 81 | Label-free proteomics reveals the mechanism of bitterness and adhesiveness in Jinhua ham. <i>Food Chemistry</i> , 2019, 297, 125012. | 8.2 | 56 |
| 82 | (-)-Epigallocatechin-3-gallate-mediated formation of myofibrillar protein emulsion gels under malondialdehyde-induced oxidative stress. <i>Food Chemistry</i> , 2019, 285, 139-146. | 8.2 | 55 |
| 83 | Effect of fasting on energy metabolism and tenderizing enzymes in chicken breast muscle early postmortem. <i>Meat Science</i> , 2013, 93, 865-872. | 5.5 | 53 |
| 84 | Combination of λ -Carrageenan and Soy Protein Isolate Effects on Functional Properties of Chopped Low-Fat Pork Batters During Heat-Induced Gelation. <i>Food and Bioprocess Technology</i> , 2015, 8, 1524-1531. | 4.7 | 53 |
| 85 | pH-shifting encapsulation of curcumin in egg white protein isolate for improved dispersity, antioxidant capacity and thermal stability. <i>Food Research International</i> , 2020, 137, 109366. | 6.2 | 53 |
| 86 | Influence of flaxseed gum and NaCl concentrations on the stability of oil-in-water emulsions. <i>Food Hydrocolloids</i> , 2018, 79, 371-381. | 10.7 | 52 |
| 87 | Effects of ultrasonic processing on caspase-3, calpain expression and myofibrillar structure of chicken during post-mortem ageing. <i>Food Chemistry</i> , 2015, 177, 280-287. | 8.2 | 51 |
| 88 | Influence of oxidation on myofibrillar proteins degradation from bovine via $\frac{1}{4}$ -calpain. <i>Food Chemistry</i> , 2012, 134, 106-112. | 8.2 | 50 |
| 89 | Effects of high-pressure treatments on water characteristics and juiciness of rabbit meat sausages: Role of microstructure and chemical interactions. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 41, 150-159. | 5.6 | 50 |
| 90 | Evaluation of the taste-active and volatile compounds in stewed meat from the Chinese yellow-feather chicken breed. <i>International Journal of Food Properties</i> , 2017, 20, S2579-S2595. | 3.0 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Effect of regenerated cellulose fiber on the physicochemical properties and sensory characteristics of fat-reduced emulsified sausage. <i>LWT - Food Science and Technology</i> , 2018, 97, 157-163. | 5.2 | 50 |
| 92 | Effect of sodium chloride or sodium bicarbonate in the chicken batters: A physico-chemical and Raman spectroscopy study. <i>Food Hydrocolloids</i> , 2018, 83, 222-228. | 10.7 | 50 |
| 93 | Effect of intensifying high-temperature ripening on proteolysis, lipolysis and flavor of Jinhua ham. <i>Journal of the Science of Food and Agriculture</i> , 2009, 89, 834-842. | 3.5 | 48 |
| 94 | Phospholipase A2 and antioxidant enzyme activities in normal and PSE pork. <i>Meat Science</i> , 2010, 84, 143-146. | 5.5 | 48 |
| 95 | The effect of active caspase-3 on degradation of chicken myofibrillar proteins and structure of myofibrils. <i>Food Chemistry</i> , 2011, 128, 22-27. | 8.2 | 48 |
| 96 | Rheological and physical properties of O/W protein emulsions stabilized by isoelectric solubilization/precipitation isolated protein: The underlying effects of varying protein concentrations. <i>Food Hydrocolloids</i> , 2019, 95, 580-589. | 10.7 | 48 |
| 97 | Synergistic effects of polysaccharide addition-ultrasound treatment on the emulsified properties of low-salt myofibrillar protein. <i>Food Hydrocolloids</i> , 2022, 123, 107143. | 10.7 | 48 |
| 98 | Effect of protein S-nitrosylation on autolysis and catalytic ability of μ -calpain. <i>Food Chemistry</i> , 2016, 213, 470-477. | 8.2 | 47 |
| 99 | Phenolic compounds in beer inhibit formation of polycyclic aromatic hydrocarbons from charcoal-grilled chicken wings. <i>Food Chemistry</i> , 2019, 294, 578-586. | 8.2 | 47 |
| 100 | Purification and characterization of novel antioxidant peptides from duck breast protein hydrolysates. <i>LWT - Food Science and Technology</i> , 2020, 125, 109215. | 5.2 | 47 |
| 101 | Overheating induced structural changes of type I collagen and impaired the protein digestibility. <i>Food Research International</i> , 2020, 134, 109225. | 6.2 | 47 |
| 102 | Traceability technologies for farm animals and their products in China. <i>Food Control</i> , 2017, 79, 35-43. | 5.5 | 46 |
| 103 | The effect of cooking temperature on the aggregation and digestion rate of myofibrillar proteins in Jinhua ham. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 3563-3570. | 3.5 | 46 |
| 104 | Improvement of color, texture and food safety of ready-to-eat high pressure-heat treated duck breast. <i>Food Chemistry</i> , 2019, 277, 646-654. | 8.2 | 46 |
| 105 | Improved duck meat quality by application of high pressure and heat: A study of water mobility and compartmentalization, protein denaturation and textural properties. <i>Food Research International</i> , 2014, 62, 926-933. | 6.2 | 45 |
| 106 | Effects of Different Packaging Systems on Beef Tenderness Through Protein Modifications. <i>Food and Bioprocess Technology</i> , 2015, 8, 580-588. | 4.7 | 45 |
| 107 | Dietary soy and meat proteins induce distinct physiological and gene expression changes in rats. <i>Scientific Reports</i> , 2016, 6, 20036. | 3.3 | 45 |
| 108 | Application of high-pressure treatment improves the in vitro protein digestibility of gel-based meat product. <i>Food Chemistry</i> , 2020, 306, 125602. | 8.2 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | High-Meat-Protein High-Fat Diet Induced Dysbiosis of Gut Microbiota and Tryptophan Metabolism in Wistar Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6333-6346. | 5.2 | 45 |
| 110 | Real meat and plant-based meat analogues have different in vitro protein digestibility properties. <i>Food Chemistry</i> , 2022, 387, 132917. | 8.2 | 45 |
| 111 | Effect of Heat-Induced Changes of Connective Tissue and Collagen on Meat Texture Properties of Beef Semitendinosus Muscle. <i>International Journal of Food Properties</i> , 2011, 14, 381-396. | 3.0 | 44 |
| 112 | Effects of glutinous rice flour on the physicochemical and sensory qualities of ground pork patties. <i>LWT - Food Science and Technology</i> , 2014, 58, 135-141. | 5.2 | 44 |
| 113 | Effect of Nitric Oxide on $\frac{1}{4}$ -Calpain Activation, Protein Proteolysis, and Protein Oxidation of Pork during Post-Mortem Aging. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 5972-5977. | 5.2 | 43 |
| 114 | Effect of beating processing, as a means of reducing salt content in frankfurters: A physico-chemical and Raman spectroscopic study. <i>Meat Science</i> , 2014, 98, 171-177. | 5.5 | 43 |
| 115 | Identification of antioxidant peptides of Jinhua ham generated in the products and through the simulated gastrointestinal digestion system. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 99-108. | 3.5 | 43 |
| 116 | Proteome Analysis Using Isobaric Tags for Relative and Absolute Analysis Quantitation (iTRAQ) Reveals Alterations in Stress-Induced Dysfunctional Chicken Muscle. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 2913-2922. | 5.2 | 43 |
| 117 | Bacterial Community and Spoilage Profiles Shift in Response to Packaging in Yellow-Feather Broiler, a Highly Popular Meat in Asia. <i>Frontiers in Microbiology</i> , 2017, 8, 2588. | 3.5 | 43 |
| 118 | The Changes of the Volatile Compounds Derived from Lipid Oxidation of Boneless Dry-Cured Hams During Processing. <i>European Journal of Lipid Science and Technology</i> , 2019, 121, 1900135. | 1.5 | 43 |
| 119 | EFFECTS OF COOKED TEMPERATURES AND ADDITION OF ANTIOXIDANTS ON FORMATION OF HETEROCYCLIC AROMATIC AMINES IN PORK FLOSS. <i>Journal of Food Processing and Preservation</i> , 2009, 33, 159-175. | 2.0 | 42 |
| 120 | Potential Biomarker of Myofibrillar Protein Oxidation in Raw and Cooked Ham: 3-Nitrotyrosine Formed by Nitrosation. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10957-10964. | 5.2 | 42 |
| 121 | Protein degradation and peptide formation with antioxidant activity in pork protein extracts inoculated with <i>Lactobacillus plantarum</i> and <i>Staphylococcus simulans</i> . <i>Meat Science</i> , 2020, 160, 107958. | 5.5 | 42 |
| 122 | L-Glutamate Supplementation Improves Small Intestinal Architecture and Enhances the Expressions of Jejunal Mucosa Amino Acid Receptors and Transporters in Weaning Piglets. <i>PLoS ONE</i> , 2014, 9, e111950. | 2.5 | 42 |
| 123 | INFLUENCE OF WEAK ORGANIC ACIDS AND SODIUM CHLORIDE MARINATION ON CHARACTERISTICS OF CONNECTIVE TISSUE COLLAGEN AND TEXTURAL PROPERTIES OF BEEF SEMITENDINOSUS MUSCLE. <i>Journal of Texture Studies</i> , 2010, 41, 279-301. | 2.5 | 41 |
| 124 | L-histidine improves water retention of heat-induced gel of chicken breast myofibrillar proteins in low ionic strength solution. <i>International Journal of Food Science and Technology</i> , 2016, 51, 1195-1203. | 2.7 | 41 |
| 125 | Contribution of nitric oxide and protein S-nitrosylation to variation in fresh meat quality. <i>Meat Science</i> , 2018, 144, 135-148. | 5.5 | 41 |
| 126 | Influence of stewing time on the texture, ultrastructure and in vitro digestibility of meat from the yellow-feathered chicken breed. <i>Animal Science Journal</i> , 2018, 89, 474-482. | 1.4 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | 1H NMR-based metabolomics profiling and taste of boneless dry-cured hams during processing. <i>Food Research International</i> , 2019, 122, 114-122. | 6.2 | 41 |
| 128 | The effect of insoluble dietary fiber on myofibrillar protein emulsion gels: Oil particle size and protein network microstructure. <i>LWT - Food Science and Technology</i> , 2019, 101, 534-542. | 5.2 | 41 |
| 129 | The effects of three polysaccharides on the gelation properties of myofibrillar protein: Phase behaviour and moisture stability. <i>Meat Science</i> , 2020, 170, 108228. | 5.5 | 41 |
| 130 | Comparative study of volatile compounds in traditional Chinese Nanjing marinated duck by different extraction techniques. <i>International Journal of Food Science and Technology</i> , 2007, 42, 543-550. | 2.7 | 40 |
| 131 | Application of isoelectric solubilization/precipitation processing to improve gelation properties of protein isolated from pale, soft, exudative (PSE)-like chicken breast meat. <i>LWT - Food Science and Technology</i> , 2016, 72, 141-148. | 5.2 | 40 |
| 132 | Thermal gelation and microstructural properties of myofibrillar protein gel with the incorporation of regenerated cellulose. <i>LWT - Food Science and Technology</i> , 2017, 86, 14-19. | 5.2 | 40 |
| 133 | Generation of bioactive peptides from duck meat during post-mortem aging. <i>Food Chemistry</i> , 2017, 237, 408-415. | 8.2 | 39 |
| 134 | Antihypertensive Effects in Vitro and in Vivo of Novel Angiotensin-Converting Enzyme Inhibitory Peptides from Bovine Bone Gelatin Hydrolysate. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 759-768. | 5.2 | 39 |
| 135 | Effect of high pressure on cooking losses and functional properties of reduced-fat and reduced-salt pork sausage emulsions. <i>Innovative Food Science and Emerging Technologies</i> , 2015, 29, 125-133. | 5.6 | 38 |
| 136 | Effects of regenerated cellulose emulsion on the quality of emulsified sausage. <i>LWT - Food Science and Technology</i> , 2016, 70, 315-321. | 5.2 | 38 |
| 137 | Characterizing the effect of free amino acids and volatile compounds on excessive bitterness and sourness in defective dry-cured ham. <i>LWT - Food Science and Technology</i> , 2020, 123, 109071. | 5.2 | 38 |
| 138 | Effects of inulin on the gel properties and molecular structure of porcine myosin: A underlying mechanisms study. <i>Food Hydrocolloids</i> , 2020, 108, 105974. | 10.7 | 38 |
| 139 | Changes in protein structures to improve the rheology and texture of reduced-fat sausages using high pressure processing. <i>Meat Science</i> , 2016, 121, 79-87. | 5.5 | 37 |
| 140 | A comparative study of functional properties of normal and wooden breast broiler chicken meat with NaCl addition. <i>Poultry Science</i> , 2017, 96, 3473-3481. | 3.4 | 37 |
| 141 | Comparing the proteomic profile of proteins and the sensory characteristics in Jinhua ham with different processing procedures. <i>Food Control</i> , 2019, 106, 106694. | 5.5 | 37 |
| 142 | Effects of <i>Lactobacillus plantarum</i> NJAU-01 on the protein oxidation of fermented sausage. <i>Food Chemistry</i> , 2019, 295, 361-367. | 8.2 | 37 |
| 143 | Isorhamnetin, Hispidulin, and Cirsimaritin Identified in <i>Tamarix ramosissima</i> Barks from Southern Xinjiang and Their Antioxidant and Antimicrobial Activities. <i>Molecules</i> , 2019, 24, 390. | 3.8 | 37 |
| 144 | Evaluating endogenous protease of salting exudates during the salting process of Jinhua ham. <i>LWT - Food Science and Technology</i> , 2019, 101, 76-82. | 5.2 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Assessment of quality characteristics and bacterial community of modified atmosphere packaged chilled pork loins using 16S rRNA amplicon sequencing analysis. <i>Food Research International</i> , 2021, 145, 110412. | 6.2 | 37 |
| 146 | Use of low-field nuclear magnetic resonance to characterize water properties in frozen chicken breasts thawed under high pressure. <i>European Food Research and Technology</i> , 2014, 239, 183-188. | 3.3 | 36 |
| 147 | Emulsion stability, thermo-rheology and quality characteristics of ground pork patties prepared with soy protein isolate and carrageenan. <i>Journal of the Science of Food and Agriculture</i> , 2015, 95, 2832-2837. | 3.5 | 36 |
| 148 | Comparative Proteomics Provides Insights into Metabolic Responses in Rat Liver to Isolated Soy and Meat Proteins. <i>Journal of Proteome Research</i> , 2016, 15, 1135-1142. | 3.7 | 36 |
| 149 | Structural and solubility properties of pale, soft and exudative (PSE)-like chicken breast myofibrillar protein: Effect of glycosylation. <i>LWT - Food Science and Technology</i> , 2018, 95, 209-215. | 5.2 | 36 |
| 150 | Chicken breast quality "normal, pale, soft and exudative (PSE) and woody" influences the functional properties of meat batters. <i>International Journal of Food Science and Technology</i> , 2018, 53, 654-664. | 2.7 | 36 |
| 151 | The influence of natural antioxidants on polycyclic aromatic hydrocarbon formation in charcoal-grilled chicken wings. <i>Food Control</i> , 2019, 98, 34-41. | 5.5 | 36 |
| 152 | Application of sensory evaluation, GC-ToF-MS, and E-nose to discriminate the flavor differences among five distinct parts of the Chinese blanched chicken. <i>Food Research International</i> , 2020, 137, 109669. | 6.2 | 36 |
| 153 | Electron microscopy of contractile bands in low voltage electrical stimulation beef. <i>Meat Science</i> , 2008, 80, 948-951. | 5.5 | 35 |
| 154 | Effect of a beating process, as a means of reducing salt content in Chinese-style meatballs (kung-wan): A dynamic rheological and Raman spectroscopy study. <i>Meat Science</i> , 2014, 96, 669-674. | 5.5 | 35 |
| 155 | Different physicochemical, structural and digestibility characteristics of myofibrillar protein from PSE and normal pork before and after oxidation. <i>Meat Science</i> , 2016, 121, 228-237. | 5.5 | 35 |
| 156 | Evaluating the effect of protein modifications and water distribution on bitterness and adhesiveness of Jinhua ham. <i>Food Chemistry</i> , 2019, 293, 103-111. | 8.2 | 35 |
| 157 | Peptidomic Investigation of the Interplay between Enzymatic Tenderization and the Digestibility of Beef Semimembranosus Proteins. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 1136-1146. | 5.2 | 35 |
| 158 | Intake of Meat Proteins Substantially Increased the Relative Abundance of Genus <i>Lactobacillus</i> in Rat Feces. <i>PLoS ONE</i> , 2016, 11, e0152678. | 2.5 | 35 |
| 159 | Development and validation of a molecular predictive model to describe the growth of <i>Listeria monocytogenes</i> in vacuum-packaged chilled pork. <i>Food Control</i> , 2013, 32, 246-254. | 5.5 | 34 |
| 160 | Phosphoproteome analysis of sarcoplasmic and myofibrillar proteins in bovine longissimus muscle in response to postmortem electrical stimulation. <i>Food Chemistry</i> , 2015, 175, 197-202. | 8.2 | 34 |
| 161 | Distinct physiological, plasma amino acid, and liver transcriptome responses to purified dietary beef, chicken, fish, and pork proteins in young rats. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1199-1205. | 3.3 | 34 |
| 162 | Inhibition of interaction between epigallocatechin-3-gallate and myofibrillar protein by cyclodextrin derivatives improves gel quality under oxidative stress. <i>Food Research International</i> , 2018, 108, 8-17. | 6.2 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Chronic heat stress alters hypothalamus integrity, the serum indexes and attenuates expressions of hypothalamic appetite genes in broilers. <i>Journal of Thermal Biology</i> , 2019, 81, 110-117. | 2.5 | 34 |
| 164 | Specific Microbiota Dynamically Regulate the Bidirectional Gut-Brain Axis Communications in Mice Fed Meat Protein Diets. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 1003-1017. | 5.2 | 34 |
| 165 | Covalent chemical modification of myofibrillar proteins to improve their gelation properties: A systematic review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 924-959. | 11.7 | 34 |
| 166 | Phenolic modification of myofibrillar protein enhanced by ultrasound: The structure of phenol matters. <i>Food Chemistry</i> , 2022, 386, 132662. | 8.2 | 34 |
| 167 | A novel and simple cell-based electrochemical biosensor for evaluating the antioxidant capacity of <i>Lactobacillus plantarum</i> strains isolated from Chinese dry-cured ham. <i>Biosensors and Bioelectronics</i> , 2018, 99, 555-563. | 10.1 | 33 |
| 168 | Effect of normal and modified atmosphere packaging on shelf life of roast chicken meat. <i>Journal of Food Safety</i> , 2018, 38, e12493. | 2.3 | 33 |
| 169 | Screening of lactic acid bacteria with high protease activity from fermented sausages and antioxidant activity assessment of its fermented sausages. <i>CYTA - Journal of Food</i> , 2019, 17, 347-354. | 1.9 | 33 |
| 170 | Identification of Rosmarinic Acid-Adducted Sites in Meat Proteins in a Gel Model under Oxidative Stress by Triple TOF MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 6466-6476. | 5.2 | 32 |
| 171 | Dietary Protein Sources Differentially Affect the Growth of <i>Akkermansia muciniphila</i> and Maintenance of the Gut Mucus Barrier in Mice. <i>Molecular Nutrition and Food Research</i> , 2019, 63, 1900589. | 3.3 | 32 |
| 172 | Effects of <i>Lactobacillus plantarum</i> NJAU-01 from Jinhua ham on the quality of dry-cured fermented sausage. <i>LWT - Food Science and Technology</i> , 2019, 101, 513-518. | 5.2 | 32 |
| 173 | An injectable antibacterial chitosan-based cryogel with high absorbency and rapid shape recovery for noncompressible hemorrhage and wound healing. <i>Biomaterials</i> , 2022, 285, 121546. | 11.4 | 32 |
| 174 | Enhanced texture, yield and safety of a ready-to-eat salted duck meat product using a high pressure-heat process. <i>Innovative Food Science and Emerging Technologies</i> , 2014, 21, 50-57. | 5.6 | 31 |
| 175 | Physicochemical properties of <i>Pseudomonas fragi</i> isolates response to modified atmosphere packaging. <i>FEMS Microbiology Letters</i> , 2017, 364, . | 1.8 | 31 |
| 176 | The influence of flaxseed gum on the retrogradation of maize starch. <i>International Journal of Food Science and Technology</i> , 2017, 52, 2654-2660. | 2.7 | 31 |
| 177 | Processed Meat Protein Promoted Inflammation and Hepatic Lipogenesis by Upregulating Nrf2/Keap1 Signaling Pathway in Glrx-Deficient Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 8794-8809. | 5.2 | 31 |
| 178 | Evaluation of physicochemical properties and volatile compounds of Chinese dried pork loin curing with plasma-treated water brine. <i>Scientific Reports</i> , 2019, 9, 13793. | 3.3 | 31 |
| 179 | Physical properties, compositions and volatile profiles of Chinese dry-cured hams from different regions. <i>Journal of Food Measurement and Characterization</i> , 2020, 14, 492-504. | 3.2 | 31 |
| 180 | Effects of partial NaCl substitution with high-temperature ripening on proteolysis and volatile compounds during process of Chinese dry-cured lamb ham. <i>Food Research International</i> , 2021, 140, 110001. | 6.2 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | A comprehensive review on molecular mechanism of defective dry-cured ham with excessive pastiness, adhesiveness, and bitterness by proteomics insights. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 3838-3857. | 11.7 | 31 |
| 182 | Chitosan-sodium alginate-collagen/gelatin three-dimensional edible scaffolds for building a structured model for cell cultured meat. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 668-679. | 7.5 | 31 |
| 183 | Effects of Dietary Energy Sources on Post Mortem Glycolysis, Meat Quality and Muscle Fibre Type Transformation of Finishing Pigs. <i>PLoS ONE</i> , 2015, 10, e0131958. | 2.5 | 30 |
| 184 | High-pressure processing-induced conformational changes during heating affect water holding capacity of myosin gel. <i>International Journal of Food Science and Technology</i> , 2017, 52, 724-732. | 2.7 | 30 |
| 185 | Effect of freezing on electrical properties and quality of thawed chicken breast meat. <i>Asian-Australasian Journal of Animal Sciences</i> , 2017, 30, 569-575. | 2.4 | 30 |
| 186 | Use of an isoelectric solubilization/precipitation process to modify the functional properties of PSE (pale, soft, exudative)-like chicken meat protein: A mechanistic approach. <i>Food Chemistry</i> , 2018, 248, 201-209. | 8.2 | 30 |
| 187 | Inhibition of Epigallocatechin-3-gallate/Protein Interaction by Methyl- β -cyclodextrin in Myofibrillar Protein Emulsion Gels under Oxidative Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 8094-8103. | 5.2 | 30 |
| 188 | Effects of ultrasound-assisted frying on the physiochemical properties and microstructure of fried meatballs. <i>International Journal of Food Science and Technology</i> , 2019, 54, 2915-2926. | 2.7 | 30 |
| 189 | Effect of Different Tumbling Marination Treatments on the Quality Characteristics of Prepared Pork Chops. <i>Asian-Australasian Journal of Animal Sciences</i> , 2015, 28, 260-267. | 2.4 | 29 |
| 190 | ¹ H NMR-based metabolomics and sensory evaluation characterize taste substances of Jinhua ham with traditional and modern processing procedures. <i>Food Control</i> , 2021, 126, 107873. | 5.5 | 29 |
| 191 | Effect of Sous-vide cooking on the quality and digestion characteristics of braised pork. <i>Food Chemistry</i> , 2022, 375, 131683. | 8.2 | 29 |
| 192 | Preliminary study on the effect of caspase-6 and calpain inhibitors on postmortem proteolysis of myofibrillar proteins in chicken breast muscle. <i>Meat Science</i> , 2012, 90, 536-542. | 5.5 | 28 |
| 193 | Influence of oxidation on the susceptibility of purified desmin to degradation by β -calpain, caspase-3 and -6. <i>Food Chemistry</i> , 2014, 150, 220-226. | 8.2 | 28 |
| 194 | Disorder of endoplasmic reticulum calcium channel components is associated with the increased apoptotic potential in pale, soft, exudative pork. <i>Meat Science</i> , 2016, 115, 34-40. | 5.5 | 28 |
| 195 | Applications of high pressure to pre-rigor rabbit muscles affect the water characteristics of myosin gels. <i>Food Chemistry</i> , 2018, 240, 59-66. | 8.2 | 28 |
| 196 | Structural changes and emulsion properties of goose liver proteins obtained by isoelectric solubilisation/precipitation processes. <i>LWT - Food Science and Technology</i> , 2019, 102, 190-196. | 5.2 | 28 |
| 197 | The protective effect of rosmarinic acid on hyperthermia-induced C2C12 muscle cells damage. <i>Molecular Biology Reports</i> , 2014, 41, 5525-5531. | 2.3 | 27 |
| 198 | Effect of sodium butyrate on intestinal inflammatory response to lipopolysaccharide in broiler chickens. <i>Canadian Journal of Animal Science</i> , 2015, 95, 389-395. | 1.5 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Production of cultured meat from pig muscle stem cells. <i>Biomaterials</i> , 2022, 287, 121650. | 11.4 | 27 |
| 200 | Effect of pH on heat-induced gelation of duck blood plasma protein. <i>Food Hydrocolloids</i> , 2014, 35, 324-331. | 10.7 | 26 |
| 201 | A comparative study of chemical composition, color, and thermal gelling properties of normal and PSE-like chicken breast meat. <i>CYTA - Journal of Food</i> , 2015, 13, 213-219. | 1.9 | 26 |
| 202 | Interaction between carrageenan/soy protein isolates and salt-soluble meat protein. <i>Food and Bioproducts Processing</i> , 2016, 100, 47-53. | 3.6 | 26 |
| 203 | Applications of high pressure to pre-rigor rabbit muscles affect the functional properties associated with heat-induced gelation. <i>Meat Science</i> , 2017, 129, 176-184. | 5.5 | 26 |
| 204 | New insights into the ultrasound impact on covalent reactions of myofibrillar protein. <i>Ultrasonics Sonochemistry</i> , 2022, 84, 105973. | 8.2 | 26 |
| 205 | Rapid detection of viable <i>Listeria monocytogenes</i> in chilled pork by real-time reverse-transcriptase PCR. <i>Food Control</i> , 2012, 25, 117-124. | 5.5 | 25 |
| 206 | Activity and expression of nitric oxide synthase in pork skeletal muscles. <i>Meat Science</i> , 2015, 99, 25-31. | 5.5 | 25 |
| 207 | What is meat in China?. <i>Animal Frontiers</i> , 2017, 7, 53-56. | 1.7 | 25 |
| 208 | Prevalence, genetic characterization and biofilm formation in vitro of staphylococcus aureus isolated from raw chicken meat at retail level in Nanjing, China. <i>Food Control</i> , 2018, 86, 11-18. | 5.5 | 25 |
| 209 | Technological and safety characterization of coagulase-negative staphylococci with high protease activity isolated from Traditional Chinese fermented sausages. <i>LWT - Food Science and Technology</i> , 2019, 114, 108371. | 5.2 | 25 |
| 210 | Dietary taurine supplementation decreases fat synthesis by suppressing the liver X receptor β pathway and alleviates lipid accumulation in the liver of chronic heat-stressed broilers. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 5631-5637. | 3.5 | 25 |
| 211 | Changes in the volatile flavour components of Jinhua ham during the traditional ageing process. <i>International Journal of Food Science and Technology</i> , 2006, 41, 1033-1039. | 2.7 | 24 |
| 212 | Prevalence, antimicrobial resistance and genetic diversity of <i>Listeria monocytogenes</i> isolated from chilled pork in Nanjing, China. <i>LWT - Food Science and Technology</i> , 2015, 64, 905-910. | 5.2 | 24 |
| 213 | The degradation of oxytetracycline during thermal treatments of chicken and pig meat and the toxic effects of degradation products of oxytetracycline on rats. <i>Journal of Food Science and Technology</i> , 2015, 52, 2842-2850. | 2.8 | 24 |
| 214 | Oxidative stability of isoelectric solubilization/precipitation-isolated PSE-like chicken protein. <i>Food Chemistry</i> , 2019, 283, 646-655. | 8.2 | 24 |
| 215 | Influence of proteolytic enzyme treatment on the changes in volatile compounds and odors of beef longissimus dorsi. <i>Food Chemistry</i> , 2020, 333, 127549. | 8.2 | 24 |
| 216 | The effect of different degrees of superchilling on shelf life and quality of pork during storage. <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14394. | 2.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Effects of high hydrostatic pressure treatment on the emulsifying behavior of myosin and its underlying mechanism. <i>LWT - Food Science and Technology</i> , 2021, 146, 111397. | 5.2 | 24 |
| 218 | Effect of nitric oxide and calpastatin on the inhibition of μ -calpain activity, autolysis and proteolysis of myofibrillar proteins. <i>Food Chemistry</i> , 2019, 275, 77-84. | 8.2 | 23 |
| 219 | Effects of protein S-nitrosylation on the glycogen metabolism in postmortem pork. <i>Food Chemistry</i> , 2019, 272, 613-618. | 8.2 | 23 |
| 220 | High fat diet incorporated with meat proteins changes biomarkers of lipid metabolism, antioxidant activities, and the serum metabolomic profile in Glrx1 ^{+/+} mice. <i>Food and Function</i> , 2020, 11, 236-252. | 4.6 | 23 |
| 221 | Quality of fat-reduced frankfurter formulated with unripe banana by-products and pre-emulsified sunflower oil. <i>International Journal of Food Properties</i> , 2020, 23, 420-433. | 3.0 | 23 |
| 222 | Effect of MTCase on silver carp myofibrillar protein gelation behavior after peroxidation induced by peroxy radicals. <i>Food Chemistry</i> , 2021, 349, 129066. | 8.2 | 23 |
| 223 | Enhanced flavor strength of broth prepared from chicken following short-term frozen storage. <i>Food Chemistry</i> , 2021, 356, 129678. | 8.2 | 23 |
| 224 | Development of interspecific competition models for the growth of <i>Listeria monocytogenes</i> and <i>Lactobacillus</i> on vacuum-packaged chilled pork by quantitative real-time PCR. <i>Food Research International</i> , 2014, 64, 626-633. | 6.2 | 22 |
| 225 | A Raman spectroscopic study of meat protein/lipid interactions at protein/oil or protein/fat interfaces. <i>International Journal of Food Science and Technology</i> , 2015, 50, 982-989. | 2.7 | 22 |
| 226 | Effects of Phenolic Acid Marinades on the Formation of Polycyclic Aromatic Hydrocarbons in Charcoal-Grilled Chicken Wings. <i>Journal of Food Protection</i> , 2019, 82, 684-690. | 1.7 | 22 |
| 227 | Influence of Rice Flour, Glutinous Rice Flour, and Tapioca Starch on the Functional Properties and Quality of an Emulsion-Type Cooked Sausage. <i>Foods</i> , 2020, 9, 9. | 4.3 | 22 |
| 228 | Effect of oxidation on the process of thermal gelation of chicken breast myofibrillar protein. <i>Food Chemistry</i> , 2022, 384, 132368. | 8.2 | 22 |
| 229 | Repurposing fish waste into gelatin as a potential alternative for mammalian sources: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2022, 21, 942-963. | 11.7 | 22 |
| 230 | Emulsification of oil-in-water emulsions with eggplant (<i>Solanum melongena</i> L.). <i>Journal of Colloid and Interface Science</i> , 2020, 563, 17-26. | 9.4 | 21 |
| 231 | Dietary Proteins Regulate Serotonin Biosynthesis and Catabolism by Specific Gut Microbes. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 5880-5890. | 5.2 | 21 |
| 232 | Insights into the evolution of myosin light chain isoforms and its effect on sensory defects of dry-cured ham. <i>Food Chemistry</i> , 2020, 315, 126318. | 8.2 | 21 |
| 233 | Phosphorproteome Changes of Myofibrillar Proteins at Early Post-mortem Time in Relation to Pork Quality As Affected by Season. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10287-10294. | 5.2 | 20 |
| 234 | The use of the impedance measurements to distinguish between fresh and frozen-thawed chicken breast muscle. <i>Meat Science</i> , 2016, 116, 151-157. | 5.5 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Comparison of microbial communities from different Jinhua ham factories. <i>AMB Express</i> , 2017, 7, 37. | 3.0 | 20 |
| 236 | Influence of modified atmosphere packaging on protein oxidation, calpain activation and desmin degradation of beef muscles. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 4508-4514. | 3.5 | 20 |
| 237 | Quality changes of pork during frozen storage: comparison of immersion solution freezing and air blast freezing. <i>International Journal of Food Science and Technology</i> , 2020, 55, 109-118. | 2.7 | 20 |
| 238 | Processing Method Altered Mouse Intestinal Morphology and Microbial Composition by Affecting Digestion of Meat Proteins. <i>Frontiers in Microbiology</i> , 2020, 11, 511. | 3.5 | 20 |
| 239 | Evaluation of spoilage indexes and bacterial community dynamics of modified atmosphere packaged super-chilled pork loins. <i>Food Control</i> , 2021, 130, 108383. | 5.5 | 20 |
| 240 | The Effect of Breed and Age on the Growth Performance, Carcass Traits and Metabolic Profile in Breast Muscle of Chinese Indigenous Chickens. <i>Foods</i> , 2022, 11, 483. | 4.3 | 20 |
| 241 | Chemerin inhibition of myogenesis and induction of adipogenesis in C2C12 myoblasts. <i>Molecular and Cellular Endocrinology</i> , 2015, 414, 216-223. | 3.2 | 19 |
| 242 | Application of near infrared reflectance (<sc>NIR</sc>) spectroscopy to identify potential <sc>PSE</sc> meat. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 3148-3156. | 3.5 | 19 |
| 243 | Identification and characterization of the proteins in broth of stewed traditional Chinese yellow-feathered chickens. <i>Poultry Science</i> , 2018, 97, 1852-1860. | 3.4 | 19 |
| 244 | Regulation of calpain-1 activity and protein proteolysis by protein nitrosylation in postmortem beef. <i>Meat Science</i> , 2018, 141, 44-49. | 5.5 | 19 |
| 245 | Comparison of Activity, Expression, and S-Nitrosylation of Calcium Transfer Proteins between Pale, Soft, and Exudative and Red, Firm, and Non-exudative Pork during Post-Mortem Aging. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 3242-3248. | 5.2 | 19 |
| 246 | Stability improvement of reduced-fat reduced-salt meat batter through modulation of secondary and tertiary protein structures by means of high pressure processing. <i>Meat Science</i> , 2021, 176, 108439. | 5.5 | 19 |
| 247 | Effect of gastrointestinal alterations mimicking elderly conditions on in vitro digestion of meat and soy proteins. <i>Food Chemistry</i> , 2022, 383, 132465. | 8.2 | 19 |
| 248 | The potential influence of two <i>Enterococcus faecium</i> on the growth of <i>Listeria monocytogenes</i> . <i>Food Control</i> , 2016, 67, 18-24. | 5.5 | 18 |
| 249 | Identification of S-nitrosylated proteins in postmortem pork muscle using modified biotin switch method coupled with isobaric tags. <i>Meat Science</i> , 2018, 145, 431-439. | 5.5 | 18 |
| 250 | Evaluation of the secondary structure and digestibility of myofibrillar proteins in cooked ham. <i>CYTA - Journal of Food</i> , 2019, 17, 78-86. | 1.9 | 18 |
| 251 | iTRAQ-based quantitative proteomic characterizes the salting exudates of Jinhua ham during the salting process. <i>Food Control</i> , 2019, 100, 189-197. | 5.5 | 18 |
| 252 | Long-Term Intake of Pork Meat Proteins Altered the Composition of Gut Microbiota and Host-Derived Proteins in the Gut Contents of Mice. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e2000291. | 3.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Pork Meat Proteins Alter Gut Microbiota and Lipid Metabolism Genes in the Colon of Adaptive Immune-Deficient Mice. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e1901105. | 3.3 | 18 |
| 254 | The gelation properties of myofibrillar proteins prepared with malondialdehyde and (α)-epigallocatechin-3-gallate. <i>Food Chemistry</i> , 2021, 340, 127817. | 8.2 | 18 |
| 255 | Effects of different cooking regimes on the microstructure and tenderness of duck breast muscle. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 1979-1985. | 3.5 | 17 |
| 256 | The gut microbiota in young and middle-aged rats showed different responses to chicken protein in their diet. <i>BMC Microbiology</i> , 2016, 16, 281. | 3.3 | 17 |
| 257 | High-pressure effects on the molecular aggregation and physicochemical properties of myosin in relation to heat gelation. <i>Food Research International</i> , 2017, 99, 413-418. | 6.2 | 17 |
| 258 | Lipolytic degradation, water and flavor properties of low sodium dry cured beef. <i>International Journal of Food Properties</i> , 2019, 22, 1322-1339. | 3.0 | 17 |
| 259 | Effect of nitric oxide on myofibrillar proteins and the susceptibility to calpain-1 proteolysis. <i>Food Chemistry</i> , 2019, 276, 63-70. | 8.2 | 17 |
| 260 | Comparison of activity, expression and S-nitrosylation of glycolytic enzymes between pale, soft and exudative and red, firm and non-exudative pork during post-mortem aging. <i>Food Chemistry</i> , 2020, 314, 126203. | 8.2 | 17 |
| 261 | Dual role (promotion and inhibition) of transglutaminase in mediating myofibrillar protein gelation under malondialdehyde-induced oxidative stress. <i>Food Chemistry</i> , 2021, 353, 129453. | 8.2 | 17 |
| 262 | Evaluation of the effect of smooth muscle cells on the quality of cultured meat in a model for cultured meat. <i>Food Research International</i> , 2021, 150, 110786. | 6.2 | 17 |
| 263 | Recent developments in off-odor formation mechanism and the potential regulation by starter cultures in dry-cured ham. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 8781-8795. | 10.3 | 17 |
| 264 | Insights into ultrasonic treatment on the mechanism of proteolysis and taste improvement of defective dry-cured ham. <i>Food Chemistry</i> , 2022, 388, 133059. | 8.2 | 17 |
| 265 | Changes of meat quality characteristics and intramuscular connective tissue of beef semitendinosus muscle during postmortem aging for Chinese Yellow bulls. <i>International Journal of Food Science and Technology</i> , 2008, 43, 838-845. | 2.7 | 16 |
| 266 | Changes of Molecular Forces During Thermo-Gelling of Protein Isolated from PSE-Like Chicken Breast by Various Isoelectric Solubilization/Precipitation Extraction Strategies. <i>Food and Bioprocess Technology</i> , 2017, 10, 1240-1247. | 4.7 | 16 |
| 267 | Study on retrogradation of maize starch-flaxseed gum mixture under various storage temperatures. <i>International Journal of Food Science and Technology</i> , 2018, 53, 1287-1293. | 2.7 | 16 |
| 268 | Shelf-Life of Boiled Salted Duck Meat Stored Under Normal and Modified Atmosphere. <i>Journal of Food Science</i> , 2018, 83, 147-152. | 3.1 | 16 |
| 269 | Content, causes and analysis of heterocyclic amines in Chinese traditional braised chicken. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2019, 36, 1032-1041. | 2.3 | 16 |
| 270 | Electrochemical sensor using gold nanoparticles and plasma pretreated graphene based on the complexes of calcium and Troponin C to detect Ca ²⁺ in meat. <i>Food Chemistry</i> , 2020, 307, 125645. | 8.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Exploring the underlying mechanisms on NaCl-induced reduction in digestibility of myoglobin. Food Chemistry, 2022, 380, 132183. | 8.2 | 16 |
| 272 | Effects of boning method and postmortem aging on meat quality characteristics of pork loin. Animal Science Journal, 2009, 80, 591-596. | 1.4 | 15 |
| 273 | Influence of hydrothermal treatment on the structural and digestive changes of actomyosin. Journal of the Science of Food and Agriculture, 2019, 99, 6209-6218. | 3.5 | 15 |
| 274 | Isoelectric solubilization/precipitation processing modified sarcoplasmic protein from pale, soft, exudative-like chicken meat. Food Chemistry, 2019, 287, 1-10. | 8.2 | 15 |
| 275 | Processing Properties and Improvement of Pale, Soft, and Exudative-Like Chicken Meat: a Review. Food and Bioprocess Technology, 2020, 13, 1280-1291. | 4.7 | 15 |
| 276 | Formation and Inhibition of Lipid Alkyl Radicals in Roasted Meat. Foods, 2020, 9, 572. | 4.3 | 15 |
| 277 | Differences in calpain system, desmin degradation and water holding capacity between commercial M _{eishan} and D _{uroc} × L _{andrace} × Y _{orkshire} crossbred pork. Animal Science Journal, 2016, 87, 109-116. | | |
| 278 | Colorimetric determination of Salmonella typhimurium based on aptamer recognition. Analytical Methods, 2016, 8, 6560-6565. | 2.7 | 14 |
| 279 | Comparative proteomic analysis of longissimus dorsi muscle in immuno- and surgically castrated male pigs. Food Chemistry, 2016, 199, 885-892. | 8.2 | 14 |
| 280 | Fatty acid composition and its association with chemical and sensory analysis of boar taint. Food Chemistry, 2017, 231, 301-308. | 8.2 | 14 |
| 281 | Characterization of Extracellular Polymeric Substances Produced by <i>Pseudomonas fragi</i> Under Air and Modified Atmosphere Packaging. Journal of Food Science, 2017, 82, 2151-2157. | 3.1 | 14 |
| 282 | Intake of Fish Oil Specifically Modulates Colonic Muc2 Expression in Middle-Aged Rats by Suppressing the Glycosylation Process. Molecular Nutrition and Food Research, 2018, 62, 1700661. | 3.3 | 14 |
| 283 | High-pressure effects on myosin in relation to heat gelation: A micro-perspective study. Food Hydrocolloids, 2018, 84, 219-228. | 10.7 | 14 |
| 284 | Antioxidant activity of peptides in postmortem aged duck meat as affected by cooking and <i>in vitro</i> digestion. International Journal of Food Properties, 2019, 22, 727-736. | 3.0 | 14 |
| 285 | Isorhamnetin and Hispidulin from <i>Tamarix ramosissima</i> Inhibit 2-Amino-1-Methyl-6-Phenylimidazo[4,5-b]Pyridine (PhIP) Formation by Trapping Phenylacetaldehyde as a Key Mechanism. Foods, 2020, 9, 420. | 4.3 | 14 |
| 286 | Combined application of high-throughput sequencing and UHPLC-Q/TOF-MS-based metabolomics in the evaluation of microorganisms and metabolites of dry-cured ham of different origins. International Journal of Food Microbiology, 2021, 359, 109422. | 4.7 | 14 |
| 287 | Effects of Dietary Crude Protein Levels and Cysteamine Supplementation on Protein Synthetic and Degradative Signaling in Skeletal Muscle of Finishing Pigs. PLoS ONE, 2015, 10, e0139393. | 2.5 | 14 |
| 288 | The effects of high pressure treatment on the structural and digestive properties of myoglobin. Food Research International, 2022, 156, 111193. | 6.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | The Distribution of Water in Pork Meat during Wet-curing as Studied by Low-field NMR. <i>Food Science and Technology Research</i> , 2014, 20, 393-399. | 0.6 | 13 |
| 290 | The changes and relationship of structure and functional properties of rabbit myosin during heat-induced gelation. <i>CYTA - Journal of Food</i> , 2015, 13, 63-68. | 1.9 | 13 |
| 291 | Thermal gelling properties and mechanism of porcine myofibrillar protein containing flaxseed gum at various pH values. <i>CYTA - Journal of Food</i> , 2016, 14, 547-554. | 1.9 | 13 |
| 292 | Superchilled storage ($\sim 2.5 \pm 1^\circ\text{C}$) extends the retention of taste-active and volatile compounds of yellow-feather chicken soup. <i>Animal Science Journal</i> , 2018, 89, 906-918. | 1.4 | 13 |
| 293 | Purified Dietary Red and White Meat Proteins Show Beneficial Effects on Growth and Metabolism of Young Rats Compared to Casein and Soy Protein. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 9942-9951. | 5.2 | 13 |
| 294 | A Short-Term Feeding of Dietary Casein Increases Abundance of <i>Lactococcus lactis</i> and Upregulates Gene Expression Involving Obesity Prevention in Cecum of Young Rats Compared With Dietary Chicken Protein. <i>Frontiers in Microbiology</i> , 2019, 10, 2411. | 3.5 | 13 |
| 295 | Protein Rigid structure is a key determinant for the low digestibility of myoglobin. <i>Food Chemistry: X</i> , 2020, 7, 100094. | 4.3 | 13 |
| 296 | Temperature-dependent in vitro digestion properties of isoelectric solubilization/precipitation (ISP)-isolated PSE-like chicken protein. <i>Food Chemistry</i> , 2021, 343, 128501. | 8.2 | 13 |
| 297 | Tracing processes of rigor mortis and subsequent resolution of chicken breast muscle using a texture analyzer. <i>Journal of Food Engineering</i> , 2010, 100, 388-391. | 5.2 | 12 |
| 298 | Regulation of skeletal muscle protein synthetic and degradative signaling by alanyl-glutamine in piglets challenged with <i>Escherichia coli</i> lipopolysaccharide. <i>Nutrition</i> , 2015, 31, 749-756. | 2.4 | 12 |
| 299 | Effects of sodium tripolyphosphate on functional properties of low-salt single-step high-pressure processed chicken breast sausage. <i>International Journal of Food Science and Technology</i> , 2016, 51, 2106-2113. | 2.7 | 12 |
| 300 | Incorporated glucosamine adversely affects the emulsifying properties of whey protein isolate polymerized by transglutaminase. <i>Journal of Dairy Science</i> , 2017, 100, 3413-3423. | 3.4 | 12 |
| 301 | Pathogenicity and antibiotic resistance of coagulase-negative staphylococci isolated from retailing chicken meat. <i>LWT - Food Science and Technology</i> , 2018, 90, 152-156. | 5.2 | 12 |
| 302 | Gelation properties of goose liver protein recovered by isoelectric solubilisation/precipitation process. <i>International Journal of Food Science and Technology</i> , 2018, 53, 356-364. | 2.7 | 12 |
| 303 | Protein degradation, color and textural properties of low sodium dry cured beef. <i>International Journal of Food Properties</i> , 2019, 22, 487-498. | 3.0 | 12 |
| 304 | Chicken-eaters and pork-eaters have different gut microbiota and tryptophan metabolites. <i>Scientific Reports</i> , 2021, 11, 11934. | 3.3 | 12 |
| 305 | The Role of Meat Protein in Generation of Oxidative Stress and Pathophysiology of Metabolic Syndromes. <i>Food Science of Animal Resources</i> , 2020, 40, 1-10. | 4.1 | 12 |
| 306 | Reconsidering Meat Intake and Human Health: A Review of Current Research. <i>Molecular Nutrition and Food Research</i> , 2022, 66, e2101066. | 3.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | High-resolution melting analysis: a promising molecular method for meat traceability. <i>European Food Research and Technology</i> , 2014, 239, 473-480. | 3.3 | 11 |
| 308 | A comparative study of heat shock protein 70 in normal and PSE (pale, soft, exudative)-like muscle from broiler chickens. <i>Poultry Science</i> , 2016, 95, 2391-2396. | 3.4 | 11 |
| 309 | Oxidative and anti-oxidative status in muscle of young rats in response to six protein diets. <i>Scientific Reports</i> , 2017, 7, 13184. | 3.3 | 11 |
| 310 | Water-soluble myofibrillar proteins prepared by high-pressure homogenisation: a comparison study on the composition and functionality. <i>International Journal of Food Science and Technology</i> , 2017, 52, 2334-2342. | 2.7 | 11 |
| 311 | Potential roles for glucagon-like peptide-17 ³⁶ amide and cholecystokinin in anorectic response to the trichothecene mycotoxin T-2 toxin. <i>Ecotoxicology and Environmental Safety</i> , 2018, 153, 181-187. | 6.0 | 11 |
| 312 | Expression of Pork Plectin during Postmortem Aging. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 11718-11727. | 5.2 | 11 |
| 313 | Nitric oxide synthase in beef semimembranosus muscle during postmortem aging. <i>Food Chemistry</i> , 2019, 288, 187-192. | 8.2 | 11 |
| 314 | Heterocyclic amines in braised chicken may mainly infiltrate from reused marinade during braising, instead of thermic generation. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 1867-1874. | 3.5 | 11 |
| 315 | Effect of <i>Listeria monocytogenes</i> on intestinal stem cells in the co-culture model of small intestinal organoids. <i>Microbial Pathogenesis</i> , 2021, 153, 104776. | 2.9 | 11 |
| 316 | Changes in the structure and digestibility of myoglobin treated with sodium chloride. <i>Food Chemistry</i> , 2021, 363, 130284. | 8.2 | 11 |
| 317 | Effects of quercetin on tenderness, apoptotic and autophagy signalling in chickens during post-mortem ageing. <i>Food Chemistry</i> , 2022, 383, 132409. | 8.2 | 11 |
| 318 | Charactering the spoilage mechanism of "three sticks" of Jinhua ham. <i>Food Science and Human Wellness</i> , 2022, 11, 1322-1330. | 4.9 | 11 |
| 319 | The Effect of Various Postproduction Heat Treatment on Lipid Composition and Oxidation in Chinese Nanjing Salted Duck. <i>Journal of Food Processing and Preservation</i> , 2014, 38, 837-844. | 2.0 | 10 |
| 320 | Analysis of ERIC-PCR genomic polymorphism of <i>Salmonella</i> isolates from chicken slaughter line. <i>European Food Research and Technology</i> , 2014, 239, 543-548. | 3.3 | 10 |
| 321 | Influence of rapid chilling on biochemical parameters governing the water-holding capacity of pork longissimus dorsi. <i>International Journal of Food Science and Technology</i> , 2015, 50, 1345-1351. | 2.7 | 10 |
| 322 | Effects of high-temperature-short time (HTST) drying process on proteolysis, lipid oxidation and sensory attributes of Chinese dry-cured chicken. <i>CYTA - Journal of Food</i> , 0, , 1-9. | 1.9 | 10 |
| 323 | Effects of NaCl on water characteristics of heat-induced gels made from chicken breast proteins treated by isoelectric solubilization/precipitation. <i>CYTA - Journal of Food</i> , 2016, 14, 145-153. | 1.9 | 10 |
| 324 | Inhibition of Heat-Induced Flocculation of Myosin-Based Emulsions through Steric Repulsion by Conformational Adaptation-Enhanced Interfacial Protein with an Alkaline pH-Shifting-Driven Method. <i>Langmuir</i> , 2018, 34, 8848-8856. | 3.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Effect of processing conditions and simulated gastrointestinal digestion on the activity of angiotensin I-converting enzyme (ACE) inhibitory peptide derived from duck meat hydrolysate. <i>CYTA - Journal of Food</i> , 2019, 17, 393-399. | 1.9 | 10 |
| 326 | The comparative research of structural and textural characteristics of six kinds of collagen-based sauce braised meat products. <i>Journal of Food Science</i> , 2020, 85, 1675-1680. | 3.1 | 10 |
| 327 | Effect of Reconstituted Broth on the Taste-Active Metabolites and Sensory Quality of Stewed and Roasted Pork-Hock. <i>Foods</i> , 2020, 9, 513. | 4.3 | 10 |
| 328 | Effect of Different Tumbling Marination Methods and Time on the Water Status and Protein Properties of Prepared Pork Chops. <i>Asian-Australasian Journal of Animal Sciences</i> , 2015, 28, 1020-1027. | 2.4 | 10 |
| 329 | Effect of stewing time on fatty acid composition, textural properties and microstructure of porcine subcutaneous fat from various anatomical locations. <i>Journal of Food Composition and Analysis</i> , 2022, 105, 104240. | 3.9 | 10 |
| 330 | Comparative study on the in vitro digestibility of chicken protein after different modifications. <i>Food Chemistry</i> , 2022, 385, 132652. | 8.2 | 10 |
| 331 | Identification of Potential Peptide Marker(s) for Evaluating Pork Meat Freshness via Mass Spectrometry-Based Peptidomics during Storage under Different Temperatures. <i>Foods</i> , 2022, 11, 1144. | 4.3 | 10 |
| 332 | Potential use of crude extracts from Alaska Pollock muscle as meat tenderizer. <i>CYTA - Journal of Food</i> , 2013, 11, 50-59. | 1.9 | 9 |
| 333 | Contribution of High-Pressure-Induced Protein Modifications to the Microenvironment and Functional Properties of Rabbit Meat Sausages. <i>Journal of Food Science</i> , 2017, 82, 1357-1368. | 3.1 | 9 |
| 334 | Negative impacts of in-vitro oxidative stress on the quality of heat-induced myofibrillar protein gelation during refrigeration. <i>International Journal of Food Properties</i> , 2018, 21, 2205-2217. | 3.0 | 9 |
| 335 | Effects of Dietary Protein from Different Sources on Biotransformation, Antioxidation, and Inflammation in the Rat Liver. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 8584-8592. | 5.2 | 9 |
| 336 | The effect of coating incorporated with black pepper essential oil on the lipid deterioration and aroma quality of Jinhua ham. <i>Journal of Food Measurement and Characterization</i> , 2019, 13, 2740-2750. | 3.2 | 9 |
| 337 | Effect of fatty acid on the formation of polycyclic aromatic hydrocarbons (PAHs) and the proposed formation mechanism during electric roasting. <i>British Food Journal</i> , 2019, 121, 3193-3207. | 2.9 | 9 |
| 338 | Role of protein S-nitrosylation in regulating beef tenderness. <i>Food Chemistry</i> , 2020, 306, 125616. | 8.2 | 9 |
| 339 | Dietary Protein From Different Sources Exerted a Great Impact on Lipid Metabolism and Mitochondrial Oxidative Phosphorylation in Rat Liver. <i>Frontiers in Nutrition</i> , 2021, 8, 719144. | 3.7 | 9 |
| 340 | Effects of gellan gum and inulin on mixed-gel properties and molecular structure of gelatin. <i>Food Science and Nutrition</i> , 2021, 9, 1336-1346. | 3.4 | 9 |
| 341 | Effect of fermented blueberry on the oxidative stability and volatile molecule profiles of emulsion-type sausage during refrigerated storage. <i>Asian-Australasian Journal of Animal Sciences</i> , 2020, 33, 812-824. | 2.4 | 9 |
| 342 | Functional analysis of Al-2/LuxS from bacteria in Chinese fermented meat after high nitrate concentration shock. <i>European Food Research and Technology</i> , 2015, 240, 119-127. | 3.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | A bioinformatics study on characteristics, metabolic pathways, and cellular functions of the identified S-nitrosylated proteins in postmortem pork muscle. <i>Food Chemistry</i> , 2019, 274, 407-414. | 8.2 | 8 |
| 344 | Gut inflammation exacerbates hepatic injury in C57BL/6J mice via gut-vascular barrier dysfunction with high-fat-incorporated meat protein diets. <i>Food and Function</i> , 2020, 11, 9168-9176. | 4.6 | 8 |
| 345 | Sensory characteristics of low sodium dry-cured beef and their relation to odor intensity and electronic nose signals. <i>International Journal of Food Properties</i> , 2020, 23, 116-126. | 3.0 | 8 |
| 346 | Evaluating the effect of cooking temperature and time on collagen characteristics and the texture of hog maw. <i>Journal of Texture Studies</i> , 2021, 52, 207-218. | 2.5 | 8 |
| 347 | Improvement of ultrasound-assisted thermal treatment on organoleptic quality, rheological behavior and flavor of defective dry-cured ham. <i>Food Bioscience</i> , 2021, 43, 101310. | 4.4 | 8 |
| 348 | Interactions between the protein-epigallocatechin gallate complex and nanocrystalline cellulose: A systematic study. <i>Food Chemistry</i> , 2022, 387, 132791. | 8.2 | 8 |
| 349 | Effect of Various Amounts of Pork and Chicken Meat on the Sensory and Physicochemical Properties of Chinese-style Meatball (Kung-wan). <i>Food Science and Technology Research</i> , 2013, 19, 963-970. | 0.6 | 7 |
| 350 | Suppression of mTOR Signaling Pathways in Skeletal Muscle of Finishing Pigs by Increasing the Ratios of Ether Extract and Neutral Detergent Fiber at the Expense of Starch in Iso-energetic Diets. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 1557-1564. | 5.2 | 7 |
| 351 | Effect of Sodium Chloride on the Properties of Ready-to-Eat Pressure-Induced Gel-type Chicken Meat Products. <i>Journal of Food Process Engineering</i> , 2017, 40, e12299. | 2.9 | 7 |
| 352 | Stability of antioxidant peptides from duck meat after post-mortem ageing. <i>International Journal of Food Science and Technology</i> , 2017, 52, 2513-2521. | 2.7 | 7 |
| 353 | The Effect of Coating Incorporated with Black Pepper Essential Oil on the Taste Quality of Jinhua Ham After Storage for Four Months. <i>Journal of Food Science</i> , 2019, 84, 3109-3116. | 3.1 | 7 |
| 354 | High intake of chicken and pork proteins aggravates high-fat-diet-induced inflammation and disorder of hippocampal glutamatergic system. <i>Journal of Nutritional Biochemistry</i> , 2020, 85, 108487. | 4.2 | 7 |
| 355 | Structural basis for high-pressure improvement in depolymerization of interfacial protein from RFRS meat batters in relation to their solubility. <i>Food Research International</i> , 2021, 139, 109834. | 6.2 | 7 |
| 356 | Interplay between transglutaminase treatment and changes in digestibility of dietary proteins. <i>Food Chemistry</i> , 2022, 373, 131446. | 8.2 | 7 |
| 357 | 53rd International Congress of Meat Science and Technology, Beijing, China, 5 th –10 th August 2007. <i>Meat Science</i> , 2007, 77, 1. | 5.5 | 6 |
| 358 | MATHEMATICAL OPTIMIZATION FOR ENERGY CONSUMPTION DURING FREEZE-DRYING OF COOKED BEEF SLICE. <i>Journal of Food Process Engineering</i> , 2008, 31, 583-601. | 2.9 | 6 |
| 359 | Rheological and Nuclear Magnetic Resonance Study on Heat-Induced Gel Properties of Spent Hen Myofibrillar Protein Affected by Porcine Plasma Protein. <i>Journal of Texture Studies</i> , 2014, 45, 195-205. | 2.5 | 6 |
| 360 | Partial autolysis of β -calpain during post mortem aging of chicken muscle. <i>Animal Science Journal</i> , 2016, 87, 1528-1535. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Analysis of a molecular predictive mode for the growth of <i>Staphylococcus aureus</i> in pork. International Journal of Food Properties, 2017, 20, 68-82. | 3.0 | 6 |
| 362 | Effects of Packaging Methods on the Color of Beef Muscles Through Influencing Myoglobin Status, Metmyoglobin Reductase Activity and Lipid Oxidation. Journal of Food Processing and Preservation, 2017, 41, e12740. | 2.0 | 6 |
| 363 | The postmortem calpain activity, protein degradation and tenderness of sheep meat from Duolang and Hu breeds. International Journal of Food Science and Technology, 2018, 53, 904-912. | 2.7 | 6 |
| 364 | Effect of different tumbling marinade treatments on the water status and protein properties of prepared pork chops. Journal of the Science of Food and Agriculture, 2015, 95, 2494-2500. | 3.5 | 5 |
| 365 | Influence of Gamma Irradiation on Porcine Serum Albumin Structural Properties and Allergenicity. Journal of AOAC INTERNATIONAL, 2018, 101, 529-535. | 1.5 | 5 |
| 366 | Hydrophobic assembled curcumin-porcine plasma protein complex affected by pH. International Journal of Food Science and Technology, 2019, 54, 891-897. | 2.7 | 5 |
| 367 | Glutaredoxin1 knockout promotes high-fat diet-induced obesity in male mice but not in female ones. Food and Function, 2021, 12, 7415-7427. | 4.6 | 5 |
| 368 | Influence of transglutaminase treatment on the digestibility of pork longissimus dorsi proteins. LWT - Food Science and Technology, 2022, 161, 113378. | 5.2 | 5 |
| 369 | Synergistic Effect of Static Magnetic Field and Modified Atmosphere Packaging in Controlling Blown Pack Spoilage in Meatballs. Foods, 2022, 11, 1374. | 4.3 | 5 |
| 370 | The effects of thermal treatment on the bacterial community and quality characteristics of meatballs during storage. Food Science and Nutrition, 2021, 9, 564-573. | 3.4 | 4 |
| 371 | Effect of high-pressure treatment on the heat-induced emulsion gelation of rabbit myosin. LWT - Food Science and Technology, 2022, 154, 112719. | 5.2 | 4 |
| 372 | Protein Glycosylation and Gut Microbiota Utilization Can Limit the In Vitro and In Vivo Metabolic Cellular Incorporation of Neu5Gc. Molecular Nutrition and Food Research, 2022, 66, e2100615. | 3.3 | 4 |
| 373 | Prediction of yield of retail cuts for native and crossbred Chinese Yellow cattle. Animal Science Journal, 2007, 78, 440-444. | 1.4 | 3 |
| 374 | Application of Mathematical Model for the Quantification of Acylated Homoserine Lactones Produced by <i>Pseudomonas aeruginosa</i> in Chicken Breast Meat and Broth. Journal of Food Safety, 2013, 33, 481-488. | 2.3 | 3 |
| 375 | Impact of High Hydrostatic Pressure Treatment on Microbial Communities in Chinese Water-Boiled Salted Duck. Journal of Food Protection, 2014, 77, 1142-1147. | 1.7 | 3 |
| 376 | Optimization of an Acidified Sodium Chlorite Solution for Reducing Pathogenic Bacteria and Maintaining Sensory Characteristics of Poultry Meat in Simulation Slaughter Process. Journal of Food Processing and Preservation, 2014, 38, 397-405. | 2.0 | 3 |
| 377 | Influence of protein and vitamin B2 as nutrients of chicken meat on staphylococcal enterotoxin genes expression via virulence regulators. LWT - Food Science and Technology, 2019, 111, 688-693. | 5.2 | 3 |
| 378 | Dietary soy, pork and chicken proteins induce distinct nitrogen metabolism in rat liver. Food Chemistry Molecular Sciences, 2021, 3, 100050. | 2.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Desmin as molecular chaperone for myofibrillar degradation during freeze-thaw cycles. <i>Food Chemistry</i> , 2022, 386, 132691. | 8.2 | 3 |
| 380 | A New Method for Characterizing Mechanical Properties of Meat Product under Stress-Relaxation Based on Gaussian Curve-Fitting. <i>International Journal of Food Properties</i> , 2015, 18, 2571-2583. | 3.0 | 2 |
| 381 | Complete Genome Sequence of <i>Salmonella enterica</i> Serovar Enteritidis NCM 61, with High Potential for Biofilm Formation, Isolated from Meat-Related Sources. <i>Microbiology Resource Announcements</i> , 2019, 8, . | 0.6 | 2 |
| 382 | Effect of High Hydrostatic Pressure Combined with Moderate Heat to Inactivate Pressure-Resistant Bacteria in Water-Boiled Salted Duck. <i>Journal of Food Science</i> , 2015, 80, M1336-42. | 3.1 | 1 |
| 383 | Application of Nondestructive and Low-Cost Impedance Technology to Determine the Effect of Curing Degree on Meat Quality. <i>Journal of Food Process Engineering</i> , 2017, 40, e12294. | 2.9 | 1 |
| 384 | Stabilization of soybean oil by flaxseed gum and NMR characterization of its oil-water interface. <i>CYTA - Journal of Food</i> , 2019, 17, 892-899. | 1.9 | 1 |
| 385 | Proteomic Analysis of the Protective Effect of Eriodictyol on Benzo(a)pyrene-Induced Caco-2 Cytotoxicity. <i>Frontiers in Nutrition</i> , 2022, 9, 839364. | 3.7 | 1 |
| 386 | Polysaccharides Reduce Absorption and Mutagenicity of 3-Amino-1,4-Dimethyl-5H-Pyrido[4,3-b]Indole in <i>In Vitro</i> and <i>In Vivo</i> . <i>Journal of Food Science</i> , 2018, 83, 565-573. | 3.1 | 0 |