
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6687996/publications.pdf Version: 2024-02-01



ΙΟΝΑΤΗΛΝ ΚΑΥ

#	Article	IF	CITATIONS
1	Efficacy and safety of switching from reference adalimumab to CT-P17 (100 mg/ml): 52-week randomized, double-blind study in rheumatoid arthritis. Rheumatology, 2022, 61, 1385-1395.	1.9	10
2	The disease burden of axial spondyloarthritis: through a gendered lens. Clinical Rheumatology, 2022, 41, 1115-1124.	2.2	5
3	Development of a screening tool to identify patients with axial spondyloarthritis: a cognitive interview study. Clinical Rheumatology, 2022, , 1.	2.2	1
4	Development and test–retest reliability of a screening tool for axial spondyloarthritis. PLoS ONE, 2022, 17, e0269494.	2.5	1
5	Healing of erosions in rheumatoid arthritis remains elusive: results with 24 months of the anabolic agent teriparatide. Scandinavian Journal of Rheumatology, 2021, 50, 11-14.	1.1	3
6	Disease Burden and Health-Related Quality of Life Among Women and Men with Spondyloarthritis: An Exploratory Analysis of a Population-Based Sample. Journal of Women's Health, 2021, 30, 1637-1644.	3.3	1
7	Filgotinib in combination with methotrexate or as monotherapy versus methotrexate monotherapy in patients with active rheumatoid arthritis and limited or no prior exposure to methotrexate: the phase 3, randomised controlled FINCH 3 trial. Annals of the Rheumatic Diseases, 2021, 80, 727-738.	0.9	76
8	Efficacy and safety of biosimilar CT-P17 versus reference adalimumab in subjects with rheumatoid arthritis: 24-week results from a randomized study. Arthritis Research and Therapy, 2021, 23, 51.	3.5	18
9	Pharmacokinetic equivalence of CTâ€₽17 to highâ€concentration (100Âmg/ml) reference adalimumab: A randomized phase I study in healthy subjects. Clinical and Translational Science, 2021, 14, 1280-1291.	3.1	11
10	AB0198â€EFFICACY AND SAFETY AFTER TRANSITION FROM REFERENCE ADALIMUMAB TO CT-P17 (ADALIMUMA	. 5	, U
10	Annals of the Rheumatic Diseases, 2021, 80, 1123-1124.	0.9	1
11	AB0892-HPRâ€PATIENT PERSPECTIVES ON PROVIDER PRACTICES LEADING TO AN AXIAL SPONDYLOARTHRITIS DIAGNOSIS: A QUALITATIVE STUDY. Annals of the Rheumatic Diseases, 2021, 80, 1469.2-1470.	0.9	0
12	Randomised, phase I pharmacokinetic study of adalimumab biosimilar CTâ€P17 (40 mg/0.4 mL) by autoinjector and prefilled syringe in healthy subjects. British Journal of Clinical Pharmacology, 2021, 87, 4323-4333.	2.4	7
13	Personal Experiences with Diagnostic Delay Among Axial Spondyloarthritis Patients: A Qualitative Study. Rheumatology and Therapy, 2021, 8, 1015-1030.	2.3	9
14	POS1474-HPR PERSONAL EXPERIENCES WITH DIAGNOSTIC DELAY AMONG AXIAL SPONDYLOARTHRITIS PATIENTS – A QUALITATIVE STUDY. Annals of the Rheumatic Diseases, 2021, 80, 1022.2-1022.	0.9	0
15	Primary care physician perspectives on screening for axial spondyloarthritis: A qualitative study. PLoS ONE, 2021, 16, e0252018.	2.5	6
16	Knowledge of biosimilars and perceptions of the naming conventions for biosimilar products in clinical practice in the United States. Drugs and Therapy Perspectives, 2021, 37, 338-346.	0.6	3
17	Physical Activity and Attitudes Toward Exercise in People With Axial and Peripheral Spondyloarthritis. Journal of Rheumatology, 2021, 48, 513-519.	2.0	2
18	Knowledge of biosimilars and perceptions of the naming conventions for biosimilar products in clinical practice in the United States. Drugs and Therapy Perspectives, 2021, 37, 338-346.	0.6	1

#	Article	IF	CITATIONS
19	Patient perspectives on health care provider practices leading to an axial spondyloarthritis diagnosis: an exploratory qualitative research study. BMC Family Practice, 2021, 22, 251.	2.9	5
20	Clinical trial and â€~real-world' data support switching from a bio-originator to its biosimilar. Annals of the Rheumatic Diseases, 2020, 79, e44-e44.	0.9	7
21	Hand Rheumatoid Arthritis. , 2020, , 179-184.		0
22	Overcoming barriers to biosimilars in inflammatory arthritis. Nature Reviews Rheumatology, 2020, 16, 65-66.	8.0	3
23	Physical activity and attitudes and perceptions towards physical activity in patients with spondyloarthritis: A systematic review. Seminars in Arthritis and Rheumatism, 2020, 50, 289-302.	3.4	6
24	Primary care physician perspectives on barriers to diagnosing axial Spondyloarthritis: a qualitative study. BMC Family Practice, 2020, 21, 204.	2.9	18
25	Examining Treatment Decisionâ€Making Among Patients With Axial Spondyloarthritis: Insights From a Conjoint Analysis Survey. ACR Open Rheumatology, 2020, 2, 391-400.	2.1	12
26	A Time-Response Measure to Assess Clinical Equivalence in Rheumatoid Arthritis: An Assessment Using Data From Clinical Trials of Biosimilars. Statistics in Biopharmaceutical Research, 2020, , 1-13.	0.8	0
27	Changes in selected haematological parameters associated with JAK1/JAK2 inhibition observed in patients with rheumatoid arthritis treated with baricitinib. RMD Open, 2020, 6, e001370.	3.8	23
28	Biosimilar Uptake in Academic and Veterans Health Administration Settings: Influence of Institutional Incentives. Arthritis and Rheumatology, 2020, 72, 1067-1071.	5.6	13
29	Interchangeability of Biosimilars: What Level of Clinical Evidence is Needed to Support the Interchangeability Designation in the United States?. BioDrugs, 2020, 34, 723-732.	4.6	18
30	Patient Concerns and Perceptions Regarding Biologic Therapies in Ankylosing Spondylitis: Insights From a Large cale Survey of Social Media Platforms. Arthritis Care and Research, 2019, 71, 323-330.	3.4	25
31	Biosimilars in Dermatology: Analytical, Regulatory, and Clinical Considerations: A Treatise From the Medical Board of the National Psoriasis Foundation. Journal of Psoriasis and Psoriatic Arthritis, 2019, 4, 125-132.	0.7	1
32	The "Treat to Target―Approach to Rheumatoid Arthritis. Rheumatic Disease Clinics of North America, 2019, 45, 487-504.	1.9	17
33	Are There Benefits and Risks to Biosimilars from a Patient Perspective?. Rheumatic Disease Clinics of North America, 2019, 45, 465-476.	1.9	5
34	A â€~wind of change' to biosimilars: The <scp>NOR</scp> â€ <scp>SWITCH</scp> trial and its extension. Journal of Internal Medicine, 2019, 285, 693-695.	6.0	3
35	A Fiftyâ€Two–Week, Randomized, Placeboâ€Controlled Trial of Certolizumab Pegol in Nonradiographic Axial Spondyloarthritis. Arthritis and Rheumatology, 2019, 71, 1101-1111.	5.6	71
36	PANLAR consensus statement on biosimilars. Clinical Rheumatology, 2019, 38, 1485-1496.	2.2	9

13

#	Article	IF	CITATIONS
37	SAT0162â€A POOLED ANALYSIS OF 1-YEAR CLINICAL OUTCOMES AMONG 6-MONTH RESPONDERS AND NON-RESPONDERS FROM THREE RANDOMISED CONTROLLED STUDIES OF TNF INHIBITOR BIOSIMILARS IN PATIENTS WITH RHEUMATOID ARTHRITIS. , 2019, , .		0
38	Unmet need in rheumatology: reports from the Targeted Therapies meeting 2018. Annals of the Rheumatic Diseases, 2019, 78, 872-878.	0.9	36
39	Controversies in Rheumatology. Rheumatic Disease Clinics of North America, 2019, 45, xv-xvi.	1.9	0
40	Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2018, 47, 270-275.	1.1	2
41	The Science Behind Biosimilars. Arthritis and Rheumatology, 2018, 70, 334-344.	5.6	36
42	Reply. Arthritis and Rheumatology, 2018, 70, 476-476.	5.6	0
43	Consensus-based recommendations for the use of biosimilars to treat rheumatological diseases. Annals of the Rheumatic Diseases, 2018, 77, 165-174.	0.9	173
44	e48 Effects of baricitinib on haematological laboratory parameters in patients with rheumatoid arthritis. Rheumatology, 2018, 57, .	1.9	3
45	THU0184â€Impact of immunogenicity on clinical efficacy and administration related reaction in tnf inhibitors: a pooled-analysis from three biosimilar studies in patients with rheumatoid arthritis. , 2018, , .		0
46	Treat-to-target (T2T) recommendations for gout. Annals of the Rheumatic Diseases, 2017, 76, 632-638.	0.9	118
47	Biosimilars: implications for rheumatoid arthritis therapy. Current Opinion in Rheumatology, 2017, 29, 260-268.	4.3	22
48	Clinical trials of biosimilars should become more similar. Annals of the Rheumatic Diseases, 2017, 76, 4-6.	0.9	20
49	Effects of Teriparatide on Joint Erosions in Rheumatoid Arthritis: A Randomized Controlled Trial. Arthritis and Rheumatology, 2017, 69, 1741-1750.	5.6	32
50	Biosimilar switching — "To set a form upon desired change― Nature Reviews Rheumatology, 2017, 13, 391-392.	8.0	9
51	Tocilizumab combination therapy or monotherapy or methotrexate monotherapy in methotrexate-naive patients with early rheumatoid arthritis: 2-year clinical and radiographic results from the randomised, placebo-controlled FUNCTION trial. Annals of the Rheumatic Diseases, 2017, 76, 1279-1284.	0.9	64
52	OP0203â€Impact of adalimumab serum concentration on efficacy and association between ANTI-DRUG antibodies and serum concentration: 24 week results from a phase III study comparing SB5 (an) Tj ETQq0 0 0 rgE	3T /Overloo	ck 010 Tf 50 1
59	Gadolinium-Induced Fibrosis Rare Diseases of the Immune System 2017 209-237	0 1	0

#	Article	IF	CITATIONS
55	The changing landscape of biosimilars in rheumatology. Annals of the Rheumatic Diseases, 2016, 75, 974-982.	0.9	160
56	Tocilizumab in early progressive rheumatoid arthritis: FUNCTION, a randomised controlled trial. Annals of the Rheumatic Diseases, 2016, 75, 1081-1091.	0.9	152
57	Differential Expression of Hedgehog and Snail in Cutaneous Fibrosing Disorders. American Journal of Clinical Pathology, 2016, 146, 709-717.	0.7	13
58	Imaging for Synovitis, Acne, Pustulosis, Hyperostosis, and Osteitis (SAPHO) Syndrome. Rheumatic Disease Clinics of North America, 2016, 42, 695-710.	1.9	40
59	Differential Effects of Inflammation on Bone and Response to Biologics in Rheumatoid Arthritis and Spondyloarthritis. Current Rheumatology Reports, 2016, 18, 72.	4.7	10
60	Five-year Safety Data from 5 Clinical Trials of Subcutaneous Golimumab in Patients with Rheumatoid Arthritis, Psoriatic Arthritis, and Ankylosing Spondylitis. Journal of Rheumatology, 2016, 43, 2120-2130.	2.0	33
	THU0138â€Secondary Efficacy Results Up To Week 24 from A Phase III Study Comparing SB5 (An) Tj ETQq1 1	0.784314	1 rgBT /Over
61	Rheumatoid Arthritis despite Methotrexate Therapy. Annals of the Rheumatic Diseases, 2016, 75,	0.9	Ο
62	231.1-231. Brief Report: Development and Validation of a Semiautomated Method to Measure Erosion Volume in Inflammatory Arthritis by Computed Tomography Scanning. Arthritis and Rheumatology, 2016, 68, 332-336.	5.6	4
63	Efficacy and safety results from a Phase 3, randomized, placeboâ€controlled trial of subcutaneous golimumab in Chinese patients with active rheumatoid arthritis despite methotrexate therapy. International Journal of Rheumatic Diseases, 2016, 19, 1143-1156.	1.9	16
64	The term â€~non-radiographic axial spondyloarthritis' is much more important to classify than to diagnose patients with axial spondyloarthritis. Annals of the Rheumatic Diseases, 2016, 75, 791-794.	0.9	105
65	Gadolinium-Induced Fibrosis. Annual Review of Medicine, 2016, 67, 273-291.	12.2	66
66	SAT0151â€Safety Profile of BOW015, A Biosimilar Infliximab, In Healthy Subjects and Patients with Active Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2015, 74, 706.2-706.	0.9	1
67	Utilizing the METEOR initiative to improve rheumatoid arthritis patient care. International Journal of Clinical Rheumatology, 2015, 10, 425-431.	0.3	0
68	Assessment of Global Disease Activity in Rheumatoid Arthritis by Patients and Physicians. Journal of Clinical Rheumatology, 2015, 21, 349-354.	0.9	7
69	Golimumab in patients with active rheumatoid arthritis after treatment with tumor necrosis factor α inhibitors: findings with up to five years of treatment in the multicenter, randomized, double-blind, placebo-controlled, phase 3 GO-AFTER study. Arthritis Research and Therapy, 2015, 17, 14.	3.5	49
70	Biosimilars in rheumatology: current perspectives and lessons learnt. Nature Reviews Rheumatology, 2015, 11, 713-724.	8.0	96
71	Biosimilars in rheumatology: what the clinician should know. RMD Open, 2015, 1, e000010-e000010.	3.8	39
72	Gadolinium-based compounds induce NLRP3-dependent IL-1β production and peritoneal inflammation. Annals of the Rheumatic Diseases, 2015, 74, 2062-2069.	0.9	37

#	Article	IF	CITATIONS
73	Golimumab 3-year safety update: an analysis of pooled data from the long-term extensions of randomised, double-blind, placebo-controlled trials conducted in patients with rheumatoid arthritis, psoriatic arthritis or ankylosing spondylitis. Annals of the Rheumatic Diseases, 2015, 74, 538-546.	0.9	75
74	Sarilumab for the treatment of ankylosing spondylitis: results of a Phase II, randomised, double-blind, placebo-controlled study (ALIGN). Annals of the Rheumatic Diseases, 2015, 74, 1051-1057.	0.9	128
75	Miscellaneous arthropathies. , 2015, , 1420-1431.		Ο
76	Nephrogenic systemic fibrosis is associated with hypophosphataemia: a case-control study. Rheumatology, 2014, 53, 1613-1617.	1.9	10
77	OP0012â€A Phase 3, Randomized, Double-Blind, Active Comparator Study of the Efficacy and Safety of Bow015, A Biosimilar Infliximab, in Patients with Active Rheumatoid Arthritis on Stable Methotrexate Doses. Annals of the Rheumatic Diseases, 2014, 73, 64.1-64.	0.9	6
78	Insights into the efficacy of golimumab plus methotrexate in patients with active rheumatoid arthritis who discontinued prior anti-tumour necrosis factor therapy: post-hoc analyses from the GO-AFTER study. Annals of the Rheumatic Diseases, 2014, 73, 1811-1818.	0.9	29
79	Clinical disease activity and acute phase reactant levels are discordant among patients with active rheumatoid arthritis: acute phase reactant levels contribute separately to predicting outcome at one year. Arthritis Research and Therapy, 2014, 16, R40.	3.5	93
80	Prevalence of comorbidities in rheumatoid arthritis and evaluation of their monitoring: results of an international, cross-sectional study (COMORA). Annals of the Rheumatic Diseases, 2014, 73, 62-68.	0.9	659
81	Current status of nephrogenic systemic fibrosis. Clinical Radiology, 2014, 69, 661-668.	1.1	100
82	THU0444â€Assessment of Global Disease Activity in RA by Patients and Physicians: Cultural Differences across Countries in the Meteor Database. Annals of the Rheumatic Diseases, 2014, 73, 336.2-336.	0.9	1
83	Nephrogenic Systemic Fibrosis. , 2014, , 247-254.		1
84	Preface. Rheumatic Disease Clinics of North America, 2013, 39, xv-xvi.	1.9	0
85	Rituximab biosimilars . Expert Opinion on Biological Therapy, 2013, 13, 1049-1062.	3.1	34
86	Relapsing Polychondritis. Rheumatic Disease Clinics of North America, 2013, 39, 263-276.	1.9	45
87	Erosion defined: back to basics. Nature Reviews Rheumatology, 2013, 9, 323-324.	8.0	1
88	Biosimilars to treat inflammatory arthritis: the challenge of proving identity. Annals of the Rheumatic Diseases, 2013, 72, 1589-1593.	0.9	52
89	The effect of golimumab on haemoglobin levels in patients with rheumatoid arthritis, psoriatic arthritis or ankylosing spondylitis. Rheumatology, 2013, 52, 1845-1855.	1.9	28
90	Validation of a Screening Instrument for Nephrogenic Systemic Fibrosis. Arthritis Care and Research, 2013, 65, 637-642.	3.4	2

#	Article	IF	CITATIONS
91	Systemic sclerosis without antinuclear antibodies or Raynaud's phenomenon: a multicentre study in the prospective EULAR Scleroderma Trials and Research (EUSTAR) database. Rheumatology, 2013, 52, 560-567.	1.9	22
92	FRI0096â€Haq baseline values in an international registry of ra patients during the era of biologic terapies: the 2013 meteor database Annals of the Rheumatic Diseases, 2013, 72, A402.1-A402.	0.9	0
93	THU0202â€Five-Year Safety and Efficacy of Golimumab in Patients with Active Rheumatoid Arthritis Despite Previous Anti-Tumor Necrosis Factor Therapy: Final Study Results of the Phase 3, Randomized, Placebo-Controlled Go-After Trial. Annals of the Rheumatic Diseases, 2013, 72, A232.1-A232.	0.9	3
94	Fibrosis-Associated Single-Nucleotide Polymorphisms in TGFB1 and CAV1 Are Not Associated With the Development of Nephrogenic Systemic Fibrosis. American Journal of Dermatopathology, 2013, 35, 351-356.	0.6	4
95	FRIO211â€Safety and efficacy of subcutaneous golimumab in chinese patients with active rheumatoid arthritis despite mtx therapy: results from a randomized, placebo-controlled, phase 3 trial. Annals of the Rheumatic Diseases, 2013, 72, A444.2-A444.	0.9	4
96	Sensorineural Hearing Loss following Imatinib (Gleevec) Administration. Otolaryngology - Head and Neck Surgery, 2012, 146, 335-337.	1.9	14
97	ACR/EULAR 2010 rheumatoid arthritis classification criteria. Rheumatology, 2012, 51, vi5-vi9.	1.9	353
98	Golimumab in patients with active rheumatoid arthritis who have previous experience with tumour necrosis factor inhibitors: results of a long-term extension of the randomised, double-blind, placebo-controlled GO-AFTER study through week 160. Annals of the Rheumatic Diseases, 2012, 71, 1671-1679.	0.9	53
99	Evolution of treatment for rheumatoid arthritis. Rheumatology, 2012, 51, vi28-vi36.	1.9	139
100	Nephrogenic systemic fibrosis: A systemic fibrosing disease resulting from gadolinium exposure. Best Practice and Research in Clinical Rheumatology, 2012, 26, 489-503.	3.3	76
101	Health Canada/BIOTECanada Summit on regulatory and clinical topics related to subsequent entry biologics (biosimilars), Ottawa, Canada, 14 May 2012. Biologicals, 2012, 40, 517-527.	1.4	17
102	The advent of biosimilar therapies in rheumatology—"O Brave New World― Nature Reviews Rheumatology, 2012, 8, 430-436.	8.0	97
103	Biosimilars: a regulatory perspective from America. Arthritis Research and Therapy, 2011, 13, 112.	3.5	49
104	Quantitative assessment of dermal cellularity in nephrogenic systemic fibrosis: AÂdiagnostic aid. Journal of the American Academy of Dermatology, 2011, 64, 741-747.	1.2	13
105	Nephrogenic systemic fibrosis: Clinicopathological definition and workup recommendations. Journal of the American Academy of Dermatology, 2011, 65, 1095-1106.e7.	1.2	163
106	Assessment of control of rheumatoid arthritis disease activity. Best Practice and Research in Clinical Rheumatology, 2011, 25, 497-507.	3.3	20
107	Treating rheumatoid arthritis to target: an international initiative. Current Reviews in Musculoskeletal Medicine, 2011, 4, 79-83.	3.5	0
108	Diabetes mellitus and insulin resistance in patients with rheumatoid arthritis: Risk reduction in a chronic inflammatory disease. Arthritis Care and Research, 2011, 63, 512-521.	3.4	76

#	Article	IF	CITATIONS
109	Incidence of Nephrogenic Systemic Fibrosis after Adoption of Restrictive Gadolinium-based Contrast Agent Guidelines. Radiology, 2011, 260, 105-111.	7.3	134
110	Golimumab: A novel human anti-TNF-α monoclonal antibody for the treatment of rheumatoid arthritis, ankylosing spondylitis, and psoriatic arthritis. Core Evidence, 2010, 4, 159.	4.7	27
111	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Phase 2 methodological report. Arthritis and Rheumatism, 2010, 62, 2582-2591.	6.7	246
112	2010 Rheumatoid arthritis classification criteria: An American College of Rheumatology/European League Against Rheumatism collaborative initiative. Arthritis and Rheumatism, 2010, 62, 2569-2581.	6.7	6,781
113	Gadolinium and systemic fibrosis: guilt by association. Annals of the Rheumatic Diseases, 2010, 69, 1895-1897.	0.9	15
114	Bone Damage in Rheumatoid Arthritis: Mechanistic Insights and Approaches to Prevention. Rheumatic Disease Clinics of North America, 2010, 36, 385-404.	1.9	169
115	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Methodological Report Phase I. Annals of the Rheumatic Diseases, 2010, 69, 1589-1595.	0.9	152
116	Rheumatic Manifestations of Diabetes Mellitus. Rheumatic Disease Clinics of North America, 2010, 36, 681-699.	1.9	88
117	2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. Annals of the Rheumatic Diseases, 2010, 69, 1580-1588.	0.9	2,994
118	Nephrogenic Systemic Fibrosis after Gadopentetate Dimeglumine Exposure: Case Series of 36 Patients. Radiology, 2009, 253, 81-89.	7.3	95
119	E-selectin, Interleukin 18, Serum Amyloid A, and Matrix Metalloproteinase 9 Are Associated with Clinical Response to Golimumab plus Methotrexate in Patients with Active Rheumatoid Arthritis Despite Methotrexate Therapy. Journal of Rheumatology, 2009, 36, 1371-1379.	2.0	30
120	Case 37-2009. New England Journal of Medicine, 2009, 361, 2166-2176.	27.0	11
121	CMR2009: 5.04: Postâ€mortem analysis of gadolinium distribution in NSF subjects. Contrast Media and Molecular Imaging, 2009, 4, 274-274.	0.8	1
122	Retrospective assessment of prevalence of nephrogenic systemic fibrosis (NSF) after implementation of a new guideline for the use of gadobenate dimeglumine as a sole contrast agent for magnetic resonance examination in renally impaired patients. Journal of Magnetic Resonance Imaging, 2009, 30, 1335-1340.	3.4	36
123	Physician ability to assess rheumatoid arthritis disease activity using an electronic medical record–based disease activity calculator. Arthritis and Rheumatism, 2009, 61, 495-500.	6.7	13
124	A rheumatologyâ€specific informaticsâ€based application with a disease activity calculator. Arthritis and Rheumatism, 2009, 61, 488-494.	6.7	13
125	Colimumab in patients with active rheumatoid arthritis after treatment with tumour necrosis factor α inhibitors (CO-AFTER study): a multicentre, randomised, double-blind, placebo-controlled, phase III trial. Lancet, The, 2009, 374, 210-221.	13.7	497
126	Methotrexate: the gold standard without standardisation. Annals of the Rheumatic Diseases, 2009, 68, 1081-1082.	0.9	15

#	Article	IF	CITATIONS
127	Nephrogenic Systemic Fibrosis: A Pathologic Study of Autopsy Cases. Archives of Pathology and Laboratory Medicine, 2009, 133, 1943-1948.	2.5	34
128	Nephrogenic systemic fibrosis: An epidemic of gadolinium toxicity. Current Rheumatology Reports, 2008, 10, 195-204.	4.7	29
129	Non-crystalline and crystalline rheumatic disorders in chronic kidney disease. Current Rheumatology Reports, 2008, 10, 235-248.	4.7	13
130	What Causes Nephrogenic Systemic Fibrosis?. Dialysis and Transplantation, 2008, 37, 95-98.	0.2	2
131	Golimumab in patients with active rheumatoid arthritis despite treatment with methotrexate: A randomized, doubleâ€blind, placeboâ€controlled, doseâ€ranging study. Arthritis and Rheumatism, 2008, 58, 964-975.	6.7	266
132	Imatinib mesylate treatment of nephrogenic systemic fibrosis. Arthritis and Rheumatism, 2008, 58, 2543-2548.	6.7	148
133	Case 6-2008. New England Journal of Medicine, 2008, 358, 827-838.	27.0	57
134	Nephrogenic systemic fibrosis: a gadolinium-associated fibrosing disorder in patients with renal dysfunction. Annals of the Rheumatic Diseases, 2008, 67, iii66-iii69.	0.9	33
135	Nephrogenic systemic fibrosis: a new concern for rheumatologists. Nature Clinical Practice Rheumatology, 2008, 4, 445-445.	3.2	0
136	Gadolinium and nephrogenic systemic fibrosis: The evidence of things not seen. Cleveland Clinic Journal of Medicine, 2008, 75, 112-117.	1.3	11
137	Cutaneous changes of nephrogenic systemic fibrosis: Predictor of early mortality and association with gadolinium exposure. Arthritis and Rheumatism, 2007, 56, 3433-3441.	6.7	196
138	Wegener's granulomatosis: Is biologic therapy useful?. Current Rheumatology Reports, 2006, 8, 303-311.	4.7	6
139	Case 39-2006. New England Journal of Medicine, 2006, 355, 2678-2689.	27.0	22
140	Case 4-2006. New England Journal of Medicine, 2006, 354, 623-630.	27.0	9
141	Case 31-2005. New England Journal of Medicine, 2005, 353, 1605-1613.	27.0	16
142	Nephrogenic Fibrosing Dermopathy: A Review of the Massachusetts General Hospital Experience. Journal of Cutaneous Pathology, 2005, 32, 89-89.	1.3	0
143	Case 35-2004. New England Journal of Medicine, 2004, 351, 2219-2227.	27.0	42
144	The role of interleukin-1 in the pathogenesis of rheumatoid arthritis. British Journal of Rheumatology, 2004, 43, iii2-iii9.	2.3	188

#	Article	IF	CITATIONS
145	Advanced glycation endproducts and osteoarthritis. Current Rheumatology Reports, 2003, 5, 33-40.	4.7	60
146	Regression of lymphoproliferative disorder after treatment for hepatitis C virus infection in a patient with partial trisomy 3, Bcl-2 overexpression, and type II cryoglobulinemia. Blood, 2002, 99, 2259-2261.	1.4	68
147	β2-Microglobulin modified with advanced glycation end products delays monocyte apoptosis. Kidney International, 2001, 59, 990-1002.	5.2	71
148	FRI0002â€Il-1 receptor antagonist (il-1ra) treatment is associated with improvement of anaemia in rheumatoid arthritis. , 2001, , .		0
149	The Association of Relapsing Polychondritis and Myelodysplastic Syndrome: Report of Three Cases. Journal of Clinical Rheumatology, 2000, 6, 146-149.	0.9	12
150	Osteoarticular disorders of renal origin: disease-related and iatrogenic. Best Practice and Research in Clinical Rheumatology, 2000, 14, 285-305.	3.3	29
151	Beta2-microglobulin amyloidosis in renal failure: Understanding this recently recognized condition. Cleveland Clinic Journal of Medicine, 1999, 66, 145-147.	1.3	6
152	β2-microglobulin modified with advanced glycation end products modulates collagen synthesis by human fibroblasts. Kidney International, 1998, 53, 1365-1373.	5.2	85
153	Development of Gastrointestinal β2-Microglobulin Amyloidosis Correlates With Time on Dialysis. American Journal of Surgical Pathology, 1998, 22, 729-735.	3.7	36
154	Aminoguanidine inhibits advanced glycation end products formation on beta2-microglobulin Journal of the American Society of Nephrology: JASN, 1998, 9, 277-283.	6.1	22
155	β2-microglobulin amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 1997, 4, 187-211.	3.0	11
156	Interaction between β2-microglobulin and advanced glycation end products in the development of dialysis related-amyloidosis. Kidney International, 1997, 51, 1514-1519.	5.2	58
157	Performance characteristics of a dialysis-related amyloidosis questionnaire Journal of the American Society of Nephrology: JASN, 1996, 7, 1235-1240.	6.1	8
158	Shoulder Pain in the Dialysis Patient. Seminars in Dialysis, 1995, 8, 105-121.	1.3	0
159	Enhancement of human monocyte beta-glucan receptors by glucocorticoids. Immunology, 1994, 81, 96-102.	4.4	16
160	Vascular Occlusion and Cardiac Conduction Disturbances in a Patient Undergoing Peritoneal Dialysis. Seminars in Dialysis, 1993, 6, 135-139.	1.3	2
161	Lyme disease. Comprehensive Therapy, 1993, 19, 157-62.	0.2	0
162	Musculoskeletal manifestations in β2 -microglobulin amyloidosis. Case discussion. Arthritis and Rheumatism, 1992, 35, 592-602.	6.7	14

#	Article	IF	CITATION
163	Utility of high-resolution ultrasound for the diagnosis of dialysis-related amyloidosis. Arthritis and Rheumatism, 1992, 35, 926-932.	6.7	47
164	Identification and characterization of opsonic fibronectin in synovial fluids of patients with active rheumatoid arthritis. Arthritis and Rheumatism, 1991, 34, 687-696.	6.7	5
165	Isolation and characterization of beta-glucan receptors on human mononuclear phagocytes Journal of Experimental Medicine, 1991, 173, 1511-1520.	8.5	174
166	Activation of CD4 cells by fibronectin and anti-CD3 antibody. A synergistic effect mediated by the VLA-5 fibronectin receptor complex Journal of Experimental Medicine, 1989, 170, 1133-1148.	8.5	298
167	Anesthesia for Open Lung Biopsy in a Patient with Intracardiac Tumor. Anesthesiology, 1989, 71, 607-610.	2.5	2
168	Synovial fluid eosinophilia in lyme disease. Arthritis and Rheumatism, 1988, 31, 1384-1389.	6.7	25
169	Separation of functionally distinct subpopulations of Corynebacterium parvum-activated macrophages with predominantly stimulatory or suppressive effect on the cell-mediated cytotoxic T cell response. Cellular Immunology, 1979, 42, 28-41.	3.0	37