Olaf Gefeller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6695370/publications.pdf

Version: 2024-02-01

284 papers 12,963 citations

54 h-index 28297 105 g-index

313 all docs

313 docs citations

313 times ranked

12248 citing authors

#	Article	IF	CITATIONS
1	Epidemiology of Ischemic Stroke Subtypes According to TOAST Criteria. Stroke, 2001, 32, 2735-2740.	2.0	1,122
2	Erythropoietin Therapy for Acute Stroke Is Both Safe and Beneficial. Molecular Medicine, 2002, 8, 495-505.	4.4	932
3	Detection of 14â€3â€3 protein in the cerebrospinal fluid supports the diagnosis of Creutzfeldtâ€Jakob disease. Annals of Neurology, 1998, 43, 32-40.	5. 3	456
4	VARIATION OF SENSITIVITY, SPECIFICITY, LIKELIHOOD RATIOS AND PREDICTIVE VALUES WITH DISEASE PREVALENCE. Statistics in Medicine, 1997, 16, 981-991.	1.6	423
5	Anxiety and depression in bariatric surgery patients: A prospective, follow-up study using structured clinical interviews. Journal of Affective Disorders, 2011, 133, 61-68.	4.1	318
6	Erythropoietin therapy for acute stroke is both safe and beneficial. Molecular Medicine, 2002, 8, 495-505.	4.4	302
7	An alternative approach to monitoring cancer patient survival. Cancer, 1996, 78, 2004-2010.	4.1	301
8	Period analysis for â€~up-to-date' cancer survival data. European Journal of Cancer, 2004, 40, 326-335.	2.8	252
9	Predicting mortality in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2003, 48, 1530-1542.	6.7	224
10	The Evolution of Boosting Algorithms. Methods of Information in Medicine, 2014, 53, 419-427.	1.2	209
11	Melanoma and use of sunscreens: An EORTC case-control study in germany, belgium and france. International Journal of Cancer, 1995, 61, 749-755.	5.1	206
12	Estimated prevalence of compulsive buying in Germany and its association with sociodemographic characteristics and depressive symptoms. Psychiatry Research, 2010, 180, 137-142.	3.3	203
13	Guidelines for the descriptive presentation and statistical analysis of contact allergy data. Contact Dermatitis, 2004, 51, 47-56.	1.4	195
14	Randomized Trial of Acupuncture to Lower Blood Pressure. Circulation, 2007, 115, 3121-3129.	1.6	182
15	Randomized European Multicenter Trial of Surfactant Replacement Therapy for Severe Neonatal Respiratory Distress Syndrome: Single Versus Multiple Doses of Curosurf. Pediatrics, 1992, 89, 13-20.	2.1	179
16	Endocrine and Hemodynamic Effects of Stress Versus Systemic CRF in Alcoholics during Early and Medium Term Abstinence. Alcoholism: Clinical and Experimental Research, 1997, 21, 1285-1293.	2.4	174
17	Epidemiology of contact allergy: an estimation of morbidity employing the clinical epidemiology and drugâ€utilization research (CEâ€DUR) approach. Contact Dermatitis, 2002, 47, 32-39.	1.4	172
18	Induction of the Photoaging-Associated Mitochondrial Common Deletion In Vivo in Normal Human Skin. Journal of Investigative Dermatology, 2004, 122, 1277-1283.	0.7	165

#	Article	IF	CITATIONS
19	Sequential and average attributable fractions as aids in the selection of preventive strategies. Journal of Clinical Epidemiology, 1995, 48, 645-655.	5.0	160
20	Current clinical diagnosis in Creutzfeldt-Jakob disease: Identification of uncommon variants. Annals of Neurology, 2000, 48, 323-329.	5.3	159
21	Hand dermatitis in a prospectively-followed cohort of hairdressing apprentices:nal results of the POSH study. Contact Dermatitis, 1999, 41, 280-286.	1.4	148
22	Surfactant Treatment of Neonates With Respiratory Failure and Group B Streptococcal Infection. Pediatrics, 2000, 106, 957-964.	2.1	140
23	Disease burden and risk profile in referred patients with moderate chronic kidney disease: composition of the German Chronic Kidney Disease (GCKD) cohort. Nephrology Dialysis Transplantation, 2015, 30, 441-451.	0.7	132
24	An epidemiological study of the influence of season (cold and dry air) on the occurrence of irritant skin changes of the hands. British Journal of Dermatology, 1998, 138, 266-272.	1.5	128
25	Randomised clinical trial of two treatment regimens of natural surfactant preparations in neonatal respiratory distress syndrome Archives of Disease in Childhood: Fetal and Neonatal Edition, 1995, 72, F8-13.	2.8	127
26	The German Chronic Kidney Disease (GCKD) study: design and methods. Nephrology Dialysis Transplantation, 2012, 27, 1454-1460.	0.7	127
27	Deriving more up-todate estimates of long-term patient survival. Journal of Clinical Epidemiology, 1997, 50, 211-216.	5.0	125
28	Timing of excessive ultraviolet radiation and melanoma: epidemiology does not support the existence of a critical period of high susceptibility to solar ultraviolet radiation- induced melanoma. British Journal of Dermatology, 2001, 144, 471-475.	1.5	120
29	S-100 protein concentration in the cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. Journal of Neurology, 1997, 244, 566-570.	3.6	118
30	Approaches to Regularized Regression – A Comparison between Gradient Boosting and the Lasso. Methods of Information in Medicine, 2016, 55, 422-430.	1.2	114
31	Risk and Rate Advancement Periods as Measures of Exposure Impact on the Occurrence of Chronic Diseases. Epidemiology, 1993, 4, 229-236.	2.7	111
32	Diagnosis of Creutzfeldt-Jakob disease by two-dimensional gel electrophoresis of cerebrospinal fluid. Lancet, The, 1996, 348, 846-849.	13.7	103
33	A computer program for period analysis of cancer patient survival. European Journal of Cancer, 2002, 38, 690-695.	2.8	98
34	Malnutrition According to Mini Nutritional Assessment Is Associated With Severe Functional Impairment in Geriatric Patients Before and up to 6ÂMonths After Hip Fracture. Journal of the American Medical Directors Association, 2015, 16, 661-667.	2.5	96
35	Diagnosis of Creutzfeldt-Jakob disease by measurement of \$100 protein in serum: prospective case-control study. BMJ: British Medical Journal, 1998, 316, 577-582.	2.3	94
36	Cyclosporin A is superior to cyclophosphamide in children with steroid-resistant nephrotic syndrome—a randomized controlled multicentre trial by the Arbeitsgemeinschaft fÃ⅓r PÃ d iatrische Nephrologie. Pediatric Nephrology, 2008, 23, 1483-1493.	1.7	90

#	Article	IF	CITATIONS
37	Prevalence and correlates of gout in a large cohort of patients with chronic kidney disease: the German Chronic Kidney Disease (GCKD) study. Nephrology Dialysis Transplantation, 2015, 30, 613-621.	0.7	85
38	Prevalence and incidence of hand dermatitis in hairdressing apprentices: results of the POSH study. International Archives of Occupational and Environmental Health, 1998, 71, 487-492.	2.3	84
39	Use of the Positive Predictive Value to Correct for Disease Misclassification in Epidemiologic Studies. American Journal of Epidemiology, 1993, 138, 1007-1015.	3.4	83
40	Contact Allergy in Construction Workers: Results of a Multifactorial Analysis. Annals of Occupational Hygiene, 2004, 48, 21-7.	1.9	83
41	Prior immunisation of patients with malignant melanoma with vaccinia or BCG is associated with better survival. An European Organization for Research and Treatment of Cancer cohort study on 542 patients. European Journal of Cancer, 2005, 41, 118-125.	2.8	83
42	Outdoor work and skin cancer incidence: a registry-based study in Bavaria. International Archives of Occupational and Environmental Health, 2009, 82, 357-363.	2.3	81
43	Association between occupation and contact allergy to the fragrance mix: a multifactorial analysis of national surveillance data. Occupational and Environmental Medicine, 2001, 58, 392-398.	2.8	80
44	An alternative approach to age adjustment of cancer survival rates. European Journal of Cancer, 2004, 40, 2317-2322.	2.8	79
45	Neutrophil elastase and acute pulmonary damage in neonates with severe respiratory distress syndrome. Pediatrics, 1993, 91, 794-9.	2.1	79
46	Recombinant human erythropoietin delays loss of gray matter in chronic schizophrenia. Molecular Psychiatry, 2011, 16, 26-36.	7.9	78
47	Inverse Association Between Melanoma and Previous Vaccinations Against Tuberculosis and Smallpox: Results of the FEBIM Study. Journal of Investigative Dermatology, 2002, 119, 570-575.	0.7	73
48	Risk factors for contact allergy to nickel - results of a multifactorial analysis. Contact Dermatitis, 2003, 48, 33-38.	1.4	73
49	Impact of vaccinations and infectious diseases on the risk of melanomaâ€"evaluation of an EORTC caseâ€"control study. European Journal of Cancer, 2003, 39, 2372-2378.	2.8	73
50	Contact allergy to ingredients of hair cosmetics – a comparison of female hairdressers and clients based on <scp>IVDK</scp> 2007–2012 data. Contact Dermatitis, 2014, 71, 13-20.	1.4	65
51	Patch test reactions at D4, D5 and D6. Contact Dermatitis, 1999, 40, 119-126.	1.4	62
52	Impact of repetitive manual materials handling and psychosocial work factors on the future prevalence of chronic low-back pain among construction workers. Scandinavian Journal of Work, Environment and Health, 2002, 28, 314-323.	3.4	62
53	Melanoma risk and residence in sunny areas. British Journal of Cancer, 1997, 76, 1521-1524.	6.4	61
54	Infections and melanoma risk. Melanoma Research, 1999, 9, 511-520.	1.2	57

#	Article	IF	CITATIONS
55	Cutaneous malignant melanoma in women and the role of oral contraceptives. British Journal of Dermatology, 1998, 138, 122-124.	1.5	54
56	Longitudinal study examining the neurotoxicity of occupational exposure to aluminium-containing welding fumes. International Archives of Occupational and Environmental Health, 2003, 76, 539-548.	2.3	50
57	Sensitivity of patch tests with rubber mixes: Results of the Information Network of Departments of Dermatology from 1990 to 1993*1. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 1995, 6, 143-149.	0.4	49
58	Comparison of adjusted attributable risk estimators. Statistics in Medicine, 1992, 11, 2083-2091.	1.6	47
59	Contact allergy to thiurams: multifactorial analysis of clinical surveillance data collected by the IVDK network. International Archives of Occupational and Environmental Health, 2010, 83, 675-681.	2.3	47
60	Computer-based auditory phoneme discrimination training improves speech recognition in noise in experienced adult cochlear implant listeners. International Journal of Audiology, 2015, 54, 190-198.	1.7	46
61	443 paediatric cases of malignant melanoma registered with the German Central Malignant Melanoma Registry between 1983 and 2011. European Journal of Cancer, 2015, 51, 861-868.	2.8	45
62	Current clinical diagnosis in Creutzfeldt-Jakob disease: identification of uncommon variants. Annals of Neurology, 2000, 48, 323-9.	5.3	44
63	The effects of joint misclassification of exposure and disease on epidemiologic measures of association exposure and disease on epidemiologic measures of association. Journal of Clinical Epidemiology, 1993, 46, 1195-1202.	5.0	43
64	Kinetics of Serum Neuron-Specific Enolase and Prolactin in Patients After Single Epileptic Seizures. Epilepsia, 1999, 40, 713-718.	5.1	43
65	Predictive Modelling Based on Statistical Learning in Biomedicine. Computational and Mathematical Methods in Medicine, 2017, 2017, 1-3.	1.3	43
66	Endocrine and hemodynamic effects of stress versus systemic CRF in alcoholics during early and medium term abstinence. Alcoholism: Clinical and Experimental Research, 1997, 21, 1285-93.	2.4	42
67	Averaging Attributable Fractions in the Multifactorial Situation: Assumptions and Interpretation. Journal of Clinical Epidemiology, 1998, 51, 437-441.	5.0	40
68	Partitioning methods for multifactorial risk attribution. Statistical Methods in Medical Research, 2001, 10, 217-230.	1.5	40
69	Biological monitoring of welders exposed to aluminium. Toxicology Letters, 2006, 162, 239-245.	0.8	40
70	Extending Statistical Boosting. Methods of Information in Medicine, 2014, 53, 428-435.	1.2	40
71	The Relation between Patterns of Vacation Sun Exposure and the Development of Acquired Melanocytic Nevi in German Children 6-7 Years of Age. American Journal of Epidemiology, 2007, 165, 1162-1169.	3.4	39
72	Methylchloroisothiazolinone/methylisothiazolinone contact sensitization: diverging trends in subgroups of IVDK patients in a period of 19 years. Contact Dermatitis, 2012, 67, 125-129.	1.4	39

#	Article	IF	Citations
73	An Annotated Bibliography on the Attributable Risk. Biometrical Journal, 1992, 34, 1007-1012.	1.0	38
74	Randomized European multicenter trial of surfactant replacement therapy for severe neonatal respiratory distress syndrome: single versus multiple doses of Curosurf. Pediatrics, 1992, 89, 13-20.	2.1	38
7 5	The impact of meteorological conditions on patch test results with 12 standard series allergens (fragrances, biocides, topical ingredients). British Journal of Dermatology, 2008, 158, 734-739.	1.5	37
76	Risk of hand dermatitis among hairdressers versus office workers. Scandinavian Journal of Work, Environment and Health, 1999, 25, 450-456.	3.4	37
77	Another look at seasonal variation in patch test results. Contact Dermatitis, 2001, 44, 146-152.	1.4	36
78	INTERBED: internet-based guided self-help for overweight and obese patients with full or subsyndromal binge eating disorder. A multicenter randomized controlled trial. Trials, 2012, 13, 220.	1.6	36
79	Contact sensitization to cobalt – multifactorial analysis of risk factors based on longâ€ŧerm data of the Information Network of Departments of Dermatology. Contact Dermatitis, 2014, 71, 326-337.	1.4	36
80	Characteristics of patients patch tested in the <scp>E</scp> uropean <scp>S</scp> urveillance <scp>S</scp> ystem on <scp>C</scp> ontact <scp>A</scp> lergies (<scp>ESSCA</scp>) network, 2009â€"2012. Contact Dermatitis, 2015, 73, 82-90.	1.4	36
81	Trends and current spectrum of contact allergy in Central Europe: results of the Information Network of Departments of Dermatology (IVDK) 2007–2018*. British Journal of Dermatology, 2020, 183, 857-865.	1.5	36
82	Web-based data collection yielded an additional response biasâ€"but had no direct effect on outcome scales. Journal of Clinical Epidemiology, 2012, 65, 970-977.	5.0	35
83	What can be learnt from nothing? – A statistical perspective. Contact Dermatitis, 2013, 69, 350-354.	1.4	35
84	Common Variants of the Genes Encoding Erythropoietin and Its Receptor Modulate Cognitive Performance in Schizophrenia. Molecular Medicine, 2012, 18, 1029-1040.	4.4	34
85	Prediction of the Risk of Comorbid Alcoholism in Schizophrenia by Interaction of Common Genetic Variants in the Corticotropin-Releasing Factor System. Archives of General Psychiatry, 2011, 68, 1247.	12.3	33
86	Patch testing with methyldibromoglutaronitrile. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 2000, 11, 207-212.	0.4	32
87	Atopic Signs and Symptoms: Assessing the â€~Atopy Score' Concept. Dermatology, 2001, 202, 4-8.	2.1	32
88	Weight Loss Maintenance in a Populationâ€based Sample of German Adults. Obesity, 2008, 16, 2535-2540.	3.0	32
89	Hand eczema in a prospectively-followed cohort of office-workers. Contact Dermatitis, 1998, 38, 83-9.	1.4	32
90	A Game-Theoretic Approach to Partitioning Attributable Risks in Epidemiology. Biometrical Journal, 1997, 39, 777-792.	1.0	31

#	Article	IF	CITATIONS
91	Onset of Action of Levetiracetam: A RCT Trial Using Therapeutic Intensive Seizure Analysis (TISA). Epilepsia, 2006, 47, 516-522.	5.1	31
92	Febrile infections and malignant melanoma. Melanoma Research, 1992, 2, 207-212.	1.2	30
93	Dynamic patterns of allergic patch test reactions to 10 European standard allergens. Contact Dermatitis, 1996, 35, 17-22.	1.4	30
94	The association between ambient air conditions (temperature and absolute humidity), irritant sodium lauryl sulfate patch test reactions and patch test reactivity to standard allergens. Contact Dermatitis, 2003, 49, 97-102.	1.4	30
95	Randomized phase-III-trial of concurrent chemoradiation for locally advanced head and neck cancer comparing dose reduced radiotherapy with paclitaxel/cisplatin to standard radiotherapy with fluorouracil/cisplatin: The PacCis-trial. Radiotherapy and Oncology, 2020, 144, 209-217.	0.6	30
96	Occupational Dermatitis in Hairdressing Apprentices. Current Problems in Dermatology, 1995, 23, 49-55.	0.7	29
97	Malignant Melanoma of the Skin: Longâ€ŧerm Followâ€up and Time to First Recurrence. World Journal of Surgery, 2011, 35, 580-589.	1.6	29
98	Validation of the German Version of the Exercise Dependence Scale. European Journal of Psychological Assessment, 2013, 29, 213-219.	3.0	29
99	Factors Influencing Morbidity and Mortality in Infants with Severe Respiratory Distress Syndrome Treated with Single or Multiple Doses of a Natural Porcine Surfactant. Neonatology, 1992, 61, 26-30.	2.0	28
100	Changes of the patch test population (MOAHLFA index) in longâ€term participants of the Information Network of Departments of Dermatology*, 1999–2006. Contact Dermatitis, 2008, 59, 56-57.	1.4	28
101	Low postoperative dietary intake is associated with worse functional course in geriatric patients up to 6 months after hip fracture. British Journal of Nutrition, 2015, 113, 1940-1950.	2.3	28
102	Infections and melanoma risk: results of a multicentre EORTC case-control study. European Organization for Research and Treatment of Cancer. Melanoma Research, 1999, 9, 511-9.	1.2	28
103	Systematic review of case-control studies: oral contraceptives show no effect on melanoma risk. Public Health Reviews, 1997, 25, 309-15.	3.2	27
104	A comparison of patterns of sun protection during beach holidays and everyday outdoor activities in a population sample of young German children. British Journal of Dermatology, 2012, 166, 803-810.	1.5	26
105	The Birth and Evolution of a Discipline Devoted to Information in Biomedicine and Health Care. Methods of Information in Medicine, $2011, 50, 491-507$.	1.2	25
106	The Impact of Parental Knowledge and Tanning Attitudes on Sun Protection Practice for Young Children in Germany. International Journal of Environmental Research and Public Health, 2014, 11, 4768-4781.	2.6	25
107	An Update on Statistical Boosting in Biomedicine. Computational and Mathematical Methods in Medicine, 2017, 2017, 1-12.	1.3	25
108	The association between size of test chamber and patch test reaction: a statistical reanalysis. Contact Dermatitis, 1999, 40, 14-18.	1.4	24

#	Article	IF	CITATIONS
109	Risk factors of polysensitization to contact allergens. British Journal of Dermatology, 2013, 169, 611-617.	1.5	24
110	Pilot Assessment of the Angiosome Concept by Intra-operative Fluorescence Angiography After Tibial Bypass Surgery. European Journal of Vascular and Endovascular Surgery, 2018, 55, 215-221.	1.5	24
111	Effects of a Texture-Modified, Enriched, and Reshaped Diet on Dietary Intake and Body Weight of Nursing Home Residents with Chewing and/or Swallowing Problems: An <i>Enable</i> Study. Journal of Nutrition in Gerontology and Geriatrics, 2019, 38, 361-376.	1.0	23
112	Public awareness of malignant melanoma risk factors in Germany Journal of Epidemiology and Community Health, 1997, 51, 698-700.	3.7	22
113	Monitoring of nevus density in children as a method to detect shifts in melanoma risk in the population. Preventive Medicine, 2004, 38, 382-387.	3.4	22
114	Estimates and Determinants of SARS-Cov-2 Seroprevalence and Infection Fatality Ratio Using Latent Class Analysis: The Population-Based Tirschenreuth Study in the Hardest-Hit German County in Spring 2020. Viruses, 2021, 13, 1118.	3.3	22
115	RE: "ATTRIBUTABLE RISK IN PRACTICE". American Journal of Epidemiology, 2000, 151, 208-209.	3.4	21
116	Standardization of Occupational Dose to Patient DAP Enables Reliable Assessment of Radiation-Protection Devices in Invasive Cardiology. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2003, 175, 1545-1550.	1.3	21
117	Lung Function Among Workers in the Soft Tissue Paper-Producing Industry. Chest, 2004, 125, 731-736.	0.8	21
118	The Angiosome Concept Evaluated on the Basis of Microperfusion in Critical Limb Ischemia Patientsâ€"an Oxygen to See Guided Study. Microcirculation, 2015, 22, 737-743.	1.8	21
119	Partitioning methods for multifactorial risk attribution. Statistical Methods in Medical Research, 2001, 10, 217-230.	1.5	21
120	The validity of rating patch test reactions based on digital images. Contact Dermatitis, 2007, 57, 337-342.	1.4	20
121	Public Health Messages Associated with Low UV Index Values Need Reconsideration. International Journal of Environmental Research and Public Health, 2019, 16, 2067.	2.6	20
122	Computational Realization of Period Analysis for Monitoring Cancer Patient Survival. Epidemiology, 2002, 13, 611-612.	2.7	20
123	Native Tissue Second Harmonic Imaging Improves Endocardial and Epicardial Border Definition in Dobutamine Stress Echocardiography. European Journal of Echocardiography, 2001, 2, 52-61.	2.3	19
124	Respiratory symptoms and diseases among workers in the soft tissue producing industry. Occupational and Environmental Medicine, 2002, 59, 830-835.	2.8	19
125	Time of day influences patient radiation exposure from percutaneous cardiac interventions. British Journal of Radiology, 2003, 76, 189-191.	2.2	19
126	In-hospital mortality and failure to rescue following hepatobiliary surgery in Germany - a nationwide analysis. BMC Surgery, 2020, 20, 171.	1.3	19

#	Article	IF	Citations
127	Definitions of attributable riskrevisited. Public Health Reviews, 1995, 23, 343-55.	3.2	19
128	Modification of SAS macros for a more efficient analysis of relative survival rates. European Journal of Cancer, 2004, 40, 778-779.	2.8	18
129	Both mercaptobenzothiazole and mercapto mix should be part of the standard series. Contact Dermatitis, 2006, 55, 314-316.	1.4	18
130	Memorandum "Open Metadata― Methods of Information in Medicine, 2015, 54, 376-378.	1.2	18
131	Soluble intercellular adhesion molecule-1 is a prognostic marker in colorectal carcinoma. International Journal of Colorectal Disease, 2019, 34, 309-317.	2.2	18
132	Risk Prediction Models for Melanoma: A Systematic Review on the Heterogeneity in Model Development and Validation. International Journal of Environmental Research and Public Health, 2020, 17, 7919.	2.6	18
133	Nearest neighbour kernel estimation of the hazard function from censored data. Journal of Statistical Computation and Simulation, 1992, 43, 93-101.	1.2	17
134	Sunscreen use and melanoma:a case of evidence-based prevention?. Photodermatology Photoimmunology and Photomedicine, 2002, 18, 153-156.	1.5	17
135	EPO treatment preserves gray matter in discrete brain regions of chronic schizophrenic patients: indication of areas with most progressive neurodegeneration inherent to the disease process. Molecular Psychiatry, 2011, 16, 1-1.	7.9	17
136	Protection from Ultraviolet Radiation during Childhood: The Parental Perspective in Bavaria. International Journal of Environmental Research and Public Health, 2016, 13, 1011.	2.6	17
137	Sustained elevation of vasopressin plasma levels in healthy young men, but not in abstinent alcoholics, upon expectation of novelty. Psychoneuroendocrinology, 1997, 22, 13-24.	2.7	16
138	Comparison of Confidence Intervals for Adjusted Attributable Risk Estimates under Multinomial Sampling. Biometrical Journal, 2006, 48, 805-819.	1.0	16
139	Invited Commentary: Recall Bias in Melanoma-Much Ado About Almost Nothing?. American Journal of Epidemiology, 2008, 169, 267-270.	3.4	16
140	A Robust Alternative to the Schemper-Henderson Estimator of Prediction Error. Biometrics, 2011, 67, 524-535.	1.4	16
141	Parental perspective on sun protection for young children in Bavaria. Photodermatology Photoimmunology and Photomedicine, 2011, 27, 196-202.	1.5	16
142	A permutation test to analyse systematic bias and random measurement errors of medical devices via boosting location and scale models. Statistical Methods in Medical Research, 2017, 26, 1443-1460.	1.5	16
143	SURVSOFT—Software for nonparametric survival analysis. Computer Methods and Programs in Biomedicine, 2009, 96, 63-71.	4.7	15
144	Good, but Not Perfect: Parental Knowledge About Risk Factors for Skin Cancer and the Necessity of Sun Protection in Southern Germany. Pediatric Dermatology, 2015, 32, e159-60.	0.9	15

#	Article	IF	CITATIONS
145	Contact sensitization to fragrance mix I and II, to <i>Myroxylon pereirae</i> resin and oil of tupentine: multifactorial analysis of risk factors based on data of the IVDK network. Flavour and Fragrance Journal, 2015, 30, 255-263.	2.6	15
146	The German version of the Material Values Scale. Gms Psycho-social-medicine, 2013, 10, Doc05.	1.2	15
147	Diagnosis and management of hypertension by physicians in the Federal Republic of Germany. Journal of Hypertension, 1991, 9, 131-134.	0.5	14
148	NEUTROPHIL ELASTASE IN THE DIAGNOSIS OF NEONATAL INFECTION. Pediatric Infectious Disease Journal, 1994, 13, 323-325.	2.0	14
149	Spectrum Bias and Individual Strengths of SARS-CoV-2 Serological Testsâ€"A Population-Based Evaluation. Diagnostics, 2021, 11, 1843.	2.6	14
150	Predialing the Number of Cinegraphic Frames Enables an Effective Patient Dose Due to Coronary Angiography of 0.8 mSv. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2003, 175, 1706-1710.	1.3	13
151	The effects of joint misclassification of exposure and disease on the attributable risk. Statistics in Medicine, 2005, 24, 1881-1896.	1.6	13
152	Generalized approaches to partitioning the attributable risk of interacting risk factors can remedy existing pitfalls. Journal of Clinical Epidemiology, 2007, 60, 461.e1-461.e9.	5.0	13
153	Point and interval estimation of partial attributable risks from case–control data using the R-package ‬pARccs'. Computer Methods and Programs in Biomedicine, 2009, 94, 88-95.	4.7	13
154	An empirical investigation on matching in published case-control studies. European Journal of Epidemiology, 1998, 14, 321-325.	5.7	12
155	Efficiency of a minicourse in radiation reducing techniques: a pilot initiative to encourage less irradiating cardiological interventional techniques (ELICIT). Heart, 2005, 91, 1221-1222.	2.9	12
156	Patch Test Results with Metals and Meteorological Conditions. International Archives of Allergy and Immunology, 2008, 147, 235-240.	2.1	11
157	Letters to the Editor. International Journal of Epidemiology, 1992, 21, 819-820.	1.9	10
158	The impact of different definitions of nearest neighbour distances for censored data on nearest neighbour kernel estimators of the hazard rate. Journal of Nonparametric Statistics, 1995, 4, 271-278.	0.9	10
159	CONCEPTUAL ASPECTS OF ATTRIBUTABLE RISK WITH RECURRENT DISEASE EVENTS. Statistics in Medicine, 1997, 16, 1107-1120.	1.6	10
160	Diagnosis of Glaucoma by Indirect Classifiers. Methods of Information in Medicine, 2003, 42, 99-103.	1.2	10
161	Inter-relation between variables determining constitutional UV sensitivity in Caucasian children. Photodermatology Photoimmunology and Photomedicine, 2004, 20, 9-13.	1.5	10
162	Association between Split Selection Instability and Predictive Error in Survival Trees. Methods of Information in Medicine, 2006, 45, 548-556.	1.2	10

#	Article	IF	CITATIONS
163	Assessment of Multiple Ordinal Endpoints. Biometrical Journal, 2009, 51, 217-226.	1.0	10
164	The importance of context information in the diagnostic rating of digital images of patch test reactions. British Journal of Dermatology, 2009, 161, 554-559.	1.5	10
165	Are we biased when reading a doubtful patch test reaction to a â€~clearâ€cut' allergen such as the thiuram mix?*. Contact Dermatitis, 2009, 60, 234-235.	1.4	10
166	Exploring Possibilities for Transforming Established Subscription-based Scientific Journals into Open Access Journals. Methods of Information in Medicine, 2016, 55, 481-487.	1.2	10
167	Risk Factors for Cervical Cancer: Comments on Attributable Risk Calculations and the Evaluation of Screening in Case-Control Studies. International Journal of Epidemiology, 1991, 20, 1140-1141.	1.9	9
168	The effect of stress on the onset and progression of Creutzfeldt-Jakob disease: results of a German pilot case-control study. European Journal of Epidemiology, 1999, 15, 631-635.	5.7	9
169	Positive nickel patch tests do not intensify positive reactions to adjacent patch tests with dichromate. Contact Dermatitis, 2000, 43, 144-149.	1.4	9
170	Patch tests with thiurams at 0.25% pet. and 1% pet. are of equal diagnostic value. Contact Dermatitis, 2002, 46, 258-261.	1.4	9
171	Errors in assessing risk factors for melanoma: lack of reproducibility is the minor problem. Melanoma Research, 2008, 18, 300-301.	1.2	9
172	Seasonality of cutaneous melanoma diagnoses. Melanoma Research, 2013, 23, 321-330.	1.2	9
173	Risk factors associated with sensitization to hydroxyisohexyl 3â€cyclohexene carboxaldehyde. Contact Dermatitis, 2013, 69, 72-77.	1.4	9
174	Long-term development of parental knowledge about skin cancer risks in Germany: Has it changed for the better?. Preventive Medicine, 2016, 89, 31-36.	3.4	9
175	Erythemal <scp>UV</scp> Radiation on Days with Low <scp>UV</scp> Index Valuesâ€"an Analysis of Data from the German Solar <scp>UV</scp> Monitoring Network over a Tenâ€year Period. Photochemistry and Photobiology, 2019, 95, 1076-1082.	2.5	9
176	Sun Protection and Sunburn in Children Aged 1–10 Years in Germany: Prevalence and Determinants. Children, 2021, 8, 668.	1.5	9
177	More Up-To-Date Monitoring of Long-Term Survival Rates by Cancer Registries: An Empirical Example. Methods of Information in Medicine, 2001, 40, 248-252.	1.2	9
178	Meteorological conditions and the diagnosis of occupationally related contact sensitizations. Scandinavian Journal of Work, Environment and Health, 2008, 34, 316-321.	3.4	9
179	Critical levels of spinal cord blood flow and duration of ischemia for the acute recovery of segmental spinal cord responses in cats. Journal of Spinal Disorders, 1997, 10, 288-95.	1.1	9
180	Cuff Size and Hypertension Diagnosis. Epidemiology, 1992, 3, 73-74.	2.7	8

#	Article	IF	Citations
181	Intracerebral haemorrhages in surfactant treated neonates with severe respiratory distress syndrome: age at diagnosis, severity and risk factors. European Journal of Pediatrics, 1994, 153, 842-849.	2.7	8
182	RE: "RELIABILITY OF REPORTED SUNBURN HISTORY IN A CASE-CONTROL STUDY OF CUTANEOUS MALIGNANT MELANOMA". American Journal of Epidemiology, 1996, 144, 707-707.	3.4	8
183	Editorial. Statistical Methods in Medical Research, 2001, 10, 157-158.	1.5	8
184	Differential expression of the multidrug resistance-related protein MRP1 in the histological compartments of nephroblastomas. International Journal of Oncology, 2001, 19, 367-71.	3.3	8
185	Methods Open – A New Journal Track Starting in 2017. Methods of Information in Medicine, 2016, 55, 478-480.	1.2	8
186	Chance-corrected measures of the validity of a binary diagnostic test. Journal of Clinical Epidemiology, 1994, 47, 627-633.	5.0	7
187	Induction of heat shock protein 70 genes in human lymphocytes during fever therapy. European Journal of Clinical Investigation, 1996, 26, 499-505.	3.4	7
188	A Multifactorial Variant of the Attributable Risk for Groups of Exposure Variables. Biometrical Journal, 2001, 43, 461-481.	1.0	7
189	Differential expression of the lung resistance-related protein/major vault protein in the histological compartments of nephroblastomas. International Journal of Oncology, 2001, 19, 163-8.	3.3	7
190	Reproducibility of patch tests. Contact Dermatitis, 2004, 51, 43-44.	1.4	7
191	Assessing skin pigmentation in epidemiological studies: The reliability of measurements under different conditions. Skin Research and Technology, 2013, 19, 100-106.	1.6	7
192	Positive reactions to pairs of allergens associated with polysensitization: analysis of <scp>IVDK</scp> data with machineâ€earning techniques. Contact Dermatitis, 2017, 76, 247-251.	1.4	7
193	The <i>betaboost</i> packageâ€"a software tool for modelling bounded outcome variables in potentially high-dimensional epidemiological data. International Journal of Epidemiology, 2018, 47, 1383-1388.	1.9	7
194	Shedding Light on the Shade: How Nurseries Protect Their Children from Ultraviolet Radiation. International Journal of Environmental Research and Public Health, 2018, 15, 1793.	2.6	7
195	Differential expression of the heat shock protein 70 in the histological compartments of nephroblastomas. Anticancer Research, 2001, 21, 2915-20.	1.1	7
196	Children and Ultraviolet Radiation. Children, 2022, 9, 537.	1.5	7
197	Letters to the editor methods of adjustment for estimating the attributable risk in case—control studies: A review. Statistics in Medicine, 1993, 12, 91-96.	1.6	6
198	Limited Concordance Between "Oakmoss―and Colophony in Clinical Patch Testing. Journal of Investigative Dermatology, 2001, 116, 478-479.	0.7	6

#	Article	IF	CITATIONS
199	Implications of Nondifferential Misclassification on Estimates of Attributable Risk. Methods of Information in Medicine, 2002, 41, 342-348.	1.2	6
200	Accuracy and reliability of naevus self-counts. Melanoma Research, 2014, 24, 611-616.	1.2	6
201	Does a short patch test training course have an impact?. Contact Dermatitis, 2016, 74, 317-319.	1.4	6
202	Association between month of birth and melanoma risk: fact or fiction?. International Journal of Epidemiology, 2016, 46, dyw226.	1.9	6
203	Ensemble Pruning for Glaucoma Detection in an Unbalanced Data Set. Methods of Information in Medicine, 2016, 55, 557-563.	1.2	6
204	The Garment Protection Factor: further advances in labelling sunâ€protective clothing. British Journal of Dermatology, 2018, 178, 835-836.	1.5	6
205	"l've Heard of It, Yes, but I Can't Remember What Exactly It Wasâ€â€"A Qualitative Study on Awarene Knowledge, and Use of the UV Index. International Journal of Environmental Research and Public Health, 2021, 18, 1615.	2.6	6
206	Double-smoothing in Kernel Hazard Rate Estimation. Methods of Information in Medicine, 2008, 47, 167-173.	1.2	6
207	How to decrease morbidity and mortality of skin cancer: primary prevention of skin cancer/screening of skin cancer. European Journal of Cancer Prevention, 1996, 5, 297-299.	1.3	5
208	Vaccination and melanoma risk. International Journal of Cancer, 2002, 102, 96-97.	5.1	5
209	Randomised phase-III-trial of concurrent chemoradiation (CRT) for locally advanced head and neck cancer (stage III-IVB): Comparing dose reduced radiotherapy (63,6 Gy) with paclitaxel/cisplatinum to standard radiotherapy (70,6 Gy) with fluorouracil/cisplatinum Journal of Clinical Oncology, 2017, 35, 6016-6016.	1.6	5
210	The Role of the Global Solar UV Index for Sun Protection of Children in German Kindergartens. Children, 2022, 9, 198.	1.5	5
211	Tanning Bed Legislation for Minors: A Comprehensive International Comparison. Children, 2022, 9, 768.	1.5	5
212	A ventilator with an integrated gas-exchange monitoring function. Critical Care Medicine, 1994, 22, 864-871.	0.9	4
213	Replacing surrogate measures by direct quantification of ultraviolet radiation exposure in registry-based analyses of seasonality of melanoma diagnoses. Melanoma Research, 2015, 25, 543-549.	1.2	4
214	The extent of public awareness, understanding and use of the Global Solar UV index as a worldwide health promotion instrument to improve sun protection: protocol for a systematic review. BMJ Open, 2019, 9, e028092.	1.9	4
215	Reporting Quality of Studies Developing and Validating Melanoma Prediction Models: An Assessment Based on the TRIPOD Statement. Healthcare (Switzerland), 2022, 10, 238.	2.0	4
216	Implications of Low Levels of the UV Index for Sun Protection. Studies in Health Technology and Informatics, 2017, 243, 25-29.	0.3	4

#	Article	IF	CITATIONS
217	Time Trend in SARS-CoV-2 Seropositivity, Surveillance Detection- and Infection Fatality Ratio until Spring 2021 in the Tirschenreuth County—Results from a Population-Based Longitudinal Study in Germany. Viruses, 2022, 14, 1168.	3.3	4
218	A novelty-related sustained elevation of vasopressin plasma levels in young men is not associated with an enhanced response of adrenocorticotropic hormone (ACTH) to human corticotropin releasing factor (hCRF). Research in Experimental Medicine, 1996, 196, 291-299.	0.7	3
219	RE: "ASSESSING THE IMPACT OF CLASSICAL RISK FACTORS ON MYOCARDIAL INFARCTION BY RATE ADVANCEMENT PERIODS". American Journal of Epidemiology, 2001, 154, 486-488.	3.4	3
220	The need for expanding and re-focusing of statistical approaches in diagnostic research. Journal of Epidemiology and Community Health, 2002, 56, 338-339.	3.7	3
221	A computer program to estimate power and relative efficiency to assess multiplicative interactions in flexibly matched case-control studies. Computer Methods and Programs in Biomedicine, 2004, 74, 261-265.	4.7	3
222	A Computer Program to Estimate Power and Relative Efficiency of Flexibly Matched Case-control Studies. Methods of Information in Medicine, 2005, 44, 693-696.	1.2	3
223	RE: "APPLYING RECURSIVE PARTITIONING TO A PROSPECTIVE STUDY OF FACTORS ASSOCIATED WITH ADHERENCE TO MAMMOGRAPHY SCREENING GUIDELINES― American Journal of Epidemiology, 2006, 164, 400-401.	3.4	3
224	Quality of Information for Skin Cancer Prevention: A Quantitative Evaluation of Internet Offerings. Healthcare (Switzerland), 2021, 9, 229.	2.0	3
225	Variations on the Shapley Solution for Partitioning Risks in Epidemiology. Studies in Classification, Data Analysis, and Knowledge Organization, 1997, , 458-466.	0.2	3
226	A Multiplicative Approach to Partitioning the Risk of Disease. Studies in Classification, Data Analysis, and Knowledge Organization, 1998, , 73-80.	0.2	3
227	A novelty-related sustained elevation of vasopressin plasma levels in young men is not associated with an enhanced response of adrenocorticotropic hormone (ACTH) to human corticotropin releasing factor (hCRF). Research in Experimental Medicine, 1996, 196, 291.	0.7	3
228	Reporting of Attributable Risk in Epidemiologic Studies. Epidemiology, 2001, 12, 474.	2.7	3
229	Association between split selection instability and predictive error in survival trees. Methods of Information in Medicine, 2006, 45, 548-56.	1.2	3
230	On Incentives for Open Access Publishing: A Survey at IMIA's Annual General Assembly During HEC2016. Studies in Health Technology and Informatics, 2017, 245, 901-904.	0.3	3
231	Letters to the Editor. International Journal of Epidemiology, 1992, 21, 1193-1195.	1.9	2
232	GEFELLER AND BRENNER REPLY. American Journal of Epidemiology, 1998, 148, 621-621.	3.4	2
233	Boosting into a New Terminological Era. Methods of Information in Medicine, 2012, 51, 150-151.	1.2	2
234	Public Health Messages Associated with the Low Exposure Category of the UV Index Need Reconsideration. Proceedings (mdpi), 2018, 6, .	0.2	2

#	Article	IF	CITATIONS
235	VARIATION OF SENSITIVITY, SPECIFICITY, LIKELIHOOD RATIOS AND PREDICTIVE VALUES WITH DISEASE PREVALENCE. Statistics in Medicine, 1997, 16, 981-991.	1.6	2
236	Limited Concordance Between "Oakmoss" and Colophony in Clinical Patch Testing. Journal of Investigative Dermatology, 2001, 116, 478-479.	0.7	2
237	Implications of nondifferential misclassification on estimates of attributable risk. Methods of Information in Medicine, 2002, 41, 342-8.	1.2	2
238	Is There Really a Conceptual Difference in Choosing the Cutpoint for Dichotomizing Outcome and Predictor Variables?. Epidemiology, 1993, 4, 274.	2.7	1
239	Quantification of the negative feedback mechanism between pituitary and thyroid in subjects with normal thyroid function. European Journal of Endocrinology, 1996, 135, 316-321.	3.7	1
240	Nevus Density and Atopic Eczema. Archives of Dermatology, 2005, 141, 101-2; author reply 102.	1.4	1
241	Response to Letter Regarding Article, "Randomized Trial of Acupuncture to Lower Blood Pressure― Circulation, 2008, 117, .	1.6	1
242	Flexible Modeling of Malignant Melanoma Survival. Methods of Information in Medicine, 2008, 47, 47-55.	1.2	1
243	Seasonal variation in diagnosis of invasive cutaneous melanoma. Cancer Epidemiology, 2016, 40, 196-197.	1.9	1
244	Reply to: Seasonality of birth for skin melanoma deserves further investigation. International Journal of Epidemiology, 2017, 46, 765-766.	1.9	1
245	Back on Track. Methods of Information in Medicine, 2017, 56, 274-275.	1.2	1
246	One Year with Methods Open. Methods of Information in Medicine, 2017, 56, 414-415.	1.2	1
247	OC-0387 radiotherapy with paclitaxel/cisplatin vs. fluorouracil/cisplatin for head and neck cancer. Radiotherapy and Oncology, 2019, 133, S194.	0.6	1
248	Current clinical diagnosis in Creutzfeldtâ€Jakob disease: Identification of uncommon variants. Annals of Neurology, 2000, 48, 323-329.	5.3	1
249	Statistical Methods to Estimate the Impact of Risk Factors on the Disease Load in a Population. Studies in Classification, Data Analysis, and Knowledge Organization, 1997, , 441-448.	0.2	1
250	Endocrine and Hemodynamic Effects of Stress Versus Systemic CRF in Alcoholics during Early and Medium Term Abstinence. Alcoholism: Clinical and Experimental Research, 1997, 21, 1285.	2.4	1
251	Effects of Independent Non-differential Misclassification on the Attributable Risk. Studies in Classification, Data Analysis, and Knowledge Organization, 2002, , 515-522.	0.2	1
252	An alternative approach to monitoring cancer patient survival. Cancer, 1996, 78, 2004-2010.	4.1	1

#	Article	IF	CITATIONS
253	The attributable risk in a multifactorial situation-evaluation of different methods of partitioning. Methods of Information in Medicine, 2006, 45, 404-8.	1.2	1
254	Double-smoothing in kernel hazard rate estimation. Methods of Information in Medicine, 2008, 47, 167-73.	1.2	1
255	The Effect of Exposure to Ultraviolet Radiation in Infancy on Melanoma Risk. Studies in Health Technology and Informatics, 2016, 228, 788-92.	0.3	1
256	Using the Prediction Model Risk of Bias Assessment Tool (PROBAST) to Evaluate Melanoma Prediction Studies. Cancers, 2022, 14, 3033.	3.7	1
257	Surfactant replacement therapy for severe neonatal respiratory distress syndrome: Biometrical aspects and results of the European multicenter randomized clinical trial. Contemporary Clinical Trials, 1991, 12, 697-698.	1.9	0
258	Comparison of definitions of nearest neighbor distances in the case of censored dataâ€"A simulation study. Contemporary Clinical Trials, 1991, 12, 703-704.	1.9	0
259	A general method of estimating measures of association and their asymptotic variances under the multinomial model using standard statistical software. Computational Statistics and Data Analysis, 1993, 16, 127-130.	1.2	0
260	Zeitliche Entwicklungstrends in Design, Durchf $\tilde{A}\frac{1}{4}$ hrung und Auswertung von Fall-Kontroll-Studien. Zeitschrift Fur Gesundheitswissenschaften, 1994, 2, 257-269.	1.6	0
261	Authors' reply: Variation of sensitivity, specificity, likelihood ratios and predictive values with disease prevalence by H. Brenner and O. Gefeller, Statistics in Medicine, 16, 981-991 (1997). Statistics in Medicine, 1998, 17, 947-948.	1.6	0
262	Hazard Rate Estimation from Censored Data. Studies in Classification, Data Analysis, and Knowledge Organization, 1999, , 155-162.	0.2	0
263	Population Attributable Fraction Estimates of Familial Risk in Cutaneous Melanoma. Journal of Investigative Dermatology, 2004, 122, 853-854.	0.7	0
264	Prospective evaluation of predictive and prognostic molecular markers in colorectal carcinomas. Journal of the American College of Surgeons, 2011, 213, S27.	0.5	0
265	Monitoring of naevus density at age 6: Is it both feasible and meaningful?. International Journal of Hygiene and Environmental Health, 2016, 219, 118-122.	4.3	0
266	A Bridge from the Nearest Neighbour to the Fixed Bandwidth in Nonparametric Functional Estimation. Studies in Classification, Data Analysis, and Knowledge Organization, 2000, , 119-126.	0.2	0
267	A Generalized Estimating Equations Approach to Quantifying the Influence of Meteorological Conditions on Hand Dermatitis. Studies in Classification, Data Analysis, and Knowledge Organization, 2000, , 396-403.	0.2	0
268	Native Tissue Second Harmonic Imaging Improves Endocardial and Epicardial Border Definition in Dobutamine Stress Echocardiography. European Journal of Echocardiography, 2001, 2, 52-61.	2.3	0
269	The Classification of Critical Periods for Melanoma Development due to UV-Radiation. Studies in Classification, Data Analysis, and Knowledge Organization, 2002, , 499-505.	0.2	0
270	Automated Classification of Optic Nerve Head Topography Images for Glaucoma Screening. Studies in Classification, Data Analysis, and Knowledge Organization, 2003, , 346-356.	0.2	0

#	Article	IF	CITATIONS
271	Abstract 4687: COL10A1, MMP-11 and ABHD2 expression in colorectal carcinoma primary tumors indicates metastatic disease, 2013,,.		O
272	Evaluation of Screening in Case-Control Studies: an Alternative to Randomized Controlled Trials?. Studies in Classification, Data Analysis, and Knowledge Organization, 1994, , 445-452.	0.2	0
273	Meta-analysis of the Role of Oral Contraceptives in the Development of Malignant Melanoma Based on Published Case-Control Studies Revealed no Evidence for an Association., 1997,, 547-551.		O
274	Attributing Shares of Risk to Grouped or Hierarchically Ordered Factors. Studies in Classification, Data Analysis, and Knowledge Organization, 1999, , 572-579.	0.2	0
275	Quantitative Assessment of the Responsibility for the Disease Load in a Population., 2005,, 109-117.		O
276	The impact of deviation from standardized blood pressure determination on prevalence estimates of hypertension in Germany. Public Health Reviews, 1990, 18, 179-82.	3.2	0
277	How to correct for chance agreement in the estimation of sensitivity and specificity of diagnostic tests. Methods of Information in Medicine, 1994, 33, 180-6.	1.2	0
278	The misuse of attributable and prevented fractions in the evaluation of screening in case-control studies. Cancer Detection and Prevention, 1993, 17, 591-9.	2.1	0
279	More up-to-date monitoring of long-term survival rates by cancer registries: an empirical example. Methods of Information in Medicine, 2001, 40, 248-52.	1.2	0
280	Diagnosis of glaucoma by indirect classifiers. Methods of Information in Medicine, 2003, 42, 99-103.	1.2	0
281	A computer program to estimate power and relative efficiency of flexibly matched case-control studies. Methods of Information in Medicine, 2005, 44, 693-6.	1.2	0
282	Chance-correction of sensitivity and specificity - revisited. Methods of Information in Medicine, 1998, 37, 309-10.	1.2	0
283	Boosting into a new terminological era. Methods of Information in Medicine, 2012, 51, 150-1.	1.2	0
284	Intracerebral haemorrhages in surfactant treated neonates with severe respiratory distress syndrome: age at diagnosis, severity and risk factors. European Journal of Pediatrics, 1994, 153, 842-849.	2.7	0