## **Bong-Soon Chang**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6698521/publications.pdf

Version: 2024-02-01

159585 155660 3,599 135 30 55 citations h-index g-index papers 136 136 136 3854 docs citations times ranked citing authors all docs

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Osteoconduction at porous hydroxyapatite with various pore configurations. Biomaterials, 2000, 21, 1291-1298.   | 11.4 | 575       |
| 2  | A prospective, randomized, controlled trial of robotâ€assisted vs freehand pedicle screw fixation in spine surgery. International Journal of Medical Robotics and Computer Assisted Surgery, 2017, 13, e1779.   | 2.3  | 168       |
| 3  | Magnesia-doped HA/ $\hat{l}^2$ -TCP ceramics and evaluation of their biocompatibility. Biomaterials, 2004, 25, 393-401.   | 11.4 | 155       |
| 4  | Subsidence and Nonunion after Anterior Cervical Interbody Fusion Using a Stand-Alone Polyetheretherketone (PEEK) Cage. Clinics in Orthopedic Surgery, 2011, 3, 16.  | 2.2  | 154       |
| 5  | Risk of vertebral artery injury: comparison between C1–C2 transarticular and C2 pedicle screws. Spine Journal, 2013, 13, 775-785.   | 1.3  | 111       |
| 6  | The biomechanical influence of the facet joint orientation and the facet tropism in the lumbar spine. Spine Journal, 2013, 13, 1301-1308.   | 1.3  | 92        |
| 7  | Monitoring the Quality of Robot-Assisted Pedicle Screw Fixation in the Lumbar Spine by Using a Cumulative Summation Test. Spine, 2015, 40, 87-94.   | 2.0  | 84        |
| 8  | Routine insertion of the lateral mass screw via the posterior arch for C1 fixation: feasibility and related complications. Spine Journal, 2012, 12, 476-483.  | 1.3  | 81        |
| 9  | Asymmetry of the cross-sectional area of paravertebral and psoas muscle in patients with degenerative scoliosis. European Spine Journal, 2013, 22, 1332-1338.   | 2.2  | 74        |
| 10 | Undetected Vertebral Artery Groove and Foramen Violations During C1 Lateral Mass and C2 Pedicle Screw Placement. Spine, 2008, 33, E942-E949.  | 2.0  | 73        |
| 11 | Fusion Rates and Subsidence of Morselized Local Bone Grafted in Titanium Cages in Posterior Lumbar Interbody Fusion Using Quantitative Three-Dimensional Computed Tomography Scans. Spine, 2010, 35, 1460-1465. | 2.0  | 67        |
| 12 | Recurrence Rate of Lumbar Disc Herniation After Open Discectomy in Active Young Men. Spine, 2009, 34, 24-29.  | 2.0  | 54        |
| 13 | Minimum 5-year follow-up results of skipped pedicle screw fixation for flexible idiopathic scoliosis. Journal of Neurosurgery: Spine, 2011, 15, 146-150.  | 1.7  | 54        |
| 14 | Scoliosis associated with syringomyelia: analysis of MRI and curve progression. European Spine Journal, 2007, 16, 1629-1635.  | 2.2  | 53        |
| 15 | The influence of intrinsic disc degeneration of the adjacent segments on its stress distribution after one-level lumbar fusion. European Spine Journal, 2015, 24, 827-837.                                      | 2.2  | 53        |
| 16 | The First Clinical Trial of Beta-Calcium Pyrophosphate as a Novel Bone Graft Extender in Instrumented Posterolateral Lumbar Fusion. Clinics in Orthopedic Surgery, 2011, 3, 238.                                | 2,2  | 52        |
| 17 | The influence of facet joint orientation and tropism on the stress at the adjacent segment after lumbar fusion surgery: a biomechanical analysis. Spine Journal, 2015, 15, 1841-1847.                           | 1.3  | 50        |
| 18 | Biomechanical and histomorphometric study on the bone–screw interface of bioactive ceramic-coated titanium screws. Biomaterials, 2005, 26, 3249-3257.   | 11.4 | 49        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Comparative study of fusion rate induced by different dosages of Escherichia coli–derived recombinant human bone morphogenetic protein-2 using hydroxyapatite carrier. Spine Journal, 2012, 12, 239-248.   | 1.3 | 46        |
| 20 | Novel bioactive and biodegradable glass ceramics with high mechanical strength in the CaO?SiO2?B2O3 system. Journal of Biomedical Materials Research Part B, 2004, 68A, 79-89.   | 3.1 | 44        |
| 21 | Biomechanical Analysis of Fusion Segment Rigidity Upon Stress at Both the Fusion and Adjacent<br>Segments: A Comparison between Unilateral and Bilateral Pedicle Screw Fixation. Yonsei Medical<br>Journal, 2014, 55, 1386.  | 2.2 | 43        |
| 22 | Radiographic and Clinical Outcomes of Robot-Assisted Posterior Pedicle Screw Fixation: Two-Year Results from a Randomized Controlled Trial. Yonsei Medical Journal, 2018, 59, 438.   | 2.2 | 40        |
| 23 | A prospective consecutive study of instrumented posterolateral lumbar fusion using synthetic hydroxyapatite (Bongros®â€HA) as a bone graft extender. Journal of Biomedical Materials Research - Part A, 2009, 90A, 804-810.  | 4.0 | 39        |
| 24 | Influence of Pain Sensitivity on Surgical Outcomes After Lumbar Spine Surgery in Patients With Lumbar Spinal Stenosis. Spine, 2015, 40, 193-200.   | 2.0 | 38        |
| 25 | Evaluation of the biological response of wear debris. Spine Journal, 2004, 4, S239-S244.   | 1.3 | 36        |
| 26 | Bioactive ceramic coating of cancellous screws improves the osseointegration in the cancellous bone. Journal of Orthopaedic Science, 2011, 16, 291-297.  | 1.1 | 35        |
| 27 | Efficacy of Escherichia coli -derived recombinant human bone morphogenetic protein-2 in posterolateral lumbar fusion: an open, active-controlled, randomized, multicenter trial. Spine Journal, 2017, 17, 1866-1874.   | 1.3 | 35        |
| 28 | Rod fracture and related factors after total en bloc spondylectomy. Spine Journal, 2019, 19, 1613-1619.  | 1.3 | 35        |
| 29 | Prediction of Postoperative Pain Intensity after Lumbar Spinal Surgery Using Pain Sensitivity and Preoperative Back Pain Severity. Pain Medicine, 2014, 15, 2037-2045.   | 1.9 | 34        |
| 30 | Postoperative occipital neuralgia with and without C2 nerve root transection during atlantoaxial screw fixation: a post-hoc comparative outcome study of prospectively collected data. Spine Journal, 2013, 13, 786-795.   | 1.3 | 33        |
| 31 | In vivo study of novel biodegradable and osteoconductive CaO-SiO2-B2O3 glass-ceramics. Journal of Biomedical Materials Research - Part A, 2006, 77A, 362-369.  | 4.0 | 32        |
| 32 | Comparison of fusion rate and clinical results between CaO-SiO2-P2O5-B2O3 bioactive glass ceramics spacer with titanium cages in posterior lumbar interbody fusion. Spine Journal, 2016, 16, 1367-1376.  | 1.3 | 32        |
| 33 | Prevalence of Frailty in Patients with Osteoporotic Vertebral Compression Fracture and Its Association with Numbers of Fractures. Yonsei Medical Journal, 2018, 59, 317.   | 2.2 | 32        |
| 34 | Biomechanical advantages of robot-assisted pedicle screw fixation in posterior lumbar interbody fusion compared with freehand technique in a prospective randomized controlled trialâ€"perspective for patient-specific finite element analysis. Spine Journal, 2017, 17, 671-680. | 1.3 | 31        |
| 35 | Translation, Crossâ€Cultural Adaptation, and Validity of the Korean Version of the Pain Sensitivity<br>Questionnaire in Chronic Pain Patients. Pain Practice, 2014, 14, 745-751.   | 1.9 | 30        |
| 36 | The significance of pain catastrophizing in clinical manifestations of patients with lumbar spinal stenosis: mediation analysis with bootstrapping. Spine Journal, 2015, 15, 238-246.  | 1.3 | 29        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Influence of Educational Attainment on Pain Intensity and Disability in Patients With Lumbar Spinal Stenosis. Spine, 2014, 39, E637-E644.  | 2.0 | 27        |
| 38 | The significance of frailty in the relationship between socioeconomic status and health-related quality of life in the Korean community-dwelling elderly population: mediation analysis with bootstrapping. Quality of Life Research, 2017, 26, 3323-3330. | 3.1 | 27        |
| 39 | Outcome of Spinal Fusion for Lumbar Degenerative Disease. Spine, 2010, 35, 1489-1494.  | 2.0 | 26        |
| 40 | Change in pain catastrophizing in patients with lumbar spinal surgery. Spine Journal, 2018, 18, 115-121.   | 1.3 | 26        |
| 41 | Pearls and Pitfalls of Oblique Lateral Interbody Fusion: A Comprehensive Narrative Review.<br>Neurospine, 2022, 19, 163-176.   | 2.9 | 26        |
| 42 | A minimally invasive technique for L5–S1 intraforaminal disc herniations: microdiscectomy with a tubular retractor via a contralateral approach. Journal of Neurosurgery: Spine, 2008, 8, 193-198.   | 1.7 | 25        |
| 43 | Risk of internal carotid artery injury during C1 screw placement: analysis of 160 computed tomography angiograms. Spine Journal, 2011, 11, 316-323.  | 1.3 | 25        |
| 44 | A new technique for reduction of atlantoaxial subluxation using a simple tool during posterior segmental screw fixation. Journal of Neurosurgery: Spine, 2013, 19, 160-166.  | 1.7 | 25        |
| 45 | Treatment Strategy for Metastatic Spinal Tumors: A Narrative Review. Asian Spine Journal, 2020, 14, 513-525.   | 2.0 | 25        |
| 46 | The influence of pain sensitivity on the symptom severity in patients with lumbar spinal stenosis. Pain Physician, 2013, 16, 135-44.   | 0.4 | 25        |
| 47 | Association of Benign Joint Hypermobility With Spinal Segmental Motion and Its Clinical Implication in Active Young Males. Spine, 2013, 38, E1013-E1019.   | 2.0 | 24        |
| 48 | Surgical Treatment of Severe Angular Kyphosis With Myelopathy. Spine, 2008, 33, 1229-1235.   | 2.0 | 23        |
| 49 | The feasibility of laminar screw placement in the subaxial spine: analysis using 215 three-dimensional computed tomography scans and simulation software. Spine Journal, 2012, 12, 577-584.  | 1.3 | 22        |
| 50 | Validation of the Korean Version of the DN4 Diagnostic Questionnaire for Neuropathic Pain in Patients with Lumbar or Lumbar-Radicular Pain. Yonsei Medical Journal, 2016, 57, 449.   | 2.2 | 22        |
| 51 | Gender difference of symptom severity in lumbar spinal stenosis: role of pain sensitivity. Pain Physician, 2013, 16, E715-23.  | 0.4 | 22        |
| 52 | Porous Beta-Calcium Pyrophosphate as a Bone Graft Substitute in a Canine Bone Defect Model. Key Engineering Materials, 2003, 240-242, 399-402.   | 0.4 | 21        |
| 53 | Lateral fluoroscopic guide to prevent occipitocervical and atlantoaxial joint violation during C1 lateral mass screw placement. Spine Journal, 2009, 9, 574-579.   | 1.3 | 21        |
| 54 | A 90-day intravenous administration toxicity study of CaO-SiO <sub>2</sub> P <sub>2</sub> Glass-ceramics (BGS-7) in rat. Drug and Chemical Toxicology, 2010, 33, 38-47.  | 2.3 | 21        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Comparative study of the efficacy of transdermal buprenorphine patches and prolonged-release tramadol tablets for postoperative pain control after spinal fusion surgery: a prospective, randomized controlled non-inferiority trial. European Spine Journal, 2017, 26, 2961-2968. | 2.2 | 21        |
| 56 | The efficacy of porous hydroxyapatite bone chip as an extender of local bone graft in posterior lumbar interbody fusion. European Spine Journal, 2012, 21, 1324-1330.  | 2.2 | 20        |
| 57 | Biomechanical analysis of lumbar decompression surgery in relation to degenerative changes in the lumbar spine – Validated finite element analysis. Computers in Biology and Medicine, 2017, 89, 512-519.  | 7.0 | 19        |
| 58 | The influence of hand grip strength on surgical outcomes after surgery for degenerative lumbar spinal stenosis: a preliminary result. Spine Journal, 2018, 18, 2018-2024.  | 1.3 | 19        |
| 59 | Negative Effect of Rapidly Resorbing Properties of Bioactive Glass-Ceramics as Bone Graft Substitute in a Rabbit Lumbar Fusion Model. Clinics in Orthopedic Surgery, 2014, 6, 87.  | 2.2 | 18        |
| 60 | How Many Screws Are Necessary to Be Considered an Experienced Surgeon for Freehand Placement of Thoracolumbar Pedicle Screws?: Analysis Using the Cumulative Summation Test for Learning Curve. World Neurosurgery, 2018, 118, e550-e556.  | 1.3 | 18        |
| 61 | The prevalence and impact of frailty in patients with symptomatic lumbar spinal stenosis. European Spine Journal, 2019, 28, 46-54.   | 2.2 | 18        |
| 62 | Usefulness of Prone Cross-Table Lateral Radiographs in Vertebral Compression Fractures. Clinics in Orthopedic Surgery, 2013, 5, 195.   | 2.2 | 17        |
| 63 | Posterolateral lumbar fusion using Escherichia coli–derived rhBMP-2/hydroxyapatite in the mini pig. Spine Journal, 2014, 14, 2959-2967.  | 1.3 | 17        |
| 64 | Risk factors for postoperative ileus after oblique lateral interbody fusion: a multivariate analysis. Spine Journal, 2021, 21, 438-445.  | 1.3 | 17        |
| 65 | Clinical and Radiological Predictive Factors to be Related with the Degree of Lumbar Back Muscle Degeneration: Difference by Gender. Clinics in Orthopedic Surgery, 2014, 6, 318.  | 2.2 | 15        |
| 66 | The Effect of Poloxamer 407-Based Hydrogel on the Osteoinductivity of Demineralized Bone Matrix. Clinics in Orthopedic Surgery, 2014, 6, 455.  | 2.2 | 15        |
| 67 | Impact of Preoperative Diagnosis on Clinical Outcomes of Oblique Lateral Interbody Fusion for Lumbar Degenerative Disease in a Singleâ€institution Prospective Cohort. Orthopaedic Surgery, 2019, 11, 66-74.   | 1.8 | 15        |
| 68 | Prognosis of Single Spinal Metastatic Tumors: Predictive Value of the Spinal Instability Neoplastic Score System for Spinal Adverse Events. Asian Spine Journal, 2018, 12, 919-926.  | 2.0 | 15        |
| 69 | Determination of the Optimal Cutoff Values for Pain Sensitivity Questionnaire Scores and the Oswestry Disability Index for Favorable Surgical Outcomes in Subjects With Lumbar Spinal Stenosis. Spine, 2015, 40, E1110-E1116.  | 2.0 | 13        |
| 70 | Clinical Significance of Improved Intraoperative Neurophysiological Monitoring Signal during Spine Surgery: A Retrospective Study of a Single-Institution Prospective Cohort. Asian Spine Journal, 2020, 14, 79-87.  | 2.0 | 13        |
| 71 | Finite Element Analysis for Comparison of Spinous Process Osteotomies Technique with Conventional Laminectomy as Lumbar Decompression Procedure. Yonsei Medical Journal, 2015, 56, 146.  | 2.2 | 13        |
| 72 | Adjacent Segment Degeneration after Single-Level PLIF: Comparison between Spondylolytic Spondylolisthesis, Degenerative Spondylolisthesis and Spinal Stenosis. Asian Spine Journal, 2011, 5, 82.   | 2.0 | 13        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Indirect effects of decompression surgery on glycemic homeostasis in patients with Type 2 diabetes mellitus and lumbar spinal stenosis. Spine Journal, 2015, 15, 25-33.  | 1.3 | 12        |
| 74 | Optimal Trajectory for the Occipital Condylar Screw. Spine, 2012, 37, 385-392.   | 2.0 | 11        |
| 75 | Distraction Arthrodesis of the C1–C2 Facet Joint with Preservation of the C2 Root for the Management of Intractable Occipital Neuralgia Caused by C2 Root Compression. Spine, 2015, 40, E1093-E1102.   | 2.0 | 11        |
| 76 | Optimal Trajectory for the Atlantooccipital Transarticular Screw. Spine, 2010, 35, 1562-1570.  | 2.0 | 10        |
| 77 | Validation and cross-cultural adaptation of the Korean version of the Core Outcome Measures Index in patients with degenerative lumbar disease. European Spine Journal, 2018, 27, 2804-2813.   | 2.2 | 10        |
| 78 | A Long-Term Follow-up, Multicenter, Comparative Study of the Radiologic, and Clinical Results Between a CaO-SiO2-P2O5-B2O3 Bioactive Glass Ceramics (BGS-7) Intervertebral Spacer and Titanium Cage in 1-Level Posterior Lumbar Interbody Fusion. Clinical Spine Surgery, 2020, 33, E322-E329. | 1.3 | 9         |
| 79 | Acute Intravenous Injection Toxicity Study ofEscherichia coli-Derived Recombinant Human Bone<br>Morphogenetic Protein-2 in Rat. Asian Spine Journal, 2014, 8, 113.   | 2.0 | 9         |
| 80 | Fluoroscopically guided anterior atlantoaxial transarticular screws: a feasibility and trajectory study using CT-based simulation software. Spine Journal, 2013, 13, 1455-1463.  | 1.3 | 8         |
| 81 | Remaining Systemic Treatment Options: A Valuable Predictor of Survival and Functional Outcomes after Surgical Treatment for Spinal Metastasis. Orthopaedic Surgery, 2019, 11, 552-559.   | 1.8 | 8         |
| 82 | Sleep Disturbance in Patients With Lumbar Spinal Stenosis. Clinical Spine Surgery, 2020, 33, E185-E190.  | 1.3 | 8         |
| 83 | Clinical Significance of Radiologic Improvement Following Single-Level Oblique Lateral Interbody Fusion With Percutaneous Pedicle Screw Fixation. Orthopedics, 2020, 43, e283-e290.  | 1.1 | 8         |
| 84 | Treatment Strategy for Impending Instability in Spinal Metastases. Clinics in Orthopedic Surgery, 2020, 12, 337.   | 2.2 | 8         |
| 85 | Sagittal Alignment in Patients with Thoracic Myelopathy Caused by the Ossification of the Ligamentum Flavum. Spine, 2021, 46, 300-306.   | 2.0 | 8         |
| 86 | A 90-day subchronic toxicity study of beta-calcium pyrophosphate in rat. Drug and Chemical Toxicology, 2009, 32, 277-282.  | 2.3 | 7         |
| 87 | Definitions of unfavorable surgical outcomes and their risk factors based on disability score after spine surgery for lumbar spinal stenosis. BMC Musculoskeletal Disorders, 2020, 21, 288.  | 1.9 | 7         |
| 88 | Differential Diagnosis between Tuberculous Spondylitis and Pyogenic Spondylitis. Journal of Korean Society of Spine Surgery, 2009, 16, 112.  | 0.3 | 6         |
| 89 | Spreading epidural hematoma and deep subcutaneous edema: indirect MRI signs of posterior ligamentous complex injury in thoracolumbar burst fractures. Skeletal Radiology, 2010, 39, 767-772.   | 2.0 | 6         |
| 90 | Effects of Alendronate on Lumbar Posterolateral Fusion Using Hydroxyapatite in Rabbits. Artificial Organs, 2012, 36, 1047-1055.  | 1.9 | 6         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Feasibility of Laminar Screw Placement in the Upper Thoracic Spine. Spine, 2013, 38, 1146-1153.  | 2.0 | 6         |
| 92  | Finite Element Modeling of Stress Distribution in Intervertebral Spacers of Different Surface Geometries. Artificial Organs, 2013, 37, 1014-1020.  | 1.9 | 6         |
| 93  | Contribution of catastrophizing to disability and pain intensity after osteoporotic vertebral compression fracture. Journal of Orthopaedic Science, 2016, 21, 299-305.   | 1.1 | 5         |
| 94  | Morphological changes of vertebral compression fracture with intra-vertebral cleft treated with percutaneous vertebroplasty. Journal of Orthopaedic Science, 2018, 23, 237-247.  | 1.1 | 5         |
| 95  | Restoration of the Spinous Process Following Muscle-Preserving Posterior Lumbar Decompression via Sagittal Splitting of the Spinous Process. Clinics in Orthopedic Surgery, 2019, 11, 95.  | 2.2 | 5         |
| 96  | The Effect of Adding Biological Factors to the Decision-Making Process for Spinal Metastasis of Non-Small Cell Lung Cancer. Journal of Clinical Medicine, 2021, 10, 1119.  | 2.4 | 5         |
| 97  | Can Indirect Decompression Reduce Adjacent Segment Degeneration and the Associated Reoperation Rate After Lumbar Interbody Fusion? A Systemic Review and Meta-analysis. World Neurosurgery, 2021, 153, e435-e445.                | 1.3 | 5         |
| 98  | Prevalence of Neuropathic Pain and Patient-Reported Outcomes in Korean Adults with Chronic Low Back Pain Resulting from Neuropathic Low Back Pain. Asian Spine Journal, 2017, 11, 917-927.                                       | 2.0 | 5         |
| 99  | Characterization of CaO-SiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> Glass-Ceramics and Effect of Composition on Bioactivity. Key Engineering Materials, 2003, 240-242, 261-264.  | 0.4 | 4         |
| 100 | Influence of Handgrip Strength and Paraspinal Muscles' Volume on Clinical Outcomes in the Patients With Each Sagittal Imbalance and Lumbar Spinal Stenosis. Global Spine Journal, 2023, 13, 609-616.                             | 2.3 | 4         |
| 101 | Considerations for Surgical Treatment of Osteoporotic Spinal Fracture: Surgical Indication, Approach, Fixation, and Graft Material. Journal of Korean Society of Spine Surgery, 2016, 23, 41.                                    | 0.0 | 4         |
| 102 | Posterior Lumbar Interbody Fusion Using New Hydroxyapatite Block - Comparison with Metal and PEEK Cages Journal of Korean Society of Spine Surgery, 2009, 16, 243.   | 0.3 | 3         |
| 103 | Geriatric risk in the surgical management of infectious spondylitis. Geriatrics and Gerontology International, 2017, 17, 984-990.  | 1.5 | 3         |
| 104 | The Fate of Lumbar Facet Cyst After Indirect Decompression Using Oblique Lateral Interbody Fusion in Degenerative Spondylolisthesis. Orthopedics, 2021, 44, 306-312.   | 1.1 | 3         |
| 105 | Comparison of Osteosyntheses in Various Types of Porous Calcium Phosphate Compounds - An Experimental Study by Posterolateral Fusion of Rabbits' Lumbar Vertebrae. Journal of Korean Society of Spine Surgery, 2001, 8, 455.     | 0.3 | 2         |
| 106 | Spinopelvic Fixation. Journal of Korean Society of Spine Surgery, 2009, 16, 304.   | 0.3 | 2         |
| 107 | Surgical Causes of Significant Intraoperative Neuromonitoring Signal Changes in Three-Column Spinal Surgery. Asian Spine Journal, 2021, 15, 831-839.   | 2.0 | 2         |
| 108 | Characterization of Bioactive Glass-Ceramics Prepared by Sintering Mixed Glass Powders of Cerabone® A-W Type Glass/CaO-SiO <sub>2</sub> -B <sub>2</sub> 0 <sub>3</sub> Glass. Key Engineering Materials, 2004, 254-256, 147-150. | 0.4 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Subsidence and Nonunion after Anterior Cervical Interbody Fusion with Stand-Alone Polyetheretherketone (PEEK) Cage. Spine Journal, 2010, 10, S82-S83.  | 1.3 | 1         |
| 110 | Indirect decompression for a prior severe C1–2 dislocation causing progressive quadriparesis. Journal of Neurosurgery: Spine, 2014, 20, 709-713.   | 1.7 | 1         |
| 111 | Is Redo Vertebroplasty an Effective Treatment on the Same Vertebra?. CardioVascular and Interventional Radiology, 2018, 41, 1058-1066.   | 2.0 | 1         |
| 112 | The Spinal Instability Neoplastic Score (SINS) as a Surgical Decision-Making Tool for the Treatment of Spine Metastasis. Journal of Korean Society of Spine Surgery, 2018, 25, 60.   | 0.0 | 1         |
| 113 | Clinical outcomes of selective fusion for the thoracolumbar-lumbar curve in patients with Lenke type 6C adolescent idiopathic scoliosis: a preliminary study. Journal of Pediatric Orthopaedics Part B, 2021, 30, 211-217.                               | 0.6 | 1         |
| 114 | Correlation between MgO Doping and Sintering Characteristics in Hydroxyapatite/ $\hat{l}^2$ -Tricalcium Phosphate Composite. Key Engineering Materials, 2001, 218-220, 21-24.  | 0.4 | 0         |
| 115 | Comparison of Osteosyntheses According to Compositions of Porous Calcium Phosphate Graft. Key Engineering Materials, 2001, 218-220, 405-408.   | 0.4 | 0         |
| 116 | Effect of B <sub>2</sub> O <sub>3</sub> on the Sintering Behavior and Phase Transition of Wollastonite Ceramics. Key Engineering Materials, 2004, 254-256, 151-154.  | 0.4 | 0         |
| 117 | Biomechanical and Histomorphometric Study of the Bone-Screw Interface of Calcium Pyrophosphate Coated Titanium Screws. Key Engineering Materials, 2005, 284-286, 219-222.  | 0.4 | 0         |
| 118 | P33. Result of Intermittent Pedicle Screw Fixation in Surgical Treatment of Flexible Idiopathic Scoliosis. Spine Journal, 2006, 6, 99S-100S.   | 1.3 | 0         |
| 119 | P144. Analysis of the Recurrence Rate of the Lumbar Disc Herniation. Spine Journal, 2006, 6, 153S.   | 1.3 | 0         |
| 120 | 42. Undetected Vertebral Foraminal Violations during C1 Lateral Mass and C2 Screw Placement. Spine Journal, 2007, 7, 21S-22S.  | 1.3 | 0         |
| 121 | 63. The Subarticular Pedicle Screw: A New Trajectory for the C2 Pedicle Screw. Spine Journal, 2007, 7, 31S.  | 1.3 | 0         |
| 122 | Revision of Atlantoaxial Fusion using Segmental Screw Fixation: Experience in Bilateral Posterior Arch Fracture of the Atlas Complicating Atlantoaxial Halifax Clamp Fixation - A Case Report Journal of Korean Society of Spine Surgery, 2007, 14, 187. | 0.3 | 0         |
| 123 | P67. A Lateral Fluoroscopic Guide to Prevent Occipitocervical and Atlantoaxial Joint Violation during C1 Lateral Mass Screw Placement. Spine Journal, 2008, 8, 133S-134S.  | 1.3 | 0         |
| 124 | P177. A Nationwide Outpatient-based Survey of Fusion for Lumbar Degenerative Disease (LDD) in Korea. Spine Journal, 2008, 8, 186S.   | 1.3 | 0         |
| 125 | Adjacent Segment Degeneration after Single-level Posterior Lumbar Interbody Fusion - Comparison between Spondylolytic Spondylolisthesis, Degenerative Spondylolisthesis, and Spinal Stenosis. Spine Journal, 2010, 10, S24-S25.                          | 1.3 | 0         |
| 126 | Herniation of Cartilaginous Endplate in Lumbar Spine: MRI Findings. Spine Journal, 2010, 10, S88-S89.  | 1.3 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Transient Restless Leg Syndrome: A Cause of Leg Pain of Early Postoperative Period after Spinal Surgery. Spine Journal, 2010, 10, S131-S132.  | 1.3 | 0         |
| 128 | C1 Posterior Arch Screws: Feasibility and Related Complications. Spine Journal, 2011, 11, S121.   | 1.3 | 0         |
| 129 | Infectious Spondylitis Mimicking Osteoporotic Vertebral Compression Fractures: Report of Two Cases. Journal of Korean Society of Spine Surgery, 2014, 21, 123.  | 0.0 | 0         |
| 130 | Treatment for Gorham-Stout Disease Involving the Spinal Column: A Narrative Review. Journal of Korean Society of Spine Surgery, 2021, 28, 55.   | 0.0 | 0         |
| 131 | Scoliosis Associated with Marfan Syndrome. Journal of Korean Society of Spine Surgery, 2001, 8, 482.  | 0.3 | 0         |
| 132 | Total Uncinatectomy Revisited: Revision Surgery for Persistent Radiculopathy Following Anterior Cervical Discectomy and Fusion (ACDF). The Journal of the Korean Orthopaedic Association, 2014, 49, 394.  | 0.1 | 0         |
| 133 | Clinical Significance of Resection Type and Margin following Surgical Treatment for Primary Sarcoma of the Spine: A Multi-Center Retrospective Study. Journal of Korean Society of Spine Surgery, 2019, 26, 117.  | 0.0 | 0         |
| 134 | Volumetric Assessment of Fusion Mass and Its Clinical Correlations in Posterior Lumbar Interbody Fusion Depending on the Type of Bone Graft. Journal of Korean Society of Spine Surgery, 2020, 27, 39.  | 0.0 | 0         |
| 135 | Medical Care Utilization Behavior for the Diagnosis and Treatment of Spine Disease: A<br>Questionnaire-based Study of Orthopaedic Spine Center Outpatients at a Tertiary Educational<br>Hospital. Journal of Korean Society of Spine Surgery, 2020, 27, 19. | 0.0 | 0         |