

Julie Bodin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6699596/publications.pdf>

Version: 2024-02-01

53
papers

1,070
citations

430874

18
h-index

434195

31
g-index

55
all docs

55
docs citations

55
times ranked

1229
citing authors

#	ARTICLE	IF	CITATIONS
1	A small-area index of socioeconomic deprivation to capture health inequalities in France. <i>Social Science and Medicine</i> , 2008, 67, 2007-2016.	3.8	150
2	Risk factors for incidence of rotator cuff syndrome in a large working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 436-446.	3.4	62
3	Personal, biomechanical, and psychosocial risk factors for rotator cuff syndrome in a working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 502-511.	3.4	60
4	Work-related risk factors for lateral epicondylitis and other cause of elbow pain in the working population. <i>American Journal of Industrial Medicine</i> , 2013, 56, 400-409.	2.1	59
5	Effects of Individual and Work-related Factors on Incidence of Shoulder Pain in a Large Working Population. <i>Journal of Occupational Health</i> , 2012, 54, 278-288.	2.1	56
6	Comparison of risk factors for shoulder pain and rotator cuff syndrome in the working population. <i>American Journal of Industrial Medicine</i> , 2012, 55, 605-615.	2.1	53
7	Work-related risk factors for incidence of lateral epicondylitis in a large working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 578-588.	3.4	48
8	Risk factors for de Quervain's disease in a French working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 394-401.	3.4	47
9	Risk factors for carpal tunnel syndrome related to the work organization: A prospective surveillance study in a large working population. <i>Applied Ergonomics</i> , 2015, 47, 1-10.	3.1	37
10	Multiple Exposures and Coexposures to Occupational Hazards Among Agricultural Workers: A Systematic Review of Observational Studies. <i>Safety and Health at Work</i> , 2018, 9, 239-248.	0.6	36
11	Heavy manual work, exposure to vibration and Dupuytren's disease? Results of a surveillance program for musculoskeletal disorders: Table 1. <i>Occupational and Environmental Medicine</i> , 2012, 69, 296-299.	2.8	32
12	Carpal tunnel syndrome and computer exposure at work in two large complementary cohorts. <i>BMJ Open</i> , 2015, 5, e008156.	1.9	29
13	Evaluating beauty care provided by the hospital to women suffering from breast cancer: qualitative aspects. <i>Supportive Care in Cancer</i> , 2009, 17, 839-845.	2.2	28
14	Biomechanical constraints remain major risk factors for low back pain. Results from a prospective cohort study in French male employees. <i>Spine Journal</i> , 2015, 15, 559-569.	1.3	23
15	Employment and occupational outcomes of workers with musculoskeletal pain in a French region. <i>Occupational and Environmental Medicine</i> , 2013, 70, 143-148.	2.8	21
16	Evaluation of ergonomic approach and musculoskeletal disorders in two different organizations in a truck assembly plant. <i>International Journal of Industrial Ergonomics</i> , 2015, 50, 34-42.	2.6	21
17	Prevalence of thoracic spine pain in a surveillance network. <i>Occupational Medicine</i> , 2015, 65, 122-125.	1.4	20
18	Risk Factors for Shoulder Pain in a Cohort of French Workers: A Structural Equation Model. <i>American Journal of Epidemiology</i> , 2018, 187, 206-213.	3.4	20

#	ARTICLE	IF	CITATIONS
19	Time trends in incidence and prevalence of carpal tunnel syndrome over eight years according to multiple data sources: Pays de la Loire study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 75-85.	3.4	20
20	Working in temporary employment and exposure to musculoskeletal constraints. <i>Occupational Medicine</i> , 2012, 62, 514-518.	1.4	19
21	Shoulder pain among male industrial workers: Validation of a conceptual model in two independent French working populations. <i>Applied Ergonomics</i> , 2020, 85, 103075.	3.1	19
22	Incidence and Risk Factors for Thoracic Spine Pain in the Working Population: The French Pays de la Loire Study. <i>Arthritis Care and Research</i> , 2014, 66, 1695-1702.	3.4	18
23	Risk factors for Raynaud's phenomenon in the workforce. <i>Arthritis Care and Research</i> , 2012, 64, 898-904.	3.4	16
24	Forms of work organization and associations with shoulder disorders: Results from a French working population. <i>Applied Ergonomics</i> , 2017, 59, 1-10.	3.1	14
25	Personal, biomechanical, psychosocial, and organizational risk factors for carpal tunnel syndrome: a structural equation modeling approach. <i>Pain</i> , 2020, 161, 749-757.	4.2	14
26	Personal, Biomechanical, Organizational and Psychosocial Risk Factors for Neck Disorders in a Working Population. <i>Journal of Occupational Health</i> , 2014, 56, 134-140.	2.1	13
27	Risk factors for episodic neck pain in workers: a 5-year prospective study of a general working population. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 251-261.	2.3	12
28	Use of Multiple Data Sources for Surveillance of Work-Related Chronic Low-Back Pain and Disc-Related Sciatica in a French Region. <i>Annals of Work Exposures and Health</i> , 2018, 62, 530-546.	1.4	10
29	Proportion of upper extremity musculoskeletal disorders attributable to personal and occupational factors: results from the French Pays de la Loire study. <i>BMC Public Health</i> , 2020, 20, 456.	2.9	10
30	Incidence of Chronic and Other Knee Pain in Relation to Occupational Risk Factors in a Large Working Population. <i>Annals of Occupational Hygiene</i> , 2015, 59, 797-811.	1.9	9
31	Occupational co-exposure to biomechanical factors and neurotoxic chemicals in a representative sample of French employees. <i>Journal of Occupational Health</i> , 2020, 62, e12090.	2.1	9
32	Prevalence and Characteristics of Multisite Musculoskeletal Symptoms among District Hospital Nurses in Haiphong, Vietnam. <i>BioMed Research International</i> , 2020, 2020, 1-11.	1.9	9
33	Organizational and psychosocial risk factors for carpal tunnel syndrome: a cross-sectional study of French workers. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 147-154.	2.3	8
34	Long-term persistence of knee pain and occupational exposure in two large prospective cohorts of workers. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 411.	1.9	7
35	Natural course of rotator cuff syndrome in a French working population. <i>American Journal of Industrial Medicine</i> , 2014, 57, 683-694.	2.1	5
36	Evolution of psychosocial factors at work in a French region. <i>Occupational Medicine</i> , 2016, 66, 128-134.	1.4	5

#	ARTICLE	IF	CITATIONS
37	Theoretical impact of simulated workplace-based primary prevention of carpal tunnel syndrome in a French region. <i>BMC Public Health</i> , 2018, 18, 426.	2.9	5
38	Quality of life among district hospital nurses with multisite musculoskeletal symptoms in Vietnam. <i>Journal of Occupational Health</i> , 2020, 62, e12161.	2.1	5
39	Quantification of Exposure to Risk Postures in Truck Assembly Operators: Neck, Back, Arms and Wrists. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6062.	2.6	4
40	Upper-extremity musculoskeletal disorders: how many cases can be prevented? Estimates from the COSALI cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 618-629.	3.4	4
41	Carpal tunnel syndrome and exposure to work-related biomechanical stressors and chemicals: Findings from the Constances cohort. <i>PLoS ONE</i> , 2020, 15, e0235051.	2.5	3
42	Proportion and Number of Upper-Extremity Musculoskeletal Disorders Attributable to the Combined Effect of Biomechanical and Psychosocial Risk Factors in a Working Population. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3858.	2.6	3
43	Interest of the Ergo-Kit® for the clinical practice of the occupational physician. A study of 149 patients recruited in a rehabilitation program. <i>Annals of Physical and Rehabilitation Medicine</i> , 2015, 58, 289-297.	2.3	2
44	Carpal Tunnel Syndrome Among Male French Farmers and Agricultural Workers: Is It Only Associated With Physical Exposure?. <i>Safety and Health at Work</i> , 2020, 11, 33-40.	0.6	2
45	Effects of personal and work-related factors on the incidence of shoulder pain in a French working population. <i>Occupational and Environmental Medicine</i> , 2011, 68, A116-A116.	2.8	1
46	0178...Quality of life of workers suffering from shoulder pain. <i>Occupational and Environmental Medicine</i> , 2014, 71, A83.1-A83.	2.8	1
47	0188...Thoracic spinal pain prevalence in the musculoskeletal disorders surveillance network of the French Pays de la Loire region. <i>Occupational and Environmental Medicine</i> , 2014, 71, A24.1-A24.	2.8	1
48	Proposal for a neurotoxic classification for chemicals at work. <i>Archives of Environmental and Occupational Health</i> , 2021, 76, 393-405.	1.4	1
49	Risk factors for shoulder disorders among French workers: prospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1511-1519.	2.3	1
50	P074...Interest of a multi-level epidemiological surveillance system of work-related low-back pain to target industry sectors requiring in priority prevention programs " the french pays de la loire study. , 2016, , .		0
51	Functional incapacity related to rotator cuff syndrome in workers. Is it influenced by social characteristics and medical management?. <i>Journal of Hand Therapy</i> , 2019, 32, 322-327.	1.5	0
52	Differences between risk situations identified using a self-reported questionnaire and an observational method. <i>Work</i> , 2021, 68, 759-769.	1.1	0
53	Venn Diagram for Three or More Categories in Occupational Health. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e157-e158.	1.7	0