

Kwang-Sik Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/670132/publications.pdf>

Version: 2024-02-01

108
papers

3,113
citations

126907

33
h-index

175258

52
g-index

109
all docs

109
docs citations

109
times ranked

3428
citing authors

#	ARTICLE	IF	CITATIONS
1	Spatial distributions of strontium isotope ratios in human hair and tap water from South Korea. <i>Science of the Total Environment</i> , 2022, 806, 151352.	8.0	8
2	Spatial distributions of oxygen and hydrogen isotopes in multi-level groundwater across South Korea: A case study of mountainous regions. <i>Science of the Total Environment</i> , 2022, 812, 151428.	8.0	7
3	Effects of climate factors on spatiotemporal variation in carbon and oxygen isotope ratios in Korean rice. <i>Journal of Food Composition and Analysis</i> , 2022, 108, 104416.	3.9	0
4	The geochemistry and isotopic compositions of the Nakdong River, Korea: weathering and anthropogenic effects. <i>Environmental Monitoring and Assessment</i> , 2022, 194, .	2.7	5
5	Hydrograph separation for a small agricultural watershed: The role of irrigation return flow. <i>Journal of Hydrology</i> , 2021, 593, 125831.	5.4	6
6	VALIDATED MEASUREMENT OF URANIUM IN A HUMAN URINE STANDARD REFERENCE MATERIAL BY ICP-MS WITH THE STANDARD ADDITION METHOD. <i>Radiation Protection Dosimetry</i> , 2021, 194, 153-162.	0.8	1
7	Dietary homogenization and spatial distributions of carbon, nitrogen, and sulfur isotope ratios in human hair in South Korea. <i>PLoS ONE</i> , 2021, 16, e0256404.	2.5	4
8	Application of Machine Learning for eutrophication analysis and algal bloom prediction in an urban river: A 10-year study of the Han River, South Korea. <i>Science of the Total Environment</i> , 2021, 797, 149040.	8.0	38
9	Determination of the geographic origin of garlic using the bioelement content and isotope signatures. <i>Food Control</i> , 2021, 130, 108339.	5.5	6
10	Assessing seasonal variations in water sources of streamflow in a temperate mesoscale catchment with granitic bedrocks using hydrochemistry and stable isotopes. <i>Journal of Hydrology: Regional Studies</i> , 2021, 38, 100940.	2.4	3
11	Application of stable isotopes and dissolved ions for monitoring landfill leachate contamination. <i>Environmental Geochemistry and Health</i> , 2020, 42, 1387-1399.	3.4	14
12	Factors affecting diurnal dissolved inorganic carbon and its isotopic composition in a small stream on a volcanic island in South Korea. <i>Geosciences Journal</i> , 2020, 24, 73-83.	1.2	0
13	Geographical origin identification of garlic cultivated in Korea using isotopic and multi-elemental analyses. <i>Food Control</i> , 2020, 111, 107064.	5.5	33
14	Major, trace and rare earth elements dynamics in decomposing litters on successional sites in a cool temperate region of South Korea. <i>Science of the Total Environment</i> , 2020, 749, 142352.	8.0	4
15	Effects of Filter-Membrane Materials on Concentrations of Trace Elements in Acidic Solutions. <i>Water (Switzerland)</i> , 2020, 12, 3497.	2.7	1
16	Revisited digestion methods for trace element analysis in human hair. <i>Journal of Analytical Science and Technology</i> , 2020, 11, .	2.1	17
17	Major and Trace Element Geochemistry of Korean Bottled Waters. <i>Water (Switzerland)</i> , 2020, 12, 2585.	2.7	4
18	Improved method for simultaneous determination of the carbon isotopic composition and concentration of atmospheric CO ₂ using CF-IRMS. <i>International Journal of Mass Spectrometry</i> , 2020, 452, 116327.	1.5	4

#	ARTICLE	IF	CITATIONS
19	Strontium isotope composition aided strontium and calcium sourcing in a cool temperate ecosystem, South Korea. <i>Environmental Earth Sciences</i> , 2020, 79, 1.	2.7	2
20	Datasets for spatial variation of O and H isotopes in waters and hair across South Korea. <i>Data in Brief</i> , 2020, 30, 105666.	1.0	1
21	Monitoring the movement of artificially injected CO ₂ at a shallow experimental site in Korea using carbon isotopes. <i>Journal of Environmental Management</i> , 2020, 258, 110030.	7.8	6
22	Spatial variations in oxygen and hydrogen isotopes in waters and human hair across South Korea. <i>Science of the Total Environment</i> , 2020, 726, 138365.	8.0	21
23	Tracking the evolution of particulate organic matter sources during summer storm events via end-member mixing analysis based on spectroscopic proxies. <i>Chemosphere</i> , 2020, 252, 126445.	8.2	20
24	Mean transit time and subsurface flow paths in a humid temperate headwater catchment with granitic bedrock. <i>Journal of Hydrology</i> , 2020, 587, 124942.	5.4	12
25	Recent developments in pre-treatment and analytical techniques for synthetic polymers by MALDI-TOF mass spectrometry. <i>Analytical Methods</i> , 2020, 12, 5767-5800.	2.7	12
26	Dual isotopes of nitrate in Korean fertilizers and their application for identifying nitrate sources. <i>Episodes</i> , 2020, , .	1.2	2
27	Trends of major, minor and rare earth elements in decomposing litter in a cool temperate ecosystem, South Korea. <i>Chemosphere</i> , 2019, 222, 214-226.	8.2	16
28	Water quality impacts of irrigation return flow on stream and groundwater in an intensive agricultural watershed. <i>Science of the Total Environment</i> , 2018, 630, 859-868.	8.0	23
29	Characterizing groundwater recharge using oxygen and hydrogen isotopes: a case study in a temperate forested region, South Korea. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	2.7	7
30	Anthropogenic rare earth elements and their spatial distributions in the Han River, South Korea. <i>Chemosphere</i> , 2017, 172, 155-165.	8.2	81
31	Hydrogeochemical and isotopic features of the groundwater flow systems in the central-northern part of Jeju Island (Republic of Korea). <i>Journal of Geochemical Exploration</i> , 2017, 175, 99-109.	3.2	6
32	Deposition pattern and throughfall fluxes in secondary cool temperate forest, South Korea. <i>Atmospheric Environment</i> , 2017, 161, 71-81.	4.1	16
33	Site related $\delta^{13}C$ of vegetation and soil organic carbon in a cool temperate region. <i>Plant and Soil</i> , 2017, 418, 293-306.	3.7	13
34	Nitrogen, Sulfur, and Oxygen Isotope Ratios of Animal- and Plant-Based Organic Fertilizers Used in South Korea. <i>Journal of Environmental Quality</i> , 2017, 46, 559-567.	2.0	6
35	Oxygen and hydrogen isotopic characterization of rainfall and throughfall in four South Korean cool temperate forests. <i>Hydrological Sciences Journal</i> , 2017, 62, 2025-2034.	2.6	10
36	Identification of sources affecting water chemistry in the Nakdong River, South Korea. <i>Environmental Earth Sciences</i> , 2017, 76, 1.	2.7	3

#	ARTICLE	IF	CITATIONS
37	Multivariate classification of the geographic origin of Chinese cabbage using an electronic nose-mass spectrometry. <i>Food Science and Biotechnology</i> , 2017, 26, 603-609.	2.6	7
38	Association between Nitrogen Stable Isotope Ratios in Human Hair and Serum Levels of Leptin. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 243, 133-139.	1.2	2
39	Sources of dissolved ions revealed by chemical and isotopic tracers in the Geum River, South Korea. <i>Environmental Earth Sciences</i> , 2017, 76, 1.	2.7	7
40	Discrimination of side-window glass of Korean autos by laser ablation inductively coupled plasma mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 1612-1618.	1.5	7
41	Distribution and potential health risk of groundwater uranium in Korea. <i>Chemosphere</i> , 2016, 163, 108-115.	8.2	77
42	Early-stage changes in natural ¹³ C and ¹⁵ N abundance and nutrient dynamics during different litter decomposition. <i>Journal of Plant Research</i> , 2016, 129, 463-476.	2.4	26
43	Determination of glyphosate and its metabolite in emergency room in Korea. <i>Forensic Science International</i> , 2016, 265, 41-46.	2.2	20
44	Experimental investigation of Mg isotope fractionation during mineral dissolution and clay formation. <i>Chemical Geology</i> , 2016, 445, 135-145.	3.3	59
45	Investigation of the geographical provenance of the beer available in South Korea using multielements and isotopes. <i>Food Control</i> , 2016, 60, 378-381.	5.5	11
46	Spatial variability in hydrogen and oxygen isotopic composition of Korean Red Pine and its implication for tracing wood origin. <i>Environmental Earth Sciences</i> , 2015, 73, 8045-8052.	2.7	7
47	Identification of anthropogenic contaminant sources in urbanized streams using multiple isotopes. <i>Environmental Earth Sciences</i> , 2015, 73, 8311-8324.	2.7	16
48	Effects of bedrock on the chemical and Sr isotopic compositions of plants. <i>Environmental Earth Sciences</i> , 2015, 74, 829-837.	2.7	13
49	Tracing anthropogenic DIC in urban streams based on isotopic and geochemical tracers. <i>Environmental Earth Sciences</i> , 2015, 74, 2707-2717.	2.7	8
50	The association between carbon and nitrogen stable isotope ratios of human hair and metabolic syndrome. <i>Clinica Chimica Acta</i> , 2015, 450, 72-77.	1.1	6
51	Lithological controls of dissolved trace elements: carbonate versus silicate. <i>Carbonates and Evaporites</i> , 2015, 30, 119-125.	1.0	0
52	Variation of lithium isotope geochemistry during basalt weathering and secondary mineral transformations in Hawaii. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 145, 103-115.	3.9	64
53	Magnesium isotope geochemistry in the Han River, South Korea. <i>Chemical Geology</i> , 2014, 364, 9-19.	3.3	45
54	Determination of the Source of Bioavailable Sr Using ⁸⁷ Sr/ ⁸⁶ Sr Tracers: A Case Study of Hot Pepper and Rice. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 9232-9238.	5.2	42

#	ARTICLE	IF	CITATIONS
55	Differentiation of Cancer Cell Origin and Molecular Subtype by Plasma Membrane N-Glycan Profiling. <i>Journal of Proteome Research</i> , 2014, 13, 961-968.	3.7	45
56	An integrated analysis for determining the geographical origin of medicinal herbs using ICP-AES/ICP-MS and ¹ H NMR analysis. <i>Food Chemistry</i> , 2014, 161, 168-175.	8.2	43
57	Natural and anthropogenic sources and processes affecting water chemistry in two South Korean streams. <i>Science of the Total Environment</i> , 2014, 485-486, 270-280.	8.0	11
58	Seasonal and spatial variations in water chemistry and nitrate sources in six major Korean rivers. <i>Environmental Earth Sciences</i> , 2013, 68, 2271-2279.	2.7	11
59	Precise determination of the lithium isotope ratio in geological samples using MC-ICP-MS with cool plasma. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 505.	3.0	47
60	Discrimination of the geographic origin of cabbages. <i>Food Control</i> , 2013, 30, 626-630.	5.5	19
61	Identification of the origin and water type of various Korean bottled waters using strontium isotopes. <i>Journal of Geochemical Exploration</i> , 2013, 132, 1-5.	3.2	16
62	Discrimination of cabbage (<i>Brassica rapa</i> ssp. <i>pekinensis</i>) cultivars grown in different geographical areas using ¹ H NMR-based metabolomics. <i>Food Chemistry</i> , 2013, 137, 68-75.	8.2	64
63	Chemical and isotopic compositions of groundwater and stream water in a heavy agricultural basin of Korea. <i>Journal of the Geological Society of India</i> , 2013, 82, 169-180.	1.1	10
64	Stable Isotopic Fingerprinting for Identification of the Methyl Tert-Butyl Ether (MTBE) Manufacturer. <i>Environmental Forensics</i> , 2013, 14, 36-41.	2.6	7
65	Geographic Origins of Korean and Chinese Kimchi Determined by Multiple Elements. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 2096-2100.	1.3	8
66	Regional variations in the lead isotopic composition of galena from southern Korea with implications for the discrimination of lead provenance. <i>Journal of Asian Earth Sciences</i> , 2012, 61, 116-127.	2.3	26
67	Determination of the Geographical Origin of Kimchi by ¹ H NMR-Based Metabolite Profiling. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 1752-1757.	1.3	13
68	Determining the geographical origin of Chinese cabbages using multielement composition and strontium isotope ratio analyses. <i>Food Chemistry</i> , 2012, 135, 2666-2674.	8.2	57
69	A revisited method for Mg purification and isotope analysis using cool-plasma MC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 1955.	3.0	23
70	Characterization of thermally treated Co ²⁺ -exchanged zeolite X. <i>Applied Catalysis B: Environmental</i> , 2012, 127, 68-76.	20.2	14
71	Chemical and isotopic compositions of bottled waters sold in Korea: chemical enrichment and isotopic fractionation by desalination. <i>Rapid Communications in Mass Spectrometry</i> , 2012, 26, 25-31.	1.5	11
72	Using stable isotope analysis to discriminate gasoline on the basis of its origin. <i>Rapid Communications in Mass Spectrometry</i> , 2012, 26, 517-522.	1.5	6

#	ARTICLE	IF	CITATIONS
73	Groundwater nitrate contamination and risk assessment in an agricultural area, South Korea. <i>Environmental Earth Sciences</i> , 2012, 66, 1127-1136.	2.7	51
74	Co-contamination of arsenic and fluoride in the groundwater of unconsolidated aquifers under reducing environments. <i>Chemosphere</i> , 2012, 87, 851-856.	8.2	126
75	Flow paths and mixing properties of groundwater using hydrogeochemistry and environmental tracers in the southwestern area of Jeju volcanic island. <i>Journal of Hydrology</i> , 2012, 432-433, 61-74.	5.4	41
76	Origin assessment of domestic and imported beef sold in the Korean markets using stable carbon and oxygen isotopes. <i>Food Science and Biotechnology</i> , 2012, 21, 233-237.	2.6	4
77	Metabolite Profiling of <i>Angelica gigas</i> from Different Geographical Origins Using ¹ H NMR and UPLC-MS Analyses. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 8806-8815.	5.2	61
78	A Multianalytical Approach for Determining the Geographical Origin of Ginseng Using Strontium Isotopes, Multielements, and ¹ H NMR Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 8560-8567.	5.2	36
79	Chemical weathering and associated CO ₂ consumption in six major river basins, South Korea. <i>Geomorphology</i> , 2011, 129, 334-341.	2.6	37
80	Variation in the ginsenoside profiles of cultivated ginseng (<i>Panax ginseng</i> C.A. Meyer) landraces in Korea. <i>Process Biochemistry</i> , 2011, 46, 258-264.	3.7	16
81	Land-use controls on sources and fate of nitrate in shallow groundwater of an agricultural area revealed by multiple environmental tracers. <i>Journal of Contaminant Hydrology</i> , 2010, 118, 62-78.	3.3	81
82	Tracing the geographical origin of beefs being circulated in Korean markets based on stable isotopes. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 155-159.	1.5	50
83	Carbon isotope fractionation of benzene and toluene by progressive evaporation. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1636-1640.	1.5	22
84	A mineral tracer toward high-resolution dust provenance on the Chinese Loess Plateau: SEM, TEM, and sulfur isotopes of sulfate inclusions in biotite. <i>American Mineralogist</i> , 2010, 95, 64-72.	1.9	15
85	Discrimination of the Geographical Origin of Beef by ¹ H NMR-Based Metabolomics. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10458-10466.	5.2	150
86	Characterizing riverbank-filtered water and river water qualities at a site in the lower Nakdong River basin, Republic of Korea. <i>Journal of Hydrology</i> , 2009, 376, 209-220.	5.4	45
87	Characterizing the origins of bottled water on the South Korean market using chemical and isotopic compositions. <i>Analytica Chimica Acta</i> , 2009, 631, 189-195.	5.4	41
88	Uranium isotopes as a tracer of sources of dissolved solutes in the Han River, South Korea. <i>Chemical Geology</i> , 2009, 258, 354-361.	3.3	26
89	Comparison of the oxygen and hydrogen isotopes in the juices of fast-growing vegetables and slow-growing fruits. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 2809-2812.	1.5	15
90	Passage of Tropical Storm Allison (2001) over southeast Texas recorded in ¹⁸ O values of Ostracoda. <i>Quaternary Research</i> , 2008, 70, 339-342.	1.7	8

#	ARTICLE	IF	CITATIONS
91	Tracing the sources of nitrate in the Han River watershed in Korea, using $\delta^{15}\text{N-NO}_3^-$ and $\delta^{18}\text{O-NO}_3^-$ values. <i>Science of the Total Environment</i> , 2008, 395, 117-124.	8.0	117
92	Chemical weathering of carbonates and silicates in the Han River basin, South Korea. <i>Chemical Geology</i> , 2008, 247, 66-80.	3.3	49
93	A Fast, Simple Calibration Method for Organic Carbon Isotope Analysis Using Continuous-flow Elemental Analyzer Interfaced with an Isotope Ratio Mass Spectrometer. <i>Analytical Sciences</i> , 2007, 23, 1447-1449.	1.6	6
94	Seasonal and spatial variations of rare earth elements in rainwaters, river waters and total suspended particles in air in South Korea. <i>Journal of Alloys and Compounds</i> , 2007, 437, 344-350.	5.5	26
95	Hydrogeochemical and isotopic investigations of the Han River basin, South Korea. <i>Journal of Hydrology</i> , 2007, 345, 50-60.	5.4	40
96	Analysis of water movement through an unsaturated soil zone in Jeju Island, Korea using stable oxygen and hydrogen isotopes. <i>Journal of Hydrology</i> , 2007, 345, 199-211.	5.4	65
97	Factors controlling carbon isotope ratios of dissolved inorganic carbon in two major tributaries of the Han River, Korea. <i>Hydrological Processes</i> , 2007, 21, 500-509.	2.6	24
98	Hydrochemistry and isotope geochemistry of Song Stream, a headwater tributary of the South Han River, South Korea. <i>Geosciences Journal</i> , 2007, 11, 157-164.	1.2	6
99	Determining the seasonality of groundwater recharge using water isotopes: a case study from the upper North Han River basin, Korea. <i>Environmental Geology</i> , 2007, 52, 853-859.	1.2	42
100	Hydrochemistry of groundwaters in a spa area of Korea: an implication for water quality degradation by intensive pumping. <i>Hydrological Processes</i> , 2005, 19, 493-505.	2.6	17
101	Hydrogeochemistry and environmental isotopes of ground water in Jeju volcanic island, Korea: implications for nitrate contamination. <i>Hydrological Processes</i> , 2005, 19, 2225-2245.	2.6	57
102	Occurrence and mineral chemistry of bismuth sulfide-telluride-selenide solid solutions (ingodite). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 Abhandlungen</i> , 2005, 181, 293-333.	0.3	4
103	Hydrogeochemical and isotopic evidence of groundwater salinization in a coastal aquifer: a case study in Jeju volcanic island, Korea. <i>Journal of Hydrology</i> , 2003, 270, 282-294.	5.4	269
104	Nitrate contamination of alluvial groundwaters in the Nakdong River basin, Korea. <i>Geosciences Journal</i> , 2002, 6, 35-46.	1.2	41
105	Structural determination of lysophosphatidylcholines extracted from marine sponges by fast atom bombardment tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 1120-1126.	1.5	9
106	Using H- and O-isotopic data for estimating the relative contributions of rainy and dry season precipitation to groundwater: example from Cheju Island, Korea. <i>Journal of Hydrology</i> , 1999, 222, 65-74.	5.4	119
107	Neoproterozoic bimodal volcanism in the central Ogcheon belt, Korea: age and tectonic implication. <i>Precambrian Research</i> , 1998, 89, 47-57.	2.7	126
108	Geochemistry and Sr-Nd-Pb isotopic systematics of the Ogcheon amphibolites from the central Ogcheon Belt, Korea: Implication for the source heterogeneity.. <i>Geochemical Journal</i> , 1997, 31, 223-243.	1.0	11