Jianhui Tang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6705204/publications.pdf

Version: 2024-02-01

57758 60623 7,102 106 44 81 citations h-index g-index papers 115 115 115 6596 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	First Report on the Bioaccumulation and Trophic Transfer of Perfluoroalkyl Ether Carboxylic Acids in Estuarine Food Web. Environmental Science & Envir	10.0	49
2	Occurrence and ecological risk assessment of neonicotinoids and related insecticides in the Bohai Sea and its surrounding rivers, China. Water Research, 2022, 209, 117912.	11.3	46
3	Exploring source footprint of Organophosphate esters in the Bohai Sea, China: Insight from temporal and spatial variabilities in the atmosphere from June 2014 to May 2019. Environment International, 2022, 159, 107044.	10.0	7
4	Diffusive gradients in thin films (DGT) probe for effectively sampling of per- and polyfluoroalkyl substances in waters and sediments. Journal of Environmental Sciences, 2022, 121, 90-97.	6.1	10
5	Habitat-dependent trophic transfer of legacy and emerging halogenated flame retardants in estuarine and coastal food webs near a source region. Environmental Pollution, 2022, 300, 118987.	7.5	7
6	Nitrate Regeneration and Loss in the Central Yellow Sea Bottom Water Revealed by Nitrogen Isotopes. Frontiers in Marine Science, 2022, 9, .	2.5	6
7	Beyond the Tip of the Iceberg: Suspect Screening Reveals Point Source-Specific Patterns of Emerging and Novel Per- and Polyfluoroalkyl Substances in German and Chinese Rivers. Environmental Science & Empty Technology, 2022, 56, 5456-5465.	10.0	23
8	A nitrate budget of the Bohai Sea based on an isotope mass balance model. Biogeosciences, 2022, 19, 2397-2415.	3.3	9
9	Methods Matter: Methods for Sampling Microplastic and Other Anthropogenic Particles and Their Implications for Monitoring and Ecological Risk Assessment. Integrated Environmental Assessment and Management, 2021, 17, 282-291.	2.9	45
10	Distributions, transports and fates of short- and medium-chain chlorinated paraffins in a typical river-estuary system. Science of the Total Environment, 2021, 751, 141769.	8.0	17
11	Magnetic properties of the surface sediments in the Yellow River Estuary and Laizhou Bay, Bohai Sea, China: Implications for monitoring heavy metals. Journal of Hazardous Materials, 2021, 410, 124579.	12.4	16
12	Source, fate and budget of Dechlorane Plus (DP) in a typical semi-closed sea, China. Environmental Pollution, 2021, 269, 116214.	7.5	5
13	Decabromodiphenyl Ether versus Decabromodiphenyl Ethane: Source, Fate, and Influencing Factors in a Coastal Sea Nearing Source Region. Environmental Science & Echnology, 2021, 55, 7376-7385.	10.0	20
14	Measurement report: Long-emission-wavelength chromophores dominate the light absorption of brown carbon in aerosols over Bangkok: impact from biomass burning. Atmospheric Chemistry and Physics, 2021, 21, 11337-11352.	4.9	22
15	Spatio-temporal variations and input patterns on the legacy and novel brominated flame retardants (BFRs) in coastal rivers of North China. Environmental Pollution, 2021, 283, 117093.	7.5	25
16	Organophosphate flame retardants, tetrabromobisphenol A, and their transformation products in sediment of e-waste dismantling areas and the flame-retardant production base. Ecotoxicology and Environmental Safety, 2021, 225, 112717.	6.0	15
17	Photochemistry of Volatile Organic Compounds in the Yellow River Delta, China: Formation of O ₃ and Peroxyacyl Nitrates. Journal of Geophysical Research D: Atmospheres, 2021, 126, e2021JD035296.	3.3	11
18	Overall comparison and source identification of PAHs in the sediments of European Baltic and North Seas, Chinese Bohai and Yellow Seas. Science of the Total Environment, 2020, 737, 139535.	8.0	33

#	Article	lF	CITATIONS
19	Magnetic fingerprints of surface sediment in the Bohai Sea, China. Marine Geology, 2020, 427, 106226.	2.1	8
20	Source identification of chromium in the sediments of the Xiaoqing River and Laizhou Bay: A chromium stable isotope perspective. Environmental Pollution, 2020, 264, 114686.	7.5	19
21	Multi-box mass balance model of PFOA and PFOS in different regions of San Francisco Bay. Chemosphere, 2020, 252, 126454.	8.2	8
22	Occurrence and spatial distribution of organophosphorus flame retardants and plasticizers in the Bohai, Yellow and East China seas. Science of the Total Environment, 2020, 741, 140434.	8.0	55
23	Legacy and novel halogenated flame retardants in seawater and atmosphere of the Bohai Sea: Spatial trends, seasonal variations, and influencing factors. Water Research, 2020, 184, 116117.	11.3	28
24	Light absorption and emissions inventory of humic-like substances from simulated rainforest biomass burning in Southeast Asia. Environmental Pollution, 2020, 262, 114266.	7.5	18
25	Emerging and legacy per- and polyfluoroalkyl substances in water, sediment, and air of the Bohai Sea and its surrounding rivers. Environmental Pollution, 2020, 263, 114391.	7.5	66
26	Molecular compositions and optical properties of dissolved brown carbon in biomass burning, coal combustion, and vehicle emission aerosols illuminated by excitation–emission matrix spectroscopy and Fourier transform ion cyclotron resonance mass spectrometry analysis. Atmospheric Chemistry and Physics, 2020, 20, 2513-2532.	4.9	111
27	Per- and polyfluoroalkyl substances in Chinese and German river water – Point source- and country-specific fingerprints including unknown precursors. Environmental Pollution, 2020, 267, 115567.	7.5	43
28	Halogenated flame retardants in the sediments of the Chinese Yellow Sea and East China Sea. Chemosphere, 2019, 234, 365-372.	8.2	23
29	Fates and ecological effects of current-use pesticides (CUPs) in a typical river-estuarine system of Laizhou Bay, North China. Environmental Pollution, 2019, 252, 573-579.	7.5	34
30	Occurrence and Sources of Pesticides to Urban Wastewater and the Environment. ACS Symposium Series, $2019, , 63-88$.	0.5	11
31	Occurrence and spatial distribution of phthalate esters in sediments of the Bohai and Yellow seas. Science of the Total Environment, 2019, 653, 792-800.	8.0	65
32	Characterization of brominated, chlorinated, and phosphate flame retardants in San Francisco Bay, an urban estuary. Science of the Total Environment, 2019, 652, 212-223.	8.0	87
33	Temporal variations and potential sources of organophosphate esters in PM2.5 in Xinxiang, North China. Chemosphere, 2019, 215, 500-506.	8.2	28
34	An improved inventory of polychlorinated biphenyls in China: A case study on PCB-153. Atmospheric Environment, 2018, 183, 40-48.	4.1	20
35	Sources, distributions, and burial efficiency of terrigenous organic matter in surface sediments from the Yellow River mouth, northeast China. Organic Geochemistry, 2018, 118, 89-102.	1.8	32
36	Environmental occurrence and distribution of organic UV stabilizers and UV filters in the sediment of Chinese Bohai and Yellow Seas. Environmental Pollution, 2018, 235, 85-94.	7.5	89

#	Article	IF	Citations
37	From headwaters to estuary: Distribution and fate of halogenated flame retardants (HFRs) in a river basin near the largest HFR manufacturing base in China. Science of the Total Environment, 2018, 621, 1370-1377.	8.0	40
38	High-resolution sedimentary records of some organochlorine pesticides in Yamzho Yumco Lake of the Tibetan Plateau: Concentration and composition. Science of the Total Environment, 2018, 615, 469-475.	8.0	31
39	Assessing on toxic potency of PM2.5-bound polycyclic aromatic hydrocarbons at a national atmospheric background site in North China. Science of the Total Environment, 2018, 612, 330-338.	8.0	25
40	Spatial Distribution and Seasonal Variation of Organophosphate Esters in Air above the Bohai and Yellow Seas, China. Environmental Science & Echnology, 2018, 52, 89-97.	10.0	68
41	Spatial distribution and seasonal variation of four current-use pesticides (CUPs) in air and surface water of the Bohai Sea, China. Science of the Total Environment, 2018, 621, 516-523.	8.0	45
42	Occurrences and distribution characteristics of organophosphate ester flame retardants and plasticizers in the sediments of the Bohai and Yellow Seas, China. Science of the Total Environment, 2018, 615, 1305-1311.	8.0	115
43	From headwaters to estuary: distribution, sources, and ecological risk of polycyclic aromatic hydrocarbons in an intensively human-impacted river, China. Environmental Science and Pollution Research, 2018, 25, 36604-36614.	5. 3	4
44	Short- and medium-chain chlorinated paraffins in sediments from the Laizhou Bay area, North China: Implications for transportation from rivers to marine environment. Environmental Pollution, 2018, 243, 1460-1468.	7. 5	22
45	Distribution and dry deposition of alternative and legacy perfluoroalkyl and polyfluoroalkyl substances in the air above the Bohai and Yellow Seas, China. Atmospheric Environment, 2018, 192, 128-135.	4.1	40
46	Using fecal sterols to assess dynamics of sewage input in sediments along a human-impacted river-estuary system in eastern China. Science of the Total Environment, 2018, 636, 787-797.	8.0	32
47	Spatiotemporal variability of hydrocarbons in surface sediments from an intensively human-impacted Xiaoqing River-Laizhou Bay system in the eastern China: Occurrence, compositional profile and source apportionment. Science of the Total Environment, 2018, 645, 1172-1182.	8.0	33
48	Regional variations of organophosphorus flame retardants - Fingerprint of large river basin estuaries/deltas in Europe compared with China. Environmental Pollution, 2018, 236, 391-395.	7.5	26
49	From Sediment to Top Predators: Broad Exposure of Polyhalogenated Carbazoles in San Francisco Bay (U.S.A.). Environmental Science & Echnology, 2017, 51, 2038-2046.	10.0	74
50	Characteristics of dissolved organic matter (DOM) and relationship with dissolved mercury in Xiaoqing River-Laizhou Bay estuary, Bohai Sea, China. Environmental Pollution, 2017, 223, 19-30.	7.5	90
51	Perfluoroalkyl and polyfluoroalkyl substances in the lower atmosphere and surface waters of the Chinese Bohai Sea, Yellow Sea, and Yangtze River estuary. Science of the Total Environment, 2017, 599-600, 114-123.	8.0	61
52	Per- and poly-fluoroalkyl substances (PFASs) in the urban, industrial, and background atmosphere of Northeastern China coast around the Bohai Sea: Occurrence, partitioning, and seasonal variation. Atmospheric Environment, 2017, 167, 150-158.	4.1	57
53	Toxicological effects of tris(2-chloropropyl) phosphate in human hepatic cells. Chemosphere, 2017, 187, 88-96.	8.2	31
54	Occurrence and spatial distribution of organophosphorus flame retardants and plasticizers in the Bohai and Yellow Seas, China. Marine Pollution Bulletin, 2017, 121, 331-338.	5 . 0	76

#	Article	IF	Citations
55	Passage of fiproles and imidacloprid from urban pest control uses through wastewater treatment plants in northern California, USA. Environmental Toxicology and Chemistry, 2017, 36, 1473-1482.	4.3	71
56	Spatial Distributions and Seasonal Variations of Dissolved Black Carbon in the Bohai Sea, China. Journal of Coastal Research, 2016, 74, 214-227.	0.3	9
57	Emissions of Per- and Polyfluoroalkyl Substances in a Textile Manufacturing Plant in China and Their Relevance for Workers' Exposure. Environmental Science & Technology, 2016, 50, 10386-10396.	10.0	67
58	Microplastic pollution is widely detected in US municipal wastewater treatment plant effluent. Environmental Pollution, 2016, 218, 1045-1054.	7.5	763
59	Levels, distributions and sources of veterinary antibiotics in the sediments of the Bohai Sea in China and surrounding estuaries. Marine Pollution Bulletin, 2016, 109, 597-602.	5.0	79
60	Exchange of polycyclic aromatic hydrocarbons across the air-water interface in the Bohai and Yellow Seas. Atmospheric Environment, 2016, 141, 153-160.	4.1	36
61	Neutral polyfluoroalkyl substances in the atmosphere over the northern South China Sea. Environmental Pollution, 2016, 214, 449-455.	7. 5	34
62	Microplastic contamination in the San Francisco Bay, California, USA. Marine Pollution Bulletin, 2016, 109, 230-235.	5.0	298
63	Poly- and perfluoroalkyl substances in wastewater: Significance of unknown precursors, manufacturing shifts, and likely AFFF impacts. Water Research, 2016, 95, 142-149.	11.3	257
64	Polybrominated diphenyl ethers (PBDEs) and alternative brominated flame retardants (aBFRs) in sediments from four bays of the Yellow Sea, North China. Environmental Pollution, 2016, 213, 386-394.	7.5	60
65	Flux and budget of BC in the continental shelf seas adjacent to Chinese high BC emission source regions. Global Biogeochemical Cycles, 2015, 29, 957-972.	4.9	57
66	Spatial distribution of perfluoroalkyl acids in surface sediments of the German Bight, North Sea. Science of the Total Environment, 2015, 511, 145-152.	8.0	22
67	Declines in Polybrominated Diphenyl Ether Contamination of San Francisco Bay following Production Phase-Outs and Bans. Environmental Science & Environmental Science & Phase-Outs and Bans. Environmental Science & Environmen	10.0	37
68	Occurrence and dry deposition of organophosphate esters in atmospheric particles over the northern South China Sea. Chemosphere, 2015, 127, 195-200.	8.2	96
69	Parent, Alkylated, and Sulfur/Oxygen-Containing Polycyclic Aromatic Hydrocarbons in Mainstream Smoke from 13 Brands of Chinese Cigarettes. Environmental Science & Environmental Science & 2015, 49, 9012-9019.	10.0	19
70	Alternative and Legacy Perfluoroalkyl Substances: Differences between European and Chinese River/Estuary Systems. Environmental Science & Environmenta	10.0	241
71	Occurrence and spatial distribution of organophosphate ester flame retardants and plasticizers in 40 rivers draining into the Bohai Sea, north China. Environmental Pollution, 2015, 198, 172-178.	7.5	319
72	Selected current-use pesticides (CUPs) in coastal and offshore sediments of Bohai and Yellow seas. Environmental Science and Pollution Research, 2015, 22, 1653-1661.	5.3	18

#	Article	IF	CITATIONS
73	Seasonal variations and spatial distributions of perfluoroalkyl substances in the rivers Elbe and lower Weser and the North Sea. Chemosphere, 2015, 129, 118-125.	8.2	54
74	Distribution of atmospheric particulate matter (PM) in rural field, rural village and urban areas of northern China. Environmental Pollution, 2014, 185, 134-140.	7.5	58
75	Glycerol dialkyl glycerol tetraethers in surficial coastal and open marine sediments around China: Indicators of sea surface temperature and effects of their sources. Palaeogeography, Palaeoecology, 2014, 395, 114-121.	2.3	33
76	Vulnerability of Eco-Hydrological Environment in the Yellow River Delta Wetland. Journal of Coastal Research, 2014, 294, 344-350.	0.3	14
77	Sources and preservation of sedimentary organic matter in the Southern Bohai Sea and the Yellow Sea: Evidence from lipid biomarkers. Marine Pollution Bulletin, 2014, 86, 210-218.	5.0	14
78	Atmospheric polycyclic aromatic hydrocarbons in rural and urban areas of northern China. Environmental Pollution, 2014, 192, 83-90.	7.5	80
79	Selected currentâ€use and historicâ€use pesticides in air and seawater of the Bohai and Yellow Seas, China. Journal of Geophysical Research D: Atmospheres, 2014, 119, 1073-1086.	3.3	31
80	Perfluoroalkyl acids (PFAAs) in riverine and coastal sediments of Laizhou Bay, North China. Science of the Total Environment, 2013, 447, 415-423.	8.0	70
81	Antibiotics in the offshore waters of the Bohai Sea and the Yellow Sea in China: Occurrence, distribution and ecological risks. Environmental Pollution, 2013, 174, 71-77.	7.5	234
82	Occurrence and risks of antibiotics in the coastal aquatic environment of the Yellow Sea, North China. Science of the Total Environment, 2013, 450-451, 197-204.	8.0	142
83	Assessing Cancer Risk in China from \hat{I}^3 -Hexachlorocyclohexane Emitted from Chinese and Indian Sources. Environmental Science & Emp; Technology, 2013, 47, 7242-7249.	10.0	15
84	Influence of monsoon system on αâ€HCH fate in Asia: A model study from 1948 to 2008. Journal of Geophysical Research D: Atmospheres, 2013, 118, 6764-6770.	3.3	17
85	Levels, spatial distribution and sources of selected antibiotics in the East River (Dongjiang), South China. Aquatic Ecosystem Health and Management, 2012, 15, 210-218.	0.6	32
86	Currently used pesticides, hexachlorobenzene and hexachlorocyclohexanes in the air and seawater of the German Bight (North Sea). Environmental Chemistry, 2012, 9, 405.	1.5	18
87	Assessing Environmental Fate of \hat{I}^2 -HCH in Asian Soil and Association with Environmental Factors. Environmental Science & Environmental Science	10.0	22
88	Distribution and Air–Sea Exchange of Current-Use Pesticides (CUPs) from East Asia to the High Arctic Ocean. Environmental Science & Eamp; Technology, 2012, 46, 259-267.	10.0	83
89	Distribution and long-range transport of polyfluoroalkyl substances in the Arctic, Atlantic Ocean and Antarctic coast. Environmental Pollution, 2012, 170, 71-77.	7.5	130
90	Summer atmospheric polybrominated diphenyl ethers in urban and rural areas of northern China. Environmental Pollution, 2012, 171, 234-240.	7.5	41

#	Article	IF	Citations
91	Occurrence and risks of antibiotics in the Laizhou Bay, China: Impacts of river discharge. Ecotoxicology and Environmental Safety, 2012, 80, 208-215.	6.0	223
92	Occurrence and distribution of antibiotics in the Beibu Gulf, China: Impacts of river discharge and aquaculture activities. Marine Environmental Research, 2012, 78, 26-33.	2.5	200
93	Polybrominated diphenyl ethers (PBDEs) in the riverine and marine sediments of the Laizhou Bay area, North China. Journal of Environmental Monitoring, 2011, 13, 886.	2.1	51
94	Organochlorine pesticides in sediments of Laizhou Bay and its adjacent rivers, North China. Marine Pollution Bulletin, 2011, 62, 2543-2547.	5.0	36
95	Modeling redistribution of α-HCH in Chinese soil induced by environment factors. Environmental Pollution, 2011, 159, 2961-2967.	7.5	21
96	Occurrence and distribution of antibiotics in coastal water of the Bohai Bay, China: Impacts of river discharge and aquaculture activities. Environmental Pollution, 2011, 159, 2913-2920.	7.5	398
97	Polychlorinated naphthalenes (PCNs) in riverine and marine sediments of the Laizhou Bay area, North China. Environmental Pollution, 2011, 159, 3515-3521.	7.5	50
98	Levels and distribution of Dechlorane Plus in coastal sediments of the Yellow Sea, North China. Chemosphere, 2011, 83, 984-990.	8.2	50
99	Levels and distributions of PBDEs and PCBs in sediments of the Bohai Sea, North China. Journal of Environmental Monitoring, 2010, 12, 1234.	2.1	50
100	Levels and Mass Burden of DDTs in Sediments from Fishing Harbors: The Importance of DDT-Containing Antifouling Paint to the Coastal Environment of China. Environmental Science & Echnology, 2009, 43, 8033-8038.	10.0	136
101	Characteristics and sources of nonâ€methane hydrocarbons in background atmospheres of eastern, southwestern, and southern China. Journal of Geophysical Research, 2009, 114, .	3.3	45
102	Implications of changing urban and rural emissions on non-methane hydrocarbons in the Pearl River Delta region of China. Atmospheric Environment, 2008, 42, 3780-3794.	4.1	48
103	Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. Atmospheric Environment, 2006, 40, 7331-7345.	4.1	58
104	Volatile organic compounds in a multi-storey shopping mall in guangzhou, South China. Atmospheric Environment, 2005, 39, 7374-7383.	4.1	60
105	Indoor and outdoor carbonyl compounds in the hotel ballrooms in Guangzhou, China. Atmospheric Environment, 2004, 38, 103-112.	4.1	91
106	Constraining Emission Estimates of CFC-11 in Eastern China Based on Local Observations at Surface Stations and Mount Tai. Environmental Science and Technology Letters, 0, , .	8.7	4