

Francesco Perna

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6711715/publications.pdf>

Version: 2024-02-01

37
papers

817
citations

687363

13
h-index

501196

28
g-index

37
all docs

37
docs citations

37
times ranked

1405
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid resolution of severe pericardial effusion using anakinra in a patient with COVID-19 vaccine-related acute pericarditis relapse: a case report. <i>European Heart Journal - Case Reports</i> , 2022, 6, ytac123.	0.6	5
2	Cardiac contractility modulation for patient with refractory heart failure: an updated evidence-based review. <i>Heart Failure Reviews</i> , 2021, 26, 227-235.	3.9	10
3	Diagnostic Workflow in Competitive Athletes with Ventricular Arrhythmias and Suspected Concealed Cardiomyopathies. <i>Medicina (Lithuania)</i> , 2021, 57, 182.	2.0	0
4	Assessment of patients presenting with life-threatening ventricular arrhythmias and suspected myocarditis: The key role of endomyocardial biopsy. <i>Heart Rhythm</i> , 2021, 18, 907-915.	0.7	2
5	Severity of sleep apnea syndrome and life-threatening tachyarrhythmias in patients with implantable cardioverter defibrillator. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1657-1662.	1.2	1
6	Role of extensive diagnostic workup in young athletes and nonathletes with complex ventricular arrhythmias. <i>Heart Rhythm</i> , 2020, 17, 230-237.	0.7	10
7	Temporary transvenous cardiac pacing. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 420-427.	1.5	6
8	Long-Term Arrhythmic Risk Assessment in Biopsy-Proven Myocarditis. <i>JACC: Clinical Electrophysiology</i> , 2020, 6, 574-582.	3.2	15
9	Prognostic significance of non-sustained ventricular tachycardia on stored electrograms in pacemaker recipients. <i>PLoS ONE</i> , 2019, 14, e0225059.	2.5	1
10	OUP accepted manuscript. <i>Europace</i> , 2019, 21, iii19-iii20.	1.7	1
11	Dysautonomia as Onset Symptom of Myotonic Dystrophy Type 2. <i>European Neurology</i> , 2018, 79, 166-170.	1.4	1
12	Ghostbusters should come back to lead extraction arena in order to fight with ghosts: authors reply. <i>Europace</i> , 2017, 19, euw308.	1.7	1
13	Human cardiac progenitor cells with regenerative potential can be isolated and characterized from 3D-electro-anatomic guided endomyocardial biopsies. <i>International Journal of Cardiology</i> , 2017, 241, 330-343.	1.7	6
14	Presence of "ghosts"™ and mortality after transvenous lead extraction. <i>Europace</i> , 2016, 19, euw045.	1.7	39
15	Near zero fluoroscopic exposure during catheter ablation of supraventricular arrhythmias: the NO-PARTY multicentre randomized trial. <i>Europace</i> , 2016, 18, 1565-1572.	1.7	114
16	Outcome of Patients Treated by Cardiac Resynchronization Therapy Using a Quadripolar Left Ventricular Lead. <i>Circulation Journal</i> , 2016, 80, 613-618.	1.6	18
17	Collateral findings during computed tomography scan for atrial fibrillation ablation: Let's™ take a look around. <i>World Journal of Cardiology</i> , 2016, 8, 310.	1.5	1
18	The Association Between ICD Interventions and Mortality is Independent of their Modality: Clinical Implications. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 1363-1367.	1.7	19

#	ARTICLE	IF	CITATIONS
19	Effect of Remote Ischemic Preconditioning on Platelet Activation and Reactivity Induced by Ablation for Atrial Fibrillation. <i>Circulation</i> , 2014, 129, 11-17.	1.6	44
20	Safety of transvenous lead extraction according to centre volume: a systematic review and meta-analysis. <i>Europace</i> , 2014, 16, 1496-1507.	1.7	71
21	Cardiovascular implantable electronic device infection: delayed vs standard FDG PET-CT imaging. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 622-632.	2.1	65
22	A Challenging Case Of Ventricular Arrhythmia In A Patient With Myocarditis: ICD Yes/No After Ablation. <i>Journal of Atrial Fibrillation</i> , 2014, 7, 1121.	0.5	6
23	Catheter ablation of atrial fibrillation guided by a 3D electroanatomical mapping system: a 2-year follow-up study from the Italian Registry On NavX Atrial Fibrillation ablation procedures (IRON-AF). <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 37, 87-95.	1.3	8
24	Rapid acquisition of high-resolution electroanatomical maps using a novel multielectrode mapping system. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 36, 233-242.	1.3	28
25	Usefulness of Intracardiac Echocardiography for the Diagnosis of Cardiovascular Implantable Electronic Device-Related Endocarditis. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1398-1405.	2.8	109
26	Periprocedural Dabigatran in Atrial Fibrillation Ablation: A New Kid on the Block. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 866-868.	1.7	1
27	Comparison of Electroanatomical Mapping Systems: Accuracy in Left Atrial Mapping. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 626-631.	1.2	5
28	Obstructive sleep apnea and heart disease the biomarkers point of view. <i>Frontiers in Bioscience - Scholar</i> , 2013, S5, 588-599.	2.1	11
29	Prevalence and clinical significance of collateral findings detected by chest computed tomography in patients undergoing atrial fibrillation ablation. <i>Europace</i> , 2012, 14, 209-216.	1.7	9
30	Safety and Effectiveness of Transvenous Lead Extraction in Octogenarians. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1103-1108.	1.7	25
31	Direct Visualization of Epicardial Structures and Ablation Utilizing a Visually Guided Laser Balloon Catheter: Preliminary Findings. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 808-812.	1.7	2
32	Assessment of Catheter Tip Contact Force Resulting in Cardiac Perforation in Swine Atria Using Force Sensing Technology. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011, 4, 218-224.	4.8	138
33	Lack of Any Cardiac Involvement in a Patient with Andersen-Tawil Syndrome Associated with the c.574A>G Mutation in <i>KCNJ2</i> . <i>Cardiology</i> , 2011, 120, 200-203.	1.4	3
34	A Closer Look at Incidental Findings on Cardiac Computed Tomography. <i>Journal of the American College of Cardiology</i> , 2010, 55, 702-703.	2.8	3
35	Initial Experience With a Multielectrode Catheter Equipped With the Single-Axis Sensor Technology for High-Density Electroanatomical Mapping in a Swine Model. <i>Journal of Cardiovascular Electrophysiology</i> , 2010, 21, 1403-1407.	1.7	5
36	Right ventricular substrate mapping using the Ensite Navx system: Accuracy of high-density voltage map obtained by automatic point acquisition during geometry reconstruction. <i>Heart Rhythm</i> , 2009, 6, 1598-1605.	0.7	21

#	ARTICLE	IF	CITATIONS
37	Home defibrillation: A feasibility study in myocardial infarction survivors at intermediate risk of sudden death. American Heart Journal, 2006, 152, 685.e1-685.e7.	2.7	13