

Brian S Mitchell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6720197/publications.pdf>

Version: 2024-02-01

70
papers

979
citations

516710

16
h-index

454955

30
g-index

75
all docs

75
docs citations

75
times ranked

1429
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Reactive cavitation erosion as a technique for production of functionalized copper hydroxychloride nanomaterials. <i>Journal of Physics Communications</i> , 2020, 4, 051002. | 1.2 | 1 |
| 2 | Power law modeling of acoustic cavitation erosion: the hemispherical pit model. <i>Journal of Physics Communications</i> , 2019, 3, 035014. | 1.2 | 1 |
| 3 | Water-soluble PEGylated silicon nanoparticles and their assembly into swellable nanoparticle aggregates. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1. | 1.9 | 9 |
| 4 | Silicon nanoparticles synthesised through reactive high-energy ball milling: enhancement of optical properties from the removal of iron impurities. <i>Journal of Experimental Nanoscience</i> , 2015, 10, 1214-1222. | 2.4 | 9 |
| 5 | Functionalized silicon nanoparticles from reactive cavitation erosion of silicon wafers. <i>Chemical Communications</i> , 2015, 51, 1465-1468. | 4.1 | 7 |
| 6 | Williamson ether synthesis: an efficient one-step route for surface modifications of silicon nanoparticles. <i>Journal of Experimental Nanoscience</i> , 2015, 10, 588-598. | 2.4 | 5 |
| 7 | Tuning Carbon Content and Morphology of FeCo/Graphitic Carbon Core-Shell Nanoparticles using a Salt-Matrix-Assisted CVD Process. <i>Particle and Particle Systems Characterization</i> , 2014, 31, 474-480. | 2.3 | 11 |
| 8 | Mild Two-Step Method to Construct DNA-Conjugated Silicon Nanoparticles: Scaffolds for the Detection of MicroRNA-21. <i>Bioconjugate Chemistry</i> , 2014, 25, 1739-1743. | 3.6 | 16 |
| 9 | Cytotoxicity of surface-functionalized silicon and germanium nanoparticles: the dominant role of surface charges. <i>Nanoscale</i> , 2013, 5, 4870. | 5.6 | 161 |
| 10 | A fractionation process of mechanochemically synthesized blue-green luminescent alkyl-passivated silicon nanoparticles. <i>Chemical Engineering Journal</i> , 2011, 172, 591-600. | 12.7 | 14 |
| 11 | Mechanochemical synthesis of functionalized silicon nanoparticles with terminal chlorine groups. <i>Journal of Materials Research</i> , 2011, 26, 1052-1060. | 2.6 | 16 |
| 12 | Silicon nanoparticles with chemically tailored surfaces. <i>Applied Organometallic Chemistry</i> , 2010, 24, 236-240. | 3.5 | 36 |
| 13 | Wetting properties of silicon films from alkyl-passivated particles produced by mechanochemical synthesis. <i>Journal of Colloid and Interface Science</i> , 2010, 348, 634-641. | 9.4 | 8 |
| 14 | Mechanical and hydration properties of Nafion®/ceramic nanocomposite membranes produced by mechanical attrition. <i>Journal of Applied Polymer Science</i> , 2009, 111, 1144-1150. | 2.6 | 1 |
| 15 | Hydration and proton conduction in Nafion/ceramic nanocomposite membranes produced by solid-state processing of powders from mechanical attrition. <i>Journal of Applied Polymer Science</i> , 2009, 113, 243-250. | 2.6 | 23 |
| 16 | Catalyzed self-aldol reaction of valeraldehyde via a mechanochemical method. <i>Journal of Molecular Catalysis A</i> , 2009, 304, 117-120. | 4.8 | 16 |
| 17 | Solid state blending of poly(ethylene terephthalate) with polystyrene: Extent of PET amorphization and compositional effects on crystallizability. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 1348-1359. | 2.1 | 7 |
| 18 | Solid-state blending of poly(ethylene terephthalate) with polystyrene: Extent of compatibilization and its dependence on blend composition. <i>Polymer Engineering and Science</i> , 2008, 48, 649-655. | 3.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Mechanochemical Synthesis of Blue Luminescent Alkyl/Alkenyl- passivated Silicon Nanoparticles. <i>Advanced Materials</i> , 2007, 19, 3984-3988. | 21.0 | 137 |
| 20 | Synchrotron infrared microspectroscopy characterization of heterogeneities in solid-state blended polymers. <i>Materials Letters</i> , 2007, 61, 2151-2155. | 2.6 | 9 |
| 21 | Crystal growth kinetics of nanocrystalline aluminum prepared by mechanical attrition in nylon media. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 396, 124-128. | 5.6 | 33 |
| 22 | Magnetic properties of perovskite-derived air-synthesized $\text{RBaCo}_2\text{O}_5 + \delta$ ($\text{R}=\text{La}, \text{Ho}$) compounds. <i>Physical Review B</i> , 2005, 71, . | 3.2 | 81 |
| 23 | Preparation of Micrometer- to Sub-micrometer-Sized Nanostructured Silica Particles Using High-Energy Ball Milling. <i>Journal of the American Ceramic Society</i> , 2004, 87, 1280-1286. | 3.8 | 21 |
| 24 | Preparation and characterization of ball-milled Nafion [®] powders for membrane applications. <i>Journal of Applied Polymer Science</i> , 2004, 93, 2275-2281. | 2.6 | 2 |
| 25 | Micron to Sub-Micron Sized Highly Ordered Mesoporous Silica Particles Prepared Using a High Energy Ball Milling Process. <i>Materials Research Society Symposia Proceedings</i> , 2003, 775, 3291. | 0.1 | 0 |
| 26 | The use of polymeric milling media in the reduction of contamination during mechanical attrition. <i>Journal of Materials Research</i> , 2002, 17, 2997-2999. | 2.6 | 20 |
| 27 | Structure and interfacial properties of nanocrystalline aluminum/mullite composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 326, 317-323. | 5.6 | 42 |
| 28 | Nanocrystallinity in heat-treated calcium aluminate fibers. <i>Materials Letters</i> , 2001, 48, 316-318. | 2.6 | 2 |
| 29 | Crystallization Kinetics of Polysilane Derived SiC. <i>Key Engineering Materials</i> , 2001, 206-213, 55-58. | 0.4 | 0 |
| 30 | A modified diffuse reflectance infrared Fourier transform spectroscopy cell for depth profiling of ceramic fibers. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2000, 56, 467-473. | 3.9 | 6 |
| 31 | A Method for Determining Crystallization Kinetic Parameters from one Nonisothermal Calorimetric Experiment. <i>Journal of Materials Research</i> , 2000, 15, 1000-1007. | 2.6 | 20 |
| 32 | Micro-Raman analysis of calcium aluminate fibers formed by inviscid melt spinning. <i>Materials Letters</i> , 2000, 45, 138-142. | 2.6 | 7 |
| 33 | Mullite Decomposition Kinetics and Melt Stabilization in the Temperature Range 1900-2000°C. <i>Journal of the American Ceramic Society</i> , 2000, 83, 761-767. | 3.8 | 12 |
| 34 | Crystallization kinetics of amorphous silicon carbide derived from polymeric precursors. <i>Thermochimica Acta</i> , 1999, 337, 155-161. | 2.7 | 17 |
| 35 | Thermal expansion behavior and microstructure in bulk nanocrystalline selenium by thermomechanical analysis. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999, 270, 237-243. | 5.6 | 17 |
| 36 | Nucleation and crystallization in calcium aluminate glasses. <i>Journal of Non-Crystalline Solids</i> , 1999, 255, 199-207. | 3.1 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | OPTIMIZATION OF PROCESS PARAMETERS IN THE PRODUCTION OF MULLITE FIBERS VIA INVISCID MELT-SPINNING (IMS). Chemical Engineering Communications, 1999, 173, 123-133. | 2.6 | 0 |
| 38 | Formation of Nanocrystalline SiC Powder from Chlorine-Containing Polycarbosilane Precursors. Materials Research Society Symposia Proceedings, 1999, 581, 205. | 0.1 | 1 |
| 39 | Formation of Nanocrystalline Silicon Carbide Powder from Chlorine-Containing Polycarbosilane Precursors. Journal of the American Ceramic Society, 1999, 82, 2249-2251. | 3.8 | 7 |
| 40 | Effect of Lubricant on the Surface Structure of Aluminosilicate Fibers. Journal of the American Ceramic Society, 1998, 81, 3333-3336. | 3.8 | 1 |
| 41 | Crystallization and solidification studies in calcia-alumina fibres formed via inviscid melt spinning (IMS). Ceramics International, 1998, 24, 67-71. | 4.8 | 6 |
| 42 | The production of mullite fibers via inviscid melt-spinning (IMS). Materials Letters, 1998, 37, 359-365. | 2.6 | 11 |
| 43 | Infrared studies of preparation effects in calcium aluminate glasses. Journal of Non-Crystalline Solids, 1998, 224, 184-190. | 3.1 | 18 |
| 44 | Fourier Transform Infrared Studies of Propane Pyrolysis over Calcium Aluminate Melts. Journal of the American Ceramic Society, 1998, 81, 1045-1049. | 3.8 | 8 |
| 45 | Infrared Studies of Calcia-Alumina Fibers. Journal of the American Ceramic Society, 1996, 79, 2469-2473. | 3.8 | 24 |
| 46 | Introduction of new reinforcement for cementitious materials—Calcium/alumina (CA) fibers formed by the inviscid melt-spinning (IMS) process. Cement and Concrete Composites, 1993, 15, 165-172. | 10.7 | 10 |
| 47 | Chemical stability of inviscid melt-spun (IMS) fibers of calcia-alumina in aqueous media. Materials Chemistry and Physics, 1993, 34, 219-227. | 4.0 | 5 |
| 48 | Viscosity of eutectic calcia-alumina melts. Materials Chemistry and Physics, 1993, 34, 81-85. | 4.0 | 7 |
| 49 | Phase identification in calcia-alumina fibers crystallized from amorphous precursors. Journal of Non-Crystalline Solids, 1993, 152, 143-149. | 3.1 | 25 |
| 50 | THE PRODUCTION OF BaO-TiO ₂ FIBERS VIA INVISCID MELT-SPINNING (IMS). Chemical Engineering Communications, 1991, 106, 87-92. | 2.6 | 13 |
| 51 | Binder Droplet-Fiber Interactions in the Production of Thermal Insulations. Journal of Thermal Insulation, 1991, 15, 30-44. | 0.2 | 0 |
| 52 | Attenuation effects in aluminum and lead fibers formed by inviscid melt-spinning (IMS). Materials Letters, 1990, 10, 71-74. | 2.6 | 8 |
| 53 | The Structure of Materials. , 0, , 1-135. | | 1 |
| 54 | Case Studies in Materials Selection. , 0, , 814-850. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|----|-----------|
| 55 | Electrical, Magnetic, and Optical Properties of Materials. , 0, , 537-680. | | 0 |
| 56 | Processing of Materials. , 0, , 681-813. | | 0 |
| 57 | Mechanics of Materials. , 0, , 380-536. | | 0 |
| 58 | Kinetic Processes in Materials. , 0, , 215-284. | | 1 |
| 59 | Appendix 7: Mechanical Properties of Selected Materials. , 0, , 882-892. | | 0 |
| 60 | Appendix 5: Thermal Conductivities of Selected Materials. , 0, , 874-879. | | 0 |
| 61 | Appendix 6: Diffusivities in Selected Systems. , 0, , 880-881. | | 0 |
| 62 | Appendix 8: Electrical Conductivity of Selected Materials. , 0, , 893-899. | | 3 |
| 63 | Thermodynamics of Condensed Phases. , 0, , 136-214. | | 0 |
| 64 | Appendix 9: Refractive Index of Selected Materials. , 0, , 900-902. | | 1 |
| 65 | Transport Properties of Materials. , 0, , 285-379. | | 0 |
| 66 | Appendix 3: Composition of Common Alloys. , 0, , 856-868. | | 0 |
| 67 | Appendix 4: Surface and Interfacial Energies. , 0, , 869-873. | | 0 |
| 68 | Periodic Table. , 0, , 0-0. | | 0 |
| 69 | Appendix 1: Energy Values for Single Bonds. , 0, , 851-851. | | 0 |
| 70 | Appendix 2: Structure of Some Common Polymers. , 0, , 852-855. | | 0 |