N Nishu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6725271/publications.pdf

Version: 2024-02-01

9786 20358 21,968 481 73 116 citations h-index g-index papers 500 500 500 9981 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
2	Measurement of the c-jet mistagging efficiency in $\frac{t}{s}$ events using pp collision data at $\frac{s}{a}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
3	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at $$$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fba $^{\circ}$ 1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
6	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
7	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from \W^{pm} ightarrow au ${pm }(ghtarrow pi ^{pm }u _{au })u _{au }$$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
8	The ATLAS inner detector trigger performance in pp collisions at $13 {\rm \^A}$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $s=13$ at $s=13$ at $s=13$	3.9	7
10	Measurement of the energy asymmetry in $f(x)=0$ production at $f(x)=0$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$$ sqrt $\{s\} = 7\$\$$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	3.9	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
13	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fba^'1 of $\$$ sqrt $\$$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
14	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
15	Measurements of WH and ZH production in the \$\$H ightarrow bar{b}\$\$ decay channel in pp collisions at \$\$13,ext {Te}ext $\{V\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
16	Search for dark matter in association with an energetic photon in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
17	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$$ sqrt $\{s\}$ = 13, $\{ext \{TeV\}\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
18	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^'1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19

#	Article	IF	CITATIONS
19	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $$$ sqrt{s} $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
20	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $$$ sqrt s = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
21	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $$$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
22	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
23	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
24	Search for heavy resonances decaying into a pair of Z bosons in the $\$$ ell ^+ell ^-ell '^+ell '^-\$ and $\$$ ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 $\$$ mathrm {fb}^{-1}\$\$ of protonâ "proton collisions at $\$$ sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
25	Search for new phenomena in final states with b-jets and missing transverse momentum in $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
26	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at $$\sqrt{s}=13$$ A\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
27	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
28	Measurements of W+W \hat{a} '+ \hat{a} %¥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
29	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
30	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\$$ qrt $\{s\}=13$,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 1.	3.9	14
31	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\ddot{\text{I}}_{,-}$ -lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
32	Search for supersymmetry in events with four or more charged leptons in 139 fba 1 of \$\$ sqrt{s} \$= 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
33	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
34	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
35	A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
36	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $s=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82

#	Article	IF	Citations
37	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
38	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
39	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
40	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
41	Search for dark matter produced in association with a single top quark in \$\$sqrt{s}=13\$\$ÂTeV \$\$pp\$\$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
42	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
43	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
45	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
46	Measurement of the t \$ overline{t} t \$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
47	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
48	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
49	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
50	Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
51	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
52	Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\dagger'J/\hat{\Gamma}K\hat{A}\pm\hat{n}$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
53	Measurements of inclusive and differential cross-sections of combined \$\$ toverline{t}gamma \$\$ and tWl^3 production in the $el^1\!\!/\!\!4$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
54	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17

#	Article	IF	Citations
55	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
56	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4 \$ell \$\$ decay channel at $\$$ qrt $\{s\}$ \$ = 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
57	Fluctuations of anisotropic flow in Pb+Pb collisions at \$\$ sqrt{{mathrm{s}}_{mathrm{NN}}} \$\$ = 5.02 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
58	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in \$\$pp\$\$ collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
59	Measurement of differential cross sections for single diffractive dissociation in \$\$ sqrt{s} \$\$ = 8 TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
60	Measurement of isolated-photon plus two-jet production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
61	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
62	Search for the HH \hat{a}^{*} \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
63	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
64	Measurement of the transverse momentum distribution of Drellâ \in "Yan lepton pairs in protonâ \in "proton collisions at \$\$sqrt{s}=13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
65	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
66	Measurements of top-quark pair spin correlations in the $\$$ emu $\$$ channel at $\$$ sqrt $\{s\}$ = 13 $\$$ \$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
67	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\$$ sqrt $\$$ = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
68	Higgs boson production cross-section measurements and their EFT interpretation in the $\$\$4ell \$\$$ decay channel at $\$\$qrt\{s\}=\$\$13\ATeV$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
69	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
70	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^'1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
71	Search for dijet resonances in events with an isolated charged lepton using $\$\$$ sqrt $\$\$$ = 13 TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
72	Measurement of the Z(\hat{a}^{\dagger} ' \hat{a}^{\dagger} ,"+ \hat{a}^{\dagger} ," \hat{a}^{\dagger}) \hat{l}^{3} production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with t ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	he 4.7	9

#	Article	IF	Citations
73	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\$$ sqrt $\{s\}$ = $\$$ and 13 ÂTeV. European Physical Journal C, 2020, 80, 1.	3.9	5
74	Transverse momentum and process dependent azimuthal anisotropies in $\$\$qrt\{s_{mathrm {NN}}\}=8.16\$$ ATeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
75	Measurement of J/l production in association with a W± boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
76	Search for new resonances in mass distributions of jet pairs using 139 fb \hat{a} °1 of pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
77	Search for $\$$ toverline{t} $\$$ resonances in fully hadronic final states in pp collisions at $\$$ sqrt{s} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
78	Reconstruction and identification of boosted di-Ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
79	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
80	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
81	Search for top squarks in events with a Higgs or Z boson using 139Âfb\$\$^{-1}\$\$ of pp collision data at \$\$\$qrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
82	Evidence for \$\$tar{t}\$tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$\$qrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
83	Search for heavy diboson resonances in semileptonic final states in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
84	Search for light long-lived neutral particles produced in pp collisions at $\$$ sqrt $\{s\} = 13$ ~mathrm $\{TeV\}$ \$\$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
85	Search for a scalar partner of the top quark in the all-hadronic $f(x)$ plus missing transverse momentum final state at $f(x)$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
86	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
87	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
88	Constraints on mediator-based dark matter and scalar dark energy models using $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
89	Search for long-lived neutral particles in pp collisions at $\$\$\{$ sqrt $\{s\}\} = 13-\{$ ext $\{$ TeV $\}\}$ $\$$ \$\$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
90	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at \$\$ $qt=0$ at \$\$ $qt=0$ at \$\$ sqrt $qt=0$ at \$\$	4.7	21

#	Article	IF	CITATIONS
91	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
92	Measurement of $\W^{pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\S=13-ext \{TeV\}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
93	Searches for third-generation scalar leptoquarks in $\$\$$ sqrt $\$\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
94	Search for scalar resonances decaying into $\hat{l}/4+\hat{l}/4\hat{a}$ in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
95	Search for diboson resonances in hadronic final states in 139 fba 1 of pp collisions at \$\$ sqrt{s} \$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
96	Search for excited electrons singly produced in proton–proton collisions at \$\$sqrt{s} ~=~13~ext {Te}ext {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
97	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, .	3.9	21
98	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
99	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
100	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ€"proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	3.9	77
101	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\$$ sqrt $\{s\}$ \$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
102	Searches for scalar leptoquarks and differential cross-section measurements in dileptonâ \in dijet events in protonâ \in proton collisions at a centre-of-mass energy of $\$ varvec $\{$ sqrt $\{$ s $\}$ $\}$ $\}$ = 13ÂTeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
103	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
104	Search for top-quark decays t \hat{a} †' Hq with 36 fb \hat{a} "1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
105	Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
106	Measurements of W and Z boson production in pp collisions at $\$$ sqrt $\{s\}$ =5.02 $\$$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
107	Performance of top-quark and $\$ varvec $\{W\}$ \$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
108	Measurements of inclusive and differential fiducial cross-sections of $\frac{1}{2}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14

#	Article	IF	CITATIONS
109	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
110	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
111	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $$$ sqrt ${s}=13$ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
112	In situ calibration of large-radius jet energy and mass in 13ÂTeVÂproton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
113	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
114	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
115	Measurement of the top quark mass in the $\frac{t}{ightarrow}$ t t \hat{A}^- at European Physical Journal C, 2019, 79, 1.	3.9	47
116	Search for pair production of Higgs bosons in the $\$$ boverline $\{b\}$ boverline $\{b\}$ \$\$ final state using proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
117	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
118	Measurement of the top-quark mass in $$$ \$ toverline{t} $$$ \$ + 1-jet events collected with the ATLAS detector in pp collisions at $$$ \$ sqrt{s} $$$ \$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
119	Measurement of fiducial and differential $$W^+W^-$ production cross-sections at $$$ sqrt ${s}=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
120	Measurement of ZZ production in the â, "â, "î $\frac{1}{2}$ î $\frac{1}{2}$ final state with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
121	Measurement of $\W^{pm}\$ -boson and Z-boson production cross-sections in pp collisions at $\$ -collisions at $\$ -collisi	3.9	8
122	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
123	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
124	Measurement of $\$W^pm \$$ boson production in Pb+Pb collisions at $\$sqrt\{s_{NN}\} = 5.02\text{-ext }\{V\}\$$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
125	ATLAS b-jet identification performance and efficiency measurement with $f(x)$ events in pp collisions at $f(x)$ at $f(x)$ and $f(x)$ collisions at $f(x)$ at $f(x)$ and $f(x)$ are $f(x)$ and $f(x)$ are $f(x)$ are $f(x)$ are $f(x)$ are $f(x)$ are $f(x)$ and $f(x)$ are $f(x)$	3.9	130
126	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions atÂ\$\$sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36

#	Article	IF	CITATIONS
127	Measurements of top-quark pair differential and double-differential cross-sections in the \$\$ell \$\$+jets channel with pp collisions at \$\$sqrt{s}=13\$\$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
128	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
129	Measurement of the inclusive isolated-photon cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using 36 fbâ^1 of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
130	Measurement of K_S^0 and $Lambda^0$ production in $t = 1$ dileptonic events in pp collisions at $s = 1$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
131	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâr'1 of pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
132	Measurement of the W-boson mass in pp collisions at $\$\$qrt\{s\}=7$, hbox $TeV\}$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
133	Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.	3.9	13
134	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\$$ sqrt $\{s\} = 13$,mathrm $\{TeV\}$ \$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
135	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$\$qrt{s_{ext} \{NN\}}=2.76\$\$$ s NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
136	Measurement of quarkonium production in protonâ€"lead and protonâ€"proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
137	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$$ sqrt ${s}={13}{ext {TeV}}$ s s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
138	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â," + â," - â," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â," + â," - $\hat{l}^{1/2}$ $\hat{l}^{1/2}$ \hat{A}^{-} final states using protonâ€"proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
139	A search for pair-produced resonances in four-jet final states at $\$$ sqrt $\{s\}=13$ \$ s = 13 $\$$ ext $\{TeV\}$ \$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
140	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fba $^{\circ}$ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
141	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e $1\frac{1}{4}$ $1\frac{1}{2}$ final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
142	Direct top-quark decay width measurement in the $\$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
143	Search for W W/W Z resonance production in \hat{a} , " \hat{l} ½qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
144	Measurement of the Higgs boson coupling properties in the H \hat{a} †' $ZZ\hat{a}$ — \hat{a} †' $4\hat{a}$," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$ 4.7	46

#	Article	IF	CITATIONS
145	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H \hat{a} †' aa \hat{a} †' 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
146	Measurement of the $\$ Zgamma o u overline{u}gamma $\$ production cross section in pp collisions at $\$ sqrt{s}=13 $\$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
147	Prompt and non-prompt $\$J/psi \J/i^c elliptic flow in Pb+Pb collisions at $\$sqrt\{s_{ext} \{NN\}\}\} = 5.02\$\$ s NN = 5.02 Tev with the ATLAS detectorÂ. European Physical Journal C, 2018, 78, 784.$	3.9	19
148	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ \hat{I}^3 \hat{I}^3 W W \hat{a} — channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s}\$\$ s \$\$=13\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
149	Measurement of colour flow using jet-pull observables in $\frac{1}{s}$ t t \hat{A}^- events with the ATLAS experiment at $\frac{1}{s}$ = 13,hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
150	Angular analysis of BO d â†' Kâ^—μ+μâ^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector.	76
151	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
152	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
153	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
154	Search for Higgs boson pair production in the \$\$ upgamma upgamma boverline{b} \$\$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
155	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
156	Measurement of the azimuthal anisotropy of charged particles produced in $\$$ sqrt $\{s_{\text{ext}} \text{NN}\}$ s s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
157	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
158	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\$$ sqrt $\{s\}$ =13hbox $\{TeV\}$ \$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
159	Search for charged Higgs bosons decaying into top and bottom quarks at $\$$ sqrt $\{s\}=13$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
160	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	3.9	25
161	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $$$ sqrt ${s}=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
162	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22

#	Article	IF	CITATIONS
163	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fbâ'1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
164	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
165	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
166	Search for charged Higgs bosons decaying via $H\hat{A}\pm\hat{a}\uparrow'\ddot{l}_{,a}\hat{A}\pm\hat{l}_{,a}\dot{l}_{,a}$ in the $\ddot{l}_{,a}$ +jets and $\ddot{l}_{,a}$ +lepton final states with 36 fbs of pp collision data recorded at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	â^'1 4.7	59
167	Prompt and non-prompt $\$J/psi \J/\ddot{i} and $\$psi (2mathrm {S})\$\ddot{i} (2S)$ suppression at high transverse momentum in $\$5.02$ -mathrm {TeV} $\$\5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
168	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
169	Search for exclusive Higgs and Z boson decays to $\tilde{\bf i} \cdot \hat{\bf i}^3$ and $\tilde{\bf i} \hat{\bf i}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
170	Measurements of b-jet tagging efficiency with the ATLAS detector using $\$$ toverline{t} $\$$ events at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
171	Search for flavour-changing neutral current top-quark decays t â†' qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
172	Measurement of the inclusive and fiducial $\frac{1}{s}$ t t \hat{A}^- production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
173	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ \in proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 Â \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
174	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\$\$qrt\{s\}=13\$$ s = 13 Â $\$\$ext\{Te\}ext\{V\}$ Te pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
175	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
176	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
177	Search for dark matter produced in association with bottom or top quarks in $\$\$qrt\{s\}=13\$\$s=13\ArgATeV$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
178	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
179	Measurement of \$\$au \$\$ \ddot{l} , polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / \hat{l}^3 . European Physical Journal C, 2018, 78, 163.	3.9	7
180	Searches for heavy ZZ and ZW resonances in the â, "â, "qq and $\hat{l}/2\hat{l}/2$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29

#	Article	IF	Citations
181	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
182	Measurement of differential cross sections and W+/W \hat{a} cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
183	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb \hat{a} 1 of (sqrt{s}=13) TeV pp collisions with the ATLAS detector., 2018, 2018, 1.		1
184	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
185	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV})., 2018, 78, 1.		1
186	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{$\hat{A}$}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 $\mbox{$\hat{A}$}$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
187	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t $\mbox{\^A}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\mbox{\^I}$ 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
188	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$ TeV and cross section ratios to $2.76 $ and $7 $ TeV. Journal of High Energy Physics, $2017, 2017, 1$.	4.7	54
189	Search for electroweak production of charginos in final states with two \ddot{I} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
190	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$,mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
191	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$ s = 7 and 8 $\$$ s,ext $\{TeV\}$ \$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
192	A search for new phenomena in pp collisions at $\$\$qrt\{s\} = 13,ext \{TeV\} \$\$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the \$\$alpha _{mathrm {T}}\$\$ î \pm T variable. European Physical Journal C, 2017, 77, 294.$	3.9	29
193	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
194	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
195	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
196	Measurement of multi-particle azimuthal correlations in pp, pÂ+ÂPb and low-multiplicity PbÂ+ÂPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
197	Measurement of inclusive and differential cross sections in the H \hat{a} †' ZZ * \hat{a} †' 4 \hat{a} ," decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
198	Measurement of lepton differential distributions and the top quark mass in $\frac{1}{5}$ t t \hat{A}^- . European Physical Journal C, 2017, 77, 804.	3.9	28

#	Article	IF	CITATIONS
199	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
200	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
201	Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
202	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
203	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
204	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$\$ $sqrt\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
205	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
206	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
207	Suppression and azimuthal anisotropy of prompt and nonprompt $f(x)=0$ mathrm{J}}/psi $f(x)=0$ production in PbPb collisions at $f(x)=0$ and $f(x)=0$ physical Journal C, 2017, 77, 252.	3.9	82
208	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
209	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\frac{s_{n}}{2.76} = 2.76$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	3.9	51
210	Search for dark matter at $\frac{s}=13~\text{mathrm} TeV}$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
211	Searches for invisible decays of the Higgs boson in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
212	Measurement of charged-particle distributions sensitive to the underlying event in s = 13 $\$$ sqrt{s}=13 $\$$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
213	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
214	Search for direct top squark pair production in final states with two leptons in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.}$	3.9	50
215	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 $ sqrt{ s }=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
216	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in \s p p collisions at \s mathbf \s s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19

#	Article	IF	CITATIONS
217	Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
218	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
219	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
220	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
221	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s=8 $ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
222	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
223	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13 $ \$ sqrt $s=13 $ \$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
224	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
225	Measurement of \$\$WW/WZ ightarrow ell u q q^{prime}\$\$ W W W Z â†' â,," $1\frac{1}{2}$ q q 4^2 production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at \$\$sqrt{s} =8~ext {TeV}\$\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical lournal C. 2017, 77, 563.	3.9	28
226	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s=13 \$$ sqrt $\{s\}=13 \$$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
227	Searches for the $Z\hat{I}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
228	Studies of $Z\hat{I}^3$ production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
229	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
230	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
231	Search for top quark decays t ât' qH, with H ât' $\hat{1}^3\hat{1}^3$, in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
232	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
233	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	3.9	30
234	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2

#	Article	IF	CITATIONS
235	Search for high-mass $Z\hat{1}^3$ resonances in e+eâ [^] î³ and î½ + î½ â [^] î³ final states in proton-proton collisions at s = 8 sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	\$\$ _{4.7}	7
236	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
237	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
238	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
239	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 $ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
240	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s=13$ \$\$ $qrt{s}=13$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
241	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbâ^1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
242	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 $ \$ sqrt $\{s\}=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
243	Measurement of the k t splitting scales in Z \hat{a}^{\dagger} , \hat{a}^{\dagger} , events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
244	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s=8$ \$\$ sqrt $s=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
245	Evidence for the H \hat{a}^+_i ' b b \hat{A}^i \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
246	Search for new high-mass phenomena in the dilepton final state using 36 fbâ^'1 of proton-proton collision data at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
247	Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.	3.9	32
248	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{sqrt\{s\}\} = 8,ext\{TeV\} $ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
249	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
250	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
251	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{N}};mathrm{N}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
252	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55

#	Article	IF	CITATIONS
253	Measurement of the $f(w) ^{+} \$ mathrm $w^{-} \$ where $f(w) = 8$ is $f(w) = 8$. The variables on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
254	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
255	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
256	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8−ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
257	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
258	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
259	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
260	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
261	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
262	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
263	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
264	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
265	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
266	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
267	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $$$ sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
268	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
269	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eli/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
270	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17

#	Article	IF	Citations
271	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
272	Evidence for exclusive $\hat{I}^3\hat{I}^3$ \hat{I}^3 \hat{I}^3 \hat{I}^4 \hat{I}^3 \hat{I}^3 \hat{I}^4	4.7	42
273	Search for supersymmetry in pp collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
274	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
275	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
276	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
277	Measurement of the mass of the top quark in decays with a J/ $\hat{\Gamma}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
278	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$, ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
279	Measurement of $\$ mathrm {t}overline{mathrm {t}}\$\$ t t production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
280	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ ightarrow mathrm $\{W\}^{p} \} + X$ p p → $\mbox{W } \hat{A} \pm + X$ production at $\{q\} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
281	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
282	Search for $W\hat{a}\in 2$ $\hat{a}\uparrow$ to in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
283	Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{NN}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
284	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
285	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
286	Measurement of the $\frac{t}{\text{overline}}{\text{mathrm}\{t\}}$ tt \hat{A}^- production cross section in the all-jets final state in pp collisions at $\frac{s}{\text{s}-8}$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
287	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
288	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ \hat{a} ," \hat{l} /2 b b \hat{A} final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30

#	Article	IF	Citations
289	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
290	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
291	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + j$ ets and $e\hat{A}\pm \hat{1}\frac{1}{4}\hat{A}\pm + j$ ets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
292	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
293	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
294	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
295	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
296	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
297	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
298	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
299	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
300	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
301	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
302	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
303	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
304	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
305	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
306	Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11

#	Article	IF	Citations
307	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
308	Measurement of the differential cross section for top quark pair production in pp collisions at $s=8$, ext TeV \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
309	Measurements of the \frac{Z} \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 2 î½ channel in protonâ€"proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
310	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
311	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
312	Measurement of electroweak production of two jets in association with a Z boson in protona \in "proton collisions at $s=0$ European Physical Journal C, 2015, 75, 66.	3.9	31
313	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
314	Search for decays of stopped long-lived particles produced in protonâ€"proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
315	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. Measurement of the ratio of the production cross sections times branching fractions of B c ±  â†' J ¨I	4.7 € Â+	26
316	and B± → J/Ĩ^K ± and ℬ B c ± → J / Ĭ^ Ï€ ± Ï€ ± Ï€ â-" / â,¬ B c ± → J / Ĭ^ Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm}{pi}^{pm} Tj ETQq0 0 0		rlock 10 Tf 50
317	2015, 1. Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
318	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$ $ sqrt $\{s_{mathrm}\{NN\}\}\}=2.76 \$\$ $ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
319	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$ sqrt $s=8 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
320	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
321	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ \in proton collisions at $s=0$, at $s=0$, and unparticles in monojet events in protonâ \in proton collisions at $s=0$, and unparticles in monojet events in protonâ \in proton 235.	3.9	320
322	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 \$\$,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
323	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{5.02}{5.02}$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 237.	3.9	58
324	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6

#	Article	IF	Citations
325	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
326	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179
327	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
328	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
329	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
330	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
331	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
332	Measurement of prompt J/ Γ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
333	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
334	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
335	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
336	Search for standard model production of four top quarks in the lepton $+$ jets channel in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
337	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
338	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	4.7	169
339	Measurement of the $\$ toverline $\{t\}$ $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt $\{s\}$ $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
340	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q=1.76$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
341	Measurement of associated W + charm production in pp collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
342	Search for new physics in events with same-sign dileptons and jets in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48

#	Article	IF	Citations
343	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{y}}{TeV}$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
344	Measurement of WZ and ZZ production in pp collisions at $\$\$qrt\{s\} = 8$, ext $\{TeV\}$ $\$\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
345	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	3.9	171
346	Measurement of jet multiplicity distributions in $\frac{1}{\text{Verline}}$ where $\frac{1}{\text{Verline}}$ to $\frac{1}{\text{Verline}}$ to $\frac{1}{\text{Verline}}$ for $\frac{1}{\text{Verline}}$ to $\frac{1}{Verl$	3.9	16
347	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
348	Event activity dependence of $Y \ (nS)$ production in $q = 1.02 \ (nS) \ = 1.$	4.7	56
349	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
350	Evidence for the 125 GeV Higgs boson decaying to a pair of $\ddot{\text{I}}_{\text{w}}$ leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
351	Search for Wâ \in 2 â†' tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
352	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at $q=7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
353	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
354	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
355	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
356	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
357	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
358	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
359	Measurement of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the top-quark mass in all-jets $\frac{t}{ar}$ by the first point of the top-quark mass in all-jets $\frac{t}{ar}$ by the top-quark ma	3.9	35
360	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = $; $\$$ s N N = 5.02 $\$$, ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85

#	Article	IF	CITATIONS
361	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ \$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
362	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV., 2014, 2014, 1.		3
363	Search for the associated production of the Higgs boson with a top-quark pair., 2014, 2014, 1.		6
364	Search for microscopic black holes in pp collisions at $q=0$ \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
365	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qrt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
366	Searches for long-lived charged particles in pp collisions at $\$ sqrt{s} $\$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
367	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
368	Observation of a new boson with mass near 125 GeV in pp collisions at $q=1$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
369	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
370	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
371	Measurement of the \$ mathrm{t}overline{mathrm $\{t\}$ } \$ production cross section in the all-jet final state in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
372	Measurement of the X(3872) production cross section via decays to J/l̈́l∈ + l̈∈ ∹ in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
373	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
374	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
375	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=1$ sqrt $q=1$ sqr	4.7	33
376	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
377	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\$ \sqrt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
378	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20

#	Article	IF	CITATIONS
379	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
380	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ^{\hat{1}3}$ and $Z^{\hat{1}3}^{\hat{1}3}$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	14
381	Measurement of the W-boson helicity in top-quark decays from $\infty \$ mathrm{t}-overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
382	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm T$ and b-quark multiplicity in pp collisions at $\sqrt{s} = 8 \text{ mathrm} TeV$. European Physical Journal C, 2013, 73, 2568.	3.9	147
383	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
384	Measurement of masses in the $mathrm{t}$ overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at $q=0.013, 73, 2494$.	3.9	55
385	Search for physics beyond the standard model in events with \ddot{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $q=0.3$, and $q=0.3$, 2493.	3.9	22
386	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the \ddot{l} ,+jets channel in pp collisions at $q=1$ mbox $r=1$ mbox $r=1$ by collisions at $q=1$ mbox $r=1$	3.9	24
387	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
388			

23

#	Article	IF	Citations
397	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q = 7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	3.9	64
398	Measurement of differential top-quark-pair production cross sections in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	125
399	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt\{s\}=8$) TeV. , 2013, 2013, 1.		2
400	Inclusive b-jet production in pp collisions at $sqrt {s} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
401	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt } TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
402	Suppression of non-prompt J/iˆr, prompt J/iˆr, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{NN}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
403	Search for heavy bottom-like quarks in 4.9 fbâ^1 of pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
404	Measurement of the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
405	Measurement of the Z γ* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
406	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
407	Search for anomalous production of multilepton events in pp collisions at sqrt sqrt	4.7	68
408	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$$ sqrt $\{s\}$ = 7;TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
409	Search for leptonic decays of Wâ \in 2 bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
410	Search for stopped long-lived particles produced in pp collisions at $\$ sqrt $\{s\} = \{ext\{7TeV\}\}\$ \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
411	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at	4.7	30
412	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
413	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
414	Search for dark matter and large extra dimensions in monojet events in pp collisions at $q=0$ sqrt $q=0$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	168

#	Article	IF	Citations
415	Search for a fermiophobic Higgs boson in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
416	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
417	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ $ \sqrt{\{s_{mathrm{NN}}\}\}} = 2.76 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
418	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ $qt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
419	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+e \hat{a} ° production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
420	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\}=7$ \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
421	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
422	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\ \sqrt{s}=7 \ TeV$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
423	Search for resonant $\mbox{mathrm{t}overline{mathrm{t}} \mbox{production in lepton+jets events in pp collisions at $ sqrt{s}=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.}$	4.7	26
424	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
425	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
426	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $q=1$ sqrt $q=1$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
427	Measurement of the top-quark mass in $\mbox{mathrm{t}}\$ events with lepton+jets final states in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
428	Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
429	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	154
430	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$. European Physical Journal C, 2012, 72, 1.	3.9	129
431	Measurement of the top-quark mass in $mathrm\{t\}$ events with dilepton final states in pp collisions at $q=0$ mbox TeV . European Physical Journal C, 2012, 72, 1.	3.9	42
432	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	26

#	Article	IF	CITATIONS
433			

#	Article	IF	CITATIONS
451	Measurements of inclusive W and Z cross sections in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
452	Search for heavy stable charged particles in pp collisions at $ = 7; {ext{TeV}} $. Journal of High Energy Physics, 2011, 2011, 1.	4.7	38
453	Inclusive b-hadron production cross section with muons in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
454	Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{s}\} = 7, \{\text{ext}\{\text{TeV}\}\}$ \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
455	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
456	Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
457	Strange particle production in pp collisions at sqrt s= 0.9 3 and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	139
458	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
459	Search for resonances in the dilepton mass distribution in pp collisions at sqrt sqrt a TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39
460	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $q=7,{ext}$ Sournal of High Energy Physics, 2011, 2011, 1.	4.7	26
461	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
462	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt sqrt FeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
463	Measurement of the $\{m t\}$ ar $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt} \{s\} = 7 $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
464	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
465	Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.	4.7	13
466	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
467	Search for same-sign top-quark pair production at $\$ sqrt $\{s\}$ = 7 $\$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
468	Charged particle transverse momentum spectra in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	56

#	Article	IF	Citations
469	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
470	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\{\{s_{ext}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
471	Search for new physics with jets and missing transverse momentum in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
472	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\} = 7 \$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
473	Measurement of the underlying event activity at the LHC with $\$$ sqrt $\$$ = 7 $\$$ TeV and comparison with $\$$ sqrt $\$$ = 0.9 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
474	Measurement of the Drell-Yan cross section in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
475	Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt $\{s\} = 7$ \$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
476	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\$$ = 0. $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
477	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
478	First measurement of the underlying event activity at \hat{A} the \hat{A} LHC \hat{A} with \hat{A} \$sqrt{s} = 0.9\$ \hat{A} TeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
479	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
480	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
481	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497