

Frank C Hawthorne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/672616/publications.pdf>

Version: 2024-02-01

510
papers

14,279
citations

30047

54
h-index

34964

98
g-index

521
all docs

521
docs citations

521
times ranked

7387
citing authors

#	ARTICLE	IF	CITATIONS
1	Protocaseyite, a new decavanadate mineral containing a $[Al_4(OH)_6(H_2O)_{12}]^{6+}$ linear tetramer, a novel isopolycation. <i>American Mineralogist</i> , 2022, 107, 1181-1189.	0.9	5
2	Pauling's rules for oxide-based minerals: A re-examination based on quantum mechanical constraints and modern applications of bond-valence theory to Earth materials. <i>American Mineralogist</i> , 2022, 107, 1219-1248.	0.9	8
3	Shakhdarait-(Y), $ScYNb_2O_8$, from the Leskhozovskaya granitic pegmatite, the valley of the Shakhdara River, southwestern Pamir, Gorno-Badakhshanskii Autonomous Region, Tajikistan: New mineral description and crystal structure. <i>Canadian Mineralogist</i> , 2022, 60, 369-382.	0.3	2
4	The redefinition of gunterite, $Na_4Ca[V_{10}O_{28}] \cdot 20H_2O$. <i>Canadian Mineralogist</i> , 2022, 60, 361-368.	0.3	3
5	Bonding between the decavanadate polyanion and the interstitial complex in pascoite-family minerals. <i>Canadian Mineralogist</i> , 2022, 60, 341-359.	0.3	2
6	Bond topology of chain, ribbon and tube silicates. Part I. Graph-theory generation of infinite one-dimensional arrangements of $\langle TO_4 \rangle$ tetrahedra. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2022, 78, 212-233.	0.0	4
7	Presentation of the Dana Medal of the Mineralogical Society of America for 2021 to Sergey Krivovichev. <i>American Mineralogist</i> , 2022, 107, 985-986.	0.9	0
8	From Structure Topology to Chemical Composition. XXXI. Refinement of the Crystal Structure and Chemical Formula of Selivanovaite, $NaFe_3Ti_4(Si_2O_7)_2O_4(H_2O)_4$, a Murmanite-Group (Seidozerite) Mineralogist, 2022, 60, 513-531.	0.3	2
9	Alluaudite-Group Phosphate and Arsenate Minerals. <i>Canadian Mineralogist</i> , 2021, 59, 243-263.	0.3	3
10	A comment on "An evolutionary system of mineralogy: Proposal for a classification of planetary materials based on natural kind clustering". <i>American Mineralogist</i> , 2021, 106, 150-153.	0.9	8
11	A Structure Hierarchy for the Aluminofluoride Minerals. <i>Canadian Mineralogist</i> , 2021, 59, 211-241.	0.3	2
12	Proof That a Dominant Endmember Formula Can Always Be Written for a Mineral or a Crystal Structure. <i>Canadian Mineralogist</i> , 2021, 59, 159-167.	0.3	7
13	Ontology, archetypes and the definition of "mineral species". <i>Mineralogical Magazine</i> , 2021, 85, 125-131.	0.6	13
14	From Structure Topology to Chemical Composition. XXIX. Revision of the Crystal Structure of Perraultite, $NaBaMn_4Ti_2(Si_2O_7)_2O_2(OH)_2F$, a Seidozerite-Supergroup TS-Block Mineral from the Oktyabr'skii Massif, Ukraine, and Discreditation of Surkhobite. <i>Canadian Mineralogist</i> , 2021, 59, 365-379.	0.3	2
15	Ontology, archetypes and the definition of "mineral species" - ERRATUM. <i>Mineralogical Magazine</i> , 2021, 85, 830-830.	0.6	0
16	The pascoite family of minerals, including the redefinition of rakovanite. <i>Canadian Mineralogist</i> , 2021, 59, 771-779.	0.3	6
17	Badakhshanite-(Y), $Y_2Mn_4Al(Si_2B_7BeO_{24})$, a new mineral species of the perettiite group from a granite miarolitic pegmatite in Eastern Pamir, the Gorno Badakhshan Autonomous Oblast, Tajikistan. <i>Canadian Mineralogist</i> , 2020, 58, 381-394.	0.3	1
18	Caseyite, a new mineral containing a variant of the flat- Al_{13} polyoxometalate cation. <i>American Mineralogist</i> , 2020, 105, 123-131.	0.9	8

#	ARTICLE	IF	CITATIONS
19	A structure hierarchy for silicate minerals: chain, ribbon, and tube silicates. <i>Mineralogical Magazine</i> , 2020, 84, 165-244.	0.6	31
20	From structure topology to chemical composition. XXVII. Revision of the crystal chemistry of the perraultite-type minerals of the seidozerite supergroup: Jinshajiangite, surkhobite, and bobshannonite. <i>Canadian Mineralogist</i> , 2020, 58, 19-43.	0.3	1
21	From structure topology to chemical composition. XXVIII. Titanium silicates: Jinshajiangite from the Oktyabr'skii Massif, Donetsk Region, Ukraine, a new occurrence. <i>Canadian Mineralogist</i> , 2020, 58, 223-229.	0.3	1
22	Extraordinary structural complexity of ilmajokite: a multilevel hierarchical framework structure of natural origin. <i>IUCrJ</i> , 2020, 7, 121-128.	1.0	8
23	Bond-length distributions for ions bonded to oxygen: results for the transition metals and quantification of the factors underlying bond-length variation in inorganic solids. <i>IUCrJ</i> , 2020, 7, 581-629.	1.0	59
24	From structure topology to chemical composition. XXVI. Crystal structure and chemical composition of a possible new mineral of the murmanite group (seidozerite supergroup), ideally $\text{Na}_2\text{CaTi}_4(\text{Si}_2\text{O}_7)_2\text{O}_4(\text{H}_2\text{O})_4$, from the Lovozero alkaline massif, Kola Peninsula, Russia. <i>Mineralogical Magazine</i> , 2019, 83, 199-207.	0.6	0
25	Ferri-fluoro-katophorite from Bear Lake diggings, Bancroft area, Ontario, Canada: a new species of amphibole, ideally $\text{Na}(\text{NaCa})(\text{Mg}_4\text{Fe}_3)(\text{Si}_7\text{Al})\text{O}_{22}\text{F}_2$. <i>Mineralogical Magazine</i> , 2019, 83, 413-417.	0.6	2
26	High-temperature Fe oxidation coupled with redistribution of framework cations in lobanovite, $\text{K}_2\text{Na}(\text{Fe}^{2+})_4\text{Mg}_2(\text{Na})\text{Ti}_2(\text{Si}_4\text{O}_{12})_3\text{O}_2$; the first titanosilicate case. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2019, 75, 578-590.	0.5	3
27	Identifying Protonated Decavanadate Polyanions. <i>Canadian Mineralogist</i> , 2019, 57, 245-253.	0.3	9
28	Lepageite, $\text{Mn}_{32}(\text{Fe}_{73}+\text{Fe}_{42})\text{O}_3[\text{Sb}_{53}+\text{As}_{83}+\text{O}_{34}]$, a new arsenite-antimonite mineral from the Szklary pegmatite, Lower Silesia, Poland. <i>American Mineralogist</i> , 2019, 104, 1043-1050.	0.9	4
29	Potassic-jeanlouisite from Leucite Hill, Wyoming, USA, ideally $\text{K}(\text{NaCa})(\text{Mg}_4\text{Ti})\text{Si}_8\text{O}_{22}\text{O}_2$: the first species of oxo amphibole in the sodium-calcium subgroup. <i>Mineralogical Magazine</i> , 2019, 83, 587-593.	0.6	0
30	Memorial of Paul Brian Moore 1940-2019. <i>American Mineralogist</i> , 2019, 104, 1062-1063.	0.9	2
31	Determination of $\text{V}^{4+}:\text{V}^{5+}$ Ratios in the $[\text{V}_{10}\text{O}_{28}]^{4-}$ Decavanadate Polyanion. <i>Canadian Mineralogist</i> , 2019, 57, 235-244.	0.3	11
32	Relative humidity as a driver of structural change in three new ferric-sulfate-tellurite hydrates: New minerals tamboite and metatamboite, and a lower-hydrate derivative, possibly involving direct uptake of atmospheric $\{\text{H}_2\text{O}\}_4$ clusters. <i>Canadian Mineralogist</i> , 2019, 57, 605-635.	0.3	2
33	Davidbrownite- $(\text{NH}_4)_2(\text{NH}_4)_5(\text{V}^{4+})_2(\text{C}_2\text{O}_4)_4[\text{PO}_{2.75}(\text{OH})_8]$, a new phosphate-oxalate mineral from the Rowley mine, Arizona, USA. <i>Mineralogical Magazine</i> , 2019, 83, 869-877.	0.6	0
34	The Crystal Structure of Polyolithionite-1M from Darai-Pioz, Tajikistan: the Role of Short-range Order in Driving Symmetry Reduction in 1M Li-rich Mica. <i>Canadian Mineralogist</i> , 2019, 57, 519-528.	0.3	2
35	Brandãoite, $[\text{BeAl}_2(\text{PO}_4)_2(\text{OH})_2(\text{H}_2\text{O})_4](\text{H}_2\text{O})$, a new Be-Al phosphate mineral from the João Firmino mine, Pomarolli farm region, Divino das Laranjeiras County, Minas Gerais State, Brazil: description and crystal structure. <i>Mineralogical Magazine</i> , 2019, 83, 261-267.	0.6	0
36	Effect of fine-tuning pore structures on the dynamics of confined water. <i>Journal of Chemical Physics</i> , 2019, 150, 204706.	1.2	10

#	ARTICLE	IF	CITATIONS
37	Gaidunningite, Ideally $\text{Hg}_{2+3}[\text{NHg}_{2+2}]_{18}(\text{Cl},\text{I})_{24}$, a New Mineral from the Clear Creek Mine, San Benito County, California, USA: Description and Crystal Structure. <i>Canadian Mineralogist</i> , 2019, 57, 295-310.	0.3	3
38	Cation Order in the Crystal Structure of Ca -hingganite-(Y). <i>Canadian Mineralogist</i> , 2019, 57, 371-382.	0.3	2
39	Synthesis and solid solution in $\text{erubidium richterite}$, $\text{Rb}(\text{NaCa})\text{Mg}_5\text{Si}_8\text{O}_{22}(\text{OH},\text{F})_2$. <i>Physics and Chemistry of Minerals</i> , 2019, 46, 759-770.	0.3	2
40	Rinkite-(Y), $\text{Na}_2\text{Ca}_4\text{YTi}(\text{Si}_2\text{O}_7)_2\text{OF}_3$, a seidozerite-supergroup TS-block mineral from the Darai-Pioz alkaline massif, Tien-Shan mountains, Tajikistan: Description and crystal structure. <i>Mineralogical Magazine</i> , 2019, 83, 373-380.	0.6	8
41	Laverovite, $\text{K}_2\text{NaMn}_7\text{Zr}_2(\text{Si}_4\text{O}_{12})_2\text{O}_2(\text{OH})_4\text{F}$, a New Astrophyllite-supergroup Mineral from Mont Saint-hilaire, Quebec, Canada. <i>Canadian Mineralogist</i> , 2019, 57, 201-213.	0.3	3
42	Fluorapophyllite-(Cs), $\text{CsCa}_4(\text{Si}_8\text{O}_{20})\text{F}(\text{H}_2\text{O})_8$, a new apophyllite-group mineral from the Darai-Pioz Massif, Tien-Shan, northern Tajikistan. <i>Canadian Mineralogist</i> , 2019, 57, 965-971.	0.3	9
43	Gem amphiboles from Mogok, Myanmar: crystal-structure refinement, infrared spectroscopy and short-range order disorder in gem pargasite and fluoro-pargasite. <i>Mineralogical Magazine</i> , 2019, 83, 361-371.	0.6	1
44	A structure hierarchy for silicate minerals: sheet silicates. <i>Mineralogical Magazine</i> , 2019, 83, 3-55.	0.6	37
45	News from the hellandite group: the redefinition of mottanaite and ciprianiite and the new mineral description of ferri-mottanaite-(Ce), the first Fe^{3+} -dominant hellandite. <i>European Journal of Mineralogy</i> , 2019, 31, 799-806.	0.4	2
46	Clino-suenoite, a newly approved magnesium-iron-manganese amphibole from Valmalenco, Sondrio, Italy. <i>Mineralogical Magazine</i> , 2018, 82, 189-198.	0.6	0
47	Bond-length distributions for ions bonded to oxygen: results for the non-metals and discussion of lone-pair stereoactivity and the polymerization of PO_4 . <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2018, 74, 79-96.	0.5	28
48	The effect of type-B carbonate content on the elasticity of fluorapatite. <i>Physics and Chemistry of Minerals</i> , 2018, 45, 789-800.	0.3	6
49	Infrared Spectroscopy of Carbonaceous-chondrite Inclusions in the Kapoeta Meteorite: Discovery of Nanodiamonds with New Spectral Features and Astrophysical Implications. <i>Astrophysical Journal Letters</i> , 2018, 856, L9.	3.0	9
50	Empirical electronic polarizabilities: deviations from the additivity rule. I. $\text{M}_2+\text{SO}_4 \cdot n\text{H}_2\text{O}$, blairite $\text{Na}_2\text{M}_2+(\text{SO}_4)_2 \cdot 4\text{H}_2\text{O}$, and kieserite-related minerals with sterically strained structures. <i>Physics and Chemistry of Minerals</i> , 2018, 45, 303-310.	0.3	5
51	Magnesio-hornblende from Linderitz, Namibia: mineral description and crystal chemistry. <i>Mineralogical Magazine</i> , 2018, 82, 1253-1259.	0.6	4
52	<i>a priori</i> bond-valence and bond-length calculations in rock-forming minerals. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2018, 74, 470-482.	0.5	8
53	A bond topological approach to borate minerals: A brief review. <i>Journal of Commonwealth Law and Legal Education</i> , 2018, 59, 121-129.	0.2	2
54	The high-temperature behaviour of riebeckite: expansivity, deprotonation, selective Fe oxidation and a novel cation disordering scheme for amphiboles. <i>European Journal of Mineralogy</i> , 2018, 30, 437-449.	0.4	29

#	ARTICLE	IF	CITATIONS
55	Chemographic exploration of the hyalotekite structure-type. <i>Mineralogical Magazine</i> , 2018, 82, 929-937.	0.6	3
56	Classification of the minerals of the graftonite group. <i>Mineralogical Magazine</i> , 2018, 82, 1301-1306.	0.6	5
57	Beusite-(Ca), ideally $\text{CaMn}_{22+}(\text{PO}_4)_2$, a new graftonite-group mineral from the Yellowknife pegmatite field, Northwest Territories, Canada: Description and crystal structure. <i>Mineralogical Magazine</i> , 2018, 82, 1323-1332.	0.6	4
58	Cation order in the crystal structure of ϵ -minasgeraisite-(Y)™. <i>Mineralogical Magazine</i> , 2018, 82, 301-312.	0.6	4
59	Bond-length distributions for ions bonded to oxygen: metalloids and post-transition metals. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2018, 74, 63-78.	0.5	60
60	Folvikite, $\text{Sb}_5+\text{Mn}_3+(\text{Mg},\text{Mn}^{2+})_{10}\text{O}_8(\text{BO}_3)_4$, a new oxyborate mineral from the Kitteln mine, Nordmark ore district, VÄrmland, Sweden: description and crystal structure. <i>Mineralogical Magazine</i> , 2018, 82, 821-836.	0.6	2
61	Ferro-tschermakite from the Ploumanac'h granitic complex, Brittany, France: mineral description. <i>European Journal of Mineralogy</i> , 2018, 30, 171-176.	0.4	2
62	From structure topology to chemical composition. XXIV. Revision of the crystal structure and chemical formula of vigrishinite, $\text{NaZnTi}_4(\text{Si}_2\text{O}_7)_2\text{O}_3(\text{OH})(\text{H}_2\text{O})_4$, a seidozerite-super group mineral from the Lovozero alkaline massif, Kola peninsula, Russia. <i>Mineralogical Magazine</i> , 2018, 82, 787-807.	0.6	4
63	Long-range and short-range cation order in the crystal structures of carlfrancisite and mcgovernite. <i>Mineralogical Magazine</i> , 2018, 82, 1101-1118.	0.6	4
64	Graftonite-(Mn), ideally $\text{M}_1\text{M}_2\text{M}_3\text{Fe}_2(\text{PO}_4)_2$, and graftonite-(Ca), ideally $\text{M}_1\text{M}_2\text{M}_3\text{Fe}_2(\text{PO}_4)_2$, two new minerals of the graftonite group from Poland. <i>Mineralogical Magazine</i> , 2018, 82, 1307-1322.	0.6	4
65	The crystal-chemistry of riebeckite, ideally $\text{Na}_2\text{Fe}_3\text{Fe}_2\text{Si}_8\text{O}_{22}(\text{OH})_2$: a multi-technique study. <i>Mineralogical Magazine</i> , 2018, 82, 837-852.	0.6	13
66	Heyerdahlite, $\text{Na}_3\text{Mn}_7\text{Ti}_2(\text{Si}_4\text{O}_{12})_2\text{O}_2(\text{OH})_4\text{F}(\text{H}_2\text{O})_2$, a new mineral of the astrophyllite supergroup from the Larvik Plutonic complex, Norway: Description and crystal structure. <i>Mineralogical Magazine</i> , 2018, 82, 243-255.	0.6	4
67	The Ericssonite Group of $\text{Fe}_3\text{Disilicate}$ Minerals. <i>Canadian Mineralogist</i> , 2018, 56, 95-99.	0.3	3
68	Redefinition of Zircophyllite, Ideally $\text{K}_2\text{NaMn}_7\text{Zr}_2(\text{Si}_4\text{O}_{12})_2\text{O}_2(\text{OH})_4\text{F}$, A Kupletskite-Group Mineral of the Astrophyllite Supergroup (In Accord With IMA 15-B) As An Astrophyllite-Group Mineral, Ideally $\text{K}_2\text{NaFe}_2+7\text{Zr}_2(\text{Si}_4\text{O}_{12})_2\text{O}_2(\text{OH})_4\text{F}$ (IMA 17-D). <i>Canadian Mineralogist</i> , 2018, 56, 3-5.	0.3	2
69	The crystal structure of orlovite, $\text{KLi}_2\text{Ti}(\text{Si}_4\text{O}_{10})(\text{OF})$: the first example of the short-range order of Ti in true trioctahedral micas. <i>European Journal of Mineralogy</i> , 2018, 30, 399-402.	0.4	0
70	Bond topology and structural arrangements in inorganic crystals. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, a78-a78.	0.0	0
71	A structure hierarchy for chain-, ribbon- and tube-silicate minerals: a bond topological approach. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, a22-a22.	0.0	0
72	Short-Range Order-Disorder in Gem Richterite and Pargasite from Afghanistan: Crystal-Structure Refinement and Infrared Spectroscopy. <i>Canadian Mineralogist</i> , 2018, 56, 939-950.	0.3	1

#	ARTICLE	IF	CITATIONS
73	The crystal structure of orlovite, $\text{KLi}_2\text{Ti}(\text{Si}_4\text{O}_{10})(\text{OF})$: the first example of the short-range order of Ti in true trioctahedral micas. <i>European Journal of Mineralogy</i> , 2018, 30, 399-402.	0.4	1
74	Structural complexity and crystallization: the Ostwald sequence of phases in the $\text{Cu}_2(\text{OH})_3\text{Cl}$ system (botallackite \leftrightarrow atacamite \leftrightarrow clinoatacamite). <i>Structural Chemistry</i> , 2017, 28, 153-159.	1.0	48
75	Odigitriaite, $\text{CsNa}_5\text{Ca}_5[\text{Si}_{14}\text{B}_2\text{O}_{38}]\text{F}_2$, a new caesium borosilicate mineral from the Darai-Pioz alkaline massif, Tajikistan: Description and crystal structure. <i>Mineralogical Magazine</i> , 2017, 81, 113-122.	0.6	2
76	Mendeleevite-(Nd), $(\text{Cs}, \text{â-j})_6(\text{â-i}, \text{Cs})_6(\text{â-j}, \text{K})_6(\text{REE}, \text{Ca})_{30}(\text{Si}_{70}\text{O}_{175})(\text{OH}, \text{H}_2\text{O}, \text{F})_{35}$, a new mineral from the Darai-Pioz alkaline massif, Tajikistan. <i>Mineralogical Magazine</i> , 2017, 81, 135-141.	0.6	6
77	Lobanovite, $\text{K}_2\text{Na}(\text{Fe}_4\text{Mg}_2\text{Na})\text{Ti}_2(\text{Si}_4\text{O}_{12})_2$, a new mineral of the astrophyllite supergroup and its relation to magnesioastrophyllite. <i>Mineralogical Magazine</i> , 2017, 81, 175-181.	0.6	12
78	The astrophyllite supergroup: nomenclature and classification. <i>Mineralogical Magazine</i> , 2017, 81, 143-153.	0.6	19
79	Fogoite-(Y), $\text{Na}_3\text{Ca}_2\text{Y}_2\text{Ti}(\text{Si}_2\text{O}_7)_2\text{OF}_3$, a Group I TS-block mineral from the Lagoa do Fogo, the Fogo volcano, S�o Miguel Island, the Azores: Description and crystal structure. <i>Mineralogical Magazine</i> , 2017, 81, 369-381.	0.6	8
80	Å»abiÅ»,skite, ideally $\text{Ca}(\text{Al}_{0.5}\text{Ta}_{0.5})(\text{SiO}_4)_2\text{O}$, a new mineral of the titanite group from the PiÅ»,awa G�rna pegmatite, the G�ry Sowie Block, southwestern Poland. <i>Mineralogical Magazine</i> , 2017, 81, 591-610.	0.6	5
81	Uranium-bearing opals: Products of U-mobilization, diffusion, and transformation processes. <i>American Mineralogist</i> , 2017, 102, 1154-1164.	0.9	5
82	Ferri-obertiite from the Rothenberg quarry, Eifel volcanic complex, Germany: mineral data and crystal chemistry of a new amphibole end-member. <i>Mineralogical Magazine</i> , 2017, 81, 641-651.	0.6	3
83	High-temperature behaviour of astrophyllite, $\text{K}_2\text{NaFe}_7\text{Ti}_2(\text{Si}_4\text{O}_{12})_2\text{O}_2(\text{OH})_4\text{F}$: a combined X-ray diffraction and M�ssbauer spectroscopic study. <i>Physics and Chemistry of Minerals</i> , 2017, 44, 595-613.	0.3	5
84			

#	ARTICLE	IF	CITATIONS
91	Maneckite, ideally $\text{NaCa}_2\text{Fe}^{2+}_2(\text{Fe}^{3+}\text{Mg})\text{Mn}_2(\text{PO}_4)_6(\text{H})_3$ a new phosphate mineral of the wicksite supergroup from the Michałkowa pegmatite, Góry Sowie Block, southwestern Poland. <i>Mineralogical Magazine</i> , 2017, 81, 723-736.	0.6	3
92	The crystal chemistry of oxo-mangani-leakeite and mangano-mangani-ungarettiite from the Hoskins mine and their impossible solid-solution: An XRD and FTIR study. <i>Mineralogical Magazine</i> , 2017, 81, 707-722.	0.6	7
93	Magnesio-riebeckite from the Varenche mine (Aosta Valley, Italy): crystal-chemical characterization of a grandfathered end-member. <i>Mineralogical Magazine</i> , 2017, 81, 1431-1437.	0.6	1
94	From structure topology to chemical composition. XXIII. Revision of the crystal structure and chemical formula of zvyaginite, $\text{Na}_2\text{ZnTiNb}_2(\text{Si}_2\text{O}_7)_2\text{O}_2(\text{OH})_2(\text{H})_2$ a seidozerite-supergroup mineral from the Lovozero alkaline massif, Kola peninsula, Russia. <i>Mineralogical Magazine</i> , 2017, 81, 1533-1550.	0.6	10
95	Revision of the Formulae of Wernerbaurite and Schindlerite: Ammonium- Rather Than Hydronium-Bearing Decavanadate Minerals. <i>Canadian Mineralogist</i> , 2016, 54, 555-558.	0.3	12
96	Refinement of the Crystal Structure of Schneiderhahnite. <i>Canadian Mineralogist</i> , 2016, 54, 707-713.	0.3	4
97	Ferro-ferri-hornblende from the Traversella mine (Ivrea, Italy): occurrence, mineral description and crystal-chemistry. <i>Mineralogical Magazine</i> , 2016, 80, 1233-1242.	0.6	7
98	From structure topology to chemical composition. XX. Titanium silicates: the crystal structure of hejtmanite, $\text{Ba}_2\text{Mn}_4\text{Ti}_2(\text{Si}_2\text{O}_7)_2\text{O}_2(\text{OH})_2$ a Group-II TS-block mineral. <i>Mineralogical Magazine</i> , 2016, 80, 841-853.	0.6	10
99	Oxo-mangani-leakeite from the Hoskins mine, New South Wales, Australia: occurrence and mineral description. <i>Mineralogical Magazine</i> , 2016, 80, 1013-1021.	0.6	3
100	From Structure Topology To Chemical Composition. XXII. Titanium Silicates: Revision of the Crystal Structure of Jinshajiangite, $\text{NaBaFe}_2\text{Ti}_2(\text{Si}_2\text{O}_7)_2\text{O}_2(\text{OH})_2\text{F}$, A Group-II TS-Block Mineral. <i>Canadian Mineralogist</i> , 2016, 54, 1187-1204.	0.3	7
101	Chemographic Exploration of the Milarite-Type Structure. <i>Canadian Mineralogist</i> , 2016, 54, 1229-1247.	0.3	22
102	Short-range atomic arrangements in minerals. I: The minerals of the amphibole, tourmaline and pyroxene supergroups. <i>European Journal of Mineralogy</i> , 2016, 28, 513-536.	0.4	33
103	Magnesio-ferri-fluoro-hornblende from Portoscuso, Sardinia, Italy: description of a newly approved member of the amphibole supergroup. <i>Mineralogical Magazine</i> , 2016, 80, 269-275.	0.6	2
104	Refinement of the crystal structure of berezanskite, $\text{Ti}_2\text{KLi}_3(\text{Si}_{12}\text{O}_{30})$. <i>Mineralogical Magazine</i> , 2016, 80, 733-737.	0.6	2
105	Bond-length distributions for ions bonded to oxygen: alkali and alkaline-earth metals. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2016, 72, 602-625.	0.5	94
106	The crystal structure of gianellaite, $[(\text{NH}_4)_2](\text{SO}_4)(\text{H}_2\text{O})_x$, a framework of $(\text{NH}_4)_4$ tetrahedra with ordered (SO_4) groups in the interstices. <i>Mineralogical Magazine</i> , 2016, 80, 869-875.	0.6	6
107	The Crystal Structure of Zircophyllite, $\text{K}_2\text{NaFe}_2\text{Zr}_2(\text{Si}_4\text{O}_{12})_2\text{O}_2(\text{OH})_4\text{F}$, An Astrophyllite-Supergroup Mineral From Mont Saint-Hilaire, Québec, CANADA. <i>Canadian Mineralogist</i> , 2016, 54, 1539-1547.	0.3	9
108	Maruyamaite, $\text{K}(\text{MgAl}_2)(\text{Al}_5\text{Mg})\text{Si}_6\text{O}_{18}(\text{BO}_3)_3(\text{OH})_3\text{O}$, a potassium-dominant tourmaline from the ultrahigh-pressure Kokchetav massif, northern Kazakhstan: Description and crystal structure. <i>American Mineralogist</i> , 2016, 101, 355-361.	0.9	31

#	ARTICLE	IF	CITATIONS
109	Pieczkaite, ideally $Mn_5(PO_4)_3Cl$, a new apatite-supergroup mineral from Cross Lake, Manitoba, Canada: Description and crystal structure. <i>American Mineralogist</i> , 2015, 100, 1047-1052.	0.9	8
110	Eckermannite revised: The new holotype from the Jade Mine Tract, Myanmar—crystal structure, mineral data, and hints on the reasons for the rarity of eckermannite. <i>American Mineralogist</i> , 2015, 100, 909-914.	0.9	9
111	Magnesio-arfvedsonite from Jade Mine Tract, Myanmar: mineral description and crystal chemistry. <i>Mineralogical Magazine</i> , 2015, 79, 253-260.	0.6	4
112	FROM STRUCTURE TOPOLOGY TO CHEMICAL COMPOSITION. XVIII. TITANIUM SILICATES: REVISION OF THE CRYSTAL STRUCTURE AND CHEMICAL FORMULA OF BETALOMONOSOVITE, A GROUP-IV TS-BLOCK MINERAL FROM THE LOVOZERO ALKALINE MASSIF, KOLA PENINSULA, RUSSIA. <i>Canadian Mineralogist</i> , 2015, 53, 401-428.	0.3	17
113	LONG-RANGE AND SHORT-RANGE ORDER IN GEM PARGASITE FROM MYANMAR: CRYSTAL-STRUCTURE REFINEMENT AND INFRARED SPECTROSCOPY. <i>Canadian Mineralogist</i> , 2015, 53, 497-510.	0.3	5
114	Fontarnauite, $(Na,K)_2(Sr,Ca)(SO_4)[B_5O_8(OH)](H_2O)_2$, A New Sulfate-Borate Mineral From DoÄŸyanlar (Emet), KÄtahya Province, Western Anatolia, Turkey. <i>Canadian Mineralogist</i> , 2015, 53, 803-820.	0.3	3
115	Bobshannonite, $Na_2KBa(Mn,Na)_8(Nb,Ti)_4(Si_2O_7)_4O_4(OH)_4(O,F)_2$, a new TS-block mineral from Mont Saint-Hilaire, QuÄbec, Canada: Description and crystal structure. <i>Mineralogical Magazine</i> , 2015, 79, 1791-1811.	0.6	13
116	Generating functions for stoichiometry and structure of single- and double-layer sheet-silicates. <i>Mineralogical Magazine</i> , 2015, 79, 1675-1709.	0.6	11
117	Yusupovite, $Na_{22}Zr_{16}(Si_6O_{15})(H_2O)_3$, a new mineral species from the Darai-Pioz alkaline massif and its implications as a new microporous filter for large ions. <i>American Mineralogist</i> , 2015, 100, 1502-1508.	0.9	7
118	Katophorite from the Jade Mine Tract, Myanmar: mineral description of a rare (grandfathered) endmember of the amphibole supergroup. <i>Mineralogical Magazine</i> , 2015, 79, 355-363.	0.6	6
119	Toward theoretical mineralogy: A bond-topological approach. <i>American Mineralogist</i> , 2015, 100, 696-713.	0.9	39
120	Ti-RICH FLUORO-RICHTERITE FROM KARIÄSEN (NORWAY): THE OXO-COMPONENT AND THE USE OF Ti_{4+} AS A PROXY. <i>Canadian Mineralogist</i> , 2015, 53, 285-294.	0.3	5
121	Comprehensive derivation of bond-valence parameters for ion pairs involving oxygen. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2015, 71, 562-578.	0.5	298
122	Khvorovite, $Pb_{24}Ca_{2}[Si_8B_2(SiB)O_{28}]F$, a new hyalotekite-group mineral from the Darai-Pioz alkaline massif, Tajikistan: Description and crystal structure. <i>Mineralogical Magazine</i> , 2015, 79, 949-963.	0.6	3
123	THE CRYSTAL STRUCTURE OF FAHEYITE, $Mn_2+Fe_3+2[Be_2(PO_4)_4](H_2O)_6$: A NEW TWIST FOR THE $[Be(P^{IV})_2]$ CHAIN. <i>Canadian Mineralogist</i> , 2015, 53, 199-208.	0.3	0
124	Pilawite-(Y), $Ca_2(Y,Yb)_2[Al_4(Si_4O_2)(OH)_2]_{13}$, a new mineral from the PiÄawa GÄrna granitic pegmatite, southwestern Poland: mineralogical data, crystal structure and association. <i>Mineralogical Magazine</i> , 2015, 79, 1143-1157.	0.6	13
125	FERRO-FERRI-NYBÄITE, $NaN_2(Fe_2+3Fe_3+2)(Si_7Al)O_{22}(OH)_2$, A NEW CLINOAMPHIBOLE FROM MONT SAINT-HILAIRE, QUÄBEC, CANADA: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2014, 52, 1019-1026.	0.3	2
126	BACKITE, $Pb_2Al(TeO_6)Cl$, A NEW TELLURATE MINERAL FROM THE GRAND CENTRAL MINE, TOMBSTONE HILLS, COCHISE COUNTY, ARIZONA: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2014, 52, 935-942.	0.3	8

#	ARTICLE	IF	CITATIONS
127	CLINOFERROGEDRITE IN THE CONTACT-METAMORPHOSED BIWABIK IRON FORMATION, NORTHEASTERN MINNESOTA: DISCUSSION. <i>Canadian Mineralogist</i> , 2014, 52, 917-920.	0.3	1
128	Ferri-fluoro-leakeite: a second occurrence at Bratthagen (Norway), with new data on Zn partitioning and the oxo component in Na amphiboles. <i>Mineralogical Magazine</i> , 2014, 78, 861-869.	0.6	6
129	Who's Who in Mineral Names: Vadim Kazansky (1926–2013). <i>Rocks and Minerals</i> , 2014, 89, 279-280.	0.0	0
130	Acceptance of the 2013 Roebling Medal of the Mineralogical Society of America. <i>American Mineralogist</i> , 2014, 99, 1183-1184.	0.9	0
131	SAAMITE, $\text{BaTiNbNa}_3\text{Ti}(\text{Si}_2\text{O}_7)_2\text{O}_2(\text{OH})_2(\text{H}_2\text{O})_2$, A GROUP-III TI-DISILICATE MINERAL FROM THE Khibiny Alkaline Massif, Kola Peninsula, Russia: Description and Crystal Structure. <i>Canadian Mineralogist</i> , 2014, 52, 745-762.	0.3	14
132	Metahewettite, $\text{Ca}(\text{V}_5+6\text{O}_{16})(\text{H}_2\text{O})_3$, from Hodzha-Rushnai-Mazar, southern Kirgizia: occurrence and crystal structure. <i>Journal of Geosciences (Czech Republic)</i> , 2014, , 159-168.	0.3	4
133	The structure hierarchy hypothesis. <i>Mineralogical Magazine</i> , 2014, 78, 957-1027.	0.6	36
134	Agakhanovite-(Y), ideally $(\text{YCa})_2\text{KBe}_3\text{Si}_{12}\text{O}_{30}$, a new milarite-group mineral from the Heftetjern pegmatite, Tordal, Southern Norway: Description and crystal structure. <i>American Mineralogist</i> , 2014, 99, 2084-2088.	0.9	7
135	Chromo-alumino-povondraite, $\text{NaCr}_3(\text{Al}_4\text{Mg}_2)(\text{Si}_6\text{O}_{18})(\text{BO}_3)_3(\text{OH})_3\text{O}$, a new mineral species of the tourmaline supergroup. <i>American Mineralogist</i> , 2014, 99, 1767-1773.	0.9	16
136	Nafertisite, $\text{Na}_3\text{Fe}_2+10\text{Ti}_2(\text{Si}_6\text{O}_{17})_2\text{O}_2(\text{OH})_6\text{F}(\text{H}_2\text{O})_2$, from Mt. Kukisvumchorr, Khibiny alkaline massif, Kola peninsula, Russia: . <i>European Journal of Mineralogy</i> , 2014, 26, 689-700.	0.4	11
137	From structure topology to chemical composition: XIV. Titanium silicates: refinement of the crystal structure and revision of the chemical formula of mosandrite, $(\text{Ca}_{3-x}\text{REE}_x)(\text{H}_2\text{O})_2\text{Ca}_{0.5-x}\text{Ti}_{0.5-x}(\text{Si}_{2-x}\text{O}_7)_2\text{O}_2(\text{OH})_2(\text{H}_2\text{O})_2$, a Group-I mineral from the Saga mine, Morje, Porsgrunn, Norway. <i>Mineralogical Magazine</i> , 2013, 77, 2753-2771.	1.1	62
138	Crystallization and Dissolution in Aqueous Solution: A Bond-Valence Approach. <i>Structure and Bonding</i> , 2013, , 161-189.	1.0	2
139	Oxidation state of iron in alteration minerals associated with sandstone-hosted unconformity-related uranium deposits and apparently barren alteration systems in the Athabasca Basin, Canada: Implications for exploration. <i>Journal of Geochemical Exploration</i> , 2013, 130, 22-43.	1.5	13
140	The crystal structure of comancheite, $\text{Hg}_2\text{N}_5\text{N}_{24}(\text{OH},\text{NH})_4(\text{Cl},\text{Br})_{34}$, and crystal-chemical and spectroscopic discrimination of N^{3-} and O^{2-} anions in Hg_2 compounds. <i>Mineralogical Magazine</i> , 2013, 77, 3217-3237.	0.6	9
141	Spectroscopy and X-ray structure refinement of sekaninaite from DolnBory (Czech Republic). <i>Mineralogical Magazine</i> , 2013, 77, 485-498.	0.6	5
142	KOLSKYITE, $(\text{Ca-x})\text{Na}_2\text{Ti}_4(\text{Si}_2\text{O}_7)_2\text{O}_4(\text{H}_2\text{O})_7$, A GROUP-IV TI-DISILICATE MINERAL FROM THE Khibiny Alkaline Massif, Kola Peninsula, Russia: Description and Crystal Structure. <i>Canadian Mineralogist</i> , 2013, 51, 921-936.	0.3	19
143	Mendelevite-(Ce) $(\text{Cs}, \text{K})_6(\text{REE}, \text{Ca})_{30}(\text{Si}_{70}\text{O}_{175})(\text{H}_2\text{O}, \text{OH}, \text{F})_{35}$: A new mineral from the Darai-Pioz massif, Tajikistan. <i>Doklady Earth Sciences</i> , 2013, 452, 1023-1026.	0.2	4

#	ARTICLE	IF	CITATIONS
145	Carlfrancite: $Mn^{3+}(Mn^{2+}, Mg, Fe^{3+}, Al)_4(As^{3+}O_3)_2(As^{5+}O_4)_4[(Si, As^{5+})O_4]_6[(As^{5+}, Si)O_4]_2(OH)_4$, a new arseno-silicate mineral from the Kombat mine, Otavi Valley, Namibia. <i>American Mineralogist</i> , 2013, 98, 1693-1696.	0.9	8
146	THE CRYSTAL CHEMISTRY OF THE GRAFTONITE-BEUSITE MINERALS. <i>Canadian Mineralogist</i> , 2013, 51, 653-662.	0.3	6
147	Uranium-bearing phases in a U-mill disposal site in Northern Canada: Products of the interaction between leachate/raffinate and tailings material. <i>Applied Geochemistry</i> , 2013, 29, 151-161.	1.4	11
148	Fluor-elbaite, $Na(Li_{1.5}Al_{1.5})Al_6(Si_6O_{18})(BO_3)_3(OH)_3F$, a new mineral species of the tourmaline supergroup. <i>American Mineralogist</i> , 2013, 98, 297-303.	0.9	18
149	Wopmayite, Ideally $Ca_6Na_3Mn(Po_4)_3(PO_3OH)_4$, A New Phosphate Mineral From The Tanco Mine, Bernic Lake, Manitoba: Description And Crystal Structure. <i>Canadian Mineralogist</i> , 2013, 51, 93-106.	0.3	13
150	The crystal structure of laptevite-(Ce), $NaFe_2+(REE_7Ca_5Y_3)(SiO_4)_4(Si_3B_2PO_{18})(BO_3)F_{11}$, a new mineral species from the Darai-Pioz alkaline massif, Northern Tajikistan. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2013, , 130617053355007.	0.4	2
151	Schl��terite-(Y), ideally $(Y, REE)_2Al(Si_2O_7)(OH)_2F$, a new mineral species from the Stetind pegmatite, Tysfjord, Nordland, Norway: description and crystal structure. <i>Mineralogical Magazine</i> , 2013, 77, 353-366.	0.6	2
152	HYDROGEN BONDING IN THE CRYSTAL STRUCTURE OF LEGRANDITE: $Zn_2(AsO_4)(OH)(H_2O)$. <i>Canadian Mineralogist</i> , 2013, 51, 233-241.	0.3	4
153	THE CRYSTAL STRUCTURE OF YOFORTIERITE. <i>Canadian Mineralogist</i> , 2013, 51, 243-251.	0.3	5
154	Veblenite, $K_2Na(Fe_2+5Fe_3+4Mn_2+7Al)Nb_3Ti(Si_2O_7)_2(Si_8O_{22})_2O_6(OH)_{10}(H_2O)_3$, a new mineral from Seal Lake, Newfoundland and Labrador: mineral description, crystal structure, and a new veblenite Si_8O_{22} ribbon. <i>Mineralogical Magazine</i> , 2013, 77, 2955-2974.	0.6	8
155	The crystal structure of chalcoalumite: mechanisms of Jahn-Teller-driven distortion in $[Cu^{2+}]_6$ -containing oxysalts. <i>Mineralogical Magazine</i> , 2013, 77, 2901-2912.	0.6	19
156	Far-infrared spectra of synthetic dioctahedral muscovite and muscovite-tobelite series micas: Characterization and assignment of the interlayer I-Oinner and I-Oouter stretching bands. <i>American Mineralogist</i> , 2013, 98, 1848-1859.	0.9	1
157	FROM STRUCTURE TOPOLOGY TO CHEMICAL COMPOSITION. XV. TITANIUM SILICATES: REVISION OF THE CRYSTAL STRUCTURE AND CHEMICAL FORMULA OF SCH��LLERITE, $Na_2Ba_2Mg_2Ti_2(Si_2O_7)_2(Si_8O_{22})_2O_6(OH)_{10}(H_2O)_3$ FROM THE FIFEL VOLCANIC REGION, GERMANY. <i>Canadian Mineralogist</i> , 2013, 51, 715-725.	0.3	16
158	Local structure in C2/c clinopyroxenes on the hedenbergite (CaFeSi ₂ O ₆)-ferrosilite (Fe ₂ Si ₂ O ₆) join: A new interpretation for the Mossbauer spectra of Ca-rich C2/c clinopyroxenes and implications for pyroxene exsolution. <i>American Mineralogist</i> , 2013, 98, 1227-1234.	0.9	8
159	lkaite crystals in melting sea ice – implications for pCO_2 and pH levels in Arctic surface waters. <i>Cryosphere</i> , 2012, 6, 901-908.	1.5	91
160	The role of H_2O in controlling bond topology: The $[Mg(SO_4)(H_2O)]_n$ structures. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2012, 227, 594-603.	0.4	17
161	Natrotitanite, ideally $(Na_{0.5}Y_{0.5})Ti(SiO_4)O$, a new mineral from the Verkhnee Espe deposit, Akjailyautas mountains, Eastern Kazakhstan district, Kazakhstan: description and crystal structure. <i>Mineralogical Magazine</i> , 2012, 76, 37-44.	0.6	6
162	A bond-topological approach to theoretical mineralogy: crystal structure, chemical composition and chemical reactions. <i>Physics and Chemistry of Minerals</i> , 2012, 39, 841-874.	0.3	75

#	ARTICLE	IF	CITATIONS
163	Mineralogy and Weathering of Smelter-Derived Spherical Particles in Soils: Implications for the Mobility of Ni and Cu in the Surficial Environment. <i>Water, Air, and Soil Pollution</i> , 2012, 223, 3619-3641.	1.1	52
164	Who's Who in Mineral Names: Alexander Khomyakov (b. 1933). <i>Rocks and Minerals</i> , 2012, 87, 555-558.	0.0	1
165	The crystal structure of kraisslite, $Zn_3(Mn)_4$ Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 672 Td (Mg) ⁴ from the Sterling Hill mine, Ogdensburg, Sussex County, New Jersey, USA. <i>Mineralogical Magazine</i> , 2012, 76, 2819-2836.	0.6	9
166	Billwiseite, Ideally $Sb_3+(Nb,Ta)_3WO_{18}$, A New Oxide Mineral Species from the Stak Nala Pegmatite, Nanga Parbat - Haramosh Massif, Pakistan: Description and Crystal Structure. <i>Canadian Mineralogist</i> , 2012, 50, 805-814.	0.3	0
167	Refinement of the crystal structure of zoned philipsbornite-hidalgoite from the Tsumeb mine, Namibia, and hydrogen bonding in the $D_2+C_3+3(T_5+O_4)(TO_3OH)(OH)_6$ alunite structures. <i>Mineralogical Magazine</i> , 2012, 76, 839-849.	0.6	10
168	Bond topology and structure-generating functions: graph-theoretic prediction of chemical composition and structure in polysomatic TaO_4 (biopyribole) and H_4O_4 structures. <i>Mineralogical Magazine</i> , 2012, 76, 1053-1080.	0.6	9
169	Ianbruceite, ideally $[Zn_2(OH)(H_2O)(AsO_4)](H_2O)_2$, a new arsenate mineral from the Tsumeb mine, Otjikoto (Oshikoto) region, Namibia: description and crystal structure. <i>Mineralogical Magazine</i> , 2012, 76, 1119-1131.	0.6	8
170	Planar defects as Ar traps in trioctahedral micas: A mechanism for increased Ar retentivity in phlogopite. <i>Earth and Planetary Science Letters</i> , 2012, 341-344, 255-267.	1.8	17
171	Nomenclature of the amphibole supergroup. <i>American Mineralogist</i> , 2012, 97, 2031-2048.	0.9	898
172	Aspedamite, Ideally $\text{Å}12(Fe^{3+}, Fe^{2+})_3Nb_4[Th(Nb, Fe^{3+})_{12}O_{42}]\text{Å}12$, a New Heteropolyniobate Mineral Species from the Herrebokasa Quarry, Aspedammen, Ostfold, Southern Norway: Description and Crystal Structure. <i>Canadian Mineralogist</i> , 2012, 50, 793-894.	0.3	14
173	Davidlloydite, ideally $Zn_3(AsO_4)_2(H_2O)_4$, a new arsenate mineral from the Tsumeb mine, Otjikoto (Oshikoto) region, Namibia: description and crystal structure. <i>Mineralogical Magazine</i> , 2012, 76, 45-57.	0.6	13
174	KIRCHHOFFITE, $CsBSi_2O_6$, A NEW MINERAL SPECIES FROM THE DARAI-PIOZ ALKALINE MASSIF, TAJIKISTAN: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2012, 50, 523-529.	0.3	19
175	TARBAGATAITE, $(K, \text{Å})_2(Ca, Na)(Fe^{2+}, Mn)_7Ti_2(Si_4O_{12})_2O_2(OH)_4(OH, F)$, A NEW ASTROPHYLLITE-GROUP MINERAL SPECIES FROM THE VERKHNEE ESPE DEPOSIT, AKJAILYAUTAS MOUNTAINS, KAZAKHSTAN: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2012, 50, 159-168.	0.3	16
176	EXTREME FRACTIONATION AND DEFORMATION OF THE LEUCOGRANITE - PEGMATITE SUITE AT RED CROSS LAKE, MANITOBA, CANADA. IV. MINERALOGY. <i>Canadian Mineralogist</i> , 2012, 50, 1839-1875.	0.3	33
177	Kazanskyite, $Ba_2TiNb_3Ti_2(Si_2O_7)_2O_2(OH)_2(H_2O)_2$, a Group-III Ti-disilicate mineral from the Khibiny alkaline massif, Kola Peninsula, Russia: description and crystal structure. <i>Mineralogical Magazine</i> , 2012, 76, 473-492.	0.6	21
178	The turquoise-chalcosiderite $Cu(Al, Fe^{3+})_6(PO_4)_4(OH)_8 \cdot 4H_2O$ solid-solution series: A Mossbauer spectroscopy, XRD, EMPA, and FTIR study. <i>American Mineralogist</i> , 2011, 96, 1433-1442.	0.9	20
179	Who's Who in Mineral Names: Fernando Cmara (b. 1967). <i>Rocks and Minerals</i> , 2011, 86, 165-167.	0.0	0
180	An integrated study of uranyl mineral dissolution processes: etch pit formation, effects of cations in solution, and secondary precipitation. <i>Radiochimica Acta</i> , 2011, 99, 79-94.	0.5	9

#	ARTICLE	IF	CITATIONS
181	Short-range constraints on chemical and structural variations in bavenite. <i>Mineralogical Magazine</i> , 2011, 75, 213-239.	0.6	7
182	Oscillatory zoned liddicoatite from Anjanabonoina, central Madagascar. I. Crystal chemistry and structure by SREF and ¹¹ B and ²⁷ Al MAS NMR spectroscopy. <i>Canadian Mineralogist</i> , 2011, 49, 63-88.	0.3	39
183	From structure topology to chemical composition. XI. Titanium silicates: crystal structures of inelilite-1 and inelilite-2 from the Inagli massif, Yakutia, Russia, and the crystal chemistry of inelilite. <i>Mineralogical Magazine</i> , 2011, 75, 2495-2518.	0.6	13
184	Fluor-dravite, NaMg ₃ Al ₆ Si ₆ O ₁₈ (BO ₃) ₃ (OH) ₃ F, a new mineral species of the tourmaline group from the Crabtree emerald mine, Mitchell County, North Carolina: description and crystal structure. <i>Canadian Mineralogist</i> , 2011, 49, 57-62.	0.3	17
185	Sveinbergeite, Ca(Fe ₂₊₆ Fe ₃₊)Ti ₂ (Si ₄ O ₁₂) ₂ O ₂ (OH) ₅ (H ₂ O) ₄ , a new astrophyllite-group mineral from the Larvik Plutonic Complex, Oslo Region, Norway: description and crystal structure. <i>Mineralogical Magazine</i> , 2011, 75, 2687-2702.	0.6	14
186	Oscillatory zoned liddicoatite from Anjanabonoina, central Madagascar. II. Compositional variation and mechanisms of substitution. <i>Canadian Mineralogist</i> , 2011, 49, 89-104.	0.3	20
187	THE CRYSTAL STRUCTURE AND CRYSTAL CHEMISTRY OF MANITOBAITE, IDEALLY (Na ₁₆ Å)Mn ₂₊ 25Al ₈ (PO ₄) ₃₀ , FROM CROSS LAKE, MANITOBA. <i>Canadian Mineralogist</i> , 2011, 49, 1221-1242.	0.3	6
188	Nomenclature of the tourmaline-supergruop minerals. <i>American Mineralogist</i> , 2011, 96, 895-913.	0.9	456
189	Tourmaline the Indicator Mineral: From Atomic Arrangement to Viking Navigation. <i>Elements</i> , 2011, 7, 307-312.	0.5	69
190	GEORGEROBINSONITE, Pb ₄ (CrO ₄) ₂ (OH) ₂ FCI, A NEW CHROMATE MINERAL FROM THE MAMMOTH - ST. ANTHONY MINE, TIGER, PINAL COUNTY, ARIZONA: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2011, 49, 865-876.	0.3	4
191	The crystal structure and crystal chemistry of mendeleevite-(Ce), (Cs, Å) ₆ (Å;Cs) ₆ (Å;K) ₆ (REE,Ca, Å) ₃₀ (Si ₇₀₀ 175)(H ₂ O,OH,F, Å) ₃₅ , a potential microporous material. <i>Mineralogical Magazine</i> , 2011, 75, 2583-2596.	0.6	8
192	The crystal chemistry of "wheatseaf"™ tourmaline from Mogok, Myanmar. <i>Mineralogical Magazine</i> , 2011, 75, 65-86.	0.6	9
193	A secondary ion mass spectrometry (SIMS) re-evaluation of B and Li isotopic compositions of Cu-bearing elbaite from three global localities. <i>Mineralogical Magazine</i> , 2011, 75, 2485-2494.	0.6	30
194	From structure topology to chemical composition. XII. Titanium silicates: the crystal chemistry of rinkite, Na ₂ Ca ₄ REE ₂ Ti(Si ₂ O ₇) ₂ OF ₃ . <i>Mineralogical Magazine</i> , 2011, 75, 2755-2774.	0.6	23
195	Far-infrared spectra of synthetic [4][(Al _{2-x} Gax)(Si _{2-y} Gey)](OH,OD,F) ₂ -kinoshitalite: Characterization and assignment of interlayer Ba-Oinner and Ba-Oouter stretching bands. <i>American Mineralogist</i> , 2011, 96, 566-576.	0.9	4
196	FERRO-OBERTIITE, Na ₂ (Fe ₂₊ 3 Fe ₃₊ +Ti) Si ₈ O ₂₂ O ₂ , A NEW MINERAL SPECIES OF THE AMPHIBOLE GROUP FROM COYOTE PEAK, HUMBOLDT COUNTY, CALIFORNIA. <i>Canadian Mineralogist</i> , 2010, 48, 301-306.	0.3	7
197	Noonkanbahite, BaKNaTi ₂ (Si ₄ O ₁₂) ₂ O ₂ , a new mineral species: description and crystal structure. <i>Mineralogical Magazine</i> , 2010, 74, 441-450.	0.6	7
198	PARAERSHOVITE, Na ₃ K ₃ Fe ₃ +2(Si ₄ O ₁₀ OH) ₂ (OH) ₂ (H ₂ O) ₄ , A NEW MINERAL SPECIES FROM THE Khibina Alkaline Massif, Kola Peninsula, Russia: Description and Crystal Structure. <i>Canadian Mineralogist</i> , 2010, 48, 279-290.	0.3	6

#	ARTICLE	IF	CITATIONS
199	THE CRYSTAL STRUCTURES OF NIOBOPHYLLITE, KUPLETSKITE-(Cs) AND Sn-RICH ASTROPHYLLITE: REVISIONS TO THE CRYSTAL CHEMISTRY OF THE ASTROPHYLLITE-GROUP MINERALS. <i>Canadian Mineralogist</i> , 2010, 48, 1-16.	0.3	18
200	MANITOBAITE, Na ₁₆ Mn ₂₊₂₅ Al ₈ (PO ₄) ₃₀ , A NEW PHOSPHATE MINERAL SPECIES FROM CROSS LAKE, MANITOBA, CANADA. <i>Canadian Mineralogist</i> , 2010, 48, 1455-1463.	0.3	7
201	Crystal structure and crystal chemistry of fluoro-potassic-magnesian-arfvedsonite from Monte Metocha, Xixano region, Mozambique, and discussion of the holotype from Quebec, Canada. <i>Mineralogical Magazine</i> , 2010, 74, 951-960.	0.6	8
202	Fluoroleakeite, NaNa ₂ (Mg ₂ Fe ³⁺) ₂ LiSi ₈ O ₂₂ F ₂ , a new mineral of the amphibole group from the Verkhnee Espe deposit, Akjailyautas Mountains, Eastern Kazakhstan District, Kazakhstan: description and crystal structure. <i>Mineralogical Magazine</i> , 2010, 74, 521-528.	0.6	8
203	Byzantievite, Ba ₅ (Ca,REE,Y) ₂₂ (Ti,Nb) ₁₈ (SiO ₄) ₄ [(PO ₄),(SiO ₄)] ₄ (BO ₃) ₉ O ₂₁ [(OH),F] ₄₃ (H ₂ O) _{1.5} : the crystal structure and crystal chemistry of the only known mineral with the oxyanions (BO ₃), (SiO ₄) and (PO ₄). <i>Mineralogical Magazine</i> , 2010, 74, 285-308.	0.6	7
204	Boron and lithium isotopic compositions as provenance indicators of Cu-bearing tourmalines. <i>Mineralogical Magazine</i> , 2010, 74, 241-255.	0.6	15
205	ALFREDSTELZNERITE: A NEW SPECIES OF CALCIUM BORATE HYDRATE FROM THE SANTA ROSA MINE, SALTA, NORTHWESTERN ARGENTINA. <i>Canadian Mineralogist</i> , 2010, 48, 123-128.	0.3	1
206	THE CRYSTAL STRUCTURE OF ALFREDSTELZNERITE, Ca ₄ (H ₂ O) ₄ [B ₄ O ₄ (OH) ₆] ₄ (H ₂ O) ₁₅ , A COMPLEX HYDROXY-HYDRATED CALCIUM BORATE MINERAL. <i>Canadian Mineralogist</i> , 2010, 48, 129-138.	0.3	7
207	The crystal structure of zigrasite, MgZr(PO ₄) ₂ (H ₂ O) ₄ , a heteropolyhedral framework structure. <i>Mineralogical Magazine</i> , 2010, 74, 567-575.	0.6	5
208	Uranium-rich opal from the Nopal I uranium deposit, Peñã Blanca, Mexico: Evidence for the uptake and retardation of radionuclides. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 187-202.	1.6	24
209	Fluoro-potassic-pargasite, KCa ₂ (Mg ₄ Al)(Si ₆ Al ₂)O ₂₂ F ₂ , from the Tranomaro area, Madagascar: mineral description and crystal chemistry. <i>Mineralogical Magazine</i> , 2010, 74, 961-967.	0.6	2
210	BURGESSITE, Co ₂ (H ₂ O) ₄ [AsO ₃ (OH)] ₂ (H ₂ O), A NEW ARSENATE MINERAL SPECIES FROM THE KEELEY MINE, SOUTH LORRAIN TOWNSHIP, ONTARIO, CANADA. <i>Canadian Mineralogist</i> , 2009, 47, 159-164.	0.3	14
211	Cãmaraitite, Ba ₃ NaTi ₄ (Fe ₂₊ ,Mn) ₈ (Si ₂ O ₇) ₄ O ₄ (OH,F) ₇ . I. A new Ti-silicate mineral from the Verkhnee Espe Deposit, Akjailyautas Mountains, Kazakhstan. <i>Mineralogical Magazine</i> , 2009, 73, 847-854.	0.6	20
212	Zigrasite, MgZr(PO ₄) ₂ (H ₂ O) ₄ , a new phosphate mineral from the Dunton Quarry, Newry, Oxford County, Maine, USA. <i>Mineralogical Magazine</i> , 2009, 73, 415-420.	0.6	6
213	The occurrence of tetrahedrally coordinated Al and B in tourmaline: An ¹¹ B and ²⁷ Al MAS NMR study. <i>American Mineralogist</i> , 2009, 94, 785-792.	0.9	47
214	The crystal structure of tedhadleyite, Hg ²⁺ Hg ₁₀ S ₁₁ O ₄ l ₂ (Cl,Br) ₂ , from the Clear Creek Claim, San Benito County, California. <i>Mineralogical Magazine</i> , 2009, 73, 227-234.	0.6	8
215	CRYSTAL STRUCTURE AND MOSSBAUER SPECTROSCOPY OF TSCHERMAKITE FROM THE RUBY LOCALITY AT FISKENAESSET, GREENLAND. <i>Canadian Mineralogist</i> , 2009, 47, 917-926.	0.3	10
216	Hydrous Silica Coatings: Occurrence, Speciation of Metals, and Environmental Significance. <i>Environmental Science & Technology</i> , 2009, 43, 8775-8780.	4.6	27

#	ARTICLE	IF	CITATIONS
217	XPS spectra of uranyl minerals and synthetic uranyl compounds. II: The O 1s spectrum. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2488-2509.	1.6	77
218	XPS spectra of uranyl minerals and synthetic uranyl compounds. I: The U 4f spectrum. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2471-2487.	1.6	129
219	Dissolution of uranophane: An AFM, XPS, SEM and ICP study. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2510-2533.	1.6	12
220	BRAITHWAITEITE, $\text{NaCu}_5(\text{TiSb})\text{O}_2(\text{AsO}_4)_4[\text{AsO}_3(\text{OH})]_2(\text{H}_2\text{O})_8$, A NEW MINERAL SPECIES FROM LAURANI, BOLIVIA. <i>Canadian Mineralogist</i> , 2009, 47, 947-952.	0.3	4
221	KHINITE-4O [= KHINITE] AND KHINITE-3T [= PARAKHINITE]. <i>Canadian Mineralogist</i> , 2009, 47, 473-476.	0.3	8
222	Fluoro-sodic-ferropedrizite, $\text{NaLi}_2(\text{Fe}_2)_{2+}\text{Al}_2\text{Si}_8\text{O}_{22}\text{F}_2$, a new mineral of the amphibole group from the Sutlug River, Tuva Republic, Russia: description and crystal structure. <i>Mineralogical Magazine</i> , 2009, 73, 487-494.	0.6	5
223	GROATITE, $\text{Na Ca Mn}_{2+2}(\text{PO}_4)[\text{PO}_3(\text{OH})]_2$, A NEW MINERAL SPECIES OF THE ALLUAUDITE GROUP FROM THE TANCO PEGMATITE, BERNIC LAKE, MANITOBA, CANADA: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2009, 47, 1225-1235.	0.3	12
224	Triclinic titanite from the Heftetjern granitic pegmatite, TÅrdal, southern Norway. <i>Mineralogical Magazine</i> , 2009, 73, 709-722.	0.6	10
225	THE CRYSTAL CHEMISTRY OF THE KORNERUPINE-PRISMATINE SERIES. I. CRYSTAL STRUCTURE AND SITE POPULATIONS. <i>Canadian Mineralogist</i> , 2009, 47, 233-262.	0.3	14
226	THE CRYSTAL CHEMISTRY OF THE KORNERUPINE-PRISMATINE SERIES. II. THE ROLE OF HYDROGEN. <i>Canadian Mineralogist</i> , 2009, 47, 263-274.	0.3	5
227	THE CRYSTAL CHEMISTRY OF THE KORNERUPINE-PRISMATINE SERIES. III. CHEMICAL RELATIONS. <i>Canadian Mineralogist</i> , 2009, 47, 275-296.	0.3	5
228	THE CRYSTAL CHEMISTRY OF THE KORNERUPINE-PRISMATINE SERIES. IV. COMPLETE CHEMICAL FORMULAE FROM ELECTRON-MICROPROBE DATA AND X-RAY POWDER DIFFRACTION. <i>Canadian Mineralogist</i> , 2009, 47, 297-302.	0.3	4
229	THE CRYSTAL CHEMISTRY OF THE KORNERUPINE-PRISMATINE SERIES. V. THE SITE OF BERYLLIUM IN KORNERUPINE. <i>Canadian Mineralogist</i> , 2009, 47, 303-314.	0.3	3
230	THE CRYSTAL STRUCTURE OF BURGESSITE, $\text{Co}_2(\text{H}_2\text{O})_4[\text{AsO}_3(\text{OH})]_2(\text{H}_2\text{O})$, AND ITS RELATION TO ERYTHRITE. <i>Canadian Mineralogist</i> , 2009, 47, 165-172.	0.3	6
231	Steverustite, $\text{Pb}_5(\text{OH})_5[\text{Cu}(\text{S}_6\text{O}_{19})_7]$, a new thiosulphate mineral from the Frongoch Mine Dump, Devils Bridge, Ceredigion, Wales: description and crystal structure. <i>Mineralogical Magazine</i> , 2009, 73, 235-250.	0.6	3
232	Druse clinopyroxene in D'Orbigny angritic meteorite studied by single-crystal X-ray diffraction, electron microprobe analysis, and Mössbauer spectroscopy. <i>Meteoritics and Planetary Science</i> , 2009, 44, 581-587.	0.7	16
233	From structure topology to chemical composition. VII. Titanium silicates: the crystal structure and crystal chemistry of jinshajiangite. <i>European Journal of Mineralogy</i> , 2009, 21, 871-883.	0.4	24
234	Fluoro-aluminoleakeite, $\text{NaNa}_2(\text{Mg}_2\text{Al}_2\text{Li})\text{Si}_8\text{O}_{22}\text{F}_2$, a new mineral of the amphibole group from Norra KÅrr, Sweden: description and crystal structure. <i>Mineralogical Magazine</i> , 2009, 73, 817-824.	0.6	7

#	ARTICLE	IF	CITATIONS
235	THE CRYSTAL STRUCTURE OF ERCITITE, $\text{Na}_2(\text{H}_2\text{O})_4[\text{Mn}^{3+}_2(\text{OH})_2(\text{PO}_4)_2]$, AND ITS RELATION TO BERMANITE, $\text{Mn}^{2+}(\text{H}_2\text{O})_4[\text{Mn}^{3+}_2(\text{OH})_2(\text{PO}_4)_2]$. Canadian Mineralogist, 2009, 47, 173-180.	0.3	9
236	Spectral reflectance properties of minerals exposed to simulated Mars surface conditions. Icarus, 2008, 195, 140-168.	1.1	76
237	High-temperature cation ordering in olivine: an in situ Mössbauer study of synthetic $(\text{Mg}_{0.55}\text{Fe}_{0.45})_2\text{SiO}_4$. Hyperfine Interactions, 2008, 186, 99-103.	0.2	8
238	THE CRYSTAL CHEMISTRY OF FAIZIEVITE, $\text{K}_2\text{Li}_6\text{Na}(\text{Ca}_6\text{Na})\text{Ti}_4[\text{Si}_6\text{O}_{18}]_2[\text{Si}_{12}\text{O}_{30}]_2\text{F}_2$, A NOVEL STRUCTURE BASED ON INTERCALATED BLOCKS OF THE BARATOVITE AND BEREZANSKITE STRUCTURES. Canadian Mineralogist, 2008, 46, 163-171.	0.3	0
239	The crystal structure of khinite and polytypism in khinite and parakhinite. Mineralogical Magazine, 2008, 72, 763-770.	0.6	10
240	Understanding the weakly bonded constituents in oxysalt minerals. Zeitschrift Fur Kristallographie - Crystalline Materials, 2008, 223, 41-68.	0.4	74
241	Mushroom elbaite from the Kat Chay mine, Momeik, near Mogok, Myanmar: II. Zoning and crystal growth. Mineralogical Magazine, 2008, 72, 999-1010.	0.6	17
242	THE CRYSTAL CHEMISTRY OF THE SCAPOLITE-GROUP MINERALS. I. CRYSTAL STRUCTURE AND LONG-RANGE ORDER. Canadian Mineralogist, 2008, 46, 1527-1554.	0.3	27
243	THE CRYSTAL CHEMISTRY OF THE SCAPOLITE-GROUP MINERALS. II. THE ORIGIN OF THE $I4/m\bar{A}P42/n$ PHASE TRANSITION AND THE NONLINEAR VARIATIONS IN CHEMICAL COMPOSITION. Canadian Mineralogist, 2008, 46, 1555-1575.	0.3	9
244	The crystal structure of braithwaiteite. Journal of Coordination Chemistry, 2008, 61, 15-29.	0.8	4
245	The crystal chemistry of the gedrite-group amphiboles. I. Crystal structure and site populations. Mineralogical Magazine, 2008, 72, 703-730.	0.6	11
246	Herderite from Mogok, Myanmar, and comparison with hydroxyl-herderite from Ehrenfriedersdorf, Germany. American Mineralogist, 2008, 93, 1545-1549.	0.9	11
247	Mid-IR bands of synthetic calcic amphiboles of tremolite-pargasite series and of natural calcic amphiboles. American Mineralogist, 2008, 93, 1112-1118.	0.9	25
248	THE STEREOCHEMISTRY AND CHEMICAL COMPOSITION OF INTERSTITIAL COMPLEXES IN URANYL-OXYSALT MINERALS. Canadian Mineralogist, 2008, 46, 467-501.	0.3	66
249	The crystal chemistry of the gedrite-group amphiboles. II. Stereochemistry and chemical relations. Mineralogical Magazine, 2008, 72, 731-745.	0.6	7
250	From structure topology to chemical composition. IX. Titanium silicates: revision of the crystal chemistry of lomonosovite and murmanite, Group-IV minerals. Mineralogical Magazine, 2008, 72, 1207-1228.	0.6	30
251	THE CRYSTAL CHEMISTRY OF ALKALI AMPHIBOLES FROM THE KAJLIDONGRI MANGANESE MINE, INDIA. Canadian Mineralogist, 2008, 46, 455-466.	0.3	4
252	THE CRYSTAL STRUCTURE OF NALIVKINITE, A NEW LITHIUM MEMBER OF THE ASTROPHYLLITE GROUP. Canadian Mineralogist, 2008, 46, 651-659.	0.3	11

#	ARTICLE	IF	CITATIONS
253	THE CRYSTAL CHEMISTRY OF Al-RICH AMPHIBOLES: SADANAGAITE AND POTASSIC-FERRISADANAGAITE. Canadian Mineralogist, 2008, 46, 151-162.	0.3	6
254	FLUORINE-RICH HIBSCHITE FROM SILICOCARBONATITE, AFRIKANDA COMPLEX, RUSSIA: CRYSTAL CHEMISTRY AND CONDITIONS OF CRYSTALLIZATION. Canadian Mineralogist, 2008, 46, 1033-1042.	0.3	15
255	Mushroom elbaite from the Kat Chay mine, Momeik, near Mogok, Myanmar: I. Crystal chemistry by SREF, EMPA, MAS NMR and Mössbauer spectroscopy. Mineralogical Magazine, 2008, 72, 747-761.	0.6	45
256	FROM STRUCTURE TOPOLOGY TO CHEMICAL COMPOSITION. V. TITANIUM SILICATES: THE CRYSTAL CHEMISTRY OF NACARENIOBSITE-(Ce). Canadian Mineralogist, 2008, 46, 1333-1342.	0.3	27
257	FROM STRUCTURE TOPOLOGY TO CHEMICAL COMPOSITION. IV. TITANIUM SILICATES: THE ORTHORHOMBIC POLYTYPE OF NABALAMPROPHYLLITE FROM THE LOVOZERO MASSIF, KOLA PENINSULA, RUSSIA. Canadian Mineralogist, 2008, 46, 1323-1331.	0.3	24
258	Long-Range Order in Amphiboles. Reviews in Mineralogy and Geochemistry, 2007, 67, 125-171.	2.2	70
259	DISSOLUTION OF URANYL-OXIDE-HYDROXY-HYDRATE MINERALS. IV. FOURMARIERITE AND SYNTHETIC Pb ₂ (H ₂ O)[(UO ₂) ₁₀ UO ₁₂ (OH) ₆ (H ₂ O) ₂]. Canadian Mineralogist, 2007, 45, 963-981.	0.3	12
260	Amphiboles from the Kola Superdeep Borehole: Fe ³⁺ contents from crystal-chemical analysis and Mössbauer spectroscopy. Mineralogical Magazine, 2007, 71, 651-669.	0.6	5
261	DISSOLUTION OF URANYL-OXIDE-HYDROXY-HYDRATE MINERALS. III. BILLIETITE. Canadian Mineralogist, 2007, 45, 945-962.	0.3	9
262	FTIR spectroscopy of Ti-rich pargasites from Lherz and the detection of O ₂ at the anionic O ₃ site in amphiboles. American Mineralogist, 2007, 92, 1645-1651.	0.9	22
263	Short-Range Order in Amphiboles. Reviews in Mineralogy and Geochemistry, 2007, 67, 173-222.	2.2	54
264	Classification of the Amphiboles. Reviews in Mineralogy and Geochemistry, 2007, 67, 55-88.	2.2	85
265	1. Amphiboles: Crystal Chemistry. , 2007, , 1-54.		12
266	4. Long-Range Order in Amphiboles. , 2007, , 125-172.		24
267	5. Short-Range Order in Amphiboles. , 2007, , 173-222.		14
268	Amphiboles: Crystal Chemistry. Reviews in Mineralogy and Geochemistry, 2007, 67, 1-54.	2.2	118
269	ON THE CLASSIFICATION OF AMPHIBOLES. Canadian Mineralogist, 2006, 44, 1-21.	0.3	49
270	Sazhinite-(La), Na ₃ LaSi ₆ O ₁₅ (H ₂ O) ₂ , a new mineral from the Aris phonolite, Namibia: Description and crystal structure. Mineralogical Magazine, 2006, 70, 405-418.	0.6	15

#	ARTICLE	IF	CITATIONS
271	THE TOPOLOGY OF HYDROGEN BONDING IN BRANDTITE, COLLINSITE AND FAIRFIELDITE. Canadian Mineralogist, 2006, 44, 1181-1196.	0.3	13
272	DISSOLUTION OF URANYL-OXIDE-HYDROXY-HYDRATE MINERALS. II. BECQUERELITE. Canadian Mineralogist, 2006, 44, 1207-1225.	0.3	17
273	VLASOVITE, Na ₂ Zr (Si ₄ O ₁₁), FROM THE KIPAWA ALKALINE COMPLEX, QUEBEC, CANADA: CRYSTAL-STRUCTURE REFINEMENT AND INFRARED SPECTROSCOPY. Canadian Mineralogist, 2006, 44, 1349-1356.	0.3	11
274	Detection and discrimination of sulfate minerals using reflectance spectroscopy. Icarus, 2006, 184, 121-157.	1.1	317
275	Na ⁺ Li ⁺ [V ₃ O ₈] insertion electrodes: Structures and diffusion pathways. Journal of Solid State Chemistry, 2006, 179, 2616-2628.	1.4	23
276	SULFATE MINERALS. I. BOND TOPOLOGY AND CHEMICAL COMPOSITION. Canadian Mineralogist, 2006, 44, 1403-1429.	0.3	20
277	Strategies for Quantification of Light Elements in Minerals by SIMS: H, B and F. Mikrochimica Acta, 2006, 155, 229-233.	2.5	6
278	THE CRYSTAL STRUCTURE OF DEHYDRATED WYARTITE, Ca (CO ₃) [U ⁵⁺ (U ⁶⁺ +O ₂) ₂ O ₄ (OH)] (H ₂ O) ₃ . Canadian Mineralogist, 2006, 44, 1379-1385.	0.3	34
279	Assignment of infrared OH-stretching bands in calcic amphiboles through deuteration and heat treatment. American Mineralogist, 2006, 91, 871-879.	0.9	9
280	DISSOLUTION OF URANYL-OXIDE-HYDROXY-HYDRATE MINERALS. I. CURITE. Canadian Mineralogist, 2006, 44, 415-431.	0.3	16
281	OFTEDALITE, (Sc,Ca,Mn ₂₊) ₂ K (Be,Al) ₃ Si ₁₂ O ₃₀ , A NEW MEMBER OF THE MILARITE GROUP FROM THE HEFTETJERN PEGMATITE, TORDAL, NORWAY: DESCRIPTION AND CRYSTAL STRUCTURE. Canadian Mineralogist, 2006, 44, 943-949.	0.3	23
282	SHORT-RANGE ORDER IN AMPHIBOLES FROM THE BEAR LAKE DIGGINGS, ONTARIO. Canadian Mineralogist, 2006, 44, 1171-1179.	0.3	17
283	REFINEMENT OF THE CRYSTAL STRUCTURE OF BILLIETITE, Ba [(UO ₂) ₆ O ₄ (OH) ₆] (H ₂ O) ₈ . Canadian Mineralogist, 2006, 44, 1197-1205.	0.3	35
284	THE CRYSTAL CHEMISTRY OF SENKEVICHITE, Cs K Na Ca ₂ Ti O [Si ₇ O ₁₈ (OH)], FROM THE DARA-I-PIOZ ALKALINE MASSIF, NORTHERN TAJIKISTAN. Canadian Mineralogist, 2006, 44, 1341-1348.	0.3	9
285	SHORT-RANGE ORDER IN MINERALS: AMPHIBOLES. Canadian Mineralogist, 2005, 43, 1895-1920.	0.3	28
286	THE OD (ORDER DISORDER) STRUCTURE OF HOLFERTITE, A HYDRATED URANYL TITANATE MINERAL FROM SEARLE CANYON, THOMAS RANGE, UTAH, USA. Canadian Mineralogist, 2005, 43, 1545-1552.	0.3	5
287	OXYKINOSHITALITE, A NEW SPECIES OF MICA FROM FERNANDO DE NORONHA ISLAND, PERNAMBUCO, BRAZIL: OCCURRENCE AND CRYSTAL STRUCTURE. Canadian Mineralogist, 2005, 43, 1501-1510.	0.3	31
288	REFINEMENT OF THE CRYSTAL STRUCTURE AND REVISION OF THE CHEMICAL FORMULA OF OLGITE: (Ba,Sr) (Na,Sr,REE) ₂ Na [PO ₄] ₂ . Canadian Mineralogist, 2005, 43, 1521-1526.	0.3	12

#	ARTICLE	IF	CITATIONS
289	A Mössbauer and FTIR study of synthetic amphiboles along the magnesioriebeckite-ferri-clinoholmquistite join. <i>Physics and Chemistry of Minerals</i> , 2005, 32, 103-113.	0.3	23
290	POLYPHITE AND SOBOLEVITE: REVISION OF THEIR CRYSTAL STRUCTURES. <i>Canadian Mineralogist</i> , 2005, 43, 1527-1544.	0.3	30
291	Dellaventuraitite, $\text{NaNa}_2(\text{MgMn}_{23}\text{Ti}_4\text{Li})\text{Si}_8\text{O}_{22}\text{O}_2$, a new anhydrous amphibole from the Kajlidongri Manganese Mine, Jhabua District, Madhya Pradesh, India. <i>American Mineralogist</i> , 2005, 90, 304-309.	0.9	29
292	The $(\text{Mg},\text{Fe}^{2+})$ substitution in ferri-clinoholmquistite, $\text{Li}_2(\text{Mg},\text{Fe}^{2+})_3\text{Fe}_3+2\text{Si}_8\text{O}_{22}(\text{OH})_2$. <i>European Journal of Mineralogy</i> , 2005, 17, 733-740.	0.4	18
293	Synthesis and crystal-chemistry of alkali amphiboles in the system $\text{Na}_2\text{O}-\text{MgO}-\text{FeO}-\text{Fe}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$ as a function of $f\text{O}_2$. <i>American Mineralogist</i> , 2005, 90, 1375-1383.	0.9	27
294	THE CRYSTAL CHEMISTRY OF THE "NICKELALUMITE"-GROUP MINERALS. <i>Canadian Mineralogist</i> , 2005, 43, 1511-1519.	0.3	31
295	TERLINGUACREEKITE, $\text{Hg}_2+3\text{O}_2\text{Cl}_2$, A NEW MINERAL SPECIES FROM THE PERRY PIT, MARIPOSA MINE, TERLINGUA MINING DISTRICT, BREWSTER COUNTY, TEXAS, U.S.A.. <i>Canadian Mineralogist</i> , 2005, 43, 1055-1060.	0.3	6
296	THE MINERALOGICAL ASSOCIATION OF CANADA, 50th ANNIVERSARY SYMPOSIUM VOLUME: PREFACE. <i>Canadian Mineralogist</i> , 2005, 43, 1809-1810.	0.3	0
297	THE CRYSTAL STRUCTURE OF HUBEITE, A NOVEL SOROSILICATE MINERAL. <i>Canadian Mineralogist</i> , 2004, 42, 825-834.	0.3	4
298	NEVADAITE, $(\text{Cu}^{2+}, \text{Al}, \text{V}^{3+})_6 [\text{Al}_8 (\text{PO}_4)_8 \text{F}_8] (\text{OH})_2 (\text{H}_2\text{O})_{22}$, A NEW PHOSPHATE MINERAL SPECIES FROM THE GOLD QUARRY MINE, CARLIN, EUREKA COUNTY, NEVADA: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2004, 42, 741-752.	0.3	3
299	THE CRYSTAL STRUCTURE OF ARAPOVITE, $\text{U}_4+ (\text{Ca},\text{Na})_2 (\text{K}_1-x\text{Å}_x) [\text{Si}_8 \text{O}_{20}]_x \text{Å} 0.5$, A NEW MINERAL SPECIES OF THE STEACYITE GROUP FROM THE DARA-I-PIOZ MORAINÉ, TIEN-SHAN MOUNTAINS, TAJIKISTAN. <i>Canadian Mineralogist</i> , 2004, 42, 1005-1011.	0.3	16
300	A NOVEL $[\text{Si}_{18}\text{O}_{45}]_{18}$ SHEET IN THE CRYSTAL STRUCTURE OF ZERAVSHANITE, $\text{Cs}_4 \text{Na}_2 \text{Zr}_3 [\text{Si}_{18}\text{O}_{45}] (\text{H}_2\text{O})_2$. <i>Canadian Mineralogist</i> , 2004, 42, 125-134.	0.3	12
301	Nomenclature of amphiboles: additions and revisions to the International Mineralogical Association's amphibole nomenclature. <i>Mineralogical Magazine</i> , 2004, 68, 209-215.	0.6	135
302	THE CRYSTAL CHEMISTRY OF SILICATE MINERALS WITH CHAINS OF (TiO_6) OCTAHEDRA. <i>Canadian Mineralogist</i> , 2004, 42, 807-824.	0.3	10
303	JOHILLERITE FROM TOLBACHIK, KAMCHATKA PENINSULA, RUSSIA: CRYSTAL-STRUCTURE REFINEMENT AND CHEMICAL COMPOSITION. <i>Canadian Mineralogist</i> , 2004, 42, 717-722.	0.3	10
304	MALEEVITE, $\text{BaB}_2\text{Si}_2\text{O}_8$, AND PEKOVITE, $\text{SrB}_2\text{Si}_2\text{O}_8$, NEW MINERAL SPECIES FROM THE DARA-I-PIOZ ALKALINE MASSIF, NORTHERN TAJIKISTAN: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2004, 42, 107-119.	0.3	28
305	GROWTH OF URANYL-HYDROXY-HYDRATE AND URANYL-CARBONATE MINERALS ON THE (104) SURFACE OF CALCITE. <i>Canadian Mineralogist</i> , 2004, 42, 1683-1697.	0.3	25
306	BOBFERGUSONITE FROM THE NANCY PEGMATITE, SAN LUIS RANGE, ARGENTINA: CRYSTAL-STRUCTURE REFINEMENT AND CHEMICAL COMPOSITION. <i>Canadian Mineralogist</i> , 2004, 42, 705-716.	0.3	10

#	ARTICLE	IF	CITATIONS
307	THE CRYSTAL CHEMISTRY OF EPISTOLITE. <i>Canadian Mineralogist</i> , 2004, 42, 797-806.	0.3	40
308	Shirozulite, $\text{KMn}^{2+}_2\text{Si}_3\text{AlO}_{10}(\text{OH})_2$, a new manganese-dominant trioctahedral mica: Description and crystal structure. <i>American Mineralogist</i> , 2004, 89, 232-238.	0.9	12
309	Nomenclature of amphiboles: additions and revisions to the International Mineralogical Association's amphibole nomenclature. <i>European Journal of Mineralogy</i> , 2004, 16, 190-195.	0.4	73
310	A BOND-VALENCE APPROACH TO THE URANYL-OXIDE HYDROXY-HYDRATE MINERALS: CHEMICAL COMPOSITION AND OCCURRENCE. <i>Canadian Mineralogist</i> , 2004, 42, 1601-1627.	0.3	48
311	TURANITE, $\text{Cu}_2 + 5(\text{V}_5 + \text{O}_4)_2(\text{OH})_4$, FROM THE TYUYA MUYUN RADIUM URANIUM DEPOSIT, OSH DISTRICT, KYRGYZSTAN: A NEW STRUCTURE FOR AN OLD MINERAL. <i>Canadian Mineralogist</i> , 2004, 42, 731-739.	0.3	10
312	THE CRYSTAL STRUCTURE OF GOLDQUARRYITE, $(\text{Cu}_2 + \text{Cd,Ca})_2\text{Al}_3(\text{PO}_4)_4\text{F}_2(\text{H}_2\text{O})_{10}$, A SECONDARY PHOSPHATE FROM THE GOLD QUARRY MINE, EUREKA COUNTY, NEVADA, U.S.A.. <i>Canadian Mineralogist</i> , 2004, 42, 753-761.	0.3	4
313	CHEVKINITE-(Ce): CRYSTAL STRUCTURE AND THE EFFECT OF MODERATE RADIATION-INDUCED DAMAGE ON SITE-OCCUPANCY REFINEMENT. <i>Canadian Mineralogist</i> , 2004, 42, 1013-1025.	0.3	28
314	PREDICTION OF CRYSTAL MORPHOLOGY OF COMPLEX URANYL-SHEET MINERALS. I. THEORY. <i>Canadian Mineralogist</i> , 2004, 42, 1629-1649.	0.3	30
315	PREDICTION OF CRYSTAL MORPHOLOGY OF COMPLEX URANYL-SHEET MINERALS. II. OBSERVATIONS. <i>Canadian Mineralogist</i> , 2004, 42, 1651-1666.	0.3	23
316	POTASSIC-CARPHOLITE, A NEW MINERAL SPECIES FROM THE SAWTOOTH BATHOLITH, BOISE COUNTY, IDAHO, U.S.A.. <i>Canadian Mineralogist</i> , 2004, 42, 121-124.	0.3	7
317	NOMENCLATURE OF AMPHIBOLES: ADDITIONS AND REVISIONS TO THE INTERNATIONAL MINERALOGICAL ASSOCIATION'S 1997 RECOMMENDATIONS. <i>Canadian Mineralogist</i> , 2003, 41, 1355-1362.	0.3	128
318	Fine structure in the infrared OH-stretching bands of holmquistite and anthophyllite. <i>Physics and Chemistry of Minerals</i> , 2003, 30, 330-336.	0.3	9
319	Synthesis and infrared spectroscopy of amphiboles along the tremolite-pargasite join. <i>European Journal of Mineralogy</i> , 2003, 15, 341-347.	0.4	46
320	THE CRYSTAL STRUCTURE OF NIKISCHERITE, $\text{Na Fe}_{2+6}\text{Al}_3(\text{SO}_4)_2(\text{OH})_{18}(\text{H}_2\text{O})_{12}$, A MINERAL OF THE SHIGAITE GROUP. <i>Canadian Mineralogist</i> , 2003, 41, 79-82.	0.3	61
321	PARAVINOGRADOVITE, $(\text{Na}, \text{Ca})_2[(\text{Ti}_4 + \text{Fe}_3)_4\{\text{Si}_2\text{O}_6\}_2\{\text{Si}_3\text{AlO}_{10}\}(\text{OH})_4]\text{H}_2\text{O}$, A NEW MINERAL SPECIES FROM THE Khibina Alkaline Massif, Kola Peninsula, Russia: Description and Crystal Structure. <i>Canadian Mineralogist</i> , 2003, 41, 989-1002.	0.3	13
322	THE CRYSTAL CHEMISTRY OF NEPHELINE. <i>Canadian Mineralogist</i> , 2003, 41, 61-70.	0.3	69
323	THE CRYSTAL STRUCTURE OF MOSKVINITE-(Y), $\text{Na}_2\text{K}(\text{Y,REE})[\text{Si}_6\text{O}_{15}]$, A NEW SILICATE MINERAL WITH $[\text{Si}_6\text{O}_{15}]$ THREE-MEMBERED DOUBLE RINGS FROM THE DARA-PIOZ MORaine, TIEN-SHAN MOUNTAINS, TAJIKISTAN. <i>Canadian Mineralogist</i> , 2003, 41, 513-520.	0.3	9
324	VASILYEVITE, $(\text{Hg}_2)_{102} + \text{O}_6\text{I}_3\text{Br}_2\text{Cl}(\text{CO}_3)$, A NEW MINERAL SPECIES FROM THE CLEAR CREEK CLAIM, SAN BENITO COUNTY, CALIFORNIA. <i>Canadian Mineralogist</i> , 2003, 41, 1167-1172.	0.3	11

#	ARTICLE	IF	CITATIONS
325	REFINEMENT OF THE CRYSTAL STRUCTURE OF ARSENIOPLEITE: CONFIRMATION OF ITS STATUS AS A VALID SPECIES. <i>Canadian Mineralogist</i> , 2003, 41, 71-77.	0.3	13
326	SCHLEMAITE, $(\text{Cu}, \text{Å})_6(\text{Pb}, \text{Bi})\text{Se}_4$, A NEW MINERAL SPECIES FROM NIEDERSCHLEMA ALBERODA, ERZGEBIRGE, GERMANY: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2003, 41, 1433-1444.	0.3	12
327	ARTSMITHITE, A NEW $\text{Hg}^{1+}\text{-Al}$ PHOSPHATE-HYDROXIDE FROM THE FUNDERBURK PROSPECT, PIKE COUNTY, ARKANSAS, U.S.A.. <i>Canadian Mineralogist</i> , 2003, 41, 721-725.	0.3	11
328	ANORTHOMINASRAGRITE, $\text{V}_4^+ \text{O} (\text{SO}_4) (\text{H}_2\text{O})_5$, A NEW MINERAL SPECIES FROM TEMPLE MOUNTAIN, EMERY COUNTY, UTAH, U.S.A.: DESCRIPTION, CRYSTAL STRUCTURE AND HYDROGEN BONDING. <i>Canadian Mineralogist</i> , 2003, 41, 959-979.	0.3	26
329	BOBJONESITE, $\text{V}_4^+ \text{O} (\text{SO}_4) (\text{H}_2\text{O})_3$, A NEW MINERAL SPECIES FROM TEMPLE MOUNTAIN, EMERY COUNTY, UTAH, U.S.A.. <i>Canadian Mineralogist</i> , 2003, 41, 83-90.	0.3	28
330	THE CRYSTAL STRUCTURE OF VASILYEVITE, $(\text{Hg}_2)_{102+} \text{O}_6 \text{I}_3 (\text{Br}, \text{Cl})_3 (\text{CO}_3)$. <i>Canadian Mineralogist</i> , 2003, 41, 1173-1181.	0.3	15
331	THE CRYSTAL CHEMISTRY OF SHCHERBAKOVITE FROM THE Khibina Massif, Kola Peninsula, Russia. <i>Canadian Mineralogist</i> , 2003, 41, 1193-1201.	0.3	18
332	Pezzottaite from Ambatovita, Madagascar: A New Gem Mineral. <i>Gems & Gemology</i> , 2003, 39, 284-301.	0.4	33
333	THE CRYSTAL STRUCTURE OF AN ANTHROPOGENIC $\text{Cu}_1 \text{K Na}$ HYDRO-HYDROXYL CARBONATE CHLORIDE FROM JOHANNGEORGENSTADT, SAXONY, GERMANY. <i>Canadian Mineralogist</i> , 2003, 41, 929-936.	0.3	1
334	Compositional evolution of tourmaline in the petalite-subtype NykÅrpinggruvan pegmatites, UtÅr, Stockholm Archipelago, Sweden. <i>Gff</i> , 2002, 124, 93-102.	0.4	17
335	SIMONKOLLEITE, $\text{Zn}_5 (\text{OH})_8 \text{Cl}_2 (\text{H}_2\text{O})$, A DECORATED INTERRUPTED-SHEET STRUCTURE OF THE FORM $[\text{M}^2]_4$. <i>Canadian Mineralogist</i> , 2002, 40, 939-946.	0.3	88
336	SEWARDITE, $\text{CaFe}_3+2(\text{AsO}_4)_2(\text{OH})_2$, THE Ca-ANALOGUE OF CARMINITE, FROM TSUMEB, NAMIBIA: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2002, 40, 1191-1198.	0.3	9
337	HYDROGEN BONDING IN THE CRYSTAL STRUCTURE OF SEAMANITE. <i>Canadian Mineralogist</i> , 2002, 40, 923-928.	0.3	6
338	THE CRYSTAL CHEMISTRY OF FERSMANITE, $\text{Ca}_4 (\text{Na}, \text{Ca})_4 (\text{Ti}, \text{Nb})_4 (\text{Si}_2\text{O}_7)_2 \text{O}_8 \text{F}_3$. <i>Canadian Mineralogist</i> , 2002, 40, 1421-1428.	0.3	4
339	Re-definition, nomenclature and crystal-chemistry of the hellandite group. <i>American Mineralogist</i> , 2002, 87, 745-752.	0.9	23
340	Title is missing!. <i>Canadian Mineralogist</i> , 2002, 40, 947-960.	0.3	9
341	NEW DATA ON MELIPHANITE, $\text{Ca}_4(\text{Na}, \text{Ca})_4\text{Be}_4\text{AlSi}_7\text{O}_{24}(\text{F}, \text{O})_4$. <i>Canadian Mineralogist</i> , 2002, 40, 971-980.	0.3	23
342	THE CRYSTAL CHEMISTRY OF TELYUSHENKOITE AND LEIFITE, $\text{A Na}_6 [\text{Be}_2 \text{Al}_3 \text{Si}_{15} \text{O}_{39} \text{F}_2]$, A = Cs, Na. <i>Canadian Mineralogist</i> , 2002, 40, 183-192.	0.3	14

#	ARTICLE	IF	CITATIONS
343	TEDHADLEYITE, $Hg_2+Hg_1+10O_4I_2(Cl,Br)_2$, A NEW MINERAL SPECIES FROM THE CLEAR CREEK CLAIM, SAN BENITO COUNTY, CALIFORNIA. <i>Canadian Mineralogist</i> , 2002, 40, 909-914.	0.3	14
344	Fine structure of infrared OH-stretching bands in natural and heat-treated amphiboles of the tremolite-ferro-actinolite series. <i>American Mineralogist</i> , 2002, 87, 891-898.	0.9	20
345	SIMS matrix effects in the analysis of light elements in silicate minerals: Comparison with SREF and EMPA data. <i>American Mineralogist</i> , 2002, 87, 1477-1485.	0.9	63
346	BOND-VALENCE CONSTRAINTS ON THE CHEMICAL COMPOSITION OF TOURMALINE. <i>Canadian Mineralogist</i> , 2002, 40, 789-797.	0.3	85
347	Crystal chemistry of three tourmalines by SREF, EMPA, and SIMS. <i>American Mineralogist</i> , 2002, 87, 1437-1442.	0.9	41
348	REFINEMENT OF THE CRYSTAL STRUCTURE OF AMINOFFITE. <i>Canadian Mineralogist</i> , 2002, 40, 915-922.	0.3	9
349	THE USE OF END-MEMBER CHARGE-ARRANGEMENTS IN DEFINING NEW MINERAL SPECIES AND HETEROVALENT SUBSTITUTIONS IN COMPLEX MINERALS. <i>Canadian Mineralogist</i> , 2002, 40, 699-710.	0.3	88
350	The Crystal Chemistry of the Phosphate Minerals. <i>Reviews in Mineralogy and Geochemistry</i> , 2002, 48, 123-253.	2.2	148
351	Description and crystal structure of bobkingite, a new mineral from New Cliffe Hill Quarry, Stanton-under-Bardon, Leicestershire, UK. <i>Mineralogical Magazine</i> , 2002, 66, 301-311.	0.6	16
352	The Crystal Chemistry of Beryllium. <i>Reviews in Mineralogy and Geochemistry</i> , 2002, 50, 333-403.	2.2	58
353	9. The Crystal Chemistry of Beryllium. , 2002, , 333-404.		14
354	Characterization of tourmaline crystals by Rietveld and single-crystal structure refinement: A comparative study. <i>Geosciences Journal</i> , 2002, 6, 237-243.	0.6	3
355	Quantification of H, B and F in Kornerupine: Accuracy of SIMS and SREF (X-Ray Single-Crystal) Tj ETQq1 1 0.784314 rrgBT /Overlock 10 2.5 6		
356	5. The Crystal Chemistry of the Phosphate Minerals. , 2002, , 123-254.		27
357	REFINEMENT OF THE CRYSTAL STRUCTURE OF USHKOVITE FROM NEVADOS DE PALERMO, REPUBLICA ARGENTINA. <i>Canadian Mineralogist</i> , 2002, 40, 929-937.	0.3	20
358	SIMS ionization of hydrogen in silicates: a case study of kornerupine. <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 1266-1270.	1.6	24
359	BISMUTOTANTALITE FROM NORTHWESTERN ARGENTINA: DESCRIPTION AND CRYSTAL STRUCTURE. <i>Canadian Mineralogist</i> , 2001, 39, 103-110.	0.3	10
360	TRIVALENT IODINE IN THE CRYSTAL STRUCTURE OF SCHWARTZEMBERGITE, $Pb_2+5 I_3+ O_6 H_2 Cl_3$. <i>Canadian Mineralogist</i> , 2001, 39, 785-795.	0.3	16

#	ARTICLE	IF	CITATIONS
361	FERRIAN WINCHITE FROM THE ILMEN MOUNTAINS, SOUTHERN URALS, RUSSIA, AND SOME PROBLEMS WITH THE CURRENT SCHEME FOR AMPHIBOLE NOMENCLATURE. <i>Canadian Mineralogist</i> , 2001, 39, 171-177.	0.3	16
362	1. The Crystal Chemistry of Sulfate Minerals. , 2001, , 1-112.		9
363	Assignment of infrared OH-stretching bands in manganian magnesio-arfvedsonite and richterite through heat-treatment. <i>American Mineralogist</i> , 2001, 86, 965-972.	0.9	11
364	ORTHOMINASRAGRITE, $V_4O(SO_4)(H_2O)_5$, A NEW MINERAL SPECIES FROM TEMPLE MOUNTAIN, EMERY COUNTY, UTAH, U.S.A.. <i>Canadian Mineralogist</i> , 2001, 39, 1325-1331.	0.3	15
365	Al Mg DISORDER IN A GEM-QUALITY PARGASITE FROM BAFFIN ISLAND, NUNAVUT, CANADA. <i>Canadian Mineralogist</i> , 2001, 39, 1725-1732.	0.3	13
366	REFINEMENT OF THE CRYSTAL STRUCTURE OF SWEDENBORGITE. <i>Canadian Mineralogist</i> , 2001, 39, 153-158.	0.3	22
367	Constraints on F vs. OH incorporation in synthetic [6]Al-bearing monoclinic amphiboles. <i>European Journal of Mineralogy</i> , 2001, 13, 841-847.	0.4	21
368	THE CRYSTAL CHEMISTRY OF THE $[M_3\hat{A}11\ 14]$ TRIMERIC STRUCTURES: FROM HYPERAGPAITIC COMPLEXES TO SALINE LAKES. <i>Canadian Mineralogist</i> , 2001, 39, 1275-1294.	0.3	51
369	POLYAKOVITE-(Ce), $(REE,Ca)_4(Mg,Fe^{2+})(Cr^{3+},Fe^{3+})_2(Ti,Nb)_2Si_4O_{22}$, A NEW METAMICT MINERAL SPECIES FROM THE ILMEN MOUNTAINS, SOUTHERN URALS, RUSSIA: MINERAL DESCRIPTION AND CRYSTAL CHEMISTRY. <i>Canadian Mineralogist</i> , 2001, 39, 1095-1104.	0.3	18
370	A BOND-VALENCE APPROACH TO THE STRUCTURE, CHEMISTRY AND PARAGENESIS OF HYDROXY-HYDRATED OXYSALT MINERALS. III. PARAGENESIS OF BORATE MINERALS. <i>Canadian Mineralogist</i> , 2001, 39, 1257-1274.	0.3	42
371	A BOND-VALENCE APPROACH TO THE STRUCTURE, CHEMISTRY AND PARAGENESIS OF HYDROXY-HYDRATED OXYSALT MINERALS. I. THEORY. <i>Canadian Mineralogist</i> , 2001, 39, 1225-1242.	0.3	73
372	A BOND-VALENCE APPROACH TO THE STRUCTURE, CHEMISTRY AND PARAGENESIS OF HYDROXY-HYDRATED OXYSALT MINERALS. II. CRYSTAL STRUCTURE AND CHEMICAL COMPOSITION OF BORATE MINERALS. <i>Canadian Mineralogist</i> , 2001, 39, 1243-1256.	0.3	36
373	STRUCTURE TOPOLOGY AND HYDROGEN BONDING IN MARTHOZITE, $Cu_2+[(UO_2)_3(SeO_3)_2O_2](H_2O)_8$, A COMPARISON WITH GUILLEMINITE, $Ba[(UO_2)_3(SeO_3)_2O_2](H_2O)_3$. <i>Canadian Mineralogist</i> , 2001, 39, 797-807.	0.3	60
374	The crystal structure of brunogeierite, Fe_2GeO_4 spinel. <i>Mineralogical Magazine</i> , 2001, 65, 441-444.	0.6	21
375	THE CRYSTAL CHEMISTRY OF MALINKOITE, $NaBSiO_4$, AND LISITSYNITE, $KBSi_2O_6$, FROM THE Khibina LOVOZERO COMPLEX, KOLA PENINSULA, RUSSIA. <i>Canadian Mineralogist</i> , 2001, 39, 159-169.	0.3	26
376	THE CRYSTAL STRUCTURE OF GLADIUSITE, $(Fe^{2+},Mg)_4Fe^{3+}_2(PO_4)(OH)_{11}(H_2O)$. <i>Canadian Mineralogist</i> , 2001, 39, 1121-1130.	0.3	4
377	Li-BEARING ARFVEDSONITIC AMPHIBOLES FROM THE STRANGE LAKE PERALKALINE GRANITE, QUEBEC. <i>Canadian Mineralogist</i> , 2001, 39, 1161-1170.	0.3	26
378	A new anhydrous amphibole from the Eifel region, Germany: Description and crystal structure of obertiite, $NaNa_2(Mg_3Fe^{3+}Ti^{4+})Si_8O_{22}O_2$. <i>American Mineralogist</i> , 2000, 85, 236-241.	0.9	31

#	ARTICLE	IF	CITATIONS
379	THE TANCO PEGMATITE AT BERNIC LAKE, MANITOBA. XIV. INTERNAL TOURMALINE. Canadian Mineralogist, 2000, 38, 877-891.	0.3	49
380	REFINEMENT OF THE CRYSTAL STRUCTURE OF VAYRYNENITE. Canadian Mineralogist, 2000, 38, 1425-1432.	0.3	9
381	TOPOLOGICAL ENUMERATION OF DECORATED $[Cu_{2+\hat{A}2}]_N$ SHEETS IN HYDROXY-HYDRATED COPPER-OXYSALT MINERALS. Canadian Mineralogist, 2000, 38, 751-761.	0.3	36
382	THE CRYSTAL CHEMISTRY OF Li-BEARING MINERALS WITH THE MILARITE-TYPE STRUCTURE: THE CRYSTAL STRUCTURE OF END-MEMBER SOGDIANITE. Canadian Mineralogist, 2000, 38, 853-859.	0.3	14
383	The Crystal Chemistry of Sulfate Minerals. Reviews in Mineralogy and Geochemistry, 2000, 40, 1-112.	2.2	229
384	Symesite, $Pb_{10}(SO_4)_7Cl_4(H_2O)$, a new PbO-related sheet mineral: Description and crystal structure. American Mineralogist, 2000, 85, 1526-1533.	0.9	35
385	THE TANCO PEGMATITE AT BERNIC LAKE, SOUTHEASTERN MANITOBA. XV. ERCITITE, $Na Mn^{3+} PO_4 (OH) (H_2O)_2$, A NEW PHOSPHATE MINERAL SPECIES. Canadian Mineralogist, 2000, 38, 893-898.	0.3	13
386	THE TANCO PEGMATITE AT BERNIC LAKE, MANITOBA. XIII. EXOCONTACT TOURMALINE. Canadian Mineralogist, 2000, 38, 869-876.	0.3	24
387	The OH-F substitution in synthetic pargasite at 1.5 kbar, 850 $\hat{A}^{\circ}C$. American Mineralogist, 2000, 85, 926-931.	0.9	32
388	Short-range order in synthetic aluminous tremolites: An infrared and triple-quantum MAS NMR study. American Mineralogist, 2000, 85, 1716-1724.	0.9	61
389	BOLEITE: RESOLUTION OF THE FORMULA, $K Pb_{26} Ag_9 Cu_{24} Cl_{62} (OH)_{48}$. Canadian Mineralogist, 2000, 38, 801-808.	0.3	8
390	WILUITE, $Ca_{19}(Al,Mg,Fe,Ti)_{13}(B,Al,\hat{A})_5Si_{18}O_{68}(O,OH)_{10}$, A NEW MINERAL SPECIES ISOSTRUCTURAL WITH VESUVIANITE, FROM THE SAKHA REPUBLIC, RUSSIAN FEDERATION: REPLY. Canadian Mineralogist, 2000, 38, 765-766.	0.3	16
391	HIGHLY UNDERSATURATED ANIONS IN THE CRYSTAL STRUCTURE OF ANDYROBERTSITE - CALCIO-ANDYROBERTSITE, A DOUBLY ACID ARSENATE OF THE FORM $K (Cd,Ca) [Cu_{2+5} (AsO_4)_4 \hat{A}] (H_2O)_2$. Canadian Mineralogist, 2000, 38, 817-830.	0.3	11
392	A CRYSTAL-CHEMICAL APPROACH TO THE COMPOSITION AND OCCURRENCE OF VANADIUM MINERALS. Canadian Mineralogist, 2000, 38, 1443-1456.	0.3	84
393	Crystal Chemical Aspects of Vanadium: \hat{A} Polyhedral Geometries, Characteristic Bond Valences, and Polymerization of (VO _n) Polyhedra. Chemistry of Materials, 2000, 12, 1248-1259.	3.2	234
394	GLADIUSITE, $Fe_{3+2}(Fe_{2+},Mg)_4(PO_4)(OH)_{11}(H_2O)$, A NEW HYDROTHERMAL MINERAL SPECIES FROM THE PHOSCORITE CARBONATITE UNIT, KOVDOR COMPLEX, KOLA PENINSULA, RUSSIA. Canadian Mineralogist, 2000, 38, 1477-1485.	0.3	8
395	THE CRYSTAL CHEMISTRY OF POTASSIC-FERRISADANAGAITE. Canadian Mineralogist, 2000, 38, 669-674.	0.3	9
396	Subsolidus rubidium-dominant feldspar from the Morrua pegmatite, Mozambique: paragenesis and composition. Mineralogical Magazine, 1999, 63, 313-320.	0.6	7

#	ARTICLE	IF	CITATIONS
397	Silvialite, a new sulfate-dominant member of the scapolite group with an Al-Si composition near the 14/m ² P42/n phase transition. <i>Mineralogical Magazine</i> , 1999, 63, 321-329.	0.6	37
398	Geochemistry and petrology of late K-and Rb-feldspars in the Rubellite pegmatite, Lilypad Lakes, NW Ontario. <i>Mineralogy and Petrology</i> , 1999, 65, 237-247.	0.4	6
399	Metastructures: homeomorphisms between complex inorganic structures and three-dimensional nets. <i>Acta Crystallographica Section B: Structural Science</i> , 1999, 55, 811-829.	1.8	39
400	Structural Characterization of the β -Cu ₂ V ₂ O ₇ ±Zn ₂ V ₂ O ₇ Solid Solution. <i>Journal of Solid State Chemistry</i> , 1999, 146, 271-276.	1.4	34
401	Wooldridgeite, Na ₂ (P ₂ O ₇) ₂ (H ₂ O) ₁₀ : A new mineral from Judkins Quarry, Warwickshire, England. <i>Mineralogical Magazine</i> , 1999, 63, 13-16.	0.6	8
402	Chemical and paragenetic data on gadolinite-group minerals from Baveno and Cuasso al Monte, southern Alps, Italy. <i>American Mineralogist</i> , 1999, 84, 782-789.	0.9	44
403	Near-infrared study of short-range disorder of OH and F in monoclinic amphiboles. <i>American Mineralogist</i> , 1999, 84, 86-91.	0.9	37
404	Bederite, a new pegmatite phosphate mineral from Nevados de Palermo, Argentina; description and crystal structure. <i>American Mineralogist</i> , 1999, 84, 1674-1679.	0.9	10
405	Schubnelite, [Fe (super 3+) (V (super 5+) O ₄)(H ₂ O)], a novel heteropolyhedral framework mineral. <i>American Mineralogist</i> , 1999, 84, 665-668.	0.9	12
406	The crystal chemistry of sogdianite, a milarite-group mineral. <i>American Mineralogist</i> , 1999, 84, 764-768.	0.9	17
407	Unusual M (super 3+) cations in synthetic amphiboles with nominal fluoro-eckermannite composition; deviations from stoichiometry and structural effects of the cummingtonite component. <i>American Mineralogist</i> , 1999, 84, 102-111.	0.9	14
408	Simmonsite, Na ₂ LiAlF ₆ , a new mineral from the Zapot amazonite-topaz-zinnwaldite pegmatite, Hawthorne, Nevada, U.S.A.. <i>American Mineralogist</i> , 1999, 84, 769-772.	0.9	6
409	Short-range order of cations in synthetic amphiboles along the richterite-pargasite join. <i>European Journal of Mineralogy</i> , 1999, 11, 79-94.	0.4	71
410	TOURMALINE 97. <i>European Journal of Mineralogy</i> , 1999, 11, 199-200.	0.4	2
411	Classification of the minerals of the tourmaline group. <i>European Journal of Mineralogy</i> , 1999, 11, 201-216.	0.4	427
412	Tourmaline of the elbaite-dravite series from an elbaite-subtype pegmatite at Bli ³ / ₄ n ¹ , southern Bohemia, Czech Republic. <i>European Journal of Mineralogy</i> , 1999, 11, 557-568.	0.4	56
413	Compositional evolution of tourmaline in lepidolite-subtype pegmatites. <i>European Journal of Mineralogy</i> , 1999, 11, 569-584.	0.4	82
414	Boron-bearing 2M1 polythionite and 2M1+ 1M boromuscovite from an elbaite pegmatite at Recice, western Moravia, Czech Republic. <i>European Journal of Mineralogy</i> , 1999, 11, 669-678.	0.4	16

#	ARTICLE	IF	CITATIONS
415	An investigation of SIMS matrix effects on H, Li and B ionization in tourmaline. <i>European Journal of Mineralogy</i> , 1999, 11, 679-690.	0.4	25
416	Iron in kornorupine; a ⁵⁷ Fe Moessbauer spectroscopic study and comparison with single-crystal structure refinement. <i>American Mineralogist</i> , 1999, 84, 536-549.	0.9	12
417	Crystal-structure refinement of a rubidian cesian phlogopite. <i>American Mineralogist</i> , 1999, 84, 778-781.	0.9	19
418	Structure and chemistry of phosphate minerals. <i>Mineralogical Magazine</i> , 1998, 62, 141-164.	0.6	66
419	Diffuse reflections and the symmetry of vesuvianite. <i>Phase Transitions</i> , 1998, 67, 137-151.	0.6	3
420	Rossmannite, $[(\text{LiAl})_2(\text{Al})_6(\text{Si})_6\text{O}_{18}(\text{BO})_3)_3(\text{OH})_4]$, a new alkali-deficient tourmaline; description and crystal structure. <i>American Mineralogist</i> , 1998, 83, 896-900.	0.9	46
421	Georgeericksenite, $\text{Na}_6\text{CaMg}(\text{IO})_3(\text{CrO})_4(\text{H})_2(\text{O})_{12}$, a new mineral from Oficina Chacabuco, Chile; description and crystal structure. <i>American Mineralogist</i> , 1998, 83, 390-399.	0.9	11
422	Rubicline, a new feldspar from San Piero in Campo, Elba, Italy. <i>American Mineralogist</i> , 1998, 83, 1335-1339.	0.9	17
423	Distinguishing among schoepite, $[(\text{UO})_2(\text{O})_8(\text{OH})_{12}](\text{H})_2(\text{O})_4$ and related minerals by X-ray powder diffraction. <i>Powder Diffraction</i> , 1997, 12, 230-238.	0.9	19
424	Nomenclature of Amphiboles; Report of the Subcommittee on Amphiboles of the International Mineralogical Association Commission on New Minerals and Mineral Names. <i>Mineralogical Magazine</i> , 1997, 61, 295-310.	0.6	1,264
425	Site occupancies in synthetic monoclinic amphiboles; Rietveld structure refinement and infrared spectroscopy of (nickel, magnesium, cobalt)-richterite. <i>American Mineralogist</i> , 1997, 82, 291-301.	0.9	45
426	A Rietveld and infrared study of synthetic amphiboles along the potassium-richterite-tremolite join. <i>American Mineralogist</i> , 1997, 82, 708-716.	0.9	68
427	The crystal structure of ianthinite, $[\text{U}_{24}+(\text{UO}_2)_4\text{O}_6(\text{OH})_4(\text{H}_2\text{O})_4](\text{H}_2\text{O})_5$: a possible phase for Pu ⁴⁺ incorporation during the oxidation of spent nuclear fuel. <i>Journal of Nuclear Materials</i> , 1997, 249, 199-206.	1.3	84
428	Infrared characterization of (OH, F)-pargasites. <i>Physics and Chemistry of Minerals</i> , 1996, 23, 307-307.	0.3	3
429	A structural phase-transition in $\text{K}(\text{Mg}_{1-x}\text{Cu}_x)\text{F}_3$ perovskite. <i>Physics and Chemistry of Minerals</i> , 1996, 23, 141.	0.3	20
430	A new hyper-calcic amphibole with Ca at the A site; fluor-cannilloite from Pargas, Finland. <i>American Mineralogist</i> , 1996, 81, 995-1002.	0.9	25
431	Chapter 2. THE CRYSTAL CHEMISTRY OF BORON. , 1996, , 41-116.		43
432	Short-range disorder of Si and Ti in the tetrahedral double-chain unit of synthetic Ti-bearing potassium-richterite. <i>American Mineralogist</i> , 1996, 81, 56-60.	0.9	27

#	ARTICLE	IF	CITATIONS
433	P.J. Potts, J.F.W. Bowles, S.J.B. Reed and M.R. Cave, Eds. Microprobe Techniques in the Earth Sciences. London (Chapman Hall), 1995. xi + 419 pp. Price £29.95 ISBN 0-412-55100-4.. Mineralogical Magazine, 1996, 60, 694-695.	0.6	0
434	Prismaticite: revalidation for boron-rich compositions in the korerupine group. Mineralogical Magazine, 1996, 60, 483-491.	0.6	23
435	Fluor-ferro-leakeite, $\text{NaNa}_2(\text{Fe}^{2+})_2\text{Fe}^{3+}\text{TjETQq110.784314rgBT/Overlock10Tf50667Td}$ Canada Pinabete Pluton, Questa, New Mexico, U.S.A.. American Mineralogist, 1996, 81, 226-228.	0.9	21
436	The Crystal Structure of lanthinite, a Mixed-Valence Uranium Oxide Hydrate. Materials Research Society Symposia Proceedings, 1996, 465, 1193.	0.1	4
437	The behaviour of Mn in amphiboles: Mn in synthetic fluor-edenite and synthetic fluor-pargasite. European Journal of Mineralogy, 1996, 9, 115-122.	0.4	8
438	The crystal structure of sinkankasite, a complex heteropolyhedral sheet mineral. American Mineralogist, 1995, 80, 620-627.	0.9	11
439	Schoepite and Dehydrated Schoepite. Materials Research Society Symposia Proceedings, 1995, 412, 361.	0.1	5
440	Cu-Bearing Tourmaline from Paraiba, Brazil. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 555-557.	0.4	15
441	Hydrogen bonding in borcarite, an unusual borate-carbonate mineral. Mineralogical Magazine, 1995, 59, 297-304.	0.6	15
442	A multinuclear NMR study of synthetic pargasite; discussion and reply. American Mineralogist, 1995, 80, 628-629.	0.9	4
443	Light lithophile elements in metamorphic rock-forming minerals. European Journal of Mineralogy, 1995, 7, 607-622.	0.4	5
444	Temperature-dependent Al order-disorder in the tetrahedral double chain of C2/m amphiboles. European Journal of Mineralogy, 1995, 7, 1049-1064.	0.4	72
445	A new anhydrous amphibole from the Hoskins Mine, Grenfell, New South Wales, Australia; description and crystal structure of ungarrettiite, $\text{NaNa}_2(\text{Mn}^{2+})_2\text{Mn}^{3+}\text{TjETQq110.784314rgBT/Overlock10Tf50667Td}$ 165-172.	0.9	38
446	Properties of Hydroxy-Al and -Cr Interlayers in Montmorillonite. Clays and Clay Minerals, 1994, 42, 331-336.	0.6	15
447	Structural aspects of oxide and oxysalt crystals. Acta Crystallographica Section B: Structural Science, 1994, 50, 481-510.	1.8	124
448	Refinement of the structure of hilgardite-1A. Acta Crystallographica Section C: Crystal Structure Communications, 1994, 50, 653-655.	0.4	14
449	Staringite discredited. Mineralogical Magazine, 1994, 58, 271-277.	0.6	2
450	Cesstibtantite—a geologic introduction to the inverse pyrochlores. Mineralogy and Petrology, 1993, 48, 235-255.	0.4	25

#	ARTICLE	IF	CITATIONS
451	Structural relations in copper oxysalt minerals. I. Structural hierarchy. Acta Crystallographica Section B: Structural Science, 1993, 49, 28-56.	1.8	92
452	Rietveld refinement of the crystal structure of $\hat{\pm}$ -CoSO ₄ . Powder Diffraction, 1993, 8, 54-56.	0.4	6
453	Minerals, mineralogy and mineralogists; past, present and future. Canadian Mineralogist, 1993, 31, 253-296.	0.3	20
454	The behaviour of Mn in amphiboles: Mn in richterite. European Journal of Mineralogy, 1993, 5, 43-52.	0.4	24
455	Rietveld structure refinement of synthetic strontium-rich potassium-richterites. European Journal of Mineralogy, 1993, 5, 199-206.	0.4	27
456	Hydrogen bonding in colemanite; an X-ray and structure-energy study. Canadian Mineralogist, 1993, 31, 297-304.	0.3	41
457	Hydrogen bonding in meyerhofferite; an X-ray and structure energy study. Canadian Mineralogist, 1993, 31, 305-312.	0.3	20
458	The crystal structure of dietzeite, Ca ₂ H ₂ O(IO ₃) ₂ (CrO ₄), a heteropolyhedral framework mineral. Canadian Mineralogist, 1993, 31, 313-319.	0.3	15
459	Edge-sharing Mn (super 2+) O ₄ tetrahedra in the structure of akatoreite, Mn (super 2+) ₉ Al ₂ Si ₈ O ₂₄ (oh) ₈ . Canadian Mineralogist, 1993, 31, 321-329.	0.3	8
460	Metamict and chemically altered vesuvianite. Canadian Mineralogist, 1993, 31, 357-369.	0.3	10
461	Powder Diffraction Data for Synthetic Potassium-Richterite, Nickel-Potassium-Richterite and Cobalt-Potassium-Richterite. Powder Diffraction, 1992, 7, 52-55.	0.4	2
462	The role of OH and H ₂ O in oxide and oxysalt minerals. Zeitschrift Fur Kristallographie - Crystalline Materials, 1992, 201, 183-206.	0.4	127
463	Bond topology, bond valence and structure stability. , 1992, , 25-87.		4
464	The behaviour of Ti in amphiboles: I. Four- and six-coordinate Ti in richterite. European Journal of Mineralogy, 1992, 4, 425-440.	0.4	90
465	Refinement of the structure of lironite, a heteropolyhedral framework oxysalt mineral. Acta Crystallographica Section C: Crystal Structure Communications, 1991, 47, 916-919.	0.4	10
466	Rietveld Refinement of the Crystal Structure of CuF ₂ . Powder Diffraction, 1991, 6, 156-158.	0.4	10
467	Amphibole synthesis at low pressure: what grows and what doesn't. European Journal of Mineralogy, 1991, 3, 983-1004.	0.4	35
468	Crystals from first principles. Nature, 1990, 345, 297-297.	13.7	28

#	ARTICLE	IF	CITATIONS
469	Clinoclase and the geometry of [5]-coordinate Cu ²⁺ in minerals. Acta Crystallographica Section C: Crystal Structure Communications, 1990, 46, 2291-2294.	0.4	19
470	Structural hierarchy in M ⁶ T ⁴ ̄ _n minerals. Zeitschrift Fur Kristallographie - Crystalline Materials, 1990, 192, 1-52.	0.4	61
471	Euchroite, a heteropolyhedral framework structure. Acta Crystallographica Section C: Crystal Structure Communications, 1989, 45, 1479-1482.	0.4	6
472	Cornetite: Modulated densely-packed Cu ²⁺ oxysalt. Mineralogy and Petrology, 1989, 40, 127-136.	0.4	6
473	Powder Diffraction Data for Synthetic Pargasite, Scandian Pargasite and Their Fluorine Analogues: NaCa ₂ Mg ₄ (Al,Sc)Si ₆ Al ₂ O ₂₂ (OH,F) ₂ . Powder Diffraction, 1989, 4, 36-39.	0.4	0
474	Sigioite : The oxidation mechanism in [M ₂ 3 + (PO ₄) ₂ (OH) ₂ (H ₂ O) ₂] ₂ - structures. Mineralogy and Petrology, 1988, 38, 201-211.	0.4	24
475	Chapter 8. MOSSBAUER SPECTROSCOPY. , 1988, , 255-340.		29
476	Diamagnetic and structural characterization of orthorhombic high-temperature superconductors in the system Yâ€Baâ€Cuâ€O. Canadian Journal of Physics, 1987, 65, 1145-1148.	0.4	4
477	Refinement of the crystal structure of papagoite, CaCuAlSi ₂ O ₆ (OH) ₃ . Mineralogy and Petrology, 1987, 37, 89-96.	0.4	7
478	Structure of cobalt diselenite. Acta Crystallographica Section C: Crystal Structure Communications, 1987, 43, 2042-2044.	0.4	18
479	Enumeration of 4-connected 3-dimensional nets and classification of framework silicates. 3<i>D</i> nets based on insertion of 2-connected vertices into 3-connected plane nets. Zeitschrift Fur Kristallographie - Crystalline Materials, 1986, 175, 15-30.	0.4	7
480	The crystal structure and chemical composition of cumengÃ©ite. Mineralogical Magazine, 1986, 50, 157-162.	0.6	21
481	Structures of zinc selenite and copper selenite. Acta Crystallographica Section C: Crystal Structure Communications, 1986, 42, 1285-1287.	0.4	8
482	The crystal structure of stringhamite. TPM Tschermaks Mineralogische Und Petrographische Mitteilungen, 1985, 34, 15-24.	0.3	9
483	Refinement of the crystal structure of botallackite. Mineralogical Magazine, 1985, 49, 87-89.	0.6	54
484	The crystal structure of ruizite, a sorosilicate with an [Si ₄ i _{1/2} 13] cluster. TPM Tschermaks Mineralogische Und Petrographische Mitteilungen, 1984, 33, 135-146.	0.3	5
485	Towards a structural classification of minerals. Acta Crystallographica Section A: Foundations and Advances, 1984, 40, C245-C245.	0.3	15
486	Structure of erbium ditartrate trihydrate, Er ⁴⁺ .2C ₄ H ₄ O ₆ 2âˆ³.3H ₂ O. Acta Crystallographica Section C: Crystal Structure Communications, 1983, 39, 540-542.	0.4	17

#	ARTICLE	IF	CITATIONS
487	Graphical enumeration of polyhedral clusters. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 1983, 39, 724-736.	0.3	113
488	The crystal structure of tancoite. <i>TMPM Tschermaks Mineralogische Und Petrographische Mitteilungen</i> , 1983, 31, 121-135.	0.3	36
489	Structure of calcium tartrate tetrahydrate. <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1982, 38, 2461-2463.	0.4	36
490	Some systematics of the garnet structure. <i>Journal of Solid State Chemistry</i> , 1981, 37, 157-164.	1.4	59
491	Refinement of the structure of descloizite. <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1979, 35, 717-720.	0.4	31
492	Paradamite. <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1979, 35, 720-722.	0.4	3
493	THE CHEMISTRY AND MINERALOGY OF THE HOMEWOOD, MANITOBA, METEORITE. <i>Meteoritics</i> , 1979, 14, 207-214.	1.5	0
494	The crystal structure of Ba ₂ V ₂ O ₇ . <i>Journal of Solid State Chemistry</i> , 1978, 26, 345-355.	1.4	39
495	The relationship between cell volume, mean bond length and effective ionic radius. <i>The Acta Crystallographica Section A, Crystal Physics, Diffractionoretical and General Crystallography</i> , 1978, 34, 139-140.	0.6	4
496	Refinement of the crystal structures of (Mg _{0.776} CO _{0.224})SiO ₃ and (Mg _{0.925} Mn _{0.075})SiO ₃ . <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1978, 34, 891-893.	0.4	20
497	Crystal structure of vanadium(III) tris(metaphosphate). <i>Canadian Journal of Chemistry</i> , 1977, 55, 1673-1679.	0.6	27
498	The crystal chemistry of the amphiboles. III: Refinement of the crystal structure of a sub-silicic hastingsite. <i>Mineralogical Magazine</i> , 1977, 41, 43-50.	0.6	27
499	The crystal chemistry of the M+VO ₃ (M+ = Li, Na, K, NH ₄ , Tl, Rb, and Cs) pyroxenes. <i>Journal of Solid State Chemistry</i> , 1977, 22, 157-170.	1.4	143
500	Refinement of the crystal structure of berzeliite. <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1976, 32, 1581-1583.	0.4	8
501	The hydrogen positions in scorodite. <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1976, 32, 2891-2892.	0.4	64
502	Refinement of the crystal structure of k ₂ Arfvedsonite. <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1975, 31, 1753-1755.	0.4	54
503	Refinement of merohedrally twinned crystals. <i>The Acta Crystallographica Section A, Crystal Physics, Diffractionoretical and General Crystallography</i> , 1974, 30, 603-604.	0.6	1
504	Refinement of the crystal structure of NaInSi ₂ O ₆ . <i>Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry</i> , 1974, 30, 1882-1884.	0.4	15

#	ARTICLE	IF	CITATIONS
505	Refinement of the crystal structure of NaScSi ₂ O ₆ . Acta Crystallographica Section B: Structural Crystallography and Crystal Chemistry, 1973, 29, 2615-2616.	0.4	33
506	The crystal chemistry of the amphiboles II Refinement of the crystal structure of oxy-kaersutite. Mineralogical Magazine, 1973, 39, 390-400.	0.6	27
507	The crystal chemistry of the amphiboles. I: Refinement of the Crystal structure of ferrotschermakite. Mineralogical Magazine, 1973, 39, 36-48.	0.6	24
508	Positional Disorder in the A-Site of Clino-amphiboles. Nature: Physical Science, 1972, 235, 72-73.	0.8	12
509	Atomic force microscopy (AFM) study of the adsorption of soil HA and soil FA at the MICA-water interface. , 0, , 241-252.		1
510	Bridgesite-(Ce), a new rare-earth element sulfate, with a unique crystal structure, from Tynebottom Mine, Cumbria, United Kingdom. Mineralogical Magazine, 0, , 1-22.	0.6	1